



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:40 AM UTC

PDB ID : 3WJC / pdb_00003wjc
Title : Crystal structure of mutant nitrobindin M75L/H76L/Q96C/M148L/H158L covalently linked with [Rh(Cp-Mal)(COD)] (NB4-Rh) from *Arabidopsis thaliana*
Authors : Mizohata, E.; Fukumoto, K.; Onoda, A.; Bocola, M.; Arlt, M.; Inoue, T.; Schwaneberg, U.; Hayashi, T.
Deposited on : 2013-10-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	174	
1	B	174	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UPF0678 fatty acid-binding protein-like protein At1g79260.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1196	770	199	226	1			
1	B	153	Total	C	N	O	S	0	0	0
			1196	770	199	226	1			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP O64527
A	-6	TRP	-	expression tag	UNP O64527
A	-5	SER	-	expression tag	UNP O64527
A	-4	HIS	-	expression tag	UNP O64527
A	-3	PRO	-	expression tag	UNP O64527
A	-2	GLN	-	expression tag	UNP O64527
A	-1	PHE	-	expression tag	UNP O64527
A	0	GLU	-	expression tag	UNP O64527
A	1	LYS	-	expression tag	UNP O64527
A	75	LEU	MET	engineered mutation	UNP O64527
A	76	LEU	HIS	engineered mutation	UNP O64527
A	96	CYS	GLN	engineered mutation	UNP O64527
A	148	LEU	MET	engineered mutation	UNP O64527
A	158	LEU	HIS	engineered mutation	UNP O64527
B	-7	MET	-	expression tag	UNP O64527
B	-6	TRP	-	expression tag	UNP O64527
B	-5	SER	-	expression tag	UNP O64527
B	-4	HIS	-	expression tag	UNP O64527
B	-3	PRO	-	expression tag	UNP O64527
B	-2	GLN	-	expression tag	UNP O64527
B	-1	PHE	-	expression tag	UNP O64527
B	0	GLU	-	expression tag	UNP O64527
B	1	LYS	-	expression tag	UNP O64527
B	75	LEU	MET	engineered mutation	UNP O64527
B	76	LEU	HIS	engineered mutation	UNP O64527

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	96	CYS	GLN	engineered mutation	UNP O64527
B	148	LEU	MET	engineered mutation	UNP O64527
B	158	LEU	HIS	engineered mutation	UNP O64527

- Molecule 2 is [(1,2,5,6-eta)-cyclooctane-1,2,5,6-tetrayl]{(1,2,3,4,5-eta)-1-[2-(2,5-dioxopyrrolidin-1-yl)ethyl]cyclopentadienyl}rhodium (CCD ID: RMD) (formula: C₁₉H₂₄NO₂Rh).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	Rh	0	0
			23	19	1	2	1		
2	B	1	Total	C	N	O	Rh	0	0
			23	19	1	2	1		

- Molecule 3 is BARIUM ION (CCD ID: BA) (formula: Ba).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ba	0	0
			2	2		
3	B	2	Total	Ba	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	88	Total	O	0	0
			88	88		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	86	Total	O	0	0
			86	86		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UPF0678 fatty acid-binding protein-like protein At1g79260

Chain A: 



- Molecule 1: UPF0678 fatty acid-binding protein-like protein At1g79260

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	67.89Å 67.89Å 129.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.8 (20.00-2.00) 98.8 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.239 , 0.295 0.253 , 0.295	Depositor DCC
R_{free} test set	2005 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	20.7	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 0.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.249 for h,-k,-l	Xtriage
Reported twinning fraction	0.500 for H, K, L 0.500 for K, H, -L	Depositor
Outliers	0 of 39128 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2616	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BA, RMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	1/1225 (0.1%)	2.68	107/1662 (6.4%)
1	B	0.51	0/1225	2.58	110/1662 (6.6%)
All	All	0.53	1/2450 (0.0%)	2.63	217/3324 (6.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1
1	B	0	1
All	All	1	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	97	SER	N-CA	5.82	1.53	1.46

All (217) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	96	CYS	N-CA-C	16.24	135.58	109.76
1	B	95	ALA	O-C-N	-15.45	104.05	122.89
1	A	41	ILE	CA-C-N	-13.28	106.77	120.98
1	A	41	ILE	C-N-CA	-13.28	106.77	120.98
1	A	96	CYS	CA-C-O	-12.64	106.28	120.69
1	A	162	ILE	CB-CA-C	11.02	122.98	110.41
1	A	111	ASP	CB-CA-C	10.91	126.71	109.03
1	B	108	TYR	CA-C-N	10.89	138.03	123.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	108	TYR	C-N-CA	10.89	138.03	123.00
1	B	138	VAL	CB-CA-C	10.46	125.54	111.21
1	B	16	VAL	N-CA-C	9.66	123.55	109.63
1	A	138	VAL	CB-CA-C	9.59	123.88	110.84
1	B	94	ILE	N-CA-C	9.55	121.75	107.51
1	A	94	ILE	N-CA-C	9.50	120.88	108.35
1	B	69	LEU	N-CA-C	9.20	122.24	111.02
1	A	95	ALA	CA-C-N	-9.13	108.45	121.50
1	A	95	ALA	C-N-CA	-9.13	108.45	121.50
1	A	165	LYS	N-CA-CB	9.10	123.62	109.69
1	A	114	SER	N-CA-C	9.02	124.29	109.95
1	A	70	GLU	N-CA-C	-8.91	102.92	113.88
1	A	76	LEU	N-CA-C	8.86	122.88	109.41
1	B	131	ILE	CB-CA-C	-8.85	97.65	110.83
1	B	76	LEU	N-CA-C	8.81	123.36	110.59
1	A	135	PHE	N-CA-C	-8.77	94.60	109.24
1	B	21	ALA	CA-C-N	-8.64	110.86	120.45
1	B	21	ALA	C-N-CA	-8.64	110.86	120.45
1	A	108	TYR	N-CA-C	8.60	122.21	110.35
1	A	96	CYS	CA-CB-SG	-8.57	94.69	114.40
1	B	90	ILE	N-CA-C	8.35	119.37	108.35
1	A	96	CYS	N-CA-CB	-8.29	97.10	109.95
1	B	96	CYS	N-CA-C	8.26	122.19	108.73
1	A	38	TYR	N-CA-C	-8.22	98.69	108.14
1	A	58	PRO	CA-C-O	8.19	127.37	121.31
1	A	105	LYS	N-CA-C	8.18	121.75	108.34
1	A	96	CYS	O-C-N	-8.16	113.50	123.04
1	A	73	ALA	CA-C-N	-8.12	111.40	119.76
1	A	73	ALA	C-N-CA	-8.12	111.40	119.76
1	B	84	PRO	N-CA-C	8.06	123.85	111.19
1	A	120	ASP	CA-C-O	8.03	128.88	119.32
1	A	97	SER	N-CA-C	7.86	127.55	110.80
1	B	95	ALA	CA-C-N	7.67	132.97	122.77
1	B	95	ALA	C-N-CA	7.67	132.97	122.77
1	A	101	VAL	N-CA-C	7.62	119.26	108.36
1	B	117	LEU	N-CA-CB	-7.61	99.64	111.05
1	B	19	PHE	CA-C-O	7.52	128.66	119.79
1	B	53	SER	N-CA-C	7.46	119.04	108.74
1	B	58	PRO	CA-C-N	7.39	134.15	122.33
1	B	58	PRO	C-N-CA	7.39	134.15	122.33
1	A	71	SER	CA-C-O	-7.36	113.03	120.90
1	B	144	TYR	CB-CA-C	-7.35	98.58	111.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	114	SER	N-CA-C	7.25	119.88	110.53
1	A	117	LEU	CB-CA-C	-7.23	95.63	109.66
1	B	76	LEU	N-CA-CB	-7.23	99.43	110.42
1	A	127	LYS	N-CA-C	7.23	121.03	112.93
1	B	85	ARG	CA-C-N	7.19	128.83	119.84
1	B	85	ARG	C-N-CA	7.19	128.83	119.84
1	A	165	LYS	N-CA-C	-7.19	99.39	110.10
1	A	72	GLY	N-CA-C	-7.19	92.45	113.30
1	A	164	ASP	N-CA-C	-7.14	97.31	109.24
1	B	38	TYR	CA-C-N	-7.13	111.44	119.28
1	B	38	TYR	C-N-CA	-7.13	111.44	119.28
1	B	115	ILE	O-C-N	-7.09	115.17	123.04
1	A	129	LYS	CA-C-N	-7.06	110.78	122.21
1	A	129	LYS	C-N-CA	-7.06	110.78	122.21
1	B	113	GLN	N-CA-C	7.02	121.79	113.23
1	B	92	VAL	CA-C-N	-7.00	113.58	123.11
1	B	92	VAL	C-N-CA	-7.00	113.58	123.11
1	B	16	VAL	CB-CA-C	-7.00	99.91	111.32
1	A	143	SER	N-CA-C	-7.00	99.19	110.32
1	A	18	PRO	CB-CA-C	-7.00	100.02	111.56
1	A	57	LYS	CB-CA-C	6.97	120.08	109.56
1	A	60	ILE	CA-C-O	6.88	128.49	120.71
1	A	97	SER	O-C-N	-6.85	113.48	122.59
1	A	83	ARG	CB-CA-C	6.80	119.18	110.34
1	B	73	ALA	N-CA-C	-6.80	100.91	110.29
1	B	100	LEU	CB-CA-C	-6.77	97.99	109.83
1	B	111	ASP	CB-CG-OD2	6.74	133.91	118.40
1	A	57	LYS	CA-C-O	-6.67	114.20	120.94
1	A	93	VAL	N-CA-CB	6.67	122.37	111.44
1	A	99	GLY	CA-C-N	6.62	133.46	122.33
1	A	99	GLY	C-N-CA	6.62	133.46	122.33
1	B	160	LYS	CA-C-O	-6.61	111.06	120.51
1	B	79	SER	CB-CA-C	6.61	123.33	109.79
1	A	52	PHE	N-CA-CB	-6.59	99.28	110.16
1	A	69	LEU	N-CA-C	6.59	124.84	110.80
1	A	147	ARG	CA-C-N	-6.54	112.32	122.59
1	A	147	ARG	C-N-CA	-6.54	112.32	122.59
1	A	97	SER	N-CA-CB	6.52	121.51	110.49
1	A	91	GLU	CB-CA-C	6.45	121.52	109.71
1	A	145	VAL	N-CA-C	6.39	117.50	108.36
1	A	96	CYS	CB-CA-C	6.37	120.22	109.84
1	A	127	LYS	N-CA-CB	-6.35	101.80	110.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	VAL	N-CA-C	6.32	118.49	108.89
1	A	17	HIS	N-CA-CB	-6.26	100.12	110.02
1	B	118	LYS	N-CA-C	-6.25	99.18	108.99
1	B	90	ILE	CA-C-N	-6.24	112.88	122.62
1	B	90	ILE	C-N-CA	-6.24	112.88	122.62
1	B	19	PHE	N-CA-C	-6.21	104.40	112.23
1	A	103	VAL	N-CA-C	-6.19	98.29	107.51
1	A	76	LEU	CD1-CG-CD2	6.11	124.24	110.80
1	A	95	ALA	CA-C-O	6.10	126.81	120.40
1	A	133	ARG	NE-CZ-NH2	-6.08	113.73	119.20
1	A	130	GLU	N-CA-C	-6.06	100.09	109.24
1	B	162	ILE	CA-C-O	-6.03	116.92	121.68
1	B	161	ALA	CA-C-N	-6.03	115.82	122.27
1	B	161	ALA	C-N-CA	-6.03	115.82	122.27
1	A	156	GLN	O-C-N	6.01	126.43	121.32
1	B	101	VAL	N-CA-C	-6.01	99.03	108.95
1	A	104	GLN	CB-CG-CD	-6.00	102.40	112.60
1	A	107	THR	CB-CA-C	-5.96	101.99	110.34
1	B	31	ARG	N-CA-C	5.95	118.14	108.26
1	B	46	TYR	CA-C-N	-5.95	113.10	121.13
1	B	46	TYR	C-N-CA	-5.95	113.10	121.13
1	B	150	THR	CB-CA-C	-5.94	103.81	113.37
1	B	71	SER	CA-C-N	5.93	132.37	121.70
1	B	71	SER	C-N-CA	5.93	132.37	121.70
1	B	33	GLN	N-CA-CB	5.92	121.75	111.39
1	B	102	GLU	CA-C-O	5.89	127.58	120.99
1	B	27	LEU	N-CA-C	5.87	118.52	110.24
1	B	135	PHE	CB-CA-C	-5.83	101.52	111.31
1	B	122	VAL	CA-C-N	-5.79	117.71	121.65
1	B	122	VAL	C-N-CA	-5.79	117.71	121.65
1	A	93	VAL	CA-C-O	5.78	127.15	120.67
1	A	130	GLU	CB-CG-CD	-5.78	102.77	112.60
1	A	48	GLU	N-CA-C	5.77	117.89	108.55
1	A	28	GLY	N-CA-C	5.76	118.76	111.85
1	B	148	LEU	CA-C-N	-5.72	113.46	122.73
1	B	148	LEU	C-N-CA	-5.72	113.46	122.73
1	A	151	THR	N-CA-C	-5.72	105.05	111.28
1	B	47	GLY	N-CA-C	-5.70	103.95	113.02
1	B	66	THR	CA-CB-OG1	-5.70	101.05	109.60
1	B	35	GLU	N-CA-C	-5.69	98.82	108.26
1	B	19	PHE	CA-C-N	-5.65	112.42	121.35
1	B	19	PHE	C-N-CA	-5.65	112.42	121.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	93	VAL	N-CA-C	5.65	115.73	107.37
1	A	21	ALA	CA-C-N	-5.62	112.81	119.05
1	A	21	ALA	C-N-CA	-5.62	112.81	119.05
1	A	15	PRO	N-CA-C	5.60	124.01	112.47
1	B	48	GLU	N-CA-C	5.60	118.58	109.06
1	A	26	LEU	CA-C-N	-5.60	113.01	120.90
1	A	26	LEU	C-N-CA	-5.60	113.01	120.90
1	B	95	ALA	CA-C-O	5.60	127.43	121.16
1	B	17	HIS	N-CA-CB	-5.59	103.27	110.03
1	B	83	ARG	CB-CG-CD	5.58	124.13	111.30
1	B	71	SER	O-C-N	-5.57	115.19	122.59
1	A	71	SER	CA-C-N	5.55	131.69	121.70
1	A	71	SER	C-N-CA	5.55	131.69	121.70
1	A	133	ARG	CA-CB-CG	-5.55	103.00	114.10
1	B	132	SER	N-CA-C	5.54	118.83	107.69
1	A	117	LEU	CB-CG-CD1	-5.53	94.12	110.70
1	B	148	LEU	N-CA-C	5.53	117.67	108.99
1	B	51	ARG	CA-C-N	-5.50	115.41	123.00
1	B	51	ARG	C-N-CA	-5.50	115.41	123.00
1	B	93	VAL	CA-CB-CG1	-5.48	101.08	110.40
1	A	100	LEU	CB-CA-C	-5.48	100.06	109.65
1	A	163	LEU	CA-C-N	-5.48	113.85	122.73
1	A	163	LEU	C-N-CA	-5.48	113.85	122.73
1	B	142	LEU	CB-CG-CD2	-5.45	94.35	110.70
1	B	162	ILE	N-CA-C	5.41	116.93	109.46
1	B	159	LEU	CB-CA-C	-5.41	99.88	111.78
1	A	83	ARG	CA-C-O	5.41	125.39	120.09
1	B	54	HIS	CB-CA-C	-5.39	101.31	109.99
1	A	19	PHE	CA-C-N	5.38	130.05	121.34
1	A	19	PHE	C-N-CA	5.38	130.05	121.34
1	A	71	SER	N-CA-CB	5.33	117.87	109.94
1	A	131	ILE	CB-CG1-CD1	-5.32	102.62	113.80
1	B	72	GLY	N-CA-C	-5.31	97.89	113.30
1	A	142	LEU	CB-CA-C	-5.30	101.92	110.77
1	A	120	ASP	N-CA-C	-5.29	106.21	113.30
1	A	31	ARG	N-CA-C	5.29	118.36	109.95
1	B	139	ASP	CA-C-N	-5.29	113.83	122.40
1	B	139	ASP	C-N-CA	-5.29	113.83	122.40
1	A	103	VAL	N-CA-CB	5.28	118.02	111.41
1	A	62	TYR	CA-CB-CG	5.27	123.38	113.90
1	A	133	ARG	CG-CD-NE	-5.26	100.43	112.00
1	B	118	LYS	CB-CG-CD	5.25	123.39	111.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	138	VAL	N-CA-CB	5.23	117.27	110.99
1	B	166	LEU	N-CA-CB	5.21	119.36	110.50
1	B	34	GLY	CA-C-O	5.21	127.76	121.77
1	B	160	LYS	CA-CB-CG	5.21	124.52	114.10
1	B	59	VAL	CA-CB-CG1	5.20	119.24	110.40
1	B	122	VAL	O-C-N	-5.20	117.72	123.18
1	A	42	PRO	CA-C-N	5.18	131.43	121.54
1	A	42	PRO	C-N-CA	5.18	131.43	121.54
1	A	109	ASN	CA-C-N	5.16	131.26	121.97
1	A	109	ASN	C-N-CA	5.16	131.26	121.97
1	B	93	VAL	CA-C-N	5.16	129.69	122.93
1	B	93	VAL	C-N-CA	5.16	129.69	122.93
1	B	95	ALA	N-CA-C	5.16	117.92	110.28
1	A	110	VAL	CA-C-N	-5.15	113.51	122.36
1	A	110	VAL	C-N-CA	-5.15	113.51	122.36
1	B	91	GLU	CB-CA-C	5.14	120.13	109.38
1	B	42	PRO	N-CA-C	5.14	123.05	112.47
1	A	82	PHE	CA-C-N	-5.14	115.31	122.66
1	A	82	PHE	C-N-CA	-5.14	115.31	122.66
1	B	57	LYS	CG-CD-CE	5.13	123.10	111.30
1	B	75	LEU	CA-C-N	5.10	132.28	122.03
1	B	75	LEU	C-N-CA	5.10	132.28	122.03
1	B	83	ARG	NE-CZ-NH1	5.10	126.60	121.50
1	B	81	TYR	CA-C-N	5.09	129.10	121.72
1	B	81	TYR	C-N-CA	5.09	129.10	121.72
1	B	114	SER	CA-CB-OG	-5.07	100.96	111.10
1	A	38	TYR	CB-CA-C	5.07	117.31	110.37
1	B	107	THR	CA-CB-CG2	5.07	119.11	110.50
1	B	156	GLN	CA-C-O	-5.06	115.95	120.56
1	A	142	LEU	N-CA-C	5.05	116.49	108.67
1	A	137	LEU	CA-C-N	-5.04	116.58	122.93
1	A	137	LEU	C-N-CA	-5.04	116.58	122.93
1	B	62	TYR	CA-CB-CG	5.04	122.97	113.90
1	B	163	LEU	N-CA-C	5.03	116.17	108.42
1	A	35	GLU	CG-CD-OE1	-5.02	106.85	118.40
1	B	14	PRO	CA-C-N	5.01	126.11	119.84
1	B	14	PRO	C-N-CA	5.01	126.11	119.84
1	A	148	LEU	N-CA-C	5.01	117.29	109.52
1	B	93	VAL	CB-CA-C	5.01	118.15	111.19
1	B	50	ILE	CB-CA-C	-5.01	103.20	110.81
1	B	74	PRO	CA-C-O	-5.01	115.70	121.36

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	97	SER	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	95	ALA	Mainchain
1	B	95	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1196	0	1213	129	1
1	B	1196	0	1213	107	0
2	A	23	0	15	8	0
2	B	23	0	15	1	0
3	A	2	0	0	0	0
3	B	2	0	0	1	0
4	A	88	0	0	14	0
4	B	86	0	0	13	1
All	All	2616	0	2456	237	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 48.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:LEU:O	4:B:323:HOH:O	1.66	1.12
1:A:68:LYS:O	1:A:72:GLY:HA2	1.51	1.08
1:B:16:VAL:HG11	1:B:21:ALA:HB2	1.38	1.04
1:A:16:VAL:HG12	1:A:21:ALA:HB2	1.38	1.03
1:A:57:LYS:HG3	1:A:58:PRO:HD2	1.41	1.00
1:A:80:GLY:HA3	1:A:93:VAL:O	1.61	1.00
1:B:70:GLU:OE1	1:B:70:GLU:N	1.92	1.00
1:B:126:SER:HB3	4:B:311:HOH:O	1.61	0.98
1:A:17:HIS:CD2	1:A:19:PHE:HB2	1.98	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:LEU:HD22	4:A:320:HOH:O	1.63	0.97
1:B:87:ASP:OD2	4:B:380:HOH:O	1.84	0.95
1:A:44:PHE:O	1:A:45:ARG:HG3	1.70	0.92
1:B:70:GLU:H	1:B:70:GLU:CD	1.77	0.91
1:B:59:VAL:HG22	1:B:83:ARG:HG2	1.53	0.91
1:A:17:HIS:HD2	1:A:19:PHE:H	1.14	0.90
1:A:34:GLY:HA3	1:A:46:TYR:CZ	2.07	0.90
1:B:17:HIS:HD2	1:B:19:PHE:H	1.20	0.87
1:A:35:GLU:OE1	1:A:45:ARG:NH2	2.09	0.85
1:B:68:LYS:O	1:B:72:GLY:CA	2.25	0.85
1:B:133:ARG:NH1	1:B:144:TYR:OH	2.09	0.84
1:B:23:LEU:HD23	1:B:25:TYR:CE2	2.11	0.84
1:A:19:PHE:CE1	1:A:86:PRO:HG3	2.13	0.83
1:B:23:LEU:HD23	1:B:25:TYR:HE2	1.44	0.83
1:B:60:ILE:HB	1:B:82:PHE:HB2	1.61	0.83
1:A:87:ASP:HB3	4:A:316:HOH:O	1.78	0.82
1:A:57:LYS:CG	1:A:58:PRO:HD2	2.08	0.82
1:A:23:LEU:HD21	1:A:108:TYR:CD1	2.15	0.81
1:B:118:LYS:HD2	1:B:132:SER:HB2	1.62	0.80
1:A:17:HIS:CD2	1:A:19:PHE:H	1.98	0.80
1:A:166:LEU:OXT	1:A:166:LEU:HD13	1.82	0.80
1:B:68:LYS:O	1:B:72:GLY:HA3	1.80	0.80
1:A:145:VAL:HG22	1:A:160:LYS:HG3	1.64	0.79
1:A:36:GLY:HA3	1:A:44:PHE:CE1	2.18	0.79
1:B:126:SER:CB	4:B:311:HOH:O	2.26	0.78
1:A:64:GLN:HE21	1:A:64:GLN:C	1.93	0.77
1:B:16:VAL:CG1	1:B:21:ALA:HB2	2.14	0.76
1:B:85:ARG:C	4:B:325:HOH:O	2.28	0.75
1:A:34:GLY:HA3	1:A:46:TYR:CE2	2.21	0.75
1:B:59:VAL:HA	1:B:82:PHE:O	1.88	0.73
1:B:93:VAL:HG12	1:B:103:VAL:HA	1.70	0.73
1:B:64:GLN:HE21	1:B:64:GLN:C	1.97	0.73
1:A:141:LYS:HB3	1:A:163:LEU:O	1.89	0.72
1:B:68:LYS:O	1:B:72:GLY:HA2	1.89	0.72
1:A:133:ARG:O	4:A:306:HOH:O	2.07	0.72
1:B:29:THR:HG21	1:B:166:LEU:HD12	1.69	0.72
1:B:29:THR:HB	1:B:166:LEU:HB2	1.72	0.71
1:B:114:SER:HA	1:B:136:GLU:HA	1.71	0.71
1:A:17:HIS:HD2	1:A:19:PHE:HB2	1.55	0.71
1:A:78:GLU:HB3	2:A:201:RMD:H4	1.73	0.71
1:A:93:VAL:C	1:A:94:ILE:HG13	2.14	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:ILE:HG22	1:B:163:LEU:N	2.05	0.70
1:B:122:VAL:HG12	1:B:125:ALA:HB2	1.73	0.70
1:B:64:GLN:O	4:B:336:HOH:O	2.09	0.70
1:A:163:LEU:HD12	1:A:163:LEU:N	2.08	0.69
1:A:78:GLU:OE1	2:A:201:RMD:C3A	2.40	0.69
1:A:162:ILE:C	1:A:163:LEU:HD12	2.17	0.69
3:B:202:BA:BA	4:B:363:HOH:O	2.00	0.69
1:A:78:GLU:OE1	2:A:201:RMD:H4	1.92	0.69
2:A:201:RMD:O1A	2:A:201:RMD:H8	1.94	0.68
1:B:53:SER:HB3	4:B:342:HOH:O	1.92	0.67
1:B:114:SER:HB3	1:B:136:GLU:HG3	1.76	0.67
1:A:154:PRO:HD2	4:A:303:HOH:O	1.94	0.67
1:A:133:ARG:O	1:A:134:GLU:HG2	1.95	0.67
1:A:132:SER:OG	1:A:147:ARG:HB2	1.95	0.66
1:B:62:TYR:O	1:B:79:SER:HA	1.95	0.66
1:B:92:VAL:HG21	1:B:117:LEU:HD13	1.78	0.66
1:B:141:LYS:HB3	1:B:163:LEU:O	1.96	0.66
1:B:112:GLU:O	1:B:113:GLN:HB2	1.96	0.64
1:A:126:SER:HB2	4:A:312:HOH:O	1.97	0.64
1:A:103:VAL:HG23	1:A:121:LEU:HD22	1.78	0.64
1:B:162:ILE:CG2	1:B:163:LEU:N	2.60	0.64
1:A:126:SER:HB3	1:A:127:LYS:HE2	1.81	0.63
1:A:16:VAL:CG1	1:A:21:ALA:HB2	2.23	0.63
1:A:17:HIS:HD2	1:A:19:PHE:N	1.90	0.62
1:A:74:PRO:HB2	1:B:57:LYS:HD3	1.80	0.62
1:A:94:ILE:HG22	1:A:95:ALA:N	2.14	0.62
1:A:23:LEU:O	1:A:25:TYR:N	2.34	0.61
1:B:31:ARG:CZ	1:B:166:LEU:HD11	2.31	0.60
1:B:46:TYR:N	1:B:46:TYR:CD1	2.68	0.60
1:B:109:ASN:OD1	1:B:109:ASN:C	2.44	0.60
1:A:124:ASN:N	4:A:310:HOH:O	1.95	0.60
1:A:20:VAL:C	1:A:22:PRO:HD2	2.26	0.60
1:A:59:VAL:HG13	1:A:83:ARG:HG2	1.83	0.59
1:A:134:GLU:HG2	4:A:306:HOH:O	2.00	0.59
1:B:144:TYR:CD1	1:B:144:TYR:C	2.79	0.59
1:B:76:LEU:HD21	1:B:98:THR:HG22	1.84	0.59
1:B:94:ILE:HD13	1:B:133:ARG:CZ	2.32	0.59
1:B:118:LYS:HD2	1:B:132:SER:CB	2.31	0.59
1:A:93:VAL:O	1:A:94:ILE:HG13	2.03	0.58
1:A:104:GLN:OE1	1:A:104:GLN:HA	2.02	0.58
1:A:82:PHE:HA	1:A:92:VAL:HG22	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:VAL:HG12	1:A:21:ALA:CB	2.25	0.57
1:A:59:VAL:CG1	1:A:82:PHE:O	2.53	0.57
1:B:141:LYS:HE3	4:B:332:HOH:O	2.04	0.57
1:A:46:TYR:CD2	1:A:66:THR:HG22	2.40	0.56
1:B:139:ASP:OD2	1:B:139:ASP:N	2.32	0.56
1:A:38:TYR:CZ	1:A:148:LEU:HD23	2.40	0.56
1:B:17:HIS:HB2	1:B:56:GLY:O	2.05	0.56
1:B:45:ARG:HH21	1:B:45:ARG:HG3	1.71	0.56
1:B:92:VAL:HG21	1:B:117:LEU:CD1	2.36	0.56
1:B:17:HIS:CD2	1:B:19:PHE:H	2.10	0.56
1:B:42:PRO:O	1:B:43:SER:C	2.49	0.56
1:B:125:ALA:O	1:B:126:SER:O	2.23	0.56
1:A:133:ARG:O	1:A:134:GLU:CG	2.54	0.56
1:A:138:VAL:HG13	1:A:143:SER:HB3	1.88	0.56
1:A:102:GLU:OE1	1:A:133:ARG:NE	2.40	0.55
2:A:201:RMD:O1A	2:A:201:RMD:C2B	2.54	0.55
1:A:36:GLY:HA3	1:A:44:PHE:CZ	2.40	0.55
1:A:94:ILE:CG2	1:A:95:ALA:N	2.70	0.55
1:B:45:ARG:HH21	1:B:45:ARG:CG	2.18	0.55
1:B:122:VAL:CG1	1:B:125:ALA:HB2	2.37	0.55
1:B:26:LEU:HD11	1:B:115:ILE:HD11	1.89	0.55
1:A:141:LYS:HG2	1:A:164:ASP:OD1	2.07	0.54
1:A:47:GLY:HA3	1:A:67:TRP:NE1	2.22	0.54
1:A:87:ASP:OD1	1:A:89:SER:OG	2.24	0.54
1:A:117:LEU:HD12	1:A:133:ARG:HB2	1.90	0.54
1:B:92:VAL:HB	1:B:104:GLN:HB2	1.90	0.54
1:A:21:ALA:N	1:A:22:PRO:HD2	2.23	0.54
1:B:162:ILE:C	1:B:163:LEU:HD12	2.33	0.54
1:B:87:ASP:N	1:B:87:ASP:OD1	2.37	0.53
1:A:104:GLN:OE1	1:A:104:GLN:CA	2.54	0.53
1:A:19:PHE:CE1	1:A:86:PRO:HD3	2.43	0.53
1:B:70:GLU:N	1:B:70:GLU:CD	2.49	0.53
1:B:57:LYS:HB3	1:B:58:PRO:HD2	1.90	0.52
1:A:59:VAL:HG13	1:A:82:PHE:O	2.09	0.52
1:A:30:TRP:CZ2	1:A:165:LYS:HE2	2.45	0.52
1:A:38:TYR:OH	1:A:148:LEU:HD23	2.10	0.52
1:A:147:ARG:HA	1:A:157:PRO:HA	1.91	0.52
1:B:86:PRO:C	1:B:88:GLY:H	2.18	0.52
1:A:163:LEU:N	1:A:163:LEU:CD1	2.72	0.52
1:B:76:LEU:HB3	2:B:201:RMD:H4	1.93	0.51
1:A:19:PHE:CE1	1:A:86:PRO:CG	2.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:SER:HB2	1:B:73:ALA:H	1.75	0.51
1:A:56:GLY:CA	4:A:304:HOH:O	2.58	0.51
1:A:78:GLU:HB3	2:A:201:RMD:C3A	2.38	0.51
1:B:94:ILE:HG21	1:B:133:ARG:NH2	2.26	0.51
1:A:17:HIS:O	1:A:19:PHE:N	2.44	0.51
1:B:23:LEU:HA	1:B:25:TYR:CE2	2.46	0.51
1:B:30:TRP:CE3	1:B:142:LEU:HB2	2.45	0.51
1:A:17:HIS:O	1:A:18:PRO:C	2.50	0.50
1:A:57:LYS:HG3	1:A:58:PRO:CD	2.28	0.50
1:B:115:ILE:O	1:B:116:LYS:HG3	2.11	0.50
1:B:127:LYS:HB3	1:B:151:THR:OG1	2.11	0.50
1:A:78:GLU:OE1	2:A:201:RMD:C4A	2.59	0.50
1:B:71:SER:HB2	1:B:73:ALA:N	2.27	0.50
1:A:68:LYS:HB2	1:A:71:SER:HB2	1.94	0.50
1:B:59:VAL:HG22	1:B:83:ARG:CG	2.36	0.50
1:A:88:GLY:O	1:A:108:TYR:CD2	2.65	0.49
1:A:78:GLU:OE1	2:A:201:RMD:O2A	2.30	0.49
1:B:115:ILE:O	1:B:116:LYS:CG	2.60	0.49
1:B:138:VAL:O	1:B:140:GLY:N	2.45	0.49
1:B:78:GLU:OE2	1:B:133:ARG:NH1	2.33	0.49
1:B:162:ILE:CG2	1:B:163:LEU:H	2.26	0.49
1:A:121:LEU:HD23	1:A:121:LEU:C	2.38	0.49
1:A:80:GLY:CA	1:A:93:VAL:O	2.48	0.48
1:A:83:ARG:O	1:A:90:ILE:HA	2.13	0.48
1:B:133:ARG:NH1	1:B:144:TYR:HH	2.11	0.48
1:B:46:TYR:HD2	1:B:66:THR:HG22	1.78	0.48
1:B:130:GLU:OE1	4:B:346:HOH:O	2.20	0.48
1:A:29:THR:OG1	1:A:51:ARG:HD2	2.13	0.48
1:A:68:LYS:HB2	1:A:73:ALA:H	1.79	0.48
1:B:25:TYR:HD1	1:B:137:LEU:HD22	1.79	0.48
1:B:86:PRO:N	4:B:325:HOH:O	2.46	0.48
1:A:36:GLY:O	1:A:37:GLU:HB2	2.14	0.47
1:A:47:GLY:O	1:A:66:THR:HA	2.14	0.47
1:A:81:TYR:CG	1:B:97:SER:HA	2.49	0.47
1:A:147:ARG:HG2	1:A:157:PRO:HA	1.96	0.47
1:A:129:LYS:HE3	1:A:151:THR:HG22	1.97	0.47
1:A:94:ILE:O	1:A:101:VAL:HA	2.15	0.47
1:A:82:PHE:CD1	1:A:82:PHE:N	2.83	0.47
1:B:110:VAL:O	1:B:110:VAL:HG12	2.15	0.47
1:B:20:VAL:HG21	4:B:304:HOH:O	2.14	0.46
1:B:31:ARG:NH2	1:B:166:LEU:HD11	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:GLU:O	1:B:71:SER:C	2.59	0.46
1:B:96:CYS:SG	1:B:97:SER:N	2.89	0.46
1:B:88:GLY:HA2	1:B:108:TYR:CZ	2.51	0.45
1:B:109:ASN:OD1	1:B:111:ASP:N	2.50	0.45
1:A:35:GLU:HG3	1:A:45:ARG:HG3	1.99	0.45
1:A:54:HIS:HD2	4:A:320:HOH:O	1.99	0.45
1:B:75:LEU:HD23	1:B:75:LEU:HA	1.85	0.45
1:A:19:PHE:HE1	1:A:86:PRO:HG3	1.77	0.45
1:A:118:LYS:HB3	1:A:118:LYS:HE3	1.34	0.45
1:B:76:LEU:HA	1:B:76:LEU:HD23	1.72	0.45
1:B:76:LEU:HD21	1:B:98:THR:CG2	2.47	0.45
1:A:59:VAL:HG12	1:A:82:PHE:O	2.16	0.44
1:B:112:GLU:O	1:B:113:GLN:CB	2.62	0.44
1:B:100:LEU:HD12	1:B:100:LEU:HA	1.77	0.44
1:B:88:GLY:HA2	1:B:108:TYR:CE2	2.52	0.44
1:A:129:LYS:HA	1:A:129:LYS:HD3	1.76	0.44
1:A:14:PRO:HA	1:A:15:PRO:HD3	1.88	0.44
1:A:30:TRP:CZ3	1:A:165:LYS:HB2	2.53	0.44
1:A:57:LYS:HE3	1:A:57:LYS:HB2	1.76	0.44
1:A:56:GLY:HA2	4:A:304:HOH:O	2.16	0.44
1:B:125:ALA:O	1:B:126:SER:C	2.60	0.43
1:A:71:SER:HB3	1:A:73:ALA:HB2	1.99	0.43
1:B:141:LYS:CB	1:B:163:LEU:O	2.65	0.43
1:A:34:GLY:HA3	1:A:46:TYR:OH	2.16	0.43
1:A:17:HIS:C	1:A:19:PHE:N	2.74	0.43
1:B:133:ARG:HG2	1:B:146:VAL:HG22	2.00	0.43
1:A:91:GLU:HG2	4:A:375:HOH:O	2.17	0.43
1:A:103:VAL:CG2	1:A:121:LEU:HB3	2.49	0.43
1:A:55:SER:N	4:A:328:HOH:O	2.34	0.43
1:A:153:ASN:OD1	4:A:303:HOH:O	2.21	0.43
1:A:115:ILE:O	1:A:115:ILE:HG22	2.18	0.43
1:A:144:TYR:HB3	1:A:161:ALA:HB3	2.01	0.42
1:A:26:LEU:O	1:A:27:LEU:C	2.57	0.42
1:B:97:SER:OG	1:B:98:THR:N	2.52	0.42
1:B:120:ASP:CG	4:B:307:HOH:O	2.62	0.42
1:A:38:TYR:CE1	1:A:156:GLN:HG3	2.55	0.42
1:A:133:ARG:C	1:A:134:GLU:CG	2.92	0.42
1:B:41:ILE:HG12	1:B:42:PRO:CD	2.50	0.42
1:B:78:GLU:CD	1:B:133:ARG:HH22	2.25	0.42
1:B:110:VAL:O	1:B:110:VAL:CG1	2.67	0.42
1:A:71:SER:HB2	1:A:73:ALA:N	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ILE:HG12	1:A:64:GLN:HB2	2.01	0.42
1:A:57:LYS:N	4:A:304:HOH:O	2.53	0.42
1:A:52:PHE:HA	1:A:61:ALA:O	2.20	0.42
1:A:125:ALA:O	1:A:126:SER:O	2.38	0.41
1:B:25:TYR:CD1	1:B:137:LEU:HD22	2.54	0.41
1:B:76:LEU:CD2	1:B:98:THR:CG2	2.98	0.41
1:A:92:VAL:CG1	1:A:93:VAL:N	2.83	0.41
1:A:139:ASP:OD2	1:A:139:ASP:N	2.53	0.41
1:A:47:GLY:HA3	1:A:67:TRP:CE2	2.56	0.41
1:A:83:ARG:HA	1:A:84:PRO:HD2	1.98	0.41
1:A:148:LEU:HD21	1:A:150:THR:HG23	2.03	0.41
1:A:23:LEU:HD21	1:A:108:TYR:HD1	1.76	0.41
1:A:133:ARG:NH1	1:A:144:TYR:OH	2.53	0.41
1:A:82:PHE:N	1:A:82:PHE:HD1	2.18	0.41
1:A:142:LEU:HA	1:A:142:LEU:HD12	1.86	0.41
1:B:115:ILE:C	1:B:116:LYS:HG3	2.46	0.41
1:B:71:SER:HB2	1:B:72:GLY:CA	2.51	0.40
1:B:26:LEU:O	1:B:27:LEU:C	2.64	0.40
1:A:21:ALA:N	1:A:22:PRO:CD	2.85	0.40
1:B:46:TYR:CD2	1:B:66:THR:HG22	2.55	0.40
1:B:108:TYR:O	1:B:108:TYR:CG	2.74	0.40
1:A:71:SER:HB2	1:A:73:ALA:H	1.86	0.40
1:A:103:VAL:HG23	1:A:121:LEU:HB3	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:ASP:OD2	4:B:323:HOH:O[3_555]	2.00	0.20

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/174 (87%)	123 (82%)	24 (16%)	4 (3%)	4	1
1	B	151/174 (87%)	128 (85%)	20 (13%)	3 (2%)	6	2
All	All	302/348 (87%)	251 (83%)	44 (15%)	7 (2%)	5	2

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	126	SER
1	B	126	SER
1	B	139	ASP
1	A	16	VAL
1	A	24	SER
1	A	139	ASP
1	B	37	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/153 (87%)	117 (88%)	16 (12%)	5	3
1	B	133/153 (87%)	110 (83%)	23 (17%)	2	1
All	All	266/306 (87%)	227 (85%)	39 (15%)	3	2

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	PHE
1	A	33	GLN
1	A	59	VAL
1	A	64	GLN
1	A	66	THR
1	A	70	GLU
1	A	76	LEU
1	A	78	GLU
1	A	87	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	111	ASP
1	A	115	ILE
1	A	118	LYS
1	A	138	VAL
1	A	139	ASP
1	A	148	LEU
1	A	166	LEU
1	B	14	PRO
1	B	20	VAL
1	B	45	ARG
1	B	46	TYR
1	B	55	SER
1	B	57	LYS
1	B	64	GLN
1	B	70	GLU
1	B	71	SER
1	B	86	PRO
1	B	100	LEU
1	B	107	THR
1	B	115	ILE
1	B	129	LYS
1	B	130	GLU
1	B	137	LEU
1	B	138	VAL
1	B	139	ASP
1	B	142	LEU
1	B	143	SER
1	B	148	LEU
1	B	151	THR
1	B	163	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	33	GLN
1	A	64	GLN
1	B	17	HIS
1	B	64	GLN
1	B	153	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	RMD	B	201	1	12,32,32	1.84	2 (16%)	19,83,83	5.10	13 (68%)
2	RMD	A	201	1	12,32,32	1.90	2 (16%)	19,83,83	5.92	13 (68%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RMD	B	201	1	-	3/5/192/192	0/11/10/10
2	RMD	A	201	1	-	5/5/192/192	0/11/10/10

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	RMD	C1A-NA	-4.84	1.31	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	RMD	C1A-NA	-4.65	1.31	1.38
2	A	201	RMD	C4A-NA	-3.46	1.33	1.38
2	B	201	RMD	C4A-NA	-3.35	1.33	1.38

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	RMD	C2C-C1C-C8C	10.15	135.13	115.49
2	A	201	RMD	C3C-C4C-C5C	9.97	134.77	115.49
2	B	201	RMD	C3C-C4C-C5C	9.70	134.26	115.49
2	B	201	RMD	C7C-C8C-C1C	9.10	133.10	115.49
2	A	201	RMD	C2A-C1A-NA	8.73	115.61	108.03
2	A	201	RMD	C6C-C7C-C8C	8.33	119.69	104.19
2	B	201	RMD	C4A-NA-C1A	-8.11	109.40	112.94
2	A	201	RMD	C7C-C6C-C5C	8.01	119.09	104.19
2	A	201	RMD	C4A-NA-C1A	-7.74	109.56	112.94
2	B	201	RMD	C2C-C1C-C8C	7.49	129.98	115.49
2	A	201	RMD	C7C-C8C-C1C	6.96	128.96	115.49
2	A	201	RMD	C6C-C5C-C4C	6.81	128.67	115.49
2	A	201	RMD	C3A-C2A-C1A	-6.75	98.32	105.24
2	B	201	RMD	C2C-C3C-C4C	6.32	115.94	104.19
2	B	201	RMD	C6C-C5C-C4C	6.01	127.12	115.49
2	B	201	RMD	C6C-C7C-C8C	5.24	113.94	104.19
2	B	201	RMD	C3A-C2A-C1A	-5.10	100.01	105.24
2	B	201	RMD	C7C-C6C-C5C	4.33	112.26	104.19
2	A	201	RMD	C2C-C3C-C4C	3.81	111.28	104.19
2	A	201	RMD	C3A-C4A-NA	3.78	111.31	108.03
2	B	201	RMD	C1B-NA-C1A	3.73	129.53	122.79
2	B	201	RMD	C2A-C3A-C4A	-3.26	101.90	105.24
2	B	201	RMD	C3A-C4A-NA	3.08	110.70	108.03
2	A	201	RMD	O2A-C4A-NA	-2.96	120.77	123.94
2	B	201	RMD	C2A-C1A-NA	2.75	110.42	108.03
2	A	201	RMD	O1A-C1A-NA	-2.18	121.61	123.94

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	RMD	NA-C1B-C2B-C3B
2	B	201	RMD	NA-C1B-C2B-C3B
2	A	201	RMD	C2B-C1B-NA-C1A
2	A	201	RMD	C2B-C1B-NA-C4A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	201	RMD	C1B-C2B-C3B-C4B
2	A	201	RMD	C1B-C2B-C3B-C7B
2	A	201	RMD	C1B-C2B-C3B-C4B
2	B	201	RMD	C1B-C2B-C3B-C7B

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	201	RMD	1	0
2	A	201	RMD	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/174 (87%)	-1.62	0 100 100	26, 40, 52, 58	0
1	B	153/174 (87%)	-1.62	0 100 100	26, 40, 55, 60	0
All	All	306/348 (87%)	-1.62	0 100 100	26, 40, 54, 60	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	RMD	A	201	23/23	0.99	0.05	43,62,71,76	0
2	RMD	B	201	23/23	0.99	0.05	44,61,71,81	0
3	BA	A	202	1/1	1.00	0.02	71,71,71,71	1
3	BA	A	203	1/1	1.00	0.01	60,60,60,60	0
3	BA	B	202	1/1	1.00	0.01	69,69,69,69	1
3	BA	B	203	1/1	1.00	0.00	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.