



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:51 AM UTC

PDB ID : 2WL3 / pdb_00002wl3
Title : crystal structure of catechol 2,3-dioxygenase
Authors : Cho, H.J.; Kim, K.J.; Kang, B.S.
Deposited on : 2009-06-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	305	
1	B	305	
1	C	305	
1	D	305	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	1291	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9238 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATECHOL 2,3-DIOXYGENASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	Se	0	1	0
			2270	1437	401	423	2	7			
1	B	287	Total	C	N	O	S	Se	0	0	0
			2262	1432	398	422	2	8			
1	C	284	Total	C	N	O	S	Se	0	0	0
			2227	1412	390	416	2	7			
1	D	280	Total	C	N	O	S	Se	0	0	0
			2193	1389	387	408	2	7			


- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		
2	C	1	Total	Fe	0	0
			1	1		
2	D	1	Total	Fe	0	0
			1	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	76	Total	O	0	0
			76	76		
5	B	63	Total	O	0	0
			63	63		
5	C	53	Total	O	0	0
			53	53		
5	D	59	Total	O	0	0
			59	59		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CATECHOL 2,3-DIOXYGENASE




• Molecule 1: CATECHOL 2,3-DIOXYGENASE





• Molecule 1: CATECHOL 2,3-DIOXYGENASE





● Molecule 1: CATECHOL 2,3-DIOXYGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	102.37Å 102.37Å 142.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.24 – 2.20 29.24 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.9 (29.24-2.20) 96.2 (29.24-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	16.53 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.155 , 0.178 0.257 , 0.294	Depositor DCC
R_{free} test set	3601 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.142	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 35.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.38$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-l	Xtriage
Reported twinning fraction	0.436 for H, K, L 0.564 for -H, K, -L	Depositor
Outliers	0 of 71651 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9238	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FE, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	3/2329 (0.1%)	0.89	4/3151 (0.1%)
1	B	0.77	5/2318 (0.2%)	0.87	3/3138 (0.1%)
1	C	0.74	5/2283 (0.2%)	0.91	6/3094 (0.2%)
1	D	0.75	5/2246 (0.2%)	0.82	0/3040
All	All	0.74	18/9176 (0.2%)	0.87	13/12423 (0.1%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	108	LEU	C-O	-9.07	1.17	1.24
1	D	173	VAL	C-O	-8.28	1.15	1.24
1	B	108	LEU	C-O	-8.24	1.14	1.23
1	C	143	GLU	C-O	-7.67	1.15	1.24
1	A	107	LYS	C-O	-7.37	1.15	1.24
1	B	109	HIS	C-O	-7.30	1.14	1.23
1	C	108	LEU	C-O	-7.24	1.17	1.24
1	D	170	GLU	C-O	-7.04	1.15	1.23
1	C	142	THR	C-O	-6.90	1.16	1.24
1	D	56	ALA	C-O	-6.63	1.15	1.24
1	C	107	LYS	C-O	-6.28	1.16	1.24
1	B	107	LYS	C-O	-5.86	1.16	1.24
1	A	101	ARG	C-O	-5.84	1.16	1.23
1	D	142	THR	C-O	-5.49	1.17	1.23
1	D	141	VAL	C-O	-5.43	1.17	1.23
1	B	124	VAL	C-O	-5.35	1.18	1.24
1	C	144	GLY	C-O	-5.30	1.16	1.23
1	B	25	ALA	C-O	-5.11	1.18	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	71	GLY	CA-C-N	8.26	127.56	118.97
1	C	71	GLY	C-N-CA	8.26	127.56	118.97
1	B	233	GLN	N-CA-C	-6.24	105.43	113.16
1	C	108	LEU	N-CA-C	5.76	115.45	107.73
1	A	71	GLY	CA-C-N	5.42	125.06	119.05
1	A	71	GLY	C-N-CA	5.42	125.06	119.05
1	A	9	TYR	N-CA-C	5.37	117.24	109.07
1	C	143	GLU	CB-CA-C	-5.35	102.23	110.26
1	A	108	LEU	N-CA-C	5.13	115.31	108.23
1	C	179	LEU	CA-C-N	5.06	126.17	119.84
1	C	179	LEU	C-N-CA	5.06	126.17	119.84
1	B	71	GLY	CA-C-N	5.04	124.64	119.05
1	B	71	GLY	C-N-CA	5.04	124.64	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2270	0	2151	29	0
1	B	2262	0	2140	26	0
1	C	2227	0	2094	32	0
1	D	2193	0	2060	25	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
4	A	12	0	16	4	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
4	D	6	0	8	0	0
5	A	76	0	0	2	0
5	B	63	0	0	3	0
5	C	53	0	0	1	0
5	D	59	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9238	0	8485	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:HIS:CE1	1:A:214:MSE:HG2	1.98	0.99
1:B:49:HIS:HD2	1:B:50:HIS:ND1	1.82	0.78
1:C:174:GLU:HG3	1:C:189:PHE:HB2	1.69	0.75
1:B:206:MSE:HE1	5:B:2045:HOH:O	1.86	0.74
1:C:151:ILE:HG13	1:C:212:HIS:CE1	2.23	0.73
1:C:196:HIS:HD2	1:C:197:HIS:HD2	1.37	0.73
1:B:196:HIS:ND1	1:B:197:HIS:HD2	1.88	0.70
1:C:196:HIS:HD2	1:C:197:HIS:CD2	2.09	0.70
1:C:230:VAL:HG13	1:C:235:ILE:HB	1.72	0.69
1:B:151:ILE:HG12	1:B:200:ALA:HB3	1.73	0.69
1:C:218:THR:OG1	1:C:219:HIS:HD2	1.75	0.68
1:B:176:LYS:HG2	1:B:186:THR:HG22	1.76	0.68
1:C:124:VAL:HG12	1:C:126:THR:HG23	1.78	0.65
1:D:13:SER:HB3	1:D:57:ASP:OD1	1.98	0.64
1:D:49:HIS:HD2	1:D:50:HIS:ND1	1.95	0.63
1:B:243:LYS:HE3	1:B:248:GLU:O	2.00	0.62
1:A:3:LYS:HB3	1:A:168:GLY:HA3	1.82	0.62
1:B:33:VAL:HB	1:B:42:TYR:HB2	1.83	0.61
1:A:10:LEU:HG	1:A:147:LEU:HD21	1.82	0.60
1:C:138:GLY:HA3	1:C:219:HIS:CD2	2.37	0.59
1:B:177:PHE:HA	5:B:2039:HOH:O	2.02	0.59
1:C:251:THR:HG22	1:C:265:GLY:HA3	1.86	0.58
1:C:196:HIS:O	1:C:271:ALA:HB2	2.03	0.58
1:A:256:ASN:HD22	1:A:262:TRP:CD1	2.22	0.57
1:D:105:LEU:HD21	1:D:107:LYS:HE3	1.85	0.57
1:A:114:ASN:HD22	1:A:209:ARG:HD3	1.71	0.56
1:A:227:HIS:NE2	4:A:1291:GOL:H2	2.21	0.56
1:A:237:VAL:HG21	4:A:1291:GOL:H12	1.88	0.56
1:D:35:ASP:OD2	1:D:49:HIS:HE1	1.89	0.55
1:B:55:HIS:HE1	1:B:64:TYR:OH	1.90	0.55
1:B:60:ASP:O	1:B:208:LYS:HE2	2.07	0.55
1:D:256:ASN:HD22	1:D:262:TRP:CD1	2.24	0.55
1:C:174:GLU:OE1	1:C:246:ASN:HB2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:269:ARG:HB2	1:D:270:PRO:HD2	1.89	0.54
1:B:251:THR:HG22	1:B:265:GLY:HA3	1.90	0.54
1:C:33:VAL:HB	1:C:42:TYR:HB2	1.91	0.52
1:D:151:ILE:HG12	1:D:200:ALA:HB3	1.91	0.52
1:A:49:HIS:HD2	1:A:50:HIS:ND1	2.07	0.52
1:C:92:ALA:HB1	1:C:96:ASP:HB2	1.91	0.51
1:B:238:THR:HG21	1:B:261:LEU:CD1	2.40	0.51
1:D:196:HIS:CD2	1:D:247:ASP:HA	2.46	0.50
1:A:196:HIS:O	1:A:271:ALA:HB2	2.11	0.49
1:A:149:HIS:ND1	1:A:214:MSE:HG2	2.26	0.49
1:A:238:THR:HG23	1:A:239:LEU:HG	1.95	0.49
1:A:13:SER:HB3	1:A:59:SER:HB3	1.94	0.49
1:C:244:HIS:HB2	1:C:247:ASP:OD1	2.13	0.49
1:D:29:GLY:HA2	1:D:134:ARG:HG3	1.94	0.49
1:B:243:LYS:HD3	1:B:282:ILE:HD12	1.95	0.48
1:C:196:HIS:CD2	1:C:197:HIS:HD2	2.24	0.48
1:C:174:GLU:OE1	1:C:246:ASN:CB	2.61	0.48
1:D:30:MSE:HE2	1:D:45:MSE:SE	2.64	0.48
1:A:151:ILE:HG12	1:A:200:ALA:HB3	1.96	0.48
1:B:147:LEU:HD11	1:B:213:LEU:HD11	1.95	0.48
1:D:114:ASN:HD22	1:D:209:ARG:HD3	1.78	0.48
1:D:244:HIS:HE1	1:D:253:TYR:OH	1.97	0.47
1:A:35:ASP:OD2	1:A:49:HIS:HE1	1.97	0.47
1:C:256:ASN:HD22	1:C:262:TRP:CD1	2.32	0.47
1:A:248:GLU:HG2	1:A:282:ILE:HD11	1.96	0.47
1:C:35:ASP:OD2	1:C:101:ARG:NH2	2.42	0.47
1:B:49:HIS:CD2	1:B:50:HIS:ND1	2.72	0.47
1:A:191:HIS:HB3	1:A:197:HIS:HA	1.96	0.47
1:A:251:THR:OG1	1:A:285:HIS:HE1	1.98	0.47
1:C:193:ASN:HB2	5:C:2031:HOH:O	2.14	0.47
1:A:245:SER:HA	1:A:282:ILE:HG13	1.96	0.46
1:A:125:ASP:OD2	1:A:128:SER:HB3	2.16	0.46
1:D:242:GLY:HA2	1:D:283:PHE:CE2	2.51	0.46
1:C:3:LYS:HB3	1:C:168:GLY:HA3	1.98	0.46
1:D:35:ASP:OD2	1:D:49:HIS:CE1	2.69	0.45
1:D:196:HIS:ND1	1:D:197:HIS:HD2	2.14	0.45
1:B:180:PRO:O	1:B:181:ASN:CB	2.62	0.45
1:B:29:GLY:HA2	1:B:134:ARG:HG3	1.98	0.45
1:B:92:ALA:HB1	1:B:96:ASP:HB2	1.99	0.44
1:B:147:LEU:CD1	1:B:213:LEU:HD11	2.47	0.44
1:C:148:GLY:HA3	1:C:214:MSE:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:LYS:HG2	1:D:249:ALA:O	2.18	0.44
1:A:237:VAL:HG11	4:A:1291:GOL:H31	1.98	0.44
1:A:240:GLN:HG2	4:A:1291:GOL:H32	1.99	0.44
1:C:195:ARG:HH11	1:C:214:MSE:HE1	1.83	0.43
1:C:29:GLY:HA2	1:C:134:ARG:HG3	2.00	0.43
1:D:147:LEU:CD1	1:D:213:LEU:HD11	2.49	0.43
1:A:35:ASP:OD2	1:A:49:HIS:CE1	2.72	0.43
1:B:196:HIS:O	1:B:271:ALA:HB2	2.19	0.43
1:C:149:HIS:ND1	1:C:214:MSE:HE2	2.33	0.43
1:D:100:ARG:HG3	1:D:105:LEU:HD22	2.00	0.43
1:B:31:GLN:HB3	1:B:44:ARG:HB3	2.01	0.42
1:C:60:ASP:O	1:C:208:LYS:HE2	2.20	0.42
1:C:212:HIS:HA	1:C:261:LEU:O	2.20	0.42
1:C:248:GLU:HG2	1:C:282:ILE:HD11	2.01	0.42
1:C:195:ARG:O	1:C:196:HIS:C	2.61	0.41
1:B:269:ARG:HB2	1:B:270:PRO:CD	2.51	0.41
1:B:275:GLN:NE2	5:B:2062:HOH:O	2.52	0.41
1:C:241:ILE:H	1:C:241:ILE:HD12	1.85	0.41
1:A:214:MSE:HE2	5:A:2074:HOH:O	2.20	0.41
1:A:4:VAL:HA	1:A:69:VAL:HG12	2.02	0.41
1:A:139[B]:LYS:HB2	5:A:2008:HOH:O	2.20	0.41
1:C:195:ARG:NH1	1:C:214:MSE:HE1	2.36	0.41
1:D:33:VAL:HB	1:D:42:TYR:HB2	2.03	0.41
1:D:195:ARG:O	1:D:196:HIS:C	2.63	0.41
1:A:147:LEU:CD1	1:A:213:LEU:HD11	2.50	0.41
1:D:208:LYS:NZ	1:D:258:SER:O	2.53	0.41
1:D:196:HIS:O	1:D:271:ALA:HB2	2.20	0.41
1:A:283:PHE:CD1	1:B:224:GLY:HA3	2.56	0.41
1:D:252:PHE:O	1:D:263:GLU:HA	2.21	0.41
1:C:224:GLY:HA3	1:D:283:PHE:CD1	2.56	0.40
1:A:30:MSE:HE3	1:A:215:ILE:HD13	2.04	0.40
1:D:151:ILE:HA	1:D:200:ALA:O	2.21	0.40
1:B:62:LEU:HD21	1:B:65:ILE:HD11	2.02	0.40
1:C:43:LEU:HB2	1:C:52:ILE:HB	2.04	0.40
1:A:13:SER:O	1:A:60:ASP:HA	2.20	0.40
1:B:244:HIS:O	1:B:248:GLU:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/305 (94%)	278 (97%)	8 (3%)	0	100	100
1	B	285/305 (93%)	279 (98%)	6 (2%)	0	100	100
1	C	282/305 (92%)	272 (96%)	10 (4%)	0	100	100
1	D	276/305 (90%)	268 (97%)	8 (3%)	0	100	100
All	All	1129/1220 (92%)	1097 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/240 (97%)	227 (97%)	6 (3%)	40	55
1	B	232/240 (97%)	228 (98%)	4 (2%)	53	69
1	C	227/240 (95%)	221 (97%)	6 (3%)	40	55
1	D	222/240 (92%)	218 (98%)	4 (2%)	51	68
All	All	914/960 (95%)	894 (98%)	20 (2%)	45	61

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	SER
1	A	78	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	143	GLU
1	A	214	MSE
1	A	233	GLN
1	A	286	ASP
1	B	100	ARG
1	B	128	SER
1	B	274	GLN
1	B	286	ASP
1	C	105	LEU
1	C	106	VAL
1	C	128	SER
1	C	143	GLU
1	C	169	LEU
1	C	243	LYS
1	D	59	SER
1	D	76	ASP
1	D	143	GLU
1	D	233	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	114	ASN
1	A	275	GLN
1	A	285	HIS
1	B	49	HIS
1	B	55	HIS
1	B	109	HIS
1	B	191	HIS
1	B	197	HIS
1	B	211	ASN
1	B	212	HIS
1	B	233	GLN
1	B	275	GLN
1	B	287	ASN
1	C	196	HIS
1	C	197	HIS
1	C	212	HIS
1	C	219	HIS
1	C	285	HIS
1	D	49	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	114	ASN
1	D	191	HIS
1	D	197	HIS
1	D	240	GLN
1	D	244	HIS
1	D	274	GLN
1	D	285	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	B	1289	-	5,5,5	0.48	0	5,5,5	0.32	0
4	GOL	A	1292	-	5,5,5	0.35	0	5,5,5	0.37	0
4	GOL	D	1288	-	5,5,5	0.35	0	5,5,5	0.41	0
4	GOL	C	1287	-	5,5,5	0.45	0	5,5,5	0.44	0
4	GOL	A	1291	-	5,5,5	0.43	0	5,5,5	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	1289	-	-	4/4/4/4	-
4	GOL	A	1292	-	-	0/4/4/4	-
4	GOL	D	1288	-	-	4/4/4/4	-
4	GOL	C	1287	-	-	0/4/4/4	-
4	GOL	A	1291	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1291	GOL	O1-C1-C2-C3
4	A	1291	GOL	C1-C2-C3-O3
4	A	1291	GOL	O2-C2-C3-O3
4	D	1288	GOL	O1-C1-C2-C3
4	D	1288	GOL	C1-C2-C3-O3
4	B	1289	GOL	O1-C1-C2-C3
4	B	1289	GOL	C1-C2-C3-O3
4	B	1289	GOL	O1-C1-C2-O2
4	D	1288	GOL	O1-C1-C2-O2
4	D	1288	GOL	O2-C2-C3-O3
4	A	1291	GOL	O1-C1-C2-O2
4	B	1289	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1291	GOL	4	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	280/305 (91%)	0.68	35 (12%) 8 6	11, 25, 52, 62	1 (0%)
1	B	279/305 (91%)	0.43	17 (6%) 27 24	11, 25, 42, 51	0
1	C	277/305 (90%)	0.62	34 (12%) 8 6	12, 27, 49, 60	0
1	D	273/305 (89%)	0.74	31 (11%) 10 7	13, 27, 48, 58	0
All	All	1109/1220 (90%)	0.61	117 (10%) 11 8	11, 26, 47, 62	1 (0%)

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	178	ALA	8.2
1	A	235	ILE	5.6
1	D	281	ASP	5.5
1	D	237	VAL	5.1
1	A	181	ASN	4.7
1	D	238	THR	4.5
1	D	240	GLN	4.5
1	D	286	ASP	4.5
1	C	237	VAL	4.4
1	D	241	ILE	4.2
1	D	235	ILE	4.2
1	A	180	PRO	4.1
1	D	249	ALA	4.1
1	C	235	ILE	4.1
1	A	183	ALA	4.0
1	D	236	ASP	4.0
1	C	239	LEU	3.9
1	D	183	ALA	3.9
1	C	284	GLY	3.9
1	A	182	GLY	3.8
1	C	238	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	285	HIS	3.8
1	A	177	PHE	3.7
1	A	283	PHE	3.7
1	C	240	GLN	3.7
1	D	239	LEU	3.6
1	C	282	ILE	3.6
1	B	237	VAL	3.6
1	C	241	ILE	3.5
1	D	184	VAL	3.5
1	A	236	ASP	3.5
1	D	283	PHE	3.5
1	A	179	LEU	3.4
1	C	236	ASP	3.3
1	A	239	LEU	3.3
1	C	253	TYR	3.3
1	A	287	ASN	3.2
1	D	284	GLY	3.2
1	C	283	PHE	3.2
1	A	237	VAL	3.1
1	A	285	HIS	3.1
1	B	286	ASP	3.1
1	D	57	ASP	3.1
1	C	280	ARG	3.1
1	C	234	LYS	3.1
1	D	175	TYR	3.0
1	D	234	LYS	3.0
1	A	286	ASP	3.0
1	A	241	ILE	3.0
1	A	238	THR	3.0
1	A	184	VAL	3.0
1	D	271	ALA	2.9
1	C	230	VAL	2.9
1	D	282	ILE	2.9
1	A	234	LYS	2.9
1	B	175	TYR	2.9
1	A	248	GLU	2.9
1	B	287	ASN	2.9
1	D	250	LEU	2.8
1	A	240	GLN	2.8
1	B	236	ASP	2.7
1	A	175	TYR	2.7
1	B	180	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	248	GLU	2.6
1	D	143	GLU	2.6
1	C	196	HIS	2.6
1	D	280	ARG	2.6
1	C	38	ASP	2.6
1	C	177	PHE	2.6
1	A	242	GLY	2.6
1	A	253	TYR	2.6
1	C	205	PRO	2.6
1	C	250	LEU	2.6
1	A	280	ARG	2.6
1	D	246	ASN	2.6
1	A	281	ASP	2.5
1	C	204	GLY	2.5
1	A	250	LEU	2.5
1	C	281	ASP	2.5
1	D	81	GLN	2.5
1	A	143	GLU	2.4
1	B	238	THR	2.4
1	D	231	ARG	2.4
1	C	158	GLU	2.4
1	A	185	GLY	2.3
1	B	178	ALA	2.3
1	C	244	HIS	2.3
1	D	230	VAL	2.3
1	C	203	VAL	2.3
1	B	181	ASN	2.3
1	A	278	TYR	2.3
1	D	279	LEU	2.2
1	B	155	ASP	2.2
1	B	183	ALA	2.2
1	C	155	ASP	2.2
1	B	271	ALA	2.2
1	D	204	GLY	2.2
1	A	126	THR	2.2
1	A	230	VAL	2.1
1	B	240	GLN	2.1
1	A	284	GLY	2.1
1	C	231	ARG	2.1
1	C	229	LEU	2.1
1	A	57	ASP	2.1
1	B	158	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	285	HIS	2.1
1	B	207	ASP	2.1
1	D	247	ASP	2.1
1	C	207	ASP	2.1
1	C	252	PHE	2.1
1	D	248	GLU	2.0
1	A	282	ILE	2.0
1	B	177	PHE	2.0
1	C	243	LYS	2.0
1	C	249	ALA	2.0
1	B	57	ASP	2.0
1	C	180	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	1291	6/6	0.53	0.27	55,56,57,58	0
4	GOL	D	1288	6/6	0.71	0.23	51,52,52,52	0
4	GOL	C	1287	6/6	0.73	0.24	54,55,55,55	0
4	GOL	A	1292	6/6	0.78	0.20	65,66,66,67	0
4	GOL	B	1289	6/6	0.82	0.16	37,37,38,38	0
2	FE	B	1288	1/1	0.85	0.09	42,42,42,42	0
2	FE	D	1287	1/1	0.88	0.12	55,55,55,55	0
3	CA	A	1290	1/1	0.95	0.05	30,30,30,30	0
2	FE	C	1286	1/1	0.98	0.04	51,51,51,51	0
2	FE	A	1289	1/1	0.98	0.05	44,44,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.