



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 03:09 PM UTC

PDB ID : 3WL4 / pdb_00003wl4
Title : N,N'-diacetylchitobiose deacetylase (Se-derivative) from *Pyrococcus furiosus*
Authors : Nakamura, T.; Niiyama, M.; Hashimoto, W.; Uegaki, K.
Deposited on : 2013-11-07
Resolution : 1.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1003 (1.54-1.54)
Clashscore	190562	1025 (1.54-1.54)
Ramachandran outliers	187476	1007 (1.54-1.54)
Sidechain outliers	187428	1007 (1.54-1.54)
RSRZ outliers	180081	1002 (1.54-1.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	267	% 68% 28% ..
1	B	267	% 67% 31% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	TAM	A	308	-	X	-	-
5	TAM	A	309	-	X	X	-
5	TAM	B	308	-	X	-	-
5	TAM	B	309	-	X	X	-
6	HEZ	A	316	-	-	X	-
6	HEZ	B	313	-	-	X	-
6	HEZ	B	320	-	-	X	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 4941 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	Se	0	0	0
			2190	1416	360	404	3	7			
1	B	267	Total	C	N	O	S	Se	0	0	0
			2190	1416	360	404	3	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	expression tag	UNP Q8U3V1
B	1	MSE	-	expression tag	UNP Q8U3V1

- Molecule 2 is CADMIUM ION (CCD ID: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cd	0	0
			2	2		
2	B	2	Total	Cd	0	0
			2	2		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total	Cl	0	0
			4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	4	Total	Cl	0	0
			4	4		

- Molecule 5 is TRIS(HYDROXYETHYL)AMINOMETHANE (CCD ID: TAM) (formula: $C_7H_{17}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			11	7	1	3		
5	A	1	Total	C	N	O	0	0
			11	7	1	3		
5	B	1	Total	C	N	O	0	0
			11	7	1	3		
5	B	1	Total	C	N	O	0	0
			11	7	1	3		

- Molecule 6 is HEXANE-1,6-DIOL (CCD ID: HEZ) (formula: $C_6H_{14}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 7 is HEXAN-1-OL (CCD ID: HE2) (formula: $C_6H_{14}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	6	1		
7	B	1	Total	C	O	0	0
			7	6	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	165	Total 165	O 165	0	0
8	B	156	Total 156	O 156	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Uncharacterized protein



- Molecule 1: Uncharacterized protein



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	113.89Å 113.89Å 201.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	26.40 – 1.54 26.40 – 1.54	Depositor EDS
% Data completeness (in resolution range)	99.8 (26.40-1.54) 99.7 (26.40-1.54)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 1.54Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.154 , 0.169 (Not available) , 0.183	Depositor DCC
R_{free} test set	7197 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	18.1	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.476 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4941	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CD, HE2, HEZ, CA, TAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.07	51/2242 (2.3%)	1.85	32/3023 (1.1%)
1	B	2.09	48/2242 (2.1%)	1.86	31/3023 (1.0%)
All	All	2.08	99/4484 (2.2%)	1.85	63/6046 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (99) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	198	ILE	CB-CG1	8.90	1.71	1.53
1	A	132	LYS	C-O	8.72	1.27	1.23
1	B	85	ALA	CA-CB	8.49	1.66	1.53
1	B	60	VAL	N-CA	8.42	1.56	1.46
1	A	219	PHE	N-CA	8.28	1.58	1.46
1	B	166	GLN	CB-CG	-7.89	1.28	1.52
1	B	108	ASN	CG-ND2	-7.73	1.17	1.33
1	A	60	VAL	N-CA	7.53	1.55	1.46
1	A	134	ASP	CA-CB	7.28	1.65	1.53
1	B	134	ASP	CA-CB	7.21	1.65	1.53
1	B	34	VAL	N-CA	7.12	1.54	1.46
1	B	219	PHE	N-CA	7.11	1.57	1.46
1	A	108	ASN	CG-ND2	-6.94	1.18	1.33
1	B	55	LEU	CA-CB	6.81	1.64	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	166	GLN	N-CA	6.79	1.55	1.46
1	B	132	LYS	CA-CB	6.76	1.58	1.52
1	B	94	GLU	N-CA	6.61	1.54	1.46
1	A	132	LYS	CA-CB	6.60	1.58	1.52
1	A	181	PRO	C-O	6.58	1.31	1.23
1	B	132	LYS	C-O	6.58	1.26	1.23
1	B	126	LYS	CD-CE	-6.55	1.32	1.52
1	B	148	HIS	CA-C	6.54	1.59	1.52
1	B	243	GLY	N-CA	6.52	1.54	1.45
1	B	79	LEU	CA-CB	-6.50	1.44	1.53
1	A	166	GLN	N-CA	6.40	1.54	1.46
1	A	85	ALA	CA-CB	6.34	1.63	1.53
1	B	153	ARG	N-CA	6.33	1.54	1.46
1	A	263	PHE	CA-CB	6.29	1.61	1.53
1	B	76	ASP	C-O	6.28	1.31	1.24
1	A	57	ASP	N-CA	6.18	1.54	1.46
1	A	239	GLY	N-CA	6.12	1.53	1.45
1	B	57	ASP	N-CA	6.12	1.54	1.46
1	A	94	GLU	CG-CD	6.04	1.67	1.52
1	A	215	HIS	CA-CB	6.02	1.60	1.52
1	A	54	LYS	CA-C	-5.95	1.45	1.52
1	A	44	CYS	N-CA	5.93	1.53	1.46
1	A	53	LYS	CB-CG	5.83	1.70	1.52
1	B	143	LEU	N-CA	5.82	1.54	1.46
1	B	213	ARG	CZ-NH1	5.82	1.40	1.32
1	B	189	LEU	N-CA	5.80	1.53	1.46
1	B	53	LYS	CB-CG	5.79	1.69	1.52
1	B	64	TYR	N-CA	5.77	1.52	1.45
1	A	206	GLU	CA-CB	5.77	1.62	1.53
1	A	64	TYR	N-CA	5.75	1.52	1.45
1	A	184	VAL	CA-CB	5.74	1.60	1.54
1	B	93	GLU	N-CA	5.72	1.53	1.46
1	B	215	HIS	CA-CB	5.67	1.59	1.52
1	B	51	THR	C-O	-5.66	1.17	1.24
1	A	247	GLY	N-CA	5.64	1.51	1.45
1	A	213	ARG	CA-CB	5.64	1.63	1.53
1	A	51	THR	C-O	-5.62	1.17	1.24
1	A	213	ARG	CZ-NH1	5.62	1.40	1.32
1	A	41	PRO	CA-C	5.61	1.59	1.52
1	B	223	ILE	CA-CB	5.58	1.61	1.54
1	A	55	LEU	CA-CB	5.56	1.62	1.53
1	B	222	ASP	C-O	5.55	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	79	LEU	C-O	5.54	1.30	1.24
1	A	138	ALA	N-CA	5.54	1.51	1.46
1	B	188	ALA	CA-CB	5.54	1.64	1.53
1	A	189	LEU	N-CA	5.52	1.52	1.46
1	A	62	VAL	C-N	5.52	1.41	1.33
1	B	210	LYS	CA-C	5.51	1.59	1.52
1	B	228	GLU	CA-CB	5.51	1.60	1.53
1	B	206	GLU	CA-CB	5.49	1.61	1.53
1	A	39	PRO	C-N	5.48	1.39	1.32
1	A	148	HIS	CA-C	5.48	1.58	1.52
1	A	131	GLU	C-O	5.47	1.31	1.24
1	A	34	VAL	N-CA	5.46	1.52	1.46
1	A	94	GLU	CD-OE1	5.46	1.35	1.25
1	A	223	ILE	CA-CB	5.42	1.61	1.54
1	A	76	ASP	C-O	5.40	1.30	1.24
1	A	206	GLU	C-O	-5.40	1.17	1.24
1	A	235	THR	N-CA	5.38	1.53	1.46
1	A	127	ILE	C-O	5.33	1.30	1.24
1	A	243	GLY	N-CA	5.30	1.52	1.45
1	A	196	ASN	CG-ND2	-5.30	1.22	1.33
1	A	229	PRO	CA-C	5.29	1.59	1.52
1	A	266	LEU	N-CA	5.26	1.52	1.46
1	A	49	GLY	CA-C	5.23	1.57	1.52
1	B	266	LEU	N-CA	5.23	1.52	1.46
1	A	169	ASN	CG-ND2	-5.20	1.22	1.33
1	B	74	THR	N-CA	5.19	1.52	1.45
1	A	167	LEU	CA-CB	5.18	1.61	1.53
1	A	232	ARG	CA-CB	5.18	1.61	1.53
1	A	179	LEU	C-O	5.17	1.30	1.23
1	B	127	ILE	C-O	5.15	1.30	1.24
1	B	53	LYS	N-CA	5.13	1.52	1.46
1	A	210	LYS	CA-C	5.12	1.59	1.52
1	B	169	ASN	CG-ND2	-5.12	1.22	1.33
1	B	239	GLY	N-CA	5.11	1.52	1.45
1	B	213	ARG	CA-CB	5.09	1.62	1.53
1	B	175	ILE	N-CA	5.08	1.52	1.46
1	B	73	GLY	C-O	5.07	1.30	1.23
1	B	198	ILE	CG1-CD1	-5.07	1.31	1.51
1	B	39	PRO	C-N	5.07	1.39	1.32
1	A	162	VAL	C-O	5.06	1.29	1.24
1	B	208	LYS	CA-C	-5.04	1.46	1.52
1	B	136	VAL	CA-CB	5.01	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	229	PRO	CA-C	5.00	1.59	1.52

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	125	VAL	CA-C-O	-7.68	112.71	120.85
1	B	24	LEU	N-CA-C	-7.54	102.60	112.41
1	B	210	LYS	O-C-N	7.38	129.94	122.12
1	A	210	LYS	O-C-N	7.21	129.77	122.12
1	B	50	GLY	CA-C-O	7.19	128.16	120.75
1	A	24	LEU	N-CA-C	-7.04	103.26	112.41
1	B	113	GLU	CA-C-O	-6.92	112.36	120.53
1	B	125	VAL	CA-C-O	-6.90	113.54	120.85
1	A	62	VAL	CA-C-O	6.88	127.77	120.48
1	B	65	ILE	CA-C-O	-6.75	113.31	120.53
1	B	56	SER	O-C-N	6.72	129.25	122.12
1	A	175	ILE	N-CA-C	-6.59	104.07	110.72
1	B	56	SER	CA-CB-OG	-6.43	98.24	111.10
1	A	56	SER	O-C-N	6.43	128.94	122.12
1	B	198	ILE	CA-CB-CG1	-6.42	99.50	110.40
1	A	165	SER	CA-C-O	-6.36	111.79	119.49
1	B	40	HIS	O-C-N	6.34	126.50	121.55
1	B	52	ILE	O-C-N	6.33	128.11	121.91
1	B	175	ILE	N-CA-C	-6.28	104.38	110.72
1	A	245	ARG	O-C-N	6.22	128.48	122.07
1	A	165	SER	O-C-N	6.21	130.46	122.39
1	A	89	ARG	CA-CB-CG	-6.15	101.81	114.10
1	B	62	VAL	CA-C-O	6.11	126.95	120.48
1	B	227	TRP	N-CA-C	6.01	118.79	111.82
1	A	56	SER	CA-CB-OG	-5.98	99.15	111.10
1	A	6	SER	CA-CB-OG	-5.90	99.30	111.10
1	A	82	HIS	O-C-N	5.89	128.37	122.12
1	A	111	ASP	N-CA-CB	-5.86	100.39	109.48
1	A	166	GLN	CB-CG-CD	-5.86	102.64	112.60
1	B	12	PHE	N-CA-C	5.77	117.24	111.07
1	B	82	HIS	O-C-N	5.66	128.12	122.12
1	A	136	VAL	O-C-N	5.61	129.26	123.20
1	B	165	SER	CA-C-O	-5.59	112.50	119.38
1	B	10	GLU	N-CA-C	5.59	117.37	111.28
1	A	148	HIS	O-C-N	5.56	127.53	121.36
1	B	208	LYS	O-C-N	-5.56	116.35	122.07
1	B	111	ASP	N-CA-CB	-5.53	100.90	109.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	227	TRP	CA-CB-CG	-5.53	103.09	113.60
1	B	245	ARG	O-C-N	5.48	127.73	122.03
1	A	44	CYS	N-CA-C	-5.46	105.40	111.36
1	B	70	GLY	CA-C-N	5.41	128.28	120.38
1	B	70	GLY	C-N-CA	5.41	128.28	120.38
1	B	148	HIS	CA-CB-CG	-5.38	108.42	113.80
1	A	180	LYS	CD-CE-NZ	5.36	129.05	111.90
1	A	238	TYR	CA-C-N	-5.34	113.46	120.14
1	A	238	TYR	C-N-CA	-5.34	113.46	120.14
1	B	6	SER	CA-CB-OG	-5.34	100.41	111.10
1	A	235	THR	OG1-CB-CG2	-5.33	98.64	109.30
1	A	42	ASP	N-CA-CB	5.33	119.49	110.49
1	B	165	SER	O-C-N	5.33	129.57	122.43
1	A	62	VAL	O-C-N	-5.31	117.60	123.18
1	A	193	HIS	CA-CB-CG	5.30	119.10	113.80
1	A	25	GLU	CA-C-N	-5.29	117.45	122.37
1	A	25	GLU	C-N-CA	-5.29	117.45	122.37
1	B	161	SER	CA-C-O	-5.27	114.83	120.42
1	B	89	ARG	NE-CZ-NH1	-5.23	116.27	121.50
1	A	50	GLY	CA-C-O	5.09	125.99	120.75
1	A	65	ILE	CA-C-O	-5.08	115.10	120.39
1	B	103	LYS	CG-CD-CE	5.08	122.98	111.30
1	B	88	ARG	N-CA-C	5.07	117.70	111.82
1	A	63	ILE	O-C-N	5.06	128.65	123.18
1	B	225	GLU	CG-CD-OE2	5.02	129.95	118.40
1	A	207	LEU	O-C-N	5.00	127.22	122.07

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	121	ARG	Sidechain
1	B	121	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2190	0	2161	39	0
1	B	2190	0	2161	39	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	4	0	0	0	0
4	B	4	0	0	0	0
5	A	22	0	31	10	0
5	B	22	0	32	7	0
6	A	72	0	125	25	0
6	B	96	0	168	27	0
7	A	7	0	14	0	0
7	B	7	0	13	4	0
8	A	165	0	0	9	0
8	B	156	0	0	7	0
All	All	4941	0	4705	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:313:HEZ:H62	8:B:536:HOH:O	1.25	1.29
5:A:309:TAM:H52	5:A:309:TAM:C4	1.74	1.16
6:A:316:HEZ:C2	8:A:532:HOH:O	1.95	1.12
5:A:309:TAM:C4	5:A:309:TAM:C5	2.29	1.09
5:A:309:TAM:H52	5:A:309:TAM:H42	1.11	1.09
5:A:309:TAM:C5	5:A:309:TAM:H42	1.75	1.08
1:A:243:GLY:HA2	6:A:318:HEZ:H62	1.06	1.06
1:B:113:GLU:OE1	6:B:320:HEZ:H22	1.56	1.04
6:B:320:HEZ:H62	8:B:431:HOH:O	1.59	1.00
1:A:180:LYS:HE3	8:A:499:HOH:O	1.60	1.00
1:B:43:ASP:OD1	5:B:309:TAM:H42	1.59	1.00
1:B:42:ASP:OD2	5:B:309:TAM:H51	1.63	0.97
1:B:110:ARG:H	6:B:320:HEZ:H41	1.32	0.95
6:A:316:HEZ:H21	8:A:532:HOH:O	1.56	0.93
1:B:116:TYR:H	6:B:313:HEZ:H32	1.31	0.93
1:A:180:LYS:CE	8:A:499:HOH:O	2.17	0.90
1:B:196:ASN:HD21	1:B:252:VAL:H	1.20	0.90
1:B:153:ARG:HH12	6:B:313:HEZ:H41	1.41	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:ASN:HD21	1:A:252:VAL:H	1.19	0.85
6:B:318:HEZ:H41	8:B:452:HOH:O	1.80	0.82
1:A:26:ASN:H	1:A:26:ASN:HD22	1.27	0.82
1:A:243:GLY:CA	6:A:318:HEZ:H62	2.02	0.82
6:A:316:HEZ:H22	8:A:532:HOH:O	1.71	0.81
5:B:309:TAM:H62	5:B:309:TAM:O4	1.80	0.81
1:B:254:PRO:HB3	6:B:319:HEZ:H22	1.64	0.79
6:B:320:HEZ:H21	6:B:320:HEZ:O6	1.82	0.79
1:A:243:GLY:HA2	6:A:318:HEZ:C6	2.01	0.78
5:B:309:TAM:O4	5:B:309:TAM:C6	2.33	0.76
1:A:26:ASN:HD22	1:A:26:ASN:N	1.82	0.74
6:A:317:HEZ:H41	6:A:319:HEZ:H12	1.71	0.72
1:B:115:PRO:HD3	6:B:320:HEZ:H61	1.72	0.72
1:B:235:THR:HG22	7:B:316:HE2:HAA3	1.71	0.72
1:A:148:HIS:HD2	1:A:150:ASP:H	1.36	0.71
6:B:320:HEZ:C6	8:B:431:HOH:O	2.24	0.70
1:B:110:ARG:H	6:B:320:HEZ:C4	2.03	0.70
1:B:148:HIS:HD2	1:B:150:ASP:H	1.40	0.67
1:A:42:ASP:OD2	5:A:309:TAM:H61	1.94	0.67
5:A:308:TAM:H62	8:A:463:HOH:O	1.94	0.67
1:B:72:MSE:HB2	6:B:318:HEZ:H61	1.76	0.66
1:A:148:HIS:HE1	8:A:408:HOH:O	1.80	0.64
1:A:116:TYR:H	6:A:314:HEZ:H62	1.63	0.64
1:A:254:PRO:HB3	6:A:316:HEZ:H32	1.79	0.64
1:A:218:GLN:O	6:A:315:HEZ:H61	1.99	0.63
1:B:110:ARG:N	6:B:320:HEZ:H41	2.10	0.62
6:B:319:HEZ:H12	8:B:426:HOH:O	1.98	0.62
1:B:148:HIS:HE1	6:B:318:HEZ:O6	1.82	0.62
1:B:235:THR:HG22	7:B:316:HE2:CAA	2.31	0.60
1:B:110:ARG:H	6:B:320:HEZ:C5	2.14	0.59
1:B:20:LEU:O	6:B:319:HEZ:H31	2.03	0.58
1:B:231:LEU:HD23	7:B:316:HE2:HAF1	1.86	0.58
1:A:94:GLU:HG3	8:A:521:HOH:O	2.04	0.56
1:B:113:GLU:OE1	6:B:320:HEZ:C2	2.44	0.56
1:B:116:TYR:N	6:B:313:HEZ:H32	2.12	0.55
1:A:42:ASP:OD2	5:A:309:TAM:C6	2.53	0.55
1:B:196:ASN:ND2	1:B:252:VAL:H	1.97	0.55
5:B:308:TAM:H62	8:B:531:HOH:O	2.07	0.55
1:A:26:ASN:N	1:A:26:ASN:ND2	2.49	0.55
1:A:196:ASN:ND2	1:A:252:VAL:H	1.98	0.55
1:B:23:ASN:ND2	1:B:25:GLU:HB2	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:PRO:HA	6:A:316:HEZ:H32	1.90	0.54
1:B:38:GLU:HB2	1:B:43:ASP:HB2	1.89	0.53
1:B:109:TYR:HD1	6:B:320:HEZ:C6	2.21	0.53
1:A:38:GLU:HB2	1:A:43:ASP:HB2	1.90	0.53
1:B:254:PRO:CB	6:B:319:HEZ:H22	2.37	0.53
1:A:20:LEU:O	6:A:316:HEZ:H41	2.08	0.53
1:B:110:ARG:H	6:B:320:HEZ:H52	1.74	0.52
1:A:148:HIS:CD2	1:A:150:ASP:H	2.24	0.50
1:A:116:TYR:H	6:A:314:HEZ:C6	2.25	0.50
1:A:153:ARG:HH12	6:A:314:HEZ:H42	1.76	0.50
1:B:153:ARG:HH12	6:B:313:HEZ:C4	2.20	0.50
1:A:163:ALA:HB2	6:A:319:HEZ:H31	1.95	0.49
1:B:153:ARG:NH1	6:B:313:HEZ:H41	2.18	0.49
1:A:231:LEU:O	1:A:235:THR:HG23	2.13	0.48
1:A:254:PRO:CB	6:A:316:HEZ:H32	2.43	0.48
1:B:41:PRO:O	1:B:42:ASP:CG	2.58	0.47
1:A:254:PRO:CA	6:A:316:HEZ:H32	2.45	0.46
6:A:311:HEZ:H21	6:A:311:HEZ:H52	1.17	0.46
1:B:148:HIS:CD2	1:B:150:ASP:H	2.26	0.46
1:A:240:GLU:HA	6:A:318:HEZ:H42	1.97	0.45
5:B:309:TAM:O5	8:B:463:HOH:O	2.18	0.45
1:A:20:LEU:HB3	6:A:316:HEZ:H31	1.97	0.45
5:A:309:TAM:H52	5:A:309:TAM:O4	2.08	0.45
1:B:231:LEU:O	1:B:235:THR:HG23	2.16	0.45
1:B:109:TYR:HB3	6:B:320:HEZ:H52	1.99	0.44
6:A:316:HEZ:H21	8:A:530:HOH:O	2.18	0.43
1:B:110:ARG:N	6:B:320:HEZ:H52	2.33	0.43
1:A:240:GLU:OE1	6:A:318:HEZ:H21	2.18	0.43
1:A:41:PRO:O	1:A:42:ASP:CG	2.62	0.43
1:B:138:ALA:O	1:B:189:LEU:HA	2.18	0.43
1:B:43:ASP:OD1	5:B:309:TAM:C4	2.49	0.43
1:A:153:ARG:HH21	5:A:308:TAM:H61	1.84	0.42
1:B:23:ASN:HD22	1:B:25:GLU:H	1.66	0.42
1:A:22:PHE:HD1	6:A:316:HEZ:H61	1.85	0.41
1:A:32:LYS:HB3	1:A:32:LYS:HE2	1.94	0.41
1:B:248:GLU:HA	7:B:316:HE2:HAA1	2.02	0.41
1:A:22:PHE:HD1	6:A:316:HEZ:H42	1.86	0.41
1:B:232:ARG:O	1:B:236:MSE:HG3	2.20	0.41
1:A:153:ARG:HH12	6:A:314:HEZ:C4	2.34	0.40
1:A:153:ARG:NH2	5:A:308:TAM:H61	2.36	0.40
1:A:138:ALA:O	1:A:189:LEU:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/267 (99%)	259 (98%)	5 (2%)	1 (0%)	30	12
1	B	265/267 (99%)	260 (98%)	4 (2%)	1 (0%)	30	12
All	All	530/534 (99%)	519 (98%)	9 (2%)	2 (0%)	30	12

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	42	ASP
1	B	42	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/232 (103%)	235 (98%)	4 (2%)	53	23
1	B	239/232 (103%)	238 (100%)	1 (0%)	84	70
All	All	478/464 (103%)	473 (99%)	5 (1%)	68	42

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	26	ASN
1	A	180	LYS
1	A	196	ASN
1	B	196	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	148	HIS
1	A	172	ASN
1	A	193	HIS
1	A	196	ASN
1	A	259	HIS
1	B	23	ASN
1	B	148	HIS
1	B	169	ASN
1	B	172	ASN
1	B	196	ASN
1	B	259	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 14 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HEZ	B	322	-	7,7,7	0.30	0	6,6,6	1.52	1 (16%)
7	HE2	A	313	-	6,6,6	0.99	1 (16%)	5,5,5	0.85	0
6	HEZ	B	321	-	7,7,7	0.58	0	6,6,6	1.14	0
6	HEZ	B	317	-	7,7,7	1.19	1 (14%)	6,6,6	0.97	0
5	TAM	A	309	2	10,10,10	3.19	9 (90%)	12,12,12	6.03	8 (66%)
5	TAM	B	308	-	10,10,10	1.72	1 (10%)	12,12,12	4.33	9 (75%)
6	HEZ	A	311	-	7,7,7	0.29	0	6,6,6	1.76	2 (33%)
6	HEZ	A	317	-	7,7,7	1.28	1 (14%)	6,6,6	1.99	2 (33%)
5	TAM	B	309	2	10,10,10	3.07	7 (70%)	12,12,12	6.27	7 (58%)
6	HEZ	B	312	-	7,7,7	1.05	0	6,6,6	0.95	0
6	HEZ	B	311	-	7,7,7	0.70	0	6,6,6	1.27	1 (16%)
6	HEZ	A	319	-	7,7,7	0.78	0	6,6,6	1.60	2 (33%)
6	HEZ	A	314	-	7,7,7	0.99	0	6,6,6	2.00	2 (33%)
5	TAM	A	308	-	10,10,10	1.38	2 (20%)	12,12,12	6.09	8 (66%)
6	HEZ	A	315	-	7,7,7	0.55	0	6,6,6	0.96	0
6	HEZ	A	318	-	7,7,7	1.35	0	6,6,6	1.21	0
6	HEZ	B	320	-	7,7,7	0.83	0	6,6,6	1.96	2 (33%)
6	HEZ	A	312	-	7,7,7	0.28	0	6,6,6	1.07	0
6	HEZ	B	319	-	7,7,7	1.32	1 (14%)	6,6,6	0.55	0
6	HEZ	B	315	-	7,7,7	0.48	0	6,6,6	1.20	1 (16%)
6	HEZ	A	316	-	7,7,7	0.95	0	6,6,6	0.99	0
6	HEZ	B	314	-	7,7,7	1.34	1 (14%)	6,6,6	0.84	0
6	HEZ	A	310	-	7,7,7	1.12	0	6,6,6	1.03	0
7	HE2	B	316	-	6,6,6	1.11	0	5,5,5	1.42	1 (20%)
6	HEZ	B	313	-	7,7,7	1.93	2 (28%)	6,6,6	1.22	1 (16%)
6	HEZ	B	318	-	7,7,7	1.06	0	6,6,6	2.00	3 (50%)
6	HEZ	B	310	-	7,7,7	1.00	0	6,6,6	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HEZ	B	322	-	-	2/5/5/5	-
7	HE2	A	313	-	-	2/4/4/4	-
6	HEZ	B	321	-	-	4/5/5/5	-
6	HEZ	B	317	-	-	4/5/5/5	-
5	TAM	A	309	2	-	3/12/12/12	-
5	TAM	B	308	-	-	7/12/12/12	-
6	HEZ	A	311	-	-	2/5/5/5	-
6	HEZ	A	317	-	-	4/5/5/5	-
5	TAM	B	309	2	-	8/12/12/12	-
6	HEZ	B	312	-	-	0/5/5/5	-
6	HEZ	B	311	-	-	3/5/5/5	-
6	HEZ	A	319	-	-	1/5/5/5	-
6	HEZ	A	314	-	-	3/5/5/5	-
5	TAM	A	308	-	-	4/12/12/12	-
6	HEZ	A	315	-	-	3/5/5/5	-
6	HEZ	A	318	-	-	3/5/5/5	-
6	HEZ	B	320	-	-	4/5/5/5	-
6	HEZ	A	312	-	-	0/5/5/5	-
6	HEZ	B	319	-	-	3/5/5/5	-
6	HEZ	B	315	-	-	1/5/5/5	-
6	HEZ	A	316	-	-	4/5/5/5	-
6	HEZ	B	314	-	-	2/5/5/5	-
6	HEZ	A	310	-	-	0/5/5/5	-
7	HE2	B	316	-	-	2/4/4/4	-
6	HEZ	B	313	-	-	4/5/5/5	-
6	HEZ	B	318	-	-	2/5/5/5	-
6	HEZ	B	310	-	-	0/5/5/5	-

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	309	TAM	C2-C5	-4.75	1.43	1.52
6	B	313	HEZ	C4-C3	4.37	1.73	1.51
5	B	309	TAM	C3-C6	-4.17	1.44	1.52
5	A	309	TAM	C3-C6	-4.16	1.44	1.52
5	A	309	TAM	C2-C	-4.15	1.47	1.53
5	B	308	TAM	C2-C	-3.98	1.48	1.53
5	A	309	TAM	C3-C	-3.90	1.48	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	309	TAM	C1-C	-3.79	1.48	1.53
5	B	309	TAM	C2-C	-3.69	1.48	1.53
5	A	309	TAM	C-N	3.60	1.61	1.49
5	B	309	TAM	C-N	3.17	1.59	1.49
5	A	309	TAM	C1-C4	-2.95	1.46	1.52
5	A	309	TAM	O5-C5	-2.91	1.27	1.42
5	A	309	TAM	C1-C	-2.85	1.49	1.53
5	B	309	TAM	O4-C4	-2.76	1.28	1.42
5	A	308	TAM	C2-C5	2.69	1.56	1.52
6	B	319	HEZ	O1-C1	2.59	1.55	1.42
5	A	309	TAM	O4-C4	2.57	1.55	1.42
5	B	309	TAM	O6-C6	2.47	1.54	1.42
6	A	317	HEZ	O6-C6	2.44	1.54	1.42
5	A	308	TAM	C1-C4	2.36	1.56	1.52
5	A	309	TAM	C2-C5	2.23	1.56	1.52
6	B	317	HEZ	O1-C1	2.18	1.53	1.42
6	B	314	HEZ	C5-C4	2.18	1.62	1.51
7	A	313	HE2	CAA-CAC	2.17	1.65	1.50
6	B	313	HEZ	C5-C6	2.05	1.62	1.51

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	309	TAM	C5-C2-C	-12.67	101.02	115.97
5	B	309	TAM	O4-C4-C1	-10.77	81.10	111.33
5	A	308	TAM	C6-C3-C	-10.62	103.44	115.97
5	B	309	TAM	C6-C3-C	-10.35	103.77	115.97
5	B	309	TAM	C4-C1-C	10.21	128.01	115.97
5	A	308	TAM	C5-C2-C	-9.95	104.23	115.97
5	A	309	TAM	C4-C1-C	-9.46	104.81	115.97
5	A	308	TAM	C4-C1-C	-9.25	105.06	115.97
5	B	308	TAM	C2-C-C1	-8.91	94.79	110.50
5	A	308	TAM	C3-C-C2	-8.44	95.62	110.50
5	B	309	TAM	C2-C-C1	-7.16	97.88	110.50
5	A	309	TAM	O5-C5-C2	-7.04	91.58	111.33
5	A	309	TAM	O4-C4-C1	-6.88	92.02	111.33
5	A	309	TAM	C2-C-C1	6.69	122.30	110.50
5	B	309	TAM	O5-C5-C2	6.30	129.01	111.33
5	B	309	TAM	C3-C-C1	5.46	120.14	110.50
5	B	308	TAM	C5-C2-C	-5.30	109.72	115.97
5	A	309	TAM	O6-C6-C3	4.93	125.18	111.33
5	B	308	TAM	C3-C-N	4.69	120.00	108.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	308	TAM	O4-C4-C1	-4.58	98.48	111.33
5	B	308	TAM	C1-C-N	4.49	119.49	108.22
5	A	308	TAM	C2-C-C1	4.44	118.34	110.50
5	A	308	TAM	O5-C5-C2	4.33	123.50	111.33
5	B	309	TAM	O6-C6-C3	-4.32	99.21	111.33
5	B	308	TAM	C4-C1-C	-4.30	110.90	115.97
5	B	308	TAM	C6-C3-C	-4.19	111.03	115.97
5	B	308	TAM	O6-C6-C3	-3.80	100.67	111.33
5	B	308	TAM	C3-C-C2	-3.76	103.88	110.50
6	B	320	HEZ	O6-C6-C5	-3.61	88.50	111.44
6	A	314	HEZ	C4-C3-C2	-3.48	96.80	114.37
6	A	317	HEZ	C5-C4-C3	-3.25	97.93	114.37
6	A	311	HEZ	C4-C3-C2	-3.14	98.48	114.37
5	A	308	TAM	C2-C-N	3.12	116.06	108.22
6	B	318	HEZ	C4-C5-C6	-2.89	96.60	113.83
6	B	313	HEZ	O1-C1-C2	-2.79	93.70	111.44
7	B	316	HE2	CAF-CAG-CAE	2.79	128.47	114.37
5	A	309	TAM	C3-C-C2	-2.76	105.64	110.50
6	A	311	HEZ	C5-C4-C3	-2.70	100.71	114.37
6	A	319	HEZ	C4-C5-C6	-2.61	98.22	113.83
6	B	318	HEZ	C4-C3-C2	-2.60	101.21	114.37
6	A	319	HEZ	C3-C2-C1	-2.57	98.48	113.83
6	B	311	HEZ	C4-C3-C2	-2.42	102.15	114.37
5	A	309	TAM	C1-C-N	-2.38	102.24	108.22
6	B	318	HEZ	C5-C4-C3	2.36	126.32	114.37
6	A	317	HEZ	C4-C5-C6	2.34	127.77	113.83
5	B	308	TAM	O5-C5-C2	2.24	117.64	111.33
6	B	315	HEZ	C5-C4-C3	-2.22	103.17	114.37
6	B	320	HEZ	C4-C3-C2	-2.18	103.34	114.37
6	A	314	HEZ	C4-C5-C6	-2.07	101.46	113.83
6	B	322	HEZ	C5-C4-C3	-2.03	104.10	114.37

There are no chirality outliers.

All (75) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	308	TAM	C1-C-C2-C5
5	A	308	TAM	C3-C-C2-C5
5	A	308	TAM	N-C-C2-C5
5	A	308	TAM	C-C3-C6-O6
5	A	309	TAM	C2-C-C1-C4
5	A	309	TAM	C3-C-C1-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	309	TAM	N-C-C1-C4
5	B	308	TAM	C2-C-C1-C4
5	B	308	TAM	N-C-C1-C4
5	B	308	TAM	C1-C-C3-C6
5	B	308	TAM	C2-C-C3-C6
5	B	308	TAM	N-C-C3-C6
5	B	308	TAM	C-C2-C5-O5
5	B	309	TAM	C2-C-C1-C4
5	B	309	TAM	C3-C-C1-C4
5	B	309	TAM	N-C-C1-C4
5	B	309	TAM	C2-C-C3-C6
5	B	309	TAM	N-C-C3-C6
5	B	309	TAM	C-C2-C5-O5
6	A	314	HEZ	C1-C2-C3-C4
6	B	320	HEZ	C2-C3-C4-C5
6	B	319	HEZ	C1-C2-C3-C4
6	A	316	HEZ	C2-C3-C4-C5
6	A	311	HEZ	C2-C3-C4-C5
6	B	321	HEZ	C2-C3-C4-C5
6	A	315	HEZ	C2-C3-C4-C5
6	B	317	HEZ	C1-C2-C3-C4
6	B	322	HEZ	C1-C2-C3-C4
6	A	316	HEZ	C1-C2-C3-C4
6	A	315	HEZ	C1-C2-C3-C4
6	B	314	HEZ	C1-C2-C3-C4
6	B	319	HEZ	C3-C4-C5-C6
6	B	313	HEZ	C3-C4-C5-C6
6	B	320	HEZ	C1-C2-C3-C4
6	A	317	HEZ	C1-C2-C3-C4
6	A	317	HEZ	C2-C3-C4-C5
6	B	318	HEZ	C2-C3-C4-C5
6	A	316	HEZ	C3-C4-C5-C6
6	B	321	HEZ	C3-C4-C5-C6
7	B	316	HE2	CAC-CAE-CAG-CAF
6	A	318	HEZ	C4-C5-C6-O6
6	B	318	HEZ	O1-C1-C2-C3
6	B	322	HEZ	O1-C1-C2-C3
6	A	314	HEZ	O1-C1-C2-C3
6	A	315	HEZ	C4-C5-C6-O6
6	B	311	HEZ	O1-C1-C2-C3
6	B	317	HEZ	C4-C5-C6-O6
6	B	321	HEZ	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	308	TAM	C3-C-C1-C4
5	B	309	TAM	C1-C-C3-C6
6	A	317	HEZ	O1-C1-C2-C3
6	B	315	HEZ	O1-C1-C2-C3
7	A	313	HE2	OAB-CAD-CAF-CAG
7	B	316	HE2	CAD-CAF-CAG-CAE
6	B	317	HEZ	O1-C1-C2-C3
6	B	320	HEZ	C4-C5-C6-O6
6	B	313	HEZ	C2-C3-C4-C5
6	B	313	HEZ	O1-C1-C2-C3
6	B	321	HEZ	O1-C1-C2-C3
6	A	318	HEZ	C1-C2-C3-C4
6	A	316	HEZ	O1-C1-C2-C3
6	B	319	HEZ	C4-C5-C6-O6
6	A	317	HEZ	C3-C4-C5-C6
6	A	311	HEZ	C4-C5-C6-O6
6	B	313	HEZ	C1-C2-C3-C4
6	B	311	HEZ	C4-C5-C6-O6
5	B	309	TAM	C-C1-C4-O4
6	A	319	HEZ	O1-C1-C2-C3
6	B	317	HEZ	C2-C3-C4-C5
6	A	318	HEZ	C2-C3-C4-C5
7	A	313	HE2	CAA-CAC-CAE-CAG
6	A	314	HEZ	C4-C5-C6-O6
6	B	314	HEZ	C3-C4-C5-C6
6	B	320	HEZ	C3-C4-C5-C6
6	B	311	HEZ	C2-C3-C4-C5

There are no ring outliers.

16 monomers are involved in 73 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	309	TAM	7	0
5	B	308	TAM	1	0
6	A	311	HEZ	1	0
6	A	317	HEZ	1	0
5	B	309	TAM	6	0
6	A	319	HEZ	2	0
6	A	314	HEZ	4	0
5	A	308	TAM	3	0
6	A	315	HEZ	1	0
6	A	318	HEZ	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	320	HEZ	14	0
6	B	319	HEZ	4	0
6	A	316	HEZ	12	0
7	B	316	HE2	4	0
6	B	313	HEZ	6	0
6	B	318	HEZ	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/267 (97%)	-0.23	4 (1%) 72 79	13, 19, 37, 52	0
1	B	260/267 (97%)	-0.24	3 (1%) 76 82	13, 19, 36, 53	0
All	All	520/534 (97%)	-0.23	7 (1%) 75 81	13, 19, 36, 53	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	26	ASN	3.5
1	B	26	ASN	3.0
1	B	78	LYS	2.9
1	A	102	ARG	2.8
1	A	78	LYS	2.4
1	A	25	GLU	2.1
1	B	102	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	HEZ	B	321	8/8	0.71	0.27	45,62,72,73	0
6	HEZ	B	314	8/8	0.78	0.18	33,41,43,50	0
6	HEZ	A	316	8/8	0.79	0.18	32,51,58,60	0
6	HEZ	A	315	8/8	0.80	0.18	40,56,69,71	0
6	HEZ	B	313	8/8	0.80	0.20	16,38,49,52	0
6	HEZ	B	317	8/8	0.83	0.20	39,48,51,56	0
6	HEZ	B	319	8/8	0.83	0.19	30,40,71,74	0
6	HEZ	A	318	8/8	0.83	0.19	31,40,48,51	0
6	HEZ	A	314	8/8	0.85	0.18	16,35,40,40	0
7	HE2	A	313	7/7	0.85	0.15	27,30,38,40	0
6	HEZ	B	320	8/8	0.86	0.14	18,28,43,47	0
6	HEZ	A	319	8/8	0.86	0.13	33,39,41,42	0
6	HEZ	B	311	8/8	0.86	0.21	25,41,52,54	0
6	HEZ	B	315	8/8	0.88	0.14	28,32,37,41	0
7	HE2	B	316	7/7	0.88	0.13	21,27,34,34	0
6	HEZ	A	311	8/8	0.90	0.15	25,44,48,49	0
6	HEZ	A	317	8/8	0.91	0.15	22,35,41,42	0
5	TAM	A	308	11/11	0.91	0.10	14,19,21,27	11
6	HEZ	B	318	8/8	0.91	0.16	17,34,47,48	0
5	TAM	A	309	11/11	0.91	0.13	15,19,41,48	0
5	TAM	B	309	11/11	0.93	0.12	16,22,33,44	0
6	HEZ	B	322	8/8	0.93	0.12	31,43,56,56	0
6	HEZ	B	312	8/8	0.93	0.09	22,26,32,33	0
6	HEZ	A	312	8/8	0.93	0.13	30,45,54,57	0
6	HEZ	A	310	8/8	0.94	0.08	23,26,33,34	0
6	HEZ	B	310	8/8	0.94	0.11	22,30,32,34	0
5	TAM	B	308	11/11	0.94	0.09	13,17,24,24	11
4	CL	B	306	1/1	0.97	0.07	23,23,23,23	0
4	CL	B	305	1/1	0.98	0.05	22,22,22,22	0
2	CD	A	302	1/1	0.98	0.04	20,20,20,20	0
4	CL	B	307	1/1	0.98	0.05	20,20,20,20	0
2	CD	B	302	1/1	0.98	0.04	20,20,20,20	0
4	CL	A	305	1/1	0.98	0.05	20,20,20,20	0
4	CL	A	307	1/1	0.98	0.06	23,23,23,23	0
4	CL	A	306	1/1	0.99	0.06	22,22,22,22	0
3	CA	B	303	1/1	0.99	0.04	16,16,16,16	0
4	CL	A	304	1/1	1.00	0.07	19,19,19,19	0
2	CD	A	301	1/1	1.00	0.02	16,16,16,16	0
3	CA	A	303	1/1	1.00	0.04	17,17,17,17	0
2	CD	B	301	1/1	1.00	0.02	16,16,16,16	0
4	CL	B	304	1/1	1.00	0.09	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.