



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 29, 2026 – 04:00 AM UTC

PDB ID : 4WLE / pdb_00004wle
Title : Crystal structure of citrate bound MDH2
Authors : Eo, Y.M.; Han, B.G.; Ahn, H.C.
Deposited on : 2014-10-07
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	6% 90% 8%
1	B	340	9% 90% 8%
1	C	340	13% 90% 8%
1	D	340	17% 90% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Malate dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	0	0
			2312	1472	390	437	13			
1	B	314	Total	C	N	O	S	0	2	0
			2319	1477	390	439	13			
1	C	314	Total	C	N	O	S	0	1	0
			2315	1474	390	438	13			
1	D	314	Total	C	N	O	S	0	0	0
			2312	1472	390	437	13			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP P40926
A	0	GLY	-	expression tag	UNP P40926
A	1	SER	-	expression tag	UNP P40926
A	2	SER	-	expression tag	UNP P40926
A	3	HIS	-	expression tag	UNP P40926
A	4	HIS	-	expression tag	UNP P40926
A	5	HIS	-	expression tag	UNP P40926
A	6	HIS	-	expression tag	UNP P40926
A	7	HIS	-	expression tag	UNP P40926
A	8	HIS	-	expression tag	UNP P40926
A	9	SER	-	expression tag	UNP P40926
A	10	SER	-	expression tag	UNP P40926
A	11	GLY	-	expression tag	UNP P40926
A	12	LEU	-	expression tag	UNP P40926
A	13	VAL	-	expression tag	UNP P40926
A	14	PRO	-	expression tag	UNP P40926
A	15	ARG	-	expression tag	UNP P40926
A	16	GLY	-	expression tag	UNP P40926
A	17	SER	-	expression tag	UNP P40926
A	18	HIS	-	expression tag	UNP P40926
A	19	MET	-	expression tag	UNP P40926

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	MET	-	expression tag	UNP P40926
B	0	GLY	-	expression tag	UNP P40926
B	1	SER	-	expression tag	UNP P40926
B	2	SER	-	expression tag	UNP P40926
B	3	HIS	-	expression tag	UNP P40926
B	4	HIS	-	expression tag	UNP P40926
B	5	HIS	-	expression tag	UNP P40926
B	6	HIS	-	expression tag	UNP P40926
B	7	HIS	-	expression tag	UNP P40926
B	8	HIS	-	expression tag	UNP P40926
B	9	SER	-	expression tag	UNP P40926
B	10	SER	-	expression tag	UNP P40926
B	11	GLY	-	expression tag	UNP P40926
B	12	LEU	-	expression tag	UNP P40926
B	13	VAL	-	expression tag	UNP P40926
B	14	PRO	-	expression tag	UNP P40926
B	15	ARG	-	expression tag	UNP P40926
B	16	GLY	-	expression tag	UNP P40926
B	17	SER	-	expression tag	UNP P40926
B	18	HIS	-	expression tag	UNP P40926
B	19	MET	-	expression tag	UNP P40926
C	-1	MET	-	expression tag	UNP P40926
C	0	GLY	-	expression tag	UNP P40926
C	1	SER	-	expression tag	UNP P40926
C	2	SER	-	expression tag	UNP P40926
C	3	HIS	-	expression tag	UNP P40926
C	4	HIS	-	expression tag	UNP P40926
C	5	HIS	-	expression tag	UNP P40926
C	6	HIS	-	expression tag	UNP P40926
C	7	HIS	-	expression tag	UNP P40926
C	8	HIS	-	expression tag	UNP P40926
C	9	SER	-	expression tag	UNP P40926
C	10	SER	-	expression tag	UNP P40926
C	11	GLY	-	expression tag	UNP P40926
C	12	LEU	-	expression tag	UNP P40926
C	13	VAL	-	expression tag	UNP P40926
C	14	PRO	-	expression tag	UNP P40926
C	15	ARG	-	expression tag	UNP P40926
C	16	GLY	-	expression tag	UNP P40926
C	17	SER	-	expression tag	UNP P40926
C	18	HIS	-	expression tag	UNP P40926
C	19	MET	-	expression tag	UNP P40926

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	MET	-	expression tag	UNP P40926
D	0	GLY	-	expression tag	UNP P40926
D	1	SER	-	expression tag	UNP P40926
D	2	SER	-	expression tag	UNP P40926
D	3	HIS	-	expression tag	UNP P40926
D	4	HIS	-	expression tag	UNP P40926
D	5	HIS	-	expression tag	UNP P40926
D	6	HIS	-	expression tag	UNP P40926
D	7	HIS	-	expression tag	UNP P40926
D	8	HIS	-	expression tag	UNP P40926
D	9	SER	-	expression tag	UNP P40926
D	10	SER	-	expression tag	UNP P40926
D	11	GLY	-	expression tag	UNP P40926
D	12	LEU	-	expression tag	UNP P40926
D	13	VAL	-	expression tag	UNP P40926
D	14	PRO	-	expression tag	UNP P40926
D	15	ARG	-	expression tag	UNP P40926
D	16	GLY	-	expression tag	UNP P40926
D	17	SER	-	expression tag	UNP P40926
D	18	HIS	-	expression tag	UNP P40926
D	19	MET	-	expression tag	UNP P40926

- Molecule 2 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	6	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			13	6	7		
2	C	1	Total	C	O	0	0
			13	6	7		
2	D	1	Total	C	O	0	0
			13	6	7		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total	O	0	0
			46	46		
3	B	32	Total	O	0	0
			32	32		
3	C	17	Total	O	0	0
			17	17		
3	D	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Malate dehydrogenase, mitochondrial



- Molecule 1: Malate dehydrogenase, mitochondrial




- Molecule 1: Malate dehydrogenase, mitochondrial



- Molecule 1: Malate dehydrogenase, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.70Å 151.22Å 154.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.10 – 1.90 45.10 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.5 (45.10-1.90) 99.5 (45.10-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.28 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.218 , 0.238 0.224 , 0.243	Depositor DCC
R_{free} test set	5506 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	29.5	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.014 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9417	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2351	0.69	0/3192
1	B	0.41	0/2365	0.70	0/3212
1	C	0.41	0/2358	0.69	0/3202
1	D	0.42	0/2351	0.70	0/3192
All	All	0.41	0/9425	0.70	0/12798

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2312	0	2400	1	0
1	B	2319	0	2410	7	0
1	C	2315	0	2403	5	0
1	D	2312	0	2400	6	0
2	A	13	0	5	0	0
2	B	13	0	5	0	0
2	C	13	0	5	0	0
2	D	13	0	5	1	0
3	A	46	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	32	0	0	0	0
3	C	17	0	0	0	0
3	D	12	0	0	0	0
All	All	9417	0	9633	16	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (16) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ASP:HB3	1:A:266:MET:HE1	1.90	0.54
1:B:116:THR:HG23	1:C:106:PRO:O	2.10	0.52
1:D:136:MET:HE1	1:D:298:GLY:HA2	1.94	0.50
1:C:94:ASP:HB3	1:C:266:MET:HE1	1.93	0.49
1:D:142:ASN:ND2	2:D:401:CIT:O7	2.46	0.49
1:D:136:MET:CE	1:D:262:LEU:HD11	2.46	0.46
1:D:136:MET:HE1	1:D:298:GLY:CA	2.47	0.45
1:B:217:ASP:OD1	1:B:217:ASP:N	2.50	0.45
1:C:24:ASN:HA	1:C:51:SER:HB3	1.99	0.45
1:B:97:VAL:HG21	1:B:259:VAL:HG21	1.98	0.44
1:D:108:MET:HE1	1:D:113:LEU:CD2	2.48	0.44
1:D:136:MET:HE2	1:D:262:LEU:HD11	1.99	0.44
1:B:102:VAL:HG21	1:B:116:THR:HG21	2.00	0.43
1:B:116:THR:OG1	1:C:108:MET:CG	2.69	0.40
1:B:286[B]:THR:HG23	1:B:287:TYR:CD1	2.56	0.40
1:B:116:THR:OG1	1:C:108:MET:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/340 (92%)	305 (98%)	7 (2%)	0	100	100
1	B	314/340 (92%)	306 (98%)	8 (2%)	0	100	100
1	C	313/340 (92%)	306 (98%)	7 (2%)	0	100	100
1	D	312/340 (92%)	305 (98%)	7 (2%)	0	100	100
All	All	1251/1360 (92%)	1222 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/275 (92%)	247 (98%)	6 (2%)	43	38
1	B	255/275 (93%)	254 (100%)	1 (0%)	84	87
1	C	254/275 (92%)	252 (99%)	2 (1%)	73	75
1	D	253/275 (92%)	251 (99%)	2 (1%)	73	75
All	All	1015/1100 (92%)	1004 (99%)	11 (1%)	65	67

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	THR
1	A	78	LYS
1	A	84	GLU
1	A	91	LYS
1	A	157	LYS
1	A	262	LEU
1	B	61	THR
1	C	61	THR
1	C	203	LYS
1	D	61	THR
1	D	307	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	130	GLN
1	A	131	HIS
1	A	164	ASN
1	A	267	ASN
1	B	24	ASN
1	B	267	ASN
1	C	24	ASN
1	C	46	ASN
1	C	131	HIS
1	C	164	ASN
1	C	267	ASN
1	C	281	GLN
1	D	24	ASN
1	D	46	ASN
1	D	131	HIS
1	D	220	GLN
1	D	267	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CIT	A	401	-	12,12,12	1.05	0	17,17,17	1.26	1 (5%)
2	CIT	D	401	-	12,12,12	1.18	1 (8%)	17,17,17	1.10	1 (5%)
2	CIT	B	401	-	12,12,12	1.10	1 (8%)	17,17,17	1.44	3 (17%)
2	CIT	C	401	-	12,12,12	1.14	1 (8%)	17,17,17	1.03	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIT	A	401	-	-	4/16/16/16	-
2	CIT	D	401	-	-	2/16/16/16	-
2	CIT	B	401	-	-	4/16/16/16	-
2	CIT	C	401	-	-	3/16/16/16	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	CIT	C3-C6	-2.28	1.51	1.53
2	C	401	CIT	C3-C6	-2.10	1.51	1.53
2	B	401	CIT	C3-C6	-2.03	1.51	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	CIT	O6-C6-C3	3.48	119.81	113.14
2	A	401	CIT	O6-C6-C3	3.16	119.21	113.14
2	D	401	CIT	O6-C6-C3	2.75	118.42	113.14
2	C	401	CIT	O6-C6-C3	2.56	118.06	113.14
2	B	401	CIT	O5-C6-C3	-2.36	117.52	122.09
2	B	401	CIT	O2-C1-C2	2.07	120.90	114.35

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	401	CIT	C2-C3-C4-C5
2	C	401	CIT	C6-C3-C4-C5
2	A	401	CIT	C6-C3-C4-C5
2	A	401	CIT	O7-C3-C4-C5
2	A	401	CIT	C2-C3-C4-C5
2	C	401	CIT	O7-C3-C4-C5
2	D	401	CIT	C2-C3-C4-C5
2	D	401	CIT	C6-C3-C4-C5
2	B	401	CIT	C2-C3-C4-C5
2	B	401	CIT	C6-C3-C4-C5
2	B	401	CIT	O2-C1-C2-C3
2	B	401	CIT	O1-C1-C2-C3
2	A	401	CIT	O1-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	CIT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	314/340 (92%)	0.49	22 (7%)	22 24	21, 28, 40, 58	0
1	B	314/340 (92%)	0.77	32 (10%)	12 12	20, 32, 46, 54	2 (0%)
1	C	314/340 (92%)	1.06	44 (14%)	6 6	26, 36, 50, 67	1 (0%)
1	D	314/340 (92%)	1.17	58 (18%)	3 3	27, 39, 55, 63	0
All	All	1256/1360 (92%)	0.87	156 (12%)	8 8	20, 34, 50, 67	3 (0%)

All (156) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	193	ASN	5.9
1	C	336	THR	5.4
1	A	336	THR	4.8
1	B	336	THR	4.8
1	D	337	LEU	4.8
1	B	84	GLU	4.5
1	A	337	LEU	4.1
1	A	311	PHE	4.0
1	C	281	GLN	3.8
1	C	337	LEU	3.8
1	D	268	GLY	3.7
1	B	337	LEU	3.7
1	B	159	GLY	3.7
1	C	220	GLN	3.6
1	C	213	THR	3.5
1	A	202	GLY	3.4
1	A	84	GLU	3.4
1	A	318	ASP	3.3
1	B	24	ASN	3.3
1	D	224	THR	3.3
1	D	232	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	217	ASP	3.3
1	C	190	ALA	3.3
1	C	83	PRO	3.2
1	D	159	GLY	3.2
1	A	313	GLU	3.2
1	D	265	ALA	3.1
1	C	218	PHE	3.1
1	C	130	GLN	3.1
1	D	213	THR	3.0
1	C	325	ALA	3.0
1	A	310	SER	3.0
1	D	191	ARG	3.0
1	D	192	VAL	3.0
1	D	308	VAL	3.0
1	A	307	LYS	2.9
1	C	222	GLN	2.9
1	C	335	LYS	2.9
1	D	297	LYS	2.9
1	C	217	ASP	2.9
1	D	323	LEU	2.9
1	C	313	GLU	2.8
1	C	219	PRO	2.8
1	D	296	LYS	2.8
1	D	307	LYS	2.8
1	D	128	CYS	2.8
1	B	242	ALA	2.8
1	C	25	ALA	2.8
1	D	335	LYS	2.8
1	A	284	GLU	2.8
1	A	193	ASN	2.7
1	D	186	GLY	2.7
1	D	187	LEU	2.7
1	C	93	CYS	2.7
1	B	213	THR	2.7
1	C	177	ALA	2.7
1	D	293	LEU	2.7
1	B	91	LYS	2.7
1	C	203	LYS	2.7
1	D	336	THR	2.6
1	D	142	ASN	2.6
1	D	217	ASP	2.6
1	D	161	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	93	CYS	2.6
1	C	187	LEU	2.6
1	C	24	ASN	2.6
1	D	322	GLU	2.6
1	D	26	LYS	2.6
1	C	267	ASN	2.6
1	D	267	ASN	2.6
1	D	130	GLN	2.5
1	A	335	LYS	2.5
1	B	310	SER	2.5
1	B	284	GLU	2.5
1	D	134	GLU	2.5
1	D	300	GLU	2.5
1	C	111	ASP	2.5
1	B	26	LYS	2.5
1	A	281	GLN	2.5
1	D	83	PRO	2.5
1	C	126	ALA	2.5
1	A	332	ASP	2.5
1	C	285	CYS	2.4
1	B	191	ARG	2.4
1	D	223	LEU	2.4
1	D	52	ARG	2.4
1	C	84	GLU	2.4
1	C	282	GLU	2.4
1	C	320	ILE	2.4
1	D	214	PRO	2.4
1	B	142	ASN	2.4
1	D	303	LEU	2.4
1	C	116	THR	2.4
1	B	319	ALA	2.4
1	D	281	GLN	2.4
1	B	334	VAL	2.4
1	D	280	SER	2.4
1	D	91	LYS	2.4
1	D	157	LYS	2.4
1	B	313	GLU	2.3
1	C	299	ILE	2.3
1	D	129	ALA	2.3
1	D	24	ASN	2.3
1	B	184	LEU	2.3
1	C	283	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	24	ASN	2.3
1	D	76	ALA	2.3
1	A	267	ASN	2.3
1	D	314	LYS	2.3
1	B	129	ALA	2.3
1	D	163	PRO	2.3
1	B	82	GLY	2.3
1	B	221	ASP	2.3
1	B	332	ASP	2.3
1	C	183	GLU	2.3
1	B	222	GLN	2.3
1	D	273	VAL	2.3
1	D	93	CYS	2.3
1	C	286[A]	THR	2.3
1	B	317	SER	2.2
1	B	111	ASP	2.2
1	A	78	LYS	2.2
1	B	157	LYS	2.2
1	C	134	GLU	2.2
1	D	271	GLY	2.2
1	D	320	ILE	2.2
1	C	266	MET	2.2
1	C	297	LYS	2.2
1	B	116	THR	2.2
1	A	217	ASP	2.2
1	C	310	SER	2.2
1	C	323	LEU	2.2
1	D	219	PRO	2.2
1	C	157	LYS	2.2
1	C	317	SER	2.1
1	B	219	PRO	2.1
1	C	214	PRO	2.1
1	B	270	GLU	2.1
1	A	213	THR	2.1
1	D	204	THR	2.1
1	C	159	GLY	2.1
1	D	25	ALA	2.1
1	D	244	ALA	2.1
1	B	318	ASP	2.1
1	C	215	LYS	2.1
1	D	313	GLU	2.1
1	B	52	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	260	PHE	2.0
1	C	200	HIS	2.0
1	A	142	ASN	2.0
1	A	334	VAL	2.0
1	D	126	ALA	2.0
1	D	264	ASP	2.0
1	D	269	LYS	2.0
1	D	283	THR	2.0
1	D	334	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CIT	D	401	13/13	0.84	0.12	35,38,45,46	0
2	CIT	C	401	13/13	0.87	0.10	35,37,45,46	0
2	CIT	A	401	13/13	0.87	0.11	27,29,36,37	0
2	CIT	B	401	13/13	0.88	0.11	34,36,43,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.