



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:49 AM UTC

PDB ID : 5WLH / pdb_00005wlh
Title : Crystal structure of LbaCas13a H328A (C2c2) bound to pre-crRNA (24-nt spacer)
Authors : Knott, G.J.; Doudna, J.A.
Deposited on : 2017-07-26
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)
RNA backbone	3983	1011 (2.20-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1440	
2	B	54	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LbaCas13a H328A (C2c2).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1289	Total	C	N	O	S	0	4	0
			10689	6801	1811	2036	41			


- Molecule 2 is a RNA chain called pre-crRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	43	Total	C	N	O	P	0	0	0
			912	407	179	283	43			

- Molecule 3 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	20	Total	I	0	0
			20	20		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	647	Total	O	0	0
			647	647		
5	B	118	Total	O	0	0
			118	118		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LbaCas13a H328A (C2c2)



- Molecule 2: pre-crRNA





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	150.84Å 92.21Å 115.86Å 90.00° 92.42° 90.00°	Depositor
Resolution (Å)	47.12 – 1.80 47.12 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.4 (47.12-1.80) 78.8 (47.12-1.80)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.99 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.184 , 0.217 (Not available) , 0.226	Depositor DCC
R_{free} test set	6909 reflections (4.16%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.013 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12392	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/10888	0.47	0/14625
2	B	0.38	0/1024	0.58	0/1595
All	All	0.29	0/11912	0.49	0/16220

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10689	0	10541	97	0
2	B	912	0	457	8	0
3	A	20	0	0	2	0
4	A	6	0	8	0	0
5	A	647	0	0	10	0
5	B	118	0	0	0	0
All	All	12392	0	11006	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:823:LYS:HE3	1:A:1291:GLN:HG3	1.50	0.94
1:A:256:ALA:HB1	1:A:278:LYS:HD2	1.62	0.79
1:A:736:ARG:NH1	1:A:798:PRO:O	2.17	0.77
1:A:823:LYS:NZ	5:A:1601:HOH:O	2.09	0.76
1:A:841:MET:SD	1:A:841:MET:N	2.62	0.73
1:A:47:ASN:N	5:A:1606:HOH:O	2.25	0.68
1:A:1014:ASN:ND2	5:A:1609:HOH:O	2.27	0.66
1:A:340:LYS:NZ	5:A:1611:HOH:O	2.29	0.66
1:A:821:MET:HE3	2:B:-3:A:H2	1.61	0.65
1:A:791:LYS:HA	1:A:791:LYS:HE2	1.77	0.65
1:A:79:ASP:HB3	1:A:82:GLN:HB2	1.80	0.64
1:A:821:MET:HE2	1:A:1280:ASN:CG	2.23	0.63
1:A:171:SER:H	1:A:174:ILE:HD12	1.65	0.62
1:A:1220:SER:O	5:A:1602:HOH:O	2.16	0.61
1:A:460:LEU:HD22	1:A:1181:LEU:HD21	1.84	0.60
1:A:1295:ASN:ND2	1:A:1336:GLU:OE1	2.29	0.57
1:A:1214:LYS:HE2	5:A:2203:HOH:O	2.06	0.56
1:A:252:ASP:OD1	1:A:252:ASP:N	2.38	0.56
1:A:1048:ARG:NH2	1:A:1253:SER:O	2.40	0.55
2:B:7:U:H5'	2:B:7:U:H6	1.73	0.54
1:A:655:LYS:HZ3	1:A:877:VAL:HG13	1.73	0.53
1:A:405:ILE:HG23	1:A:433:ILE:HG21	1.89	0.53
1:A:985:ASP:OD2	1:A:1031:HIS:ND1	2.32	0.53
1:A:66:TYR:CE2	1:A:184:LYS:HE2	2.44	0.52
1:A:113:LYS:NZ	1:A:116:GLU:OE2	2.41	0.52
1:A:235:GLN:NE2	5:A:1628:HOH:O	2.42	0.52
1:A:557:ARG:HB2	1:A:585:ASP:CG	2.34	0.52
1:A:21:THR:HG22	1:A:34:LEU:HD23	1.90	0.52
1:A:1074:GLN:OE1	1:A:1074:GLN:N	2.42	0.52
1:A:687:LEU:HD11	1:A:848:ARG:HD3	1.91	0.51
1:A:82:GLN:NE2	1:A:355:ASP:OD2	2.43	0.51
1:A:671[B]:GLN:HB2	1:A:807:GLN:HG2	1.93	0.51
1:A:28:ARG:O	5:A:1603:HOH:O	2.20	0.50
1:A:250:GLU:OE1	1:A:278:LYS:NZ	2.38	0.49
1:A:994:SER:HB3	1:A:1051:GLU:OE2	2.12	0.49
1:A:655:LYS:NZ	1:A:879:ASP:OD2	2.39	0.49
1:A:840:LYS:NZ	2:B:2:A:OP1	2.46	0.49
1:A:421:GLU:HG3	1:A:425:ARG:NH1	2.28	0.49
1:A:789:ARG:HD2	1:A:839:TYR:OH	2.13	0.48
1:A:1295:ASN:HD21	1:A:1336:GLU:CD	2.19	0.48
2:B:7:U:P	2:B:9:G:H1	2.36	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:VAL:HG11	1:A:275:GLU:HG2	1.96	0.47
1:A:1254:SER:OG	1:A:1256:ASP:OD1	2.25	0.47
2:B:-22:G:H2'	2:B:-21:C:C6	2.49	0.47
2:B:12:U:H2'	2:B:13:G:C8	2.50	0.47
1:A:79:ASP:OD1	1:A:80:GLU:N	2.48	0.47
1:A:988:TYR:CZ	1:A:992:ILE:HD11	2.50	0.47
1:A:978:ILE:HG12	1:A:1034:LEU:HD23	1.97	0.46
1:A:1337:GLN:NE2	1:A:1350:ASP:OD1	2.48	0.46
1:A:823:LYS:NZ	1:A:823:LYS:HB2	2.28	0.46
1:A:1200:GLU:HG2	1:A:1205:LYS:HG3	1.98	0.46
1:A:663:LYS:HA	1:A:884:VAL:HB	1.98	0.45
1:A:1175:ALA:HA	1:A:1181:LEU:HD23	1.97	0.45
1:A:100:LEU:HD23	1:A:100:LEU:HA	1.81	0.45
1:A:319:ASN:O	1:A:321:LYS:HE2	2.16	0.45
1:A:373:ILE:O	1:A:377:ARG:HG3	2.17	0.45
1:A:1266:VAL:HA	1:A:1270:PHE:HB2	1.99	0.45
1:A:991:TYR:CZ	1:A:1042:LYS:HD3	2.52	0.44
1:A:100:LEU:HD11	1:A:223:VAL:HG12	1.99	0.44
1:A:458:ASP:OD2	1:A:474:SER:OG	2.35	0.44
1:A:1175:ALA:O	1:A:1205:LYS:HD3	2.18	0.44
1:A:321:LYS:HD3	1:A:321:LYS:HA	1.74	0.43
1:A:301:ARG:HD2	1:A:390:ARG:O	2.19	0.43
1:A:383:VAL:HG11	1:A:402:ILE:HD11	2.00	0.43
1:A:628:GLU:O	1:A:631:ARG:HG2	2.18	0.43
1:A:1227:LEU:HB2	1:A:1233:ILE:HD11	2.01	0.43
2:B:13:G:H8	2:B:13:G:O5'	2.00	0.43
1:A:28:ARG:NH1	1:A:251:GLY:O	2.50	0.43
1:A:879:ASP:OD1	1:A:879:ASP:N	2.40	0.43
1:A:1084:GLU:HG2	1:A:1088:LYS:HE2	2.01	0.43
1:A:1115:LEU:CD1	1:A:1363:LEU:HD21	2.48	0.43
1:A:599:MET:HE1	1:A:903:TRP:CD2	2.54	0.43
1:A:185:LYS:HE2	1:A:185:LYS:H	1.83	0.43
1:A:647:MET:HE3	1:A:647:MET:HB2	1.94	0.43
1:A:39:SER:HB3	1:A:44:SER:HB2	2.01	0.42
1:A:1344:ASN:OD1	1:A:1344:ASN:N	2.46	0.42
1:A:694:LEU:HG	1:A:852:LEU:HD22	2.02	0.42
1:A:18:ASN:HB2	1:A:54:TYR:OH	2.20	0.42
1:A:340:LYS:HG3	3:A:1520:IOD:I	2.90	0.42
1:A:21:THR:HG22	1:A:34:LEU:CD2	2.50	0.42
1:A:159:ILE:HG12	1:A:203:ALA:HB2	2.01	0.41
1:A:472:LYS:HD2	5:A:2173:HOH:O	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:517:LEU:HB3	1:A:521:ASN:O	2.20	0.41
1:A:982:PHE:HB3	1:A:987:VAL:HG23	2.02	0.41
1:A:449:GLY:HA3	1:A:1132:ASN:O	2.20	0.41
1:A:990:GLU:O	1:A:993:SER:OG	2.33	0.41
1:A:185:LYS:H	1:A:185:LYS:CE	2.33	0.41
1:A:989:ALA:HA	1:A:992:ILE:HD12	2.02	0.41
1:A:1315:LYS:HB3	1:A:1315:LYS:HE3	1.61	0.41
1:A:60:LYS:HD3	1:A:60:LYS:HA	1.77	0.41
1:A:274:LYS:NZ	5:A:1661:HOH:O	2.54	0.41
1:A:256:ALA:CB	1:A:278:LYS:HD2	2.44	0.41
1:A:314:LYS:HD3	1:A:314:LYS:HA	1.96	0.41
1:A:635:VAL:O	1:A:639:LYS:HG3	2.20	0.41
1:A:1076:GLN:HB2	2:B:8:A:N1	2.37	0.40
1:A:618:LYS:HB2	1:A:618:LYS:HE2	1.69	0.40
1:A:1052:LYS:HD3	1:A:1366:TYR:CE1	2.56	0.40
1:A:1349:VAL:HA	3:A:1517:IOD:I	2.92	0.40
1:A:71:GLU:C	1:A:90:LYS:HE3	2.46	0.40
1:A:416:LEU:HA	1:A:416:LEU:HD12	1.87	0.40
1:A:842:LEU:HA	1:A:842:LEU:HD23	1.89	0.40
1:A:1075:TYR:HB2	1:A:1078:LYS:HE2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1275/1440 (88%)	1234 (97%)	40 (3%)	1 (0%)	48 34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1344	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1166/1295 (90%)	1163 (100%)	3 (0%)	86	86

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	SER
1	A	1257[A]	ARG
1	A	1257[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	ASN
1	A	128	ASN
1	A	164	ASN
1	A	168	ASN
1	A	371	GLN
1	A	415	ASN
1	A	454	ASN
1	A	627	HIS
1	A	651	ASN
1	A	792	ASN
1	A	916	ASN
1	A	1004	ASN
1	A	1010	ASN
1	A	1147	ASN
1	A	1295	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	41/54 (75%)	8 (19%)	2 (4%)

All (8) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	-28	A
2	B	-15	A
2	B	-10	G
2	B	-4	U
2	B	5	U
2	B	7	U
2	B	8	A
2	B	10	C

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	7	U
2	B	13	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 20 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	1521	-	5,5,5	0.36	0	5,5,5	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	1521	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1289/1440 (89%)	0.35	79 (6%) 27 25	9, 34, 69, 98	4 (0%)
2	B	43/54 (79%)	-0.33	0 100 100	19, 27, 48, 107	0
All	All	1332/1494 (89%)	0.33	79 (5%) 28 27	9, 34, 69, 107	4 (0%)

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	83	TRP	5.5
1	A	415	ASN	5.2
1	A	1188	LYS	4.9
1	A	866	TYR	4.5
1	A	820	CYS	4.3
1	A	141	VAL	4.2
1	A	352	THR	4.0
1	A	611	HIS	4.0
1	A	1077	THR	3.9
1	A	1216	PHE	3.9
1	A	743	ALA	3.6
1	A	1069	LYS	3.5
1	A	1378	VAL	3.4
1	A	462	ALA	3.4
1	A	128	ASN	3.4
1	A	883	TYR	3.3
1	A	811	THR	3.3
1	A	839	TYR	3.2
1	A	127	ARG	3.2
1	A	17	VAL	3.2
1	A	1083	SER	3.1
1	A	1215	SER	3.1
1	A	1020	ASP	3.0
1	A	1316	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1343	LYS	3.0
1	A	1081	PHE	3.0
1	A	704	ALA	3.0
1	A	18	ASN	3.0
1	A	1079	GLY	2.9
1	A	81	LEU	2.9
1	A	78	THR	2.9
1	A	707	GLY	2.9
1	A	612	ASN	2.8
1	A	1075	TYR	2.8
1	A	142	ASP	2.8
1	A	582	GLY	2.7
1	A	608	THR	2.7
1	A	1018	VAL	2.7
1	A	251	GLY	2.7
1	A	60	LYS	2.7
1	A	826	ALA	2.6
1	A	998	PHE	2.6
1	A	425	ARG	2.6
1	A	1160	LYS	2.6
1	A	782	ALA	2.6
1	A	881	ALA	2.6
1	A	1073	SER	2.6
1	A	1080	ILE	2.5
1	A	1218	ASN	2.5
1	A	130	VAL	2.5
1	A	1219	THR	2.5
1	A	168	ASN	2.4
1	A	1002	GLY	2.4
1	A	1027	TYR	2.4
1	A	64	LYS	2.4
1	A	1030	GLU	2.3
1	A	166	ILE	2.3
1	A	874	ALA	2.3
1	A	946	SER	2.3
1	A	1082	ASP	2.3
1	A	541	LEU	2.3
1	A	607	ALA	2.2
1	A	989	ALA	2.2
1	A	1070	LYS	2.2
1	A	138	THR	2.2
1	A	346	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	332	ARG	2.1
1	A	841	MET	2.1
1	A	180	ALA	2.1
1	A	1000	TYR	2.1
1	A	167	ASP	2.1
1	A	171	SER	2.1
1	A	1014	ASN	2.1
1	A	798	PRO	2.1
1	A	742	LYS	2.0
1	A	140	GLY	2.0
1	A	1214	LYS	2.0
1	A	1004	ASN	2.0
1	A	1344	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	IOD	A	1511	1/1	0.71	0.17	97,97,97,97	1
3	IOD	A	1520	1/1	0.74	0.28	149,149,149,149	1
3	IOD	A	1517	1/1	0.91	0.10	92,92,92,92	1
3	IOD	A	1518	1/1	0.93	0.15	111,111,111,111	1
3	IOD	A	1519	1/1	0.94	0.09	117,117,117,117	1
4	GOL	A	1521	6/6	0.94	0.11	31,37,45,48	0
3	IOD	A	1516	1/1	0.95	0.08	81,81,81,81	1
3	IOD	A	1513	1/1	0.96	0.07	80,80,80,80	1
3	IOD	A	1509	1/1	0.97	0.07	71,71,71,71	1
3	IOD	A	1512	1/1	0.98	0.05	48,48,48,48	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	IOD	A	1510	1/1	0.98	0.04	57,57,57,57	1
3	IOD	A	1514	1/1	0.98	0.05	70,70,70,70	1
3	IOD	A	1515	1/1	0.98	0.09	85,85,85,85	1
3	IOD	A	1507	1/1	0.98	0.04	54,54,54,54	1
3	IOD	A	1501	1/1	0.99	0.02	38,38,38,38	1
3	IOD	A	1508	1/1	0.99	0.04	53,53,53,53	1
3	IOD	A	1502	1/1	0.99	0.03	46,46,46,46	1
3	IOD	A	1504	1/1	0.99	0.03	42,42,42,42	1
3	IOD	A	1506	1/1	0.99	0.03	46,46,46,46	1
3	IOD	A	1503	1/1	1.00	0.01	33,33,33,33	1
3	IOD	A	1505	1/1	1.00	0.03	43,43,43,43	1

6.5 Other polymers [i](#)

There are no such residues in this entry.