



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2026 – 09:01 AM UTC

PDB ID : 7WLT / pdb_00007wlt
EMDB ID : EMD-32592
Title : the Curved Structure of mPIEZO1 in Lipid Bilayer
Authors : Yang, X.; Lin, C.; Chen, X.; Li, S.; Li, X.; Xiao, B.
Deposited on : 2022-01-13
Resolution : 3.46 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13788 (2.96 - 3.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2547	25% 35% 17% 47%
1	C	2547	25% 36% 17% 47%
1	E	2547	25% 35% 17% 47%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLX	A	2608	-	-	X	-
2	PLX	C	2609	-	-	X	-
2	PLX	E	2601	-	-	X	-
3	PEE	A	2606	-	-	X	-
3	PEE	C	2607	-	-	X	-
3	PEE	E	2608	-	-	X	-

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 33912 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Piezo-type mechanosensitive ion channel component 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1353	Total	C	N	O	S	0	0
			10835	7108	1813	1849	65		
1	C	1353	Total	C	N	O	S	0	0
			10835	7108	1813	1849	65		
1	E	1353	Total	C	N	O	S	0	0
			10835	7108	1813	1849	65		

- Molecule 2 is (9R,11S)-9-({[(1S)-1-HYDROXYHEXADECYL]OXY}METHYL)-2,2-DIMETHYL-5,7,10-TRIOXA-2LAMBDA 5 -AZA-6LAMBDA 5 -PHOSPHAOCTACOSANE-6,6,11-TRIOL (CCD ID: PLX) (formula: C₄₂H₈₉NO₈P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	
2	E	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 3 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (CCD ID: PEE) (formula: $C_{41}H_{78}NO_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	C	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	E	1	Total	C	N	O	P	0
			51	41	1	8	1	

- Molecule 4 is O-[(R)-{[(2R)-2,3-bis(octadecanoyloxy)propyl]oxy}(hydroxy)phosphoryl]-L-serine (CCD ID: P5S) (formula: C₄₂H₈₂NO₁₀P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			54	42	1	10	1	
4	C	1	Total	C	N	O	P	0
			54	42	1	10	1	
4	E	1	Total	C	N	O	P	0
			54	42	1	10	1	






- Molecule 1: Piezo-type mechanosensitive ion channel component 1
















4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	209166	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.089	Depositor
Minimum map value	-0.045	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.018	Depositor
Map size ($\text{\AA}$)	395.28003, 395.28003, 395.28003	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.098, 1.098, 1.098	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEE, P5S, PLX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/11108	0.62	3/15083 (0.0%)
1	C	0.47	0/11108	0.62	3/15083 (0.0%)
1	E	0.47	0/11108	0.62	3/15083 (0.0%)
All	All	0.47	0/33324	0.62	9/45249 (0.0%)

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	2463	GLY	CA-C-N	6.09	133.16	121.54
1	E	2463	GLY	C-N-CA	6.09	133.16	121.54
1	A	2463	GLY	CA-C-N	6.07	133.14	121.54
1	A	2463	GLY	C-N-CA	6.07	133.14	121.54
1	C	2463	GLY	CA-C-N	6.06	133.12	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10835	0	10713	442	0
1	C	10835	0	10713	425	0
1	E	10835	0	10713	440	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	364	0	616	88	0
2	C	364	0	616	92	0
2	E	364	0	616	90	0
3	A	51	0	82	41	0
3	C	51	0	82	42	0
3	E	51	0	82	41	0
4	A	54	0	80	3	0
4	C	54	0	80	3	0
4	E	54	0	80	3	0
All	All	33912	0	34473	1425	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

The worst 5 of 1425 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2197:LEU:CD1	2:C:2609:PLX:H393	1.37	1.52
1:E:2197:LEU:CD1	2:E:2601:PLX:H393	1.37	1.49
1:A:2197:LEU:CD1	2:A:2608:PLX:H393	1.38	1.48
1:C:2197:LEU:HD13	2:C:2609:PLX:C39	1.49	1.41
1:E:2197:LEU:HD13	2:E:2601:PLX:C39	1.49	1.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1329/2547 (52%)	1248 (94%)	79 (6%)	2 (0%)	43 74
1	C	1329/2547 (52%)	1248 (94%)	79 (6%)	2 (0%)	43 74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	1329/2547 (52%)	1248 (94%)	79 (6%)	2 (0%)	43	74
All	All	3987/7641 (52%)	3744 (94%)	237 (6%)	6 (0%)	44	74

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1785	TYR
1	C	1785	TYR
1	E	1785	TYR
1	A	1259	TYR
1	C	1259	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1128/2246 (50%)	1118 (99%)	10 (1%)	70	76
1	C	1128/2246 (50%)	1118 (99%)	10 (1%)	70	76
1	E	1128/2246 (50%)	1118 (99%)	10 (1%)	70	76
All	All	3384/6738 (50%)	3354 (99%)	30 (1%)	68	76

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	1731	MET
1	E	2257	GLU
1	C	2257	GLU
1	E	2493	MET
1	E	1731	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1315	GLN
1	E	1047	GLN
1	E	1408	HIS
1	C	1755	ASN
1	E	1107	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PEE	A	2606	-	50,50,50	1.20	7 (14%)	53,55,55	1.27	6 (11%)
4	P5S	E	2609	-	52,53,53	0.81	3 (5%)	54,60,60	0.96	2 (3%)
2	PLX	A	2602	-	51,51,51	1.14	3 (5%)	53,59,59	0.96	2 (3%)
2	PLX	E	2606	-	51,51,51	1.18	3 (5%)	53,59,59	0.92	1 (1%)
2	PLX	A	2609	-	51,51,51	1.18	4 (7%)	53,59,59	0.90	1 (1%)
2	PLX	C	2605	-	51,51,51	1.17	3 (5%)	53,59,59	0.92	1 (1%)
2	PLX	C	2609	-	51,51,51	0.61	0	53,59,59	0.69	1 (1%)
2	PLX	C	2603	-	51,51,51	1.14	3 (5%)	53,59,59	0.96	2 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLX	A	2605	-	51,51,51	1.19	4 (7%)	53,59,59	0.78	0
2	PLX	E	2601	-	51,51,51	0.61	0	53,59,59	0.69	1 (1%)
2	PLX	E	2602	-	51,51,51	1.18	4 (7%)	53,59,59	0.90	1 (1%)
2	PLX	A	2608	-	51,51,51	0.61	0	53,59,59	0.69	1 (1%)
4	P5S	C	2608	-	52,53,53	0.82	3 (5%)	54,60,60	0.96	2 (3%)
2	PLX	C	2602	-	51,51,51	1.15	4 (7%)	53,59,59	0.80	0
2	PLX	C	2601	-	51,51,51	1.18	4 (7%)	53,59,59	0.90	1 (1%)
3	PEE	E	2608	-	50,50,50	1.20	7 (14%)	53,55,55	1.27	6 (11%)
2	PLX	A	2601	-	51,51,51	1.15	4 (7%)	53,59,59	0.80	0
3	PEE	C	2607	-	50,50,50	1.20	7 (14%)	53,55,55	1.27	6 (11%)
2	PLX	E	2607	-	51,51,51	1.19	4 (7%)	53,59,59	0.78	0
4	P5S	A	2607	-	52,53,53	0.82	3 (5%)	54,60,60	0.96	2 (3%)
2	PLX	A	2604	-	51,51,51	1.18	3 (5%)	53,59,59	0.92	1 (1%)
2	PLX	A	2603	-	51,51,51	0.61	0	53,59,59	0.70	0
2	PLX	C	2606	-	51,51,51	1.19	4 (7%)	53,59,59	0.78	0
2	PLX	E	2604	-	51,51,51	1.14	3 (5%)	53,59,59	0.96	2 (3%)
2	PLX	E	2605	-	51,51,51	0.61	0	53,59,59	0.70	0
2	PLX	C	2604	-	51,51,51	0.61	0	53,59,59	0.70	0
2	PLX	E	2603	-	51,51,51	1.14	4 (7%)	53,59,59	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEE	A	2606	-	-	27/54/54/54	-
4	P5S	E	2609	-	-	7/59/59/59	-
2	PLX	A	2602	-	-	12/55/55/55	-
2	PLX	E	2606	-	-	7/55/55/55	-
2	PLX	A	2609	-	-	6/55/55/55	-
2	PLX	C	2605	-	-	7/55/55/55	-
2	PLX	C	2609	-	-	18/55/55/55	-
2	PLX	C	2603	-	-	12/55/55/55	-
2	PLX	A	2605	-	-	20/55/55/55	-
2	PLX	E	2601	-	-	18/55/55/55	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLX	E	2602	-	-	6/55/55/55	-
2	PLX	A	2608	-	-	18/55/55/55	-
4	P5S	C	2608	-	-	7/59/59/59	-
2	PLX	C	2602	-	-	30/55/55/55	-
2	PLX	C	2601	-	-	6/55/55/55	-
3	PEE	E	2608	-	-	26/54/54/54	-
2	PLX	A	2601	-	-	30/55/55/55	-
3	PEE	C	2607	-	-	26/54/54/54	-
2	PLX	E	2607	-	-	20/55/55/55	-
4	P5S	A	2607	-	-	7/59/59/59	-
2	PLX	A	2604	-	-	7/55/55/55	-
2	PLX	A	2603	-	-	13/55/55/55	-
2	PLX	C	2606	-	-	20/55/55/55	-
2	PLX	E	2604	-	-	12/55/55/55	-
2	PLX	E	2605	-	-	13/55/55/55	-
2	PLX	C	2604	-	-	13/55/55/55	-
2	PLX	E	2603	-	-	30/55/55/55	-

The worst 5 of 84 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	2608	PEE	C39-C38	3.77	1.53	1.31
2	E	2606	PLX	O6-C4	-3.76	1.39	1.44
3	A	2606	PEE	C39-C38	3.75	1.53	1.31
3	C	2607	PEE	C39-C38	3.75	1.53	1.31
2	A	2604	PLX	O6-C4	-3.74	1.39	1.44

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2606	PEE	O2P-P-O1P	3.48	128.63	112.44
3	E	2608	PEE	O2P-P-O1P	3.47	128.59	112.44
3	C	2607	PEE	O2P-P-O1P	3.47	128.59	112.44
4	C	2608	P5S	O15-P12-O13	2.76	125.27	112.44
4	A	2607	P5S	O15-P12-O13	2.76	125.27	112.44

There are no chirality outliers.

5 of 418 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2601	PLX	O7-C6-C7-C8
2	A	2601	PLX	O7-C6-O6-C4
2	A	2601	PLX	C4-C3-O4-P1
2	A	2601	PLX	C3-O4-P1-O1
2	A	2601	PLX	C3-O4-P1-O2


There are no ring outliers.





27 monomers are involved in 403 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2606	PEE	41	0
4	E	2609	P5S	3	0
2	A	2602	PLX	8	0
2	E	2606	PLX	6	0
2	A	2609	PLX	1	0
2	C	2605	PLX	6	0
2	C	2609	PLX	57	0
2	C	2603	PLX	7	0
2	A	2605	PLX	5	0
2	E	2601	PLX	56	0
2	E	2602	PLX	1	0
2	A	2608	PLX	55	0
4	C	2608	P5S	3	0
2	C	2602	PLX	3	0
2	C	2601	PLX	2	0
3	E	2608	PEE	41	0
2	A	2601	PLX	3	0
3	C	2607	PEE	42	0
2	E	2607	PLX	5	0
4	A	2607	P5S	3	0
2	A	2604	PLX	6	0
2	A	2603	PLX	13	0
2	C	2606	PLX	5	0
2	E	2604	PLX	7	0
2	E	2605	PLX	15	0
2	C	2604	PLX	15	0
2	E	2603	PLX	3	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.





Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











Ligand PLX E 2606	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX A 2609	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX C 2605	
	
Bond lengths	Bond angles
	
Torsions	Rings

















Ligand PLX C 2609	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX C 2603	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX A 2605	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand PLX E 2601	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX E 2602	
	
Bond lengths	Bond angles
	
Torsions	Rings

















Ligand PLX A 2608	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand P5S C 2608	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand PLX C 2602	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand PLX C 2601	
 Bond lengths	 Bond angles
 Torsions	 Rings





Ligand PEE E 2608	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX A 2601	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PEE C 2607	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand PLX E 2607	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand P5S A 2607	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand PLX A 2604	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand PLX A 2603	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand PLX C 2606	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand PLX E 2604	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand PLX E 2605	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand PLX C 2604	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand PLX E 2603	
	
Bond lengths	Bond angles
	
Torsions	Rings

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32592. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 187



Y Index: 187




Z Index: 186


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 93 nm³; this corresponds to an approximate mass of 84 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.289 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-32592 and PDB model 7WLT. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.018 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 55% of all backbone atoms, 41% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.018) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4130	0.4620
A	0.4130	0.4620
C	0.4130	0.4620
E	0.4150	0.4620

