



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:39 PM UTC

PDB ID : 1WMX / pdb_00001wmx
Title : Crystal Structure of Family 30 Carbohydrate Binding Module
Authors : Horiguchi, Y.; Kono, M.; Suzuki, A.; Yamane, T.; Arai, M.; Sakka, K.; Omiya, K.
Deposited on : 2004-07-21
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	205	
1	B	205	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3148 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COG3291: FOG: PKD repeat.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	173	Total	C	N	O	S	7	0	0
			1384	892	221	268	3			
1	B	195	Total	C	N	O	S	9	0	0
			1556	1002	252	299	3			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	85	Total	O	0	0
			85	85		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	118	Total	O	0	0
			118	118		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: COG3291: FOG: PKD repeat



- Molecule 1: COG3291: FOG: PKD repeat



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	66.72Å 81.86Å 86.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	22.29 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (22.29-2.00)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.224 , 0.233	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3148	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.07	9/1418 (0.6%)	1.25	20/1935 (1.0%)
1	B	1.66	26/1594 (1.6%)	1.64	35/2172 (1.6%)
All	All	1.41	35/3012 (1.2%)	1.47	55/4107 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	139	PRO	C-N	-26.46	1.02	1.33
1	B	193	GLN	C-N	-20.37	1.06	1.33
1	B	95	GLU	C-N	-19.31	1.05	1.32
1	B	187	PRO	C-N	-16.20	1.12	1.33
1	A	96	GLY	C-N	15.51	1.54	1.33
1	B	183	GLU	C-N	-13.46	1.14	1.33
1	B	6	ARG	CD-NE	-11.22	1.30	1.46
1	A	86	TYR	C-N	-11.20	1.17	1.33
1	B	157	CYS	C-N	-10.92	1.17	1.33
1	A	136	VAL	C-N	10.37	1.47	1.33
1	B	193	GLN	C-O	-9.01	1.12	1.23
1	B	6	ARG	CZ-NH2	-7.93	1.23	1.33
1	A	44	THR	C-N	-7.71	1.22	1.33
1	B	5	TYR	C-N	-7.71	1.22	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	58	THR	C-N	-7.09	1.27	1.33
1	B	83	GLU	CA-CB	7.02	1.65	1.53
1	A	130	THR	C-N	-6.94	1.23	1.33
1	B	12	GLN	CA-CB	-6.82	1.43	1.53
1	B	192	ASN	C-N	6.47	1.42	1.33
1	B	184	LYS	C-N	-6.46	1.25	1.33
1	B	196	PHE	C-N	-6.42	1.27	1.33
1	B	186	ALA	N-CA	-6.27	1.39	1.45
1	A	157	CYS	C-N	-6.03	1.25	1.33
1	B	180	GLU	C-N	-6.03	1.24	1.33
1	A	43	VAL	C-N	-5.69	1.25	1.33
1	B	185	SER	CA-C	-5.66	1.45	1.53
1	B	146	ILE	N-CA	5.61	1.53	1.46
1	B	185	SER	N-CA	-5.58	1.38	1.46
1	A	132	ASP	C-N	5.58	1.40	1.33
1	B	185	SER	C-N	-5.58	1.26	1.33
1	B	11	VAL	C-N	-5.15	1.26	1.33
1	B	6	ARG	CA-C	-5.15	1.45	1.52
1	A	133	TRP	NE1-CE2	-5.06	1.31	1.37
1	B	146	ILE	CA-C	5.06	1.59	1.52
1	B	139	PRO	CA-CB	-5.05	1.48	1.54

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	138	ILE	CA-C-N	19.69	146.39	120.79
1	B	138	ILE	C-N-CA	19.69	146.39	120.79
1	B	139	PRO	O-C-N	19.53	136.60	122.73
1	B	138	ILE	O-C-N	-13.05	106.23	121.10
1	B	141	ARG	CD-NE-CZ	12.89	142.45	124.40
1	B	110	GLU	CB-CG-CD	10.71	130.80	112.60
1	B	6	ARG	NE-CZ-NH1	9.96	131.46	121.50
1	B	6	ARG	CD-NE-CZ	8.28	135.99	124.40
1	A	136	VAL	O-C-N	-8.10	114.32	123.07
1	B	95	GLU	CA-C-N	-7.93	111.84	122.54
1	B	95	GLU	C-N-CA	-7.93	111.84	122.54
1	B	193	GLN	CA-C-N	-7.85	112.55	126.45
1	B	193	GLN	C-N-CA	-7.85	112.55	126.45
1	B	82	VAL	N-CA-C	7.79	117.90	110.42
1	A	63	TRP	N-CA-C	7.49	120.59	108.76
1	A	112	VAL	N-CA-C	7.37	120.26	111.05
1	B	187	PRO	CA-C-N	7.33	132.90	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	PRO	C-N-CA	7.33	132.90	122.05
1	B	61	SER	N-CA-C	-7.20	104.53	113.38
1	A	149	GLY	N-CA-C	-7.18	104.59	114.64
1	B	141	ARG	NE-CZ-NH1	6.96	128.46	121.50
1	A	147	ASN	N-CA-C	-6.93	103.30	112.72
1	B	187	PRO	O-C-N	6.84	131.18	122.91
1	B	56	GLN	N-CA-C	6.83	120.83	112.23
1	A	110	GLU	CA-CB-CG	6.81	127.72	114.10
1	A	120	THR	N-CA-C	6.55	118.10	108.86
1	A	17	SER	N-CA-C	6.47	115.75	108.25
1	B	62	GLY	O-C-N	-6.45	115.36	122.65
1	B	188	ALA	O-C-N	6.28	130.56	122.71
1	A	44	THR	N-CA-CB	-6.24	101.69	111.05
1	A	61	SER	O-C-N	6.18	130.62	122.33
1	B	6	ARG	NE-CZ-NH2	-6.14	113.67	119.20
1	B	139	PRO	N-CA-CB	6.13	106.35	102.92
1	A	83	GLU	N-CA-C	6.09	117.59	111.07
1	B	163	ARG	N-CA-C	-6.02	104.05	112.12
1	B	138	ILE	C-N-CD	-5.90	100.81	125.00
1	B	59	VAL	CB-CA-C	-5.85	105.60	111.80
1	A	156	THR	CA-C-N	-5.70	112.89	122.29
1	A	156	THR	C-N-CA	-5.70	112.89	122.29
1	A	159	VAL	O-C-N	5.61	129.10	123.10
1	A	46	ASN	CA-CB-CG	5.58	118.18	112.60
1	B	183	GLU	O-C-N	-5.57	111.38	121.63
1	A	109	TYR	N-CA-C	5.48	118.01	111.71
1	A	88	GLU	O-C-N	5.45	130.42	123.11
1	B	6	ARG	O-C-N	5.42	129.52	122.42
1	B	63	TRP	N-CA-C	5.35	116.98	108.79
1	A	146	ILE	N-CA-C	5.35	117.78	108.90
1	A	42	THR	N-CA-C	-5.33	105.92	112.90
1	B	145	LYS	O-C-N	5.30	128.26	122.64
1	B	176	LYS	N-CA-C	5.26	116.28	108.60
1	A	52	ARG	NE-CZ-NH2	5.22	123.90	119.20
1	B	193	GLN	O-C-N	-5.10	116.29	122.82
1	B	144	MET	CB-CA-C	-5.06	105.00	111.22
1	B	7	LYS	N-CA-C	-5.05	106.53	113.30
1	B	194	LEU	O-C-N	-5.04	116.77	121.56

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	136	VAL	Mainchain
1	A	141	ARG	Sidechain
1	A	96	GLY	Mainchain
1	B	183	GLU	Mainchain
1	B	60	GLN	Mainchain
1	B	95	GLU	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1384	0	1351	57	0
1	B	1556	0	1523	92	1
2	B	5	0	0	0	0
3	A	85	0	0	5	0
3	B	118	0	0	3	0
All	All	3148	0	2874	145	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:LYS:H	1:B:193:GLN:NE2	1.10	1.42
1:B:190:LYS:N	1:B:193:GLN:NE2	1.85	1.25
1:B:190:LYS:N	1:B:193:GLN:HE21	1.45	1.12
1:B:5:TYR:HA	1:B:8:LEU:HD22	1.14	1.11
1:B:5:TYR:HA	1:B:8:LEU:CD2	1.93	0.99
1:A:141:ARG:HH11	1:A:141:ARG:HB2	1.30	0.96
1:B:83:GLU:OE2	1:B:83:GLU:HA	1.62	0.96
1:B:189:ILE:CD1	1:B:193:GLN:HG2	1.96	0.95
1:B:189:ILE:HG13	1:B:193:GLN:HG2	1.49	0.94
1:B:189:ILE:CG1	1:B:193:GLN:HG2	1.98	0.94
1:A:141:ARG:HG2	3:A:225:HOH:O	1.69	0.91
1:A:141:ARG:HD2	3:A:286:HOH:O	1.70	0.90
1:A:110:GLU:OE2	3:A:257:HOH:O	1.88	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:GLN:O	1:B:194:LEU:HB2	1.74	0.88
1:B:183:GLU:O	1:B:184:LYS:O	1.93	0.86
1:B:182:ASN:N	1:B:182:ASN:OD1	2.06	0.85
1:A:55:VAL:HG22	1:A:167:PRO:HA	1.59	0.84
1:B:84:ASN:HA	1:B:141:ARG:HH21	1.42	0.84
1:A:100:PHE:H	1:A:123:ILE:HD11	1.42	0.84
1:B:5:TYR:CA	1:B:8:LEU:HD22	2.05	0.83
1:A:29:GLU:OE1	1:A:59:VAL:HG23	1.79	0.82
1:B:192:ASN:H	1:B:192:ASN:HD22	1.28	0.81
1:B:189:ILE:HD11	1:B:193:GLN:HG2	1.63	0.81
1:A:123:ILE:H	1:A:123:ILE:HD13	1.45	0.80
1:B:6:ARG:HG3	1:B:180:GLU:OE2	1.81	0.80
1:A:26:GLY:HA3	1:A:61:SER:HB2	1.61	0.80
1:B:6:ARG:CG	1:B:180:GLU:OE2	2.29	0.80
1:B:193:GLN:O	1:B:194:LEU:CB	2.16	0.78
1:B:190:LYS:N	1:B:193:GLN:HE22	1.81	0.78
1:B:105:ARG:HG3	1:B:118:ASP:OD2	1.86	0.76
1:A:26:GLY:HA3	1:A:61:SER:CB	2.15	0.76
1:B:189:ILE:HG13	1:B:193:GLN:CG	2.16	0.75
1:A:146:ILE:HG22	1:A:147:ASN:N	2.02	0.74
1:B:183:GLU:O	1:B:184:LYS:C	2.28	0.74
1:B:190:LYS:HG3	1:B:193:GLN:HE22	1.52	0.73
1:B:146:ILE:CG1	1:B:147:ASN:N	2.50	0.73
1:B:83:GLU:OE2	1:B:83:GLU:CA	2.38	0.70
1:B:181:ASP:OD2	1:B:181:ASP:C	2.33	0.70
1:A:100:PHE:N	1:A:123:ILE:HD11	2.06	0.69
1:B:43:VAL:HG21	1:B:171:TRP:CD1	2.28	0.69
1:B:146:ILE:CG1	1:B:147:ASN:H	2.04	0.69
1:B:29:GLU:HG2	1:B:59:VAL:HA	1.74	0.68
1:B:189:ILE:HG23	1:B:190:LYS:N	2.10	0.67
1:A:100:PHE:O	1:A:123:ILE:HD13	1.96	0.65
1:B:6:ARG:HG3	1:B:180:GLU:CD	2.22	0.64
1:B:121:THR:HG22	1:B:143:LEU:HD21	1.79	0.64
1:A:141:ARG:HB2	1:A:141:ARG:NH1	2.08	0.63
1:B:146:ILE:HG13	1:B:147:ASN:N	2.12	0.63
1:A:68:LEU:HD12	1:A:158:LEU:HD23	1.80	0.62
1:B:84:ASN:HA	1:B:141:ARG:NH2	2.12	0.62
1:B:190:LYS:H	1:B:193:GLN:HE21	0.63	0.62
1:B:189:ILE:CD1	1:B:193:GLN:CG	2.75	0.61
1:B:6:ARG:HG2	1:B:180:GLU:OE2	1.99	0.60
1:B:146:ILE:HD12	1:B:147:ASN:H	1.66	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:GLN:HA	1:B:176:LYS:HB3	1.84	0.60
1:B:185:SER:OG	1:B:186:ALA:N	2.32	0.58
1:A:90:ASP:HA	1:A:134:GLN:O	2.04	0.58
1:B:187:PRO:HB2	1:B:189:ILE:HB	1.86	0.58
1:A:146:ILE:CG2	1:A:147:ASN:N	2.67	0.58
1:B:181:ASP:OD2	1:B:182:ASN:N	2.36	0.57
1:A:146:ILE:HD11	3:A:242:HOH:O	2.03	0.57
1:A:27:MET:N	1:A:29:GLU:OE2	2.36	0.57
1:B:190:LYS:HE2	3:B:324:HOH:O	2.04	0.56
1:B:72:GLY:O	1:B:73:TRP:HB2	2.06	0.55
1:B:83:GLU:OE1	1:B:145:LYS:NZ	2.31	0.55
1:B:146:ILE:CD1	1:B:147:ASN:H	2.18	0.55
1:B:190:LYS:CA	1:B:193:GLN:NE2	2.68	0.55
1:A:66:SER:HB3	1:A:160:PHE:HB2	1.87	0.55
1:B:190:LYS:CG	1:B:193:GLN:HE22	2.20	0.55
1:A:72:GLY:O	1:A:73:TRP:HB2	2.07	0.55
1:B:27:MET:HA	1:B:27:MET:HE2	1.89	0.54
1:B:59:VAL:HG11	1:B:162:LYS:HD2	1.89	0.54
1:B:183:GLU:C	1:B:184:LYS:O	2.51	0.53
1:A:100:PHE:HA	1:A:163:ARG:HB2	1.90	0.53
1:B:94:LYS:HE3	1:B:169:THR:HB	1.91	0.52
1:B:141:ARG:O	1:B:145:LYS:HG3	2.10	0.52
1:A:64:TRP:CD1	1:A:162:LYS:HB2	2.45	0.52
1:B:106:ASP:C	1:B:106:ASP:OD2	2.54	0.51
1:B:189:ILE:HG23	1:B:190:LYS:O	2.10	0.51
1:B:100:PHE:HA	1:B:163:ARG:HB2	1.92	0.51
1:B:190:LYS:CB	1:B:193:GLN:NE2	2.74	0.50
1:A:146:ILE:HG22	1:A:147:ASN:H	1.75	0.50
1:A:27:MET:HG3	1:A:61:SER:HB3	1.94	0.50
1:B:11:VAL:HB	1:B:177:ILE:HB	1.94	0.49
1:B:43:VAL:CG2	1:B:43:VAL:O	2.59	0.49
1:A:85:GLY:HA2	1:A:179:SER:HA	1.94	0.49
1:A:100:PHE:O	1:A:123:ILE:CD1	2.60	0.49
1:B:66:SER:HB3	1:B:160:PHE:HB2	1.93	0.49
1:B:189:ILE:HG22	3:B:312:HOH:O	2.11	0.49
1:B:190:LYS:CE	3:B:324:HOH:O	2.61	0.49
1:B:131:THR:O	1:B:131:THR:HG22	2.12	0.49
1:B:100:PHE:HA	1:B:163:ARG:CB	2.44	0.48
1:A:125:ASN:ND2	3:A:228:HOH:O	2.47	0.48
1:A:102:ILE:HA	1:A:159:VAL:O	2.14	0.48
1:B:5:TYR:CE2	1:B:84:ASN:ND2	2.82	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:TYR:O	1:A:127:VAL:HG13	2.15	0.47
1:A:91:ILE:HG12	1:A:92:LYS:N	2.29	0.47
1:B:111:ARG:NH2	1:B:117:ILE:HG13	2.29	0.47
1:A:100:PHE:H	1:A:123:ILE:CD1	2.21	0.47
1:A:172:PHE:CB	1:A:175:ILE:HD11	2.45	0.47
1:A:107:LYS:HE2	1:A:109:TYR:OH	2.14	0.47
1:B:130:THR:HG23	1:B:134:GLN:NE2	2.30	0.46
1:A:115:LEU:HD23	1:B:116:GLU:CD	2.40	0.46
1:A:58:THR:HA	1:A:167:PRO:HD3	1.97	0.46
1:A:59:VAL:O	1:A:59:VAL:HG22	2.16	0.46
1:A:115:LEU:CD2	1:B:116:GLU:CD	2.89	0.46
1:B:6:ARG:CG	1:B:180:GLU:CD	2.84	0.46
1:B:127:VAL:HG22	1:B:128:THR:N	2.30	0.46
1:B:91:ILE:HG12	1:B:92:LYS:N	2.30	0.46
1:A:22:TRP:CH2	1:A:24:GLY:HA3	2.51	0.45
1:B:9:LEU:HD22	1:B:9:LEU:N	2.32	0.45
1:A:58:THR:HG23	1:A:58:THR:O	2.17	0.45
1:A:127:VAL:HG11	1:A:136:VAL:HB	1.98	0.45
1:B:102:ILE:HA	1:B:159:VAL:O	2.17	0.45
1:A:105:ARG:HB2	1:A:118:ASP:OD2	2.16	0.45
1:B:43:VAL:HG21	1:B:171:TRP:CG	2.51	0.45
1:A:80:GLN:NE2	1:A:80:GLN:HA	2.33	0.44
1:B:43:VAL:CG2	1:B:171:TRP:CD1	2.97	0.44
1:B:189:ILE:HD12	1:B:193:GLN:CD	2.42	0.44
1:A:115:LEU:CD2	1:B:116:GLU:OE1	2.65	0.44
1:A:81:TYR:O	1:A:85:GLY:HA3	2.18	0.43
1:A:146:ILE:CG2	1:A:147:ASN:H	2.29	0.43
1:A:9:LEU:HD12	1:A:9:LEU:N	2.33	0.43
1:B:189:ILE:HD11	1:B:193:GLN:CG	2.40	0.43
1:A:92:LYS:HD3	1:A:133:TRP:CE2	2.53	0.43
1:B:121:THR:CG2	1:B:143:LEU:HD21	2.45	0.43
1:A:22:TRP:CE3	1:B:113:TYR:HB3	2.55	0.42
1:A:55:VAL:CG2	1:A:167:PRO:HA	2.39	0.42
1:B:22:TRP:CH2	1:B:24:GLY:HA3	2.54	0.42
1:A:11:VAL:HB	1:A:177:ILE:HB	2.01	0.42
1:B:4:GLY:C	1:B:6:ARG:H	2.28	0.42
1:B:186:ALA:HB1	1:B:187:PRO:HD2	2.01	0.42
1:B:103:GLY:O	1:B:158:LEU:HD12	2.20	0.41
1:B:190:LYS:CB	1:B:193:GLN:HE22	2.33	0.41
1:A:57:THR:O	1:A:58:THR:C	2.62	0.41
1:B:146:ILE:O	1:B:147:ASN:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ILE:C	1:A:148:ASN:H	2.29	0.41
1:B:141:ARG:HB2	1:B:145:LYS:HE2	2.03	0.41
1:A:31:GLU:OE1	1:A:52:ARG:HD2	2.21	0.41
1:B:192:ASN:H	1:B:192:ASN:ND2	2.06	0.41
1:A:151:ASP:HA	1:A:152:PRO:HD2	1.93	0.41
1:B:139:PRO:O	1:B:140:LEU:C	2.61	0.40
1:A:127:VAL:CG1	1:A:136:VAL:HB	2.51	0.40
1:A:176:LYS:HE2	1:A:178:THR:HG21	2.03	0.40
1:B:94:LYS:HE3	1:B:169:THR:CB	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:116:GLU:O	1:B:190:LYS:NZ[3_656]	1.89	0.31

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/205 (83%)	155 (91%)	15 (9%)	1 (1%)	21	17
1	B	193/205 (94%)	175 (91%)	14 (7%)	4 (2%)	5	2
All	All	364/410 (89%)	330 (91%)	29 (8%)	5 (1%)	9	4

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	146	ILE
1	B	184	LYS
1	B	147	ASN
1	B	114	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	114	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/182 (86%)	144 (92%)	13 (8%)	10	7
1	B	175/182 (96%)	155 (89%)	20 (11%)	5	3
All	All	332/364 (91%)	299 (90%)	33 (10%)	7	4

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	37	LEU
1	A	46	ASN
1	A	55	VAL
1	A	59	VAL
1	A	110	GLU
1	A	115	LEU
1	A	123	ILE
1	A	136	VAL
1	A	141	ARG
1	A	148	ASN
1	A	179	SER
1	A	180	GLU
1	B	6	ARG
1	B	8	LEU
1	B	37	LEU
1	B	43	VAL
1	B	56	GLN
1	B	58	THR
1	B	80	GLN
1	B	83	GLU
1	B	95	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	136	VAL
1	B	146	ILE
1	B	159	VAL
1	B	176	LYS
1	B	182	ASN
1	B	184	LYS
1	B	189	ILE
1	B	190	LYS
1	B	192	ASN
1	B	193	GLN
1	B	194	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	80	GLN
1	A	125	ASN
1	A	135	HIS
1	A	148	ASN
1	B	46	ASN
1	B	54	ASN
1	B	56	GLN
1	B	74	ASN
1	B	84	ASN
1	B	125	ASN
1	B	134	GLN
1	B	148	ASN
1	B	192	ASN
1	B	193	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	300	-	4,4,4	0.37	0	6,6,6	0.08	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	6
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	86:TYR	C	87:LEU	N	1.17
1	B	157:CYS	C	158:LEU	N	1.17
1	B	183:GLU	C	184:LYS	N	1.14
1	B	187:PRO	C	188:ALA	N	1.13
1	B	193:GLN	C	194:LEU	N	1.06
1	B	95:GLU	C	96:GLY	N	1.05
1	B	139:PRO	C	140:LEU	N	1.02

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.