



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:37 PM UTC

PDB ID : 1WNU / pdb_00001wnu
Title : Structure of Archaeal Trans-Editing Protein AlaX in complex with L-serine
Authors : Sokabe, M.; Okada, A.; Nakashima, T.; Yao, M.; Tanaka, I.
Deposited on : 2004-08-09
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	165	
1	B	165	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alanyl-tRNA synthetase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	154	Total	C	N	O	S	Se	0	0	0
			1257	807	215	231	1	3			
1	B	152	Total	C	N	O	S	Se	0	0	0
			1240	796	213	227	1	3			


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP O58307
A	85	MSE	MET	modified residue	UNP O58307
A	90	MSE	MET	modified residue	UNP O58307
A	158	LEU	-	expression tag	UNP O58307
A	159	GLU	-	expression tag	UNP O58307
A	160	HIS	-	expression tag	UNP O58307
A	161	HIS	-	expression tag	UNP O58307
A	162	HIS	-	expression tag	UNP O58307
A	163	HIS	-	expression tag	UNP O58307
A	164	HIS	-	expression tag	UNP O58307
A	165	HIS	-	expression tag	UNP O58307
B	1	MSE	MET	modified residue	UNP O58307
B	85	MSE	MET	modified residue	UNP O58307
B	90	MSE	MET	modified residue	UNP O58307
B	158	LEU	-	expression tag	UNP O58307
B	159	GLU	-	expression tag	UNP O58307
B	160	HIS	-	expression tag	UNP O58307
B	161	HIS	-	expression tag	UNP O58307
B	162	HIS	-	expression tag	UNP O58307
B	163	HIS	-	expression tag	UNP O58307
B	164	HIS	-	expression tag	UNP O58307
B	165	HIS	-	expression tag	UNP O58307

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is SERINE (CCD ID: SER) (formula: $C_3H_7NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			7	3	1	3		
3	B	1	Total	C	N	O	0	0
			7	3	1	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	57	Total	O	0	0
			57	57		
4	B	50	Total	O	0	0
			50	50		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	33.97Å 88.47Å 109.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (15.00-2.80) 99.1 (15.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.78 (at 2.81Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.228 , 0.266 0.227 , 0.267	Depositor DCC
R_{free} test set	610 reflections (7.03%)	wwPDB-VP
Wilson B-factor (Å ²)	45.7	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 59.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2620	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/1278	0.98	6/1716 (0.3%)
1	B	0.52	0/1261	1.03	4/1693 (0.2%)
All	All	0.51	0/2539	1.01	10/3409 (0.3%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	96	VAL	N-CA-C	-8.33	101.47	108.63
1	A	151	LEU	N-CA-C	8.02	121.48	108.41
1	A	94	PHE	CA-C-N	6.12	126.07	119.76
1	A	94	PHE	C-N-CA	6.12	126.07	119.76
1	B	94	PHE	CA-C-N	6.09	126.11	119.89
1	B	94	PHE	C-N-CA	6.09	126.11	119.89
1	A	103	LEU	N-CA-C	5.34	118.44	109.95
1	B	94	PHE	CB-CA-C	5.21	115.79	109.85
1	A	107	VAL	N-CA-C	5.19	115.59	108.12
1	A	41	VAL	CB-CA-C	-5.02	103.64	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1257	0	1298	51	1
1	B	1240	0	1281	103	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	7	0	4	0	0
3	B	7	0	4	1	0
4	A	57	0	0	5	0
4	B	50	0	0	5	0
All	All	2620	0	2587	152	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:GLU:HA	1:B:81:GLU:OE1	1.46	1.06
1:A:77:LEU:HD13	1:A:82:ALA:HB2	1.47	0.94
1:B:77:LEU:HD12	1:B:77:LEU:H	1.33	0.93
1:B:3:SER:HB3	1:B:6:VAL:HG23	1.53	0.89
1:B:77:LEU:HD13	1:B:82:ALA:HB2	1.55	0.87
1:A:83:GLU:HA	1:A:90:MSE:HE1	1.58	0.85
1:B:77:LEU:CD1	1:B:82:ALA:HB2	2.07	0.84
1:A:77:LEU:HD12	1:A:77:LEU:H	1.42	0.83
1:A:4:ILE:HD13	1:A:7:ARG:HH21	1.45	0.81
1:B:69:ASN:ND2	1:B:123:THR:HB	1.98	0.79
1:A:43:ILE:HD13	1:A:138:ARG:HH12	1.48	0.78
1:B:12:LEU:HD11	1:B:33:THR:HG23	1.65	0.78
1:B:122:LYS:O	1:B:122:LYS:HD3	1.83	0.78
1:B:131:LYS:HZ1	1:B:133:ARG:NH1	1.82	0.78
1:B:4:ILE:HD11	1:B:38:ASN:HB3	1.66	0.77
1:B:107:VAL:HG13	1:B:113:VAL:HG22	1.64	0.77
1:B:81:GLU:OE1	1:B:81:GLU:CA	2.29	0.74
1:B:4:ILE:HA	1:B:7:ARG:HD3	1.69	0.73
1:B:43:ILE:HG12	1:B:145:GLU:HG2	1.69	0.73
1:B:56:ARG:HB3	1:B:56:ARG:NH1	2.04	0.73
1:B:4:ILE:HD11	1:B:38:ASN:CB	2.19	0.72
1:B:131:LYS:NZ	1:B:133:ARG:NH1	2.38	0.72
1:A:133:ARG:HD3	4:A:1004:HOH:O	1.89	0.72
1:A:77:LEU:HD12	1:A:77:LEU:N	2.05	0.71
1:B:86:PHE:CE2	1:B:105:VAL:HG11	2.25	0.71
1:B:77:LEU:HD12	1:B:77:LEU:N	2.05	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:ARG:NH2	1:B:96:VAL:HG22	2.05	0.71
1:B:12:LEU:HD11	1:B:33:THR:CG2	2.21	0.70
1:A:106:VAL:HG21	1:A:120:HIS:CE1	2.27	0.69
1:B:134:LYS:HZ3	1:B:134:LYS:HB3	1.58	0.69
1:A:133:ARG:HH11	1:A:133:ARG:HG3	1.58	0.68
1:B:26:GLU:OE2	1:B:26:GLU:HA	1.93	0.67
1:B:134:LYS:HB3	1:B:134:LYS:NZ	2.09	0.67
1:B:138:ARG:HD2	1:B:145:GLU:OE2	1.94	0.67
1:B:79:ARG:HH21	1:B:96:VAL:HG22	1.59	0.67
1:A:87:GLY:O	1:A:90:MSE:HE2	1.94	0.66
1:B:122:LYS:HA	4:B:2034:HOH:O	1.95	0.66
1:B:93:LEU:O	1:B:95:PRO:HD3	1.96	0.66
1:B:27:ALA:O	1:B:44:VAL:HG21	1.96	0.65
1:A:26:GLU:OE2	1:A:26:GLU:HA	1.96	0.65
1:A:95:PRO:HD2	4:A:1040:HOH:O	1.97	0.63
1:B:4:ILE:HD11	1:B:38:ASN:CA	2.28	0.63
1:A:53:GLU:HG3	4:A:1028:HOH:O	1.98	0.63
1:B:55:ILE:HD12	1:B:135:VAL:HG21	1.81	0.63
1:A:29:TRP:HB2	4:A:1003:HOH:O	1.99	0.62
1:A:50:PRO:HB2	1:A:55:ILE:HD11	1.81	0.61
1:B:136:ARG:HH21	1:B:138:ARG:HG2	1.66	0.61
1:B:72:ILE:HB	4:B:2034:HOH:O	2.00	0.61
1:B:77:LEU:HD22	1:B:82:ALA:N	2.16	0.61
1:A:63:ASN:O	1:A:67:LYS:HG2	2.00	0.61
1:A:43:ILE:HD13	1:A:138:ARG:NH1	2.15	0.60
1:B:56:ARG:HB3	1:B:56:ARG:HH11	1.66	0.60
1:B:79:ARG:NH2	1:B:96:VAL:O	2.34	0.60
1:A:51:SER:OG	1:A:54:GLU:HG3	2.01	0.59
1:A:134:LYS:HG2	1:A:135:VAL:N	2.17	0.59
1:A:45:LYS:HE2	1:B:141:LYS:O	2.03	0.59
1:B:150:LEU:C	1:B:151:LEU:HD12	2.29	0.58
1:A:80:GLU:HG3	1:A:81:GLU:H	1.68	0.58
1:B:77:LEU:HD22	1:B:82:ALA:CA	2.34	0.57
1:A:77:LEU:CD1	1:A:82:ALA:HB2	2.27	0.57
1:A:51:SER:O	1:A:55:ILE:HG12	2.04	0.57
1:B:9:HIS:O	1:B:12:LEU:HB2	2.03	0.57
1:B:25:SER:O	1:B:28:LYS:HD2	2.04	0.57
1:B:84:LYS:HG2	4:B:2035:HOH:O	2.04	0.57
1:A:65:LYS:HE3	1:A:111:TRP:CD2	2.40	0.56
1:B:136:ARG:HD2	4:B:2004:HOH:O	2.05	0.55
1:B:10:SER:OG	1:B:121:THR:HG23	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:GLU:OE2	1:A:98:GLU:HA	2.06	0.54
1:B:122:LYS:HD3	1:B:123:THR:HG23	1.90	0.54
1:B:80:GLU:OE1	1:B:81:GLU:HG2	2.08	0.53
1:A:5:GLU:HG2	1:A:35:VAL:HG12	1.90	0.53
1:B:1:MSE:SE	1:B:1:MSE:H3	2.42	0.53
1:B:77:LEU:CD2	1:B:82:ALA:HA	2.38	0.53
1:B:139:LYS:HB2	1:B:139:LYS:NZ	2.24	0.52
1:B:70:ALA:N	1:B:124:THR:OG1	2.43	0.52
1:B:78:PRO:HB2	1:B:80:GLU:OE1	2.09	0.51
1:B:69:ASN:HD21	1:B:123:THR:CB	2.23	0.51
1:A:50:PRO:HB2	1:A:55:ILE:CD1	2.40	0.51
1:B:12:LEU:CD1	1:B:33:THR:CG2	2.88	0.51
1:B:79:ARG:O	1:B:83:GLU:HB2	2.11	0.50
1:A:15:VAL:O	1:A:19:VAL:HG23	2.11	0.50
1:A:133:ARG:HG3	1:A:133:ARG:NH1	2.26	0.49
1:A:68:GLU:HG2	1:A:68:GLU:O	2.12	0.49
1:B:122:LYS:HD3	1:B:122:LYS:C	2.37	0.49
1:A:11:ALA:O	1:A:15:VAL:HG23	2.12	0.49
1:B:4:ILE:CD1	1:B:38:ASN:CA	2.91	0.49
1:A:9:HIS:O	1:A:12:LEU:HB2	2.13	0.48
1:B:12:LEU:CD1	1:B:33:THR:HG21	2.44	0.47
1:B:52:ASP:O	1:B:56:ARG:HG3	2.14	0.47
1:A:45:LYS:HB3	4:A:1003:HOH:O	2.13	0.47
1:B:134:LYS:NZ	1:B:134:LYS:CB	2.76	0.47
1:A:86:PHE:CE2	1:A:105:VAL:HG11	2.49	0.47
1:A:101:ARG:HG3	1:A:101:ARG:HH11	1.79	0.47
1:B:69:ASN:HD22	1:B:123:THR:HB	1.75	0.47
1:B:1:MSE:SE	1:B:1:MSE:N	2.97	0.47
1:B:26:GLU:OE2	1:B:26:GLU:CA	2.63	0.47
1:B:77:LEU:HD21	1:B:82:ALA:HA	1.96	0.47
1:B:7:ARG:HH11	1:B:7:ARG:HG2	1.80	0.46
1:B:90:MSE:HA	1:B:113:VAL:O	2.14	0.46
1:A:26:GLU:OE2	1:A:26:GLU:CA	2.63	0.46
1:A:141:LYS:O	1:B:45:LYS:HE2	2.14	0.46
1:A:77:LEU:HB2	1:A:78:PRO:CD	2.46	0.46
1:B:4:ILE:O	1:B:7:ARG:HB2	2.15	0.46
1:A:93:LEU:HD23	1:A:93:LEU:HA	1.69	0.46
1:A:101:ARG:HG3	1:A:101:ARG:NH1	2.31	0.46
1:A:4:ILE:CD1	1:A:7:ARG:HH21	2.22	0.46
1:B:75:TYR:HA	4:B:2014:HOH:O	2.15	0.46
1:B:106:VAL:HG21	1:B:120:HIS:NE2	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:77:LEU:CD2	1:B:82:ALA:CA	2.95	0.45
1:A:27:ALA:O	1:A:44:VAL:HG21	2.15	0.45
1:B:4:ILE:HD11	1:B:38:ASN:HA	1.97	0.45
1:B:4:ILE:HG23	1:B:5:GLU:N	2.31	0.45
1:B:51:SER:OG	1:B:54:GLU:HG3	2.16	0.45
1:B:57:GLU:O	1:B:61:LEU:HB2	2.17	0.45
1:B:1:MSE:HE3	1:B:1:MSE:H1	1.82	0.45
1:B:80:GLU:H	1:B:80:GLU:HG3	1.47	0.45
1:B:3:SER:HB3	1:B:6:VAL:CG2	2.36	0.44
1:A:84:LYS:HB2	1:A:84:LYS:NZ	2.31	0.44
1:B:131:LYS:HZ2	1:B:131:LYS:HG3	1.65	0.44
1:B:97:PRO:O	1:B:100:VAL:HG23	2.17	0.44
1:B:136:ARG:NH2	1:B:138:ARG:HD2	2.32	0.44
1:B:136:ARG:HH21	1:B:138:ARG:CG	2.31	0.44
1:B:13:HIS:CE1	3:B:2001:SER:N	2.85	0.44
1:A:77:LEU:N	1:A:77:LEU:CD1	2.77	0.43
1:B:77:LEU:HD11	1:B:82:ALA:HB2	1.96	0.43
1:A:5:GLU:HG2	1:A:35:VAL:CG1	2.48	0.43
1:A:28:LYS:NZ	1:A:89:ASP:OD1	2.44	0.43
1:B:135:VAL:HA	1:B:145:GLU:O	2.18	0.43
1:B:4:ILE:CD1	1:B:37:GLY:C	2.92	0.42
1:B:4:ILE:HD13	1:B:37:GLY:O	2.18	0.42
1:A:67:LYS:HG2	1:A:67:LYS:H	1.72	0.42
1:A:80:GLU:HG3	1:A:81:GLU:N	2.34	0.42
1:B:90:MSE:HE3	1:B:91:TYR:CZ	2.55	0.42
1:A:133:ARG:NH1	1:A:133:ARG:CG	2.83	0.42
1:B:4:ILE:CG2	1:B:5:GLU:N	2.83	0.41
1:B:4:ILE:CD1	1:B:38:ASN:HA	2.49	0.41
1:B:54:GLU:O	1:B:58:ILE:HG13	2.19	0.41
1:B:141:LYS:HB3	1:B:143:LEU:HG	2.01	0.41
1:B:3:SER:O	1:B:7:ARG:HD3	2.20	0.41
1:B:122:LYS:CD	1:B:123:THR:HG23	2.49	0.41
1:B:102:ILE:HD13	1:B:103:LEU:N	2.36	0.41
1:B:19:VAL:HG13	1:B:23:LEU:HD12	2.02	0.41
1:B:90:MSE:O	1:B:114:ASN:HA	2.21	0.41
1:B:86:PHE:HE2	1:B:105:VAL:HG11	1.83	0.41
1:A:4:ILE:HD13	1:A:7:ARG:NH2	2.25	0.41
1:B:65:LYS:HE3	1:B:111:TRP:CD2	2.56	0.41
1:A:94:PHE:HA	1:A:95:PRO:HD3	1.79	0.41
1:B:136:ARG:NH2	1:B:138:ARG:CD	2.84	0.40
1:B:43:ILE:CG1	1:B:145:GLU:HG2	2.46	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4:ILE:HD13	1:B:37:GLY:C	2.46	0.40
1:B:102:ILE:O	1:B:102:ILE:HG23	2.21	0.40
1:B:133:ARG:NE	1:B:149:GLU:OE2	2.48	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:ARG:NH1	1:A:152:GLU:O[4_465]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/165 (92%)	142 (93%)	9 (6%)	1 (1%)	18	47
1	B	150/165 (91%)	141 (94%)	8 (5%)	1 (1%)	18	47
All	All	302/330 (92%)	283 (94%)	17 (6%)	2 (1%)	18	47

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	97	PRO
1	B	97	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/147 (95%)	124 (89%)	15 (11%)	6	21
1	B	137/147 (93%)	117 (85%)	20 (15%)	3	11
All	All	276/294 (94%)	241 (87%)	35 (13%)	4	15

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	16	LYS
1	A	23	LEU
1	A	44	VAL
1	A	67	LYS
1	A	77	LEU
1	A	83	GLU
1	A	84	LYS
1	A	99	ASP
1	A	105	VAL
1	A	107	VAL
1	A	109	GLU
1	A	152	GLU
1	A	153	LEU
1	A	154	GLU
1	B	4	ILE
1	B	33	THR
1	B	57	GLU
1	B	61	LEU
1	B	77	LEU
1	B	80	GLU
1	B	81	GLU
1	B	83	GLU
1	B	95	PRO
1	B	96	VAL
1	B	97	PRO
1	B	99	ASP
1	B	100	VAL
1	B	102	ILE
1	B	105	VAL
1	B	129	PRO
1	B	131	LYS
1	B	134	LYS
1	B	139	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	152	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	69	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SER	B	2001	-	4,6,6	1.38	1 (25%)	2,7,7	1.37	0
3	SER	A	1002	-	4,6,6	0.90	0	2,7,7	1.69	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SER	B	2001	-	-	5/6/6/6	-
3	SER	A	1002	-	-	5/6/6/6	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2001	SER	OXT-C	-2.64	1.22	1.30

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1002	SER	OXT-C-O	-2.33	118.79	124.08

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1002	SER	O-C-CA-CB
3	A	1002	SER	OXT-C-CA-CB
3	A	1002	SER	N-CA-CB-OG
3	B	2001	SER	O-C-CA-CB
3	B	2001	SER	OXT-C-CA-CB
3	B	2001	SER	N-CA-CB-OG
3	A	1002	SER	C-CA-CB-OG
3	B	2001	SER	C-CA-CB-OG
3	A	1002	SER	OXT-C-CA-N
3	B	2001	SER	OXT-C-CA-N

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2001	SER	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	151/165 (91%)	-0.34	0 100 100	16, 36, 58, 89	0
1	B	149/165 (90%)	-0.23	2 (1%) 75 66	19, 41, 60, 77	0
All	All	300/330 (90%)	-0.28	2 (0%) 84 77	16, 39, 59, 89	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	81	GLU	3.0
1	B	26	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SER	B	2001	7/7	0.82	0.20	41,44,46,48	7
3	SER	A	1002	7/7	0.86	0.19	55,56,57,57	7
2	ZN	B	1002	1/1	0.99	0.02	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	A	1001	1/1	1.00	0.01	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.