



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:17 PM UTC

PDB ID : 2WNJ / pdb_00002wnj
Title : CRYSTAL STRUCTURE OF APLYSIA ACHBP IN COMPLEX WITH DMXBA
Authors : Sulzenbacher, G.; Hibbs, R.; Shi, J.; Talley, T.; Conrod, S.; Kem, W.; Taylor, P.; Marchot, P.; Bourne, Y.
Deposited on : 2009-07-09
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	14% 77% 14% 8%
1	B	228	13% 81% 11% 7%
1	C	228	18% 81% 12% 6%
1	D	228	11% 75% 16% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	228	
2	F	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZY7	A	301[B]	-	-	X	-
3	ZY7	D	301[B]	-	-	X	-
3	ZY7	E	301[A]	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 10037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SOLUBLE ACETYLCHOLINE RECEPTOR.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	10	0
			1727	1098	283	336	10			
1	B	212	Total	C	N	O	S	0	8	0
			1746	1107	290	339	10			
1	C	214	Total	C	N	O	S	0	10	0
			1769	1120	291	347	11			
1	D	211	Total	C	N	O	S	0	8	0
			1733	1100	284	339	10			
1	E	217	Total	C	N	O	S	0	13	0
			1822	1162	297	353	10			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	F	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is (3E)-3-[(2,4-DIMETHOXYPHENYL)METHYLIDENE]-3,4,5,6-TETRAHYDRO-2,3'-BIPYRIDINE (CCD ID: ZY7) (formula: C₁₉H₂₀N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			46	38	4	4		
3	B	1	Total	C	N	O	0	0
			23	19	2	2		
3	C	1	Total	C	N	O	0	0
			23	19	2	2		
3	D	1	Total	C	N	O	0	1
			46	38	4	4		
3	E	1	Total	C	N	O	0	1
			46	38	4	4		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	214	Total	O	0	0
			214	214		
5	B	177	Total	O	0	0
			177	177		
5	C	200	Total	O	0	0
			200	200		
5	D	193	Total	O	0	0
			193	193		
5	E	208	Total	O	0	0
			208	208		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR



• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR





• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR





● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR



● Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.22Å 114.80Å 131.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 20.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (20.00-1.80) 99.7 (20.00-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.169 , 0.206 0.191 , 0.221	Depositor DCC
R_{free} test set	6069 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.242	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10037	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, ZY7, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.79	0/1799	0.82	0/2451
1	B	0.81	0/1812	0.83	0/2466
1	C	0.76	0/1836	0.80	0/2496
1	D	0.83	0/1799	0.84	0/2450
1	E	0.86	0/1902	0.84	2/2590 (0.1%)
All	All	0.81	0/9148	0.83	2/12453 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	16	ARG	N-CA-C	-5.50	106.45	112.72
1	E	42	LYS	N-CA-C	5.04	116.90	108.99

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1727	0	1690	35	0
1	B	1746	0	1707	25	0
1	C	1769	0	1728	49	0
1	D	1733	0	1688	49	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1822	0	1791	65	0
2	F	50	0	43	0	0
3	A	46	0	39	16	0
3	B	23	0	20	8	0
3	C	23	0	20	4	0
3	D	46	0	37	24	0
3	E	46	0	37	27	0
4	B	14	0	13	0	0
5	A	214	0	0	4	0
5	B	177	0	0	3	0
5	C	200	0	0	6	0
5	D	193	0	0	6	0
5	E	208	0	0	6	0
All	All	10037	0	8813	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:93[A]:TYR:CE2	3:E:301[A]:ZY7:H121	1.12	1.61
1:E:93[A]:TYR:CE2	3:E:301[A]:ZY7:C12	2.03	1.40
1:D:57[B]:GLN:OE1	3:E:301[B]:ZY7:C2	1.76	1.33
1:E:93[A]:TYR:OH	3:E:301[A]:ZY7:H111	1.17	1.33
1:E:93[A]:TYR:OH	3:E:301[A]:ZY7:C11	1.81	1.29
1:D:57[B]:GLN:OE1	3:E:301[B]:ZY7:H2	1.35	1.18
1:E:93[A]:TYR:CZ	3:E:301[A]:ZY7:C11	2.29	1.14
1:C:118:ILE:HD12	3:D:301[B]:ZY7:C7	1.90	1.00
1:C:118:ILE:HD11	3:D:301[B]:ZY7:C3	1.92	0.99
1:E:93[A]:TYR:HH	3:E:301[A]:ZY7:H111	1.17	0.98
1:C:118:ILE:CD1	3:D:301[B]:ZY7:C4	2.43	0.97
1:D:57[B]:GLN:CD	3:E:301[B]:ZY7:C1	2.33	0.96
1:A:21:PRO:HB3	1:E:7:MET:HE3	1.49	0.92
1:E:93[A]:TYR:CZ	3:E:301[A]:ZY7:H121	2.01	0.92
1:C:118:ILE:CD1	3:D:301[B]:ZY7:C7	2.48	0.91
1:D:57[B]:GLN:HG3	1:D:118:ILE:CD1	2.00	0.91
1:E:93[A]:TYR:CZ	3:E:301[A]:ZY7:H112	2.03	0.90
1:E:200[B]:LEU:CD1	1:E:202[B]:VAL:HG23	2.02	0.90
1:D:57[B]:GLN:CD	3:E:301[B]:ZY7:C2	2.46	0.89
1:C:7[A]:MET:HE2	1:D:21:PRO:HD3	1.57	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:57[B]:GLN:OE1	3:E:301[B]:ZY7:C1	2.23	0.85
3:A:301[A]:ZY7:H5	3:A:301[A]:ZY7:H132	1.59	0.85
1:E:7:MET:HA	1:E:7:MET:HE2	1.60	0.83
1:E:93[A]:TYR:CD2	3:E:301[A]:ZY7:H121	2.07	0.83
1:C:59[B]:ARG:HH21	1:C:59[B]:ARG:CG	1.91	0.83
1:B:59[A]:ARG:HE	1:B:114:SER:HB2	1.43	0.82
3:A:301[B]:ZY7:C22	1:E:116[B]:MET:SD	2.69	0.80
1:A:157:LYS:NZ	5:A:2163:HOH:O	2.12	0.80
1:D:57[B]:GLN:HG3	1:D:118:ILE:HD12	1.62	0.79
3:A:301[B]:ZY7:H221	1:E:116[B]:MET:HE1	1.62	0.79
1:E:59[B]:ARG:CG	1:E:59[B]:ARG:HH21	1.97	0.78
1:C:118:ILE:CD1	3:D:301[B]:ZY7:C3	2.61	0.77
1:E:93[A]:TYR:OH	3:E:301[A]:ZY7:H112	1.83	0.77
1:C:-6:LYS:N	1:C:-6:LYS:HD3	2.00	0.77
1:C:118:ILE:HD12	3:D:301[B]:ZY7:H7	1.67	0.77
1:B:59[B]:ARG:NH2	1:B:159:ASP:OD2	2.18	0.76
1:C:118:ILE:HD13	3:D:301[B]:ZY7:C4	2.14	0.75
1:E:93[A]:TYR:CZ	3:E:301[A]:ZY7:C12	2.53	0.75
1:E:59[B]:ARG:HE	1:E:114:SER:HB2	1.50	0.75
1:E:105:GLN:NE2	5:E:2127:HOH:O	2.22	0.72
1:D:159:ASP:OD2	5:D:2146:HOH:O	2.08	0.72
1:D:190:CYS:HB2	3:D:301[B]:ZY7:C4	2.20	0.72
1:C:59[B]:ARG:HH21	1:C:59[B]:ARG:HG3	1.53	0.71
1:B:7[B]:MET:HE3	1:C:21:PRO:HD3	1.71	0.71
1:A:57[B]:GLN:OE1	3:B:301:ZY7:C2	2.38	0.71
1:E:93[A]:TYR:HE2	3:E:301[A]:ZY7:C12	1.66	0.69
1:C:143[A]:LYS:NZ	5:C:2145:HOH:O	2.24	0.69
1:A:100:GLN:HE22	1:B:97[A]:ARG:HH21	1.39	0.68
3:A:301[B]:ZY7:O21	1:E:116[B]:MET:SD	2.51	0.68
1:D:7:MET:HE3	1:E:21:PRO:HD3	1.73	0.68
1:E:93[A]:TYR:HE2	3:E:301[A]:ZY7:H121	0.86	0.68
3:C:301:ZY7:H131	3:C:301:ZY7:H5	1.77	0.67
1:A:160:THR:OG1	5:A:2168:HOH:O	2.11	0.67
1:E:105:GLN:OE1	5:E:2127:HOH:O	2.12	0.67
1:E:200[B]:LEU:HD13	1:E:202[B]:VAL:HG23	1.76	0.67
1:E:200[B]:LEU:HD11	1:E:202[B]:VAL:CG2	2.25	0.67
1:D:190:CYS:HB2	3:D:301[B]:ZY7:C3	2.25	0.67
1:A:116[B]:MET:SD	3:B:301:ZY7:O21	2.52	0.66
1:B:7[B]:MET:CE	1:C:21:PRO:HD3	2.25	0.66
1:E:200[B]:LEU:HD11	1:E:202[B]:VAL:HG23	1.78	0.66
3:B:301:ZY7:H132	3:B:301:ZY7:H5	1.76	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:105:GLN:CD	5:E:2127:HOH:O	2.38	0.66
1:B:59[A]:ARG:HG2	1:B:59[A]:ARG:HH11	1.60	0.65
1:A:97[A]:ARG:HH21	1:E:100:GLN:HE22	1.41	0.65
1:A:57[B]:GLN:OE1	3:B:301:ZY7:H2	1.97	0.65
1:B:105:GLN:NE2	5:B:2113:HOH:O	2.29	0.65
1:C:7[A]:MET:CE	1:D:21:PRO:HD3	2.26	0.65
3:A:301[B]:ZY7:H221	1:E:116[B]:MET:CE	2.26	0.65
1:B:59[A]:ARG:HH11	1:B:59[A]:ARG:CG	2.11	0.64
1:C:57[B]:GLN:HG2	3:D:301[B]:ZY7:C23	2.27	0.64
1:D:97[B]:ARG:NH2	5:D:2098:HOH:O	2.29	0.64
1:A:116[B]:MET:SD	3:B:301:ZY7:C22	2.86	0.64
1:C:118:ILE:HD11	3:D:301[B]:ZY7:O21	1.96	0.64
1:E:59[B]:ARG:HH21	1:E:59[B]:ARG:HG2	1.63	0.64
1:E:163:VAL:HG21	1:E:200[B]:LEU:HD21	1.80	0.64
1:C:59[B]:ARG:NH2	5:C:2071:HOH:O	2.31	0.63
1:A:21:PRO:HB3	1:E:7:MET:CE	2.26	0.63
3:A:301[B]:ZY7:H221	1:E:116[B]:MET:SD	2.38	0.63
1:D:25:LYS:NZ	5:D:2015:HOH:O	2.32	0.62
1:E:163:VAL:HG21	1:E:200[B]:LEU:CD2	2.30	0.62
1:A:56:GLU:O	1:A:119:PRO:HD2	2.00	0.61
3:A:301[A]:ZY7:H132	3:A:301[A]:ZY7:C5	2.30	0.60
3:A:301[B]:ZY7:H131	3:A:301[B]:ZY7:H5	1.83	0.60
1:A:116[B]:MET:SD	3:B:301:ZY7:H221	2.43	0.59
1:C:59[B]:ARG:HH21	1:C:59[B]:ARG:HG2	1.64	0.59
1:D:57[A]:GLN:HG3	3:E:301[A]:ZY7:H221	1.83	0.59
1:C:-6:LYS:HD3	1:C:-6:LYS:H1	1.68	0.59
1:C:59[B]:ARG:HE	1:C:114:SER:HB2	1.68	0.59
1:C:167:SER:OG	3:D:301[A]:ZY7:H232	2.03	0.58
1:C:-6:LYS:HD3	1:C:-6:LYS:H3	1.69	0.58
1:A:191:CYS:SG	3:A:301[B]:ZY7:H223	2.44	0.58
1:C:59[B]:ARG:HG3	1:C:59[B]:ARG:NH2	2.18	0.57
1:E:59[B]:ARG:NH2	5:E:2077:HOH:O	2.36	0.57
1:E:7:MET:HA	1:E:7:MET:CE	2.33	0.57
3:C:301:ZY7:H5	3:C:301:ZY7:C13	2.34	0.57
1:E:32:THR:HG21	1:E:59[A]:ARG:HH22	1.69	0.57
1:E:38:GLN:OE1	1:E:55[A]:TYR:CE1	2.57	0.57
1:E:59[B]:ARG:HH21	1:E:59[B]:ARG:HG3	1.69	0.57
1:D:143:LYS:HE3	1:D:184:GLN:HE22	1.69	0.57
1:B:57[B]:GLN:HG2	3:C:301:ZY7:C1	2.35	0.57
3:B:301:ZY7:H5	3:B:301:ZY7:C13	2.35	0.56
1:D:57[B]:GLN:HG3	1:D:118:ILE:HD11	1.84	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:LYS:NZ	1:A:184:GLN:HE22	2.04	0.56
1:E:50:VAL:HG21	1:E:127:CYS:SG	2.45	0.56
1:A:12:ASP:HA	1:A:16:ARG:HE	1.71	0.56
1:C:7[A]:MET:SD	1:D:18:PRO:HG2	2.46	0.56
1:C:57[B]:GLN:HG2	3:D:301[B]:ZY7:C1	2.36	0.55
1:D:11:SER:OG	1:D:16:ARG:CZ	2.53	0.55
1:A:190:CYS:HB2	3:A:301[B]:ZY7:C1	2.37	0.55
3:D:301[A]:ZY7:H132	3:D:301[A]:ZY7:H5	1.88	0.55
1:C:59[B]:ARG:CG	1:C:59[B]:ARG:NH2	2.58	0.55
1:D:30:THR:HG21	1:D:157[A]:LYS:HE3	1.88	0.55
1:A:100:GLN:HE22	1:B:97[A]:ARG:NH2	2.05	0.54
3:D:301[A]:ZY7:H132	3:D:301[A]:ZY7:C5	2.37	0.54
1:D:147:TRP:CE2	3:D:301[A]:ZY7:H19	2.43	0.54
1:C:7[B]:MET:HE3	5:C:2008:HOH:O	2.06	0.54
1:D:116[B]:MET:HE2	5:D:2116:HOH:O	2.07	0.54
1:C:7[B]:MET:HE1	5:C:2009:HOH:O	2.07	0.54
1:D:55[A]:TYR:CE2	1:E:147:TRP:HH2	2.27	0.54
3:E:301[A]:ZY7:H5	3:E:301[A]:ZY7:H132	1.91	0.53
1:A:11:SER:O	1:A:16:ARG:HG3	2.09	0.53
1:E:56:GLU:O	1:E:119:PRO:HD2	2.09	0.53
1:D:147:TRP:NE1	3:D:301[A]:ZY7:H19	2.23	0.53
1:B:7[B]:MET:HE2	1:C:19:MET:O	2.09	0.52
1:B:136:GLU:O	1:B:203[B]:LYS:HE3	2.10	0.52
1:B:191:CYS:SG	3:B:301:ZY7:H223	2.50	0.52
1:A:96:THR:O	1:E:122:ARG:HD2	2.08	0.52
1:A:161:ASP:HB3	5:A:2192:HOH:O	2.09	0.52
3:D:301[A]:ZY7:H5	3:D:301[A]:ZY7:C13	2.40	0.52
1:D:15:ASN:HD22	1:D:15:ASN:N	2.07	0.52
1:D:190:CYS:CB	3:D:301[B]:ZY7:C4	2.87	0.52
1:B:193:GLU:H	1:B:193:GLU:CD	2.18	0.51
1:B:59[A]:ARG:CG	1:B:59[A]:ARG:NH1	2.73	0.51
1:E:172:SER:O	1:E:207[B]:ARG:HD3	2.11	0.51
1:C:56:GLU:O	1:C:119:PRO:HD2	2.10	0.51
1:D:136:GLU:O	1:D:203:LYS:HE2	2.11	0.51
1:B:50:VAL:HG21	1:B:127:CYS:SG	2.51	0.50
1:D:167:SER:OG	3:E:301[A]:ZY7:H232	2.11	0.50
3:E:301[A]:ZY7:H132	3:E:301[A]:ZY7:C5	2.41	0.50
1:D:57[A]:GLN:HG3	3:E:301[A]:ZY7:C22	2.41	0.50
1:C:7[B]:MET:SD	1:D:21:PRO:HB3	2.52	0.50
1:A:122:ARG:HD2	1:B:96:THR:O	2.10	0.50
1:A:190:CYS:HB2	3:A:301[B]:ZY7:C6	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97[B]:ARG:NH1	5:C:2107:HOH:O	2.43	0.49
1:A:143:LYS:HZ2	1:A:184:GLN:HE22	1.61	0.49
1:D:190:CYS:CB	3:D:301[B]:ZY7:C5	2.90	0.49
1:D:157[B]:LYS:NZ	5:D:2141:HOH:O	2.45	0.48
1:C:-6:LYS:O	1:C:-2:ASP:N	2.43	0.48
3:C:301:ZY7:H131	3:C:301:ZY7:C5	2.41	0.48
3:A:301[A]:ZY7:H5	3:A:301[A]:ZY7:C13	2.39	0.48
1:B:139:THR:OG1	1:B:203[B]:LYS:NZ	2.41	0.48
1:C:-6:LYS:N	1:C:-6:LYS:CD	2.74	0.48
1:C:122:ARG:HD2	1:D:96:THR:O	2.13	0.47
3:D:301[B]:ZY7:H131	3:D:301[B]:ZY7:H5	1.95	0.47
1:E:97[B]:ARG:NH2	5:E:2109:HOH:O	2.26	0.47
1:A:14:PHE:C	1:A:16:ARG:H	2.22	0.47
1:A:61:LYS:HE3	1:A:112:ASP:O	2.14	0.47
1:A:4:ALA:HA	1:A:7:MET:HE3	1.97	0.47
1:B:7[B]:MET:SD	1:C:18:PRO:HB2	2.54	0.47
3:E:301[B]:ZY7:H131	3:E:301[B]:ZY7:H5	1.98	0.46
1:C:61:LYS:NZ	1:C:66:MET:HE2	2.30	0.46
1:E:190:CYS:HB2	3:E:301[B]:ZY7:C3	2.46	0.46
1:E:55[B]:TYR:CD1	1:E:118[B]:ILE:CG2	2.99	0.46
1:D:106:ILE:HB	1:E:148:VAL:HG11	1.97	0.45
1:D:190:CYS:HB3	3:D:301[B]:ZY7:C5	2.47	0.45
1:D:50:VAL:HG21	1:D:127:CYS:SG	2.56	0.45
1:D:122:ARG:HD2	1:E:96:THR:O	2.15	0.45
1:D:56:GLU:O	1:D:119:PRO:HD2	2.17	0.45
1:D:99[A]:VAL:HG22	1:D:123:LEU:HD13	1.99	0.45
1:E:59[A]:ARG:HD3	5:E:2076:HOH:O	2.17	0.45
1:E:139:THR:OG1	1:E:203[B]:LYS:HG2	2.16	0.45
1:B:106:ILE:HB	1:C:148:VAL:HG11	1.99	0.44
1:C:43:ALA:HA	1:C:50:VAL:HG22	1.99	0.44
1:D:59:ARG:NH2	1:D:61:LYS:HE3	2.32	0.44
1:E:59[B]:ARG:NH2	1:E:59[B]:ARG:HG3	2.31	0.44
1:A:57[B]:GLN:HG3	1:A:118:ILE:CD1	2.46	0.44
1:D:7:MET:CE	1:E:21:PRO:HD3	2.44	0.44
1:A:57[B]:GLN:HG2	5:A:2039:HOH:O	2.16	0.44
1:A:147:TRP:HH2	1:E:55[A]:TYR:CZ	2.36	0.44
1:B:122:ARG:HD2	1:C:96:THR:O	2.17	0.44
1:C:143[A]:LYS:NZ	1:C:184:GLN:HE22	2.15	0.44
1:C:136:GLU:CD	1:C:136:GLU:H	2.25	0.44
1:D:11:SER:O	1:D:16:ARG:HD2	2.18	0.43
1:D:57[B]:GLN:CG	1:D:118:ILE:HD12	2.42	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:147:TRP:O	3:E:301[A]:ZY7:N10	2.52	0.43
1:A:147:TRP:CE2	3:A:301[A]:ZY7:H19	2.54	0.43
1:A:50:VAL:HG21	1:A:127:CYS:SG	2.58	0.43
1:C:163:VAL:HG21	1:C:200:LEU:CD1	2.48	0.43
3:A:301[B]:ZY7:H5	1:E:55[B]:TYR:CE1	2.54	0.43
1:B:163:VAL:HG21	1:B:200:LEU:CD1	2.49	0.43
1:D:190:CYS:HB2	3:D:301[B]:ZY7:C5	2.49	0.43
3:D:301[A]:ZY7:C5	3:D:301[A]:ZY7:C13	2.97	0.42
1:E:32:THR:CG2	1:E:59[A]:ARG:HH22	2.31	0.42
1:C:143[A]:LYS:HZ2	1:C:184:GLN:HE22	1.68	0.42
1:E:147:TRP:NE1	3:E:301[A]:ZY7:H19	2.35	0.42
1:D:55[A]:TYR:CZ	1:E:147:TRP:HH2	2.37	0.42
1:C:136:GLU:HG2	5:C:2140:HOH:O	2.20	0.41
1:D:11:SER:C	1:D:16:ARG:HD2	2.45	0.41
1:E:178:SER:OG	1:E:203[B]:LYS:HD2	2.20	0.41
1:A:147:TRP:NE1	3:A:301[A]:ZY7:H19	2.35	0.41
3:A:301[B]:ZY7:H5	3:A:301[B]:ZY7:C13	2.48	0.41
1:C:59[B]:ARG:HD2	1:C:115:VAL:O	2.21	0.41
1:E:50:VAL:CG2	1:E:127:CYS:SG	3.09	0.41
1:B:63:ASN:CB	1:B:66:MET:HE2	2.51	0.41
1:B:116:MET:HE2	5:B:2116:HOH:O	2.20	0.41
1:C:61:LYS:NZ	1:C:112:ASP:O	2.52	0.41
1:A:99[A]:VAL:HG21	1:A:121:GLN:NE2	2.36	0.41
1:E:17:SER:HA	1:E:18:PRO:HD3	1.89	0.41
1:A:116[B]:MET:CG	1:A:118:ILE:HD11	2.50	0.41
1:E:59[B]:ARG:CG	1:E:59[B]:ARG:NH2	2.65	0.40
1:C:55:TYR:CE2	1:D:147:TRP:HH2	2.39	0.40
1:D:79:ARG:NH2	5:D:2078:HOH:O	2.29	0.40
1:A:3:GLN:HG2	5:B:2009:HOH:O	2.22	0.40
1:B:178:SER:OG	1:B:203[A]:LYS:HD3	2.22	0.40
1:E:163:VAL:CG2	1:E:200[B]:LEU:CD2	2.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/228 (95%)	211 (97%)	6 (3%)	0	100	100
1	B	218/228 (96%)	216 (99%)	2 (1%)	0	100	100
1	C	221/228 (97%)	218 (99%)	3 (1%)	0	100	100
1	D	217/228 (95%)	214 (99%)	3 (1%)	0	100	100
1	E	228/228 (100%)	225 (99%)	3 (1%)	0	100	100
All	All	1101/1140 (97%)	1084 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/206 (97%)	195 (98%)	5 (2%)	42	30
1	B	201/206 (98%)	193 (96%)	8 (4%)	28	15
1	C	205/206 (100%)	202 (98%)	3 (2%)	57	49
1	D	200/206 (97%)	193 (96%)	7 (4%)	32	19
1	E	211/206 (102%)	202 (96%)	9 (4%)	26	13
All	All	1017/1030 (99%)	985 (97%)	32 (3%)	37	23

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	MET
1	A	57[A]	GLN
1	A	57[B]	GLN
1	A	80	THR
1	A	193	GLU
1	B	17	SER
1	B	59[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	59[B]	ARG
1	B	80	THR
1	B	157	LYS
1	B	162	GLN
1	B	193	GLU
1	B	208	ARG
1	C	-6	LYS
1	C	17	SER
1	C	136	GLU
1	D	0	LEU
1	D	15	ASN
1	D	17	SER
1	D	70	ASN
1	D	80	THR
1	D	136	GLU
1	D	205	ARG
1	E	-3	ASP
1	E	7	MET
1	E	16	ARG
1	E	19	MET
1	E	33[A]	LEU
1	E	33[B]	LEU
1	E	59[A]	ARG
1	E	59[B]	ARG
1	E	80	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	100	GLN
1	A	121	GLN
1	A	184	GLN
1	A	187	HIS
1	B	15	ASN
1	B	58	GLN
1	B	184	GLN
1	C	15	ASN
1	C	58	GLN
1	C	105	GLN
1	C	184	GLN
1	D	15	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	48	ASN
1	D	58	GLN
1	D	74	ASN
1	D	162	GLN
1	D	184	GLN
1	D	199	ASN
1	E	58	GLN
1	E	100	GLN
1	E	162	GLN
1	E	184	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	F	1	1,2	14,14,15	0.46	0	17,19,21	1.93	3 (17%)
2	NAG	F	2	2	14,14,15	0.28	0	17,19,21	1.34	3 (17%)
2	BMA	F	3	2	11,11,12	0.31	0	15,15,17	0.68	0
2	MAN	F	4	2	11,11,12	0.42	0	15,15,17	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	BMA	F	3	2	-	0/2/19/22	0/1/1/1
2	MAN	F	4	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1	NAG	C1-O5-C5	5.98	120.21	112.19
2	F	1	NAG	C3-C4-C5	2.94	115.56	110.23
2	F	2	NAG	C2-N2-C7	-2.82	119.11	122.90
2	F	2	NAG	C1-C2-N2	-2.65	106.25	110.43
2	F	1	NAG	C2-N2-C7	-2.23	119.91	122.90
2	F	2	NAG	O5-C1-C2	-2.10	108.05	111.29

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	1	NAG	C4-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ZY7	E	301[A]	-	25,25,25	1.22	3 (12%)	31,33,33	2.31	8 (25%)
3	ZY7	D	301[A]	-	25,25,25	1.11	2 (8%)	31,33,33	2.19	8 (25%)
4	NAG	B	401	1	14,14,15	0.35	0	17,19,21	0.98	1 (5%)
3	ZY7	B	301	-	25,25,25	1.20	2 (8%)	31,33,33	2.09	12 (38%)
3	ZY7	C	301	-	25,25,25	2.07	2 (8%)	31,33,33	2.56	10 (32%)
3	ZY7	A	301[B]	-	25,25,25	1.32	2 (8%)	31,33,33	2.13	9 (29%)
3	ZY7	A	301[A]	-	25,25,25	1.21	3 (12%)	31,33,33	2.32	5 (16%)
3	ZY7	E	301[B]	-	25,25,25	1.19	2 (8%)	31,33,33	2.10	6 (19%)
3	ZY7	D	301[B]	-	25,25,25	1.34	2 (8%)	31,33,33	2.17	10 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ZY7	E	301[A]	-	-	1/12/23/23	0/3/3/3
3	ZY7	D	301[A]	-	-	1/12/23/23	0/3/3/3
4	NAG	B	401	1	-	4/6/23/26	0/1/1/1
3	ZY7	B	301	-	-	6/12/23/23	0/3/3/3
3	ZY7	C	301	-	-	8/12/23/23	0/3/3/3
3	ZY7	A	301[B]	-	-	8/12/23/23	0/3/3/3
3	ZY7	A	301[A]	-	-	2/12/23/23	0/3/3/3
3	ZY7	E	301[B]	-	-	6/12/23/23	0/3/3/3
3	ZY7	D	301[B]	-	-	6/12/23/23	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	ZY7	C9-N10	-9.20	1.22	1.28
3	D	301[B]	ZY7	C4-C3	4.75	1.50	1.41
3	A	301[B]	ZY7	C4-C3	4.25	1.49	1.41
3	B	301	ZY7	C4-C3	3.89	1.49	1.41
3	E	301[A]	ZY7	C4-C3	3.88	1.49	1.41
3	E	301[B]	ZY7	C4-C3	3.81	1.48	1.41
3	A	301[A]	ZY7	C4-C3	3.78	1.48	1.41
3	D	301[A]	ZY7	C4-C3	3.75	1.48	1.41
3	C	301	ZY7	C4-C3	3.54	1.48	1.41
3	A	301[B]	ZY7	C9-N10	-3.35	1.26	1.28
3	D	301[B]	ZY7	C9-N10	-3.25	1.26	1.28
3	A	301[A]	ZY7	C9-N10	-2.76	1.26	1.28
3	E	301[B]	ZY7	C9-N10	-2.63	1.26	1.28
3	E	301[A]	ZY7	C4-C7	2.38	1.50	1.46
3	B	301	ZY7	C9-N10	-2.38	1.27	1.28
3	D	301[A]	ZY7	C9-N10	-2.23	1.27	1.28
3	E	301[A]	ZY7	C14-C9	2.22	1.51	1.48
3	A	301[A]	ZY7	C4-C7	2.17	1.50	1.46

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	ZY7	C11-N10-C9	10.86	130.68	115.99
3	A	301[A]	ZY7	C11-N10-C9	10.42	130.08	115.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	301[A]	ZY7	C11-N10-C9	9.95	129.45	115.99
3	D	301[A]	ZY7	C11-N10-C9	8.65	127.69	115.99
3	E	301[B]	ZY7	C11-N10-C9	8.19	127.06	115.99
3	A	301[B]	ZY7	C11-N10-C9	7.10	125.59	115.99
3	D	301[B]	ZY7	C11-N10-C9	6.59	124.90	115.99
3	B	301	ZY7	C11-N10-C9	5.03	122.79	115.99
3	D	301[B]	ZY7	C22-O21-C3	4.97	124.80	117.51
3	E	301[B]	ZY7	C14-C9-N10	4.39	122.15	117.97
3	B	301	ZY7	O21-C3-C4	4.37	121.51	115.92
3	D	301[B]	ZY7	C14-C9-N10	4.00	121.78	117.97
3	B	301	ZY7	C22-O21-C3	4.00	123.38	117.51
3	A	301[B]	ZY7	O21-C3-C4	3.82	120.81	115.92
3	A	301[B]	ZY7	C14-C9-N10	3.69	121.48	117.97
3	C	301	ZY7	O21-C3-C4	3.63	120.56	115.92
3	B	301	ZY7	C14-C9-N10	3.59	121.39	117.97
3	D	301[A]	ZY7	O21-C3-C4	3.46	120.35	115.92
3	A	301[A]	ZY7	C22-O21-C3	3.41	122.51	117.51
3	A	301[A]	ZY7	C12-C13-C8	-3.34	105.33	112.14
3	D	301[A]	ZY7	C12-C11-N10	-3.23	103.67	113.25
3	B	301	ZY7	C15-C14-C19	2.99	120.94	117.61
3	A	301[B]	ZY7	C22-O21-C3	2.96	121.86	117.51
3	E	301[A]	ZY7	C22-O21-C3	2.96	121.85	117.51
3	D	301[B]	ZY7	C17-N18-C19	2.87	121.88	116.85
3	D	301[B]	ZY7	C12-C11-N10	-2.81	104.92	113.25
3	B	301	ZY7	C12-C11-N10	-2.77	105.04	113.25
3	A	301[B]	ZY7	C12-C11-N10	-2.73	105.17	113.25
3	C	301	ZY7	C13-C8-C7	2.72	128.08	125.34
3	C	301	ZY7	C14-C19-N18	-2.70	119.48	123.50
3	A	301[B]	ZY7	C17-N18-C19	2.69	121.57	116.85
3	E	301[A]	ZY7	C12-C11-N10	-2.68	105.30	113.25
3	C	301	ZY7	C17-N18-C19	2.68	121.54	116.85
3	E	301[A]	ZY7	C23-O20-C1	2.63	123.14	117.50
3	C	301	ZY7	C12-C11-N10	-2.63	105.46	113.25
3	B	301	ZY7	O21-C3-C2	-2.62	119.56	124.08
3	E	301[B]	ZY7	C17-N18-C19	2.62	121.44	116.85
3	B	301	ZY7	C16-C15-C14	-2.59	117.82	120.36
3	D	301[B]	ZY7	C14-C19-N18	-2.57	119.69	123.50
3	C	301	ZY7	C7-C8-C9	-2.54	114.78	120.17
3	E	301[B]	ZY7	O21-C3-C4	2.54	119.16	115.92
3	A	301[A]	ZY7	C12-C11-N10	-2.52	105.79	113.25
3	A	301[B]	ZY7	O21-C3-C2	-2.50	119.78	124.08
3	D	301[A]	ZY7	C23-O20-C1	2.47	122.79	117.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	301[A]	ZY7	C17-N18-C19	2.42	121.09	116.85
3	C	301	ZY7	O21-C3-C2	-2.41	119.92	124.08
3	B	301	ZY7	C19-C14-C9	-2.40	116.42	121.14
3	B	301	ZY7	C14-C19-N18	-2.39	119.94	123.50
3	C	301	ZY7	C15-C14-C19	2.38	120.26	117.61
3	B	301	ZY7	C17-N18-C19	2.37	121.00	116.85
3	D	301[B]	ZY7	O21-C3-C4	2.36	118.94	115.92
3	D	301[A]	ZY7	C17-N18-C19	2.26	120.81	116.85
3	E	301[B]	ZY7	C14-C19-N18	-2.26	120.14	123.50
3	C	301	ZY7	C12-C13-C8	-2.25	107.56	112.14
4	B	401	NAG	C1-C2-N2	-2.24	106.90	110.43
3	E	301[A]	ZY7	C12-C13-C8	-2.19	107.66	112.14
3	E	301[A]	ZY7	C8-C9-N10	-2.18	117.12	124.50
3	D	301[B]	ZY7	C15-C14-C19	2.17	120.03	117.61
3	D	301[A]	ZY7	C4-C7-C8	-2.15	124.81	128.44
3	A	301[B]	ZY7	C14-C19-N18	-2.12	120.34	123.50
3	D	301[B]	ZY7	C7-C8-C9	-2.11	115.69	120.17
3	A	301[A]	ZY7	C8-C9-N10	-2.09	117.46	124.50
3	B	301	ZY7	C7-C8-C9	-2.08	115.77	120.17
3	E	301[A]	ZY7	C3-C4-C7	-2.06	115.98	118.73
3	D	301[B]	ZY7	C12-C13-C8	-2.06	107.94	112.14
3	A	301[B]	ZY7	C23-O20-C1	2.05	121.89	117.50
3	D	301[A]	ZY7	C22-O21-C3	2.02	120.47	117.51
3	D	301[A]	ZY7	C12-C13-C8	-2.01	108.05	112.14
3	E	301[B]	ZY7	C12-C11-N10	-2.00	107.31	113.25

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301[B]	ZY7	C19-C14-C9-N10
3	C	301	ZY7	C19-C14-C9-N10
3	D	301[B]	ZY7	C15-C14-C9-C8
3	E	301[B]	ZY7	C19-C14-C9-C8
3	A	301[B]	ZY7	C2-C1-O20-C23
3	A	301[B]	ZY7	C6-C1-O20-C23
3	D	301[B]	ZY7	C2-C1-O20-C23
3	D	301[B]	ZY7	C6-C1-O20-C23
4	B	401	NAG	O5-C5-C6-O6
4	B	401	NAG	C4-C5-C6-O6
3	B	301	ZY7	C4-C3-O21-C22
3	E	301[B]	ZY7	C6-C1-O20-C23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	301	ZY7	C2-C3-O21-C22
3	E	301[B]	ZY7	C2-C1-O20-C23
3	D	301[B]	ZY7	C15-C14-C9-N10
3	E	301[B]	ZY7	C15-C14-C9-N10
4	B	401	NAG	C8-C7-N2-C2
4	B	401	NAG	O7-C7-N2-C2
3	A	301[B]	ZY7	C19-C14-C9-C8
3	A	301[B]	ZY7	C15-C14-C9-C8
3	D	301[B]	ZY7	C19-C14-C9-C8
3	E	301[B]	ZY7	C15-C14-C9-C8
3	A	301[B]	ZY7	C2-C3-O21-C22
3	B	301	ZY7	C2-C3-O21-C22
3	C	301	ZY7	C4-C3-O21-C22
3	A	301[B]	ZY7	C4-C3-O21-C22
3	A	301[B]	ZY7	C15-C14-C9-N10
3	C	301	ZY7	C15-C14-C9-N10
3	A	301[A]	ZY7	C2-C1-O20-C23
3	B	301	ZY7	C19-C14-C9-C8
3	B	301	ZY7	C15-C14-C9-C8
3	C	301	ZY7	C19-C14-C9-C8
3	A	301[A]	ZY7	C6-C1-O20-C23
3	D	301[B]	ZY7	C19-C14-C9-N10
3	E	301[B]	ZY7	C19-C14-C9-N10
3	C	301	ZY7	C15-C14-C9-C8
3	C	301	ZY7	C2-C1-O20-C23
3	C	301	ZY7	C6-C1-O20-C23
3	B	301	ZY7	C15-C14-C9-N10
3	D	301[A]	ZY7	C15-C14-C9-N10
3	E	301[A]	ZY7	C15-C14-C9-N10
3	B	301	ZY7	C19-C14-C9-N10

There are no ring outliers.

8 monomers are involved in 79 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	301[A]	ZY7	20	0
3	D	301[A]	ZY7	7	0
3	B	301	ZY7	8	0
3	C	301	ZY7	4	0
3	A	301[B]	ZY7	11	0
3	A	301[A]	ZY7	5	0
3	E	301[B]	ZY7	7	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	301[B]	ZY7	17	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	209/228 (91%)	0.71	31 (14%)	5 4	14, 30, 57, 71	12 (5%)
1	B	212/228 (92%)	0.95	30 (14%)	6 5	14, 33, 58, 83	8 (3%)
1	C	214/228 (93%)	1.06	42 (19%)	3 2	15, 32, 59, 79	10 (4%)
1	D	211/228 (92%)	0.65	25 (11%)	9 7	14, 28, 62, 82	8 (3%)
1	E	217/228 (95%)	0.47	16 (7%)	20 19	12, 29, 51, 75	13 (5%)
All	All	1063/1140 (93%)	0.77	144 (13%)	7 5	12, 31, 59, 83	51 (4%)

All (144) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	-7	TYR	7.2
1	C	18	PRO	5.6
1	A	16	ARG	5.1
1	A	18	PRO	5.0
1	A	208	ARG	5.0
1	C	19	MET	5.0
1	B	18	PRO	4.7
1	D	0	LEU	4.6
1	B	207[A]	ARG	4.5
1	A	0	LEU	4.4
1	D	18	PRO	4.4
1	B	15	ASN	4.3
1	B	208	ARG	4.3
1	E	18	PRO	4.2
1	C	17	SER	4.2
1	B	19	MET	4.2
1	B	17	SER	4.1
1	A	15	ASN	4.0
1	B	14	PHE	3.9
1	C	-6	LYS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	17	SER	3.9
1	D	19	MET	3.8
1	C	-4	ASP	3.7
1	C	136	GLU	3.7
1	E	19	MET	3.7
1	A	189	SER	3.7
1	C	-3	ASP	3.6
1	C	0	LEU	3.6
1	B	136	GLU	3.5
1	A	2	SER	3.5
1	A	7	MET	3.4
1	A	4	ALA	3.4
1	D	14	PHE	3.4
1	C	207[A]	ARG	3.4
1	B	-3	ASP	3.4
1	E	208	ARG	3.4
1	C	4	ALA	3.3
1	D	16	ARG	3.3
1	A	72	TYR	3.3
1	C	132	VAL	3.3
1	C	134	SER	3.2
1	D	4	ALA	3.2
1	E	15	ASN	3.1
1	A	1	HIS	3.1
1	A	17	SER	3.1
1	B	191	CYS	3.0
1	D	73	GLY	3.0
1	A	75	ILE	3.0
1	E	0	LEU	2.9
1	D	-2	ASP	2.9
1	E	191	CYS	2.9
1	D	2	SER	2.9
1	D	1	HIS	2.9
1	B	4	ALA	2.9
1	B	132	VAL	2.8
1	D	72	TYR	2.8
1	B	1	HIS	2.8
1	B	70	ASN	2.8
1	D	75	ILE	2.8
1	C	72	TYR	2.7
1	D	74	ASN	2.7
1	B	73	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	16	ARG	2.7
1	E	17	SER	2.7
1	D	132	VAL	2.7
1	A	73	GLY	2.7
1	C	-5	ASP	2.7
1	D	135	GLU	2.7
1	C	73	GLY	2.6
1	C	131	GLY	2.6
1	C	177	LEU	2.6
1	D	6	LEU	2.6
1	C	-2	ASP	2.6
1	C	46	SER	2.6
1	C	16	ARG	2.5
1	D	7	MET	2.5
1	A	190	CYS	2.5
1	C	45	SER	2.5
1	A	136	GLU	2.5
1	E	7	MET	2.5
1	B	72	TYR	2.5
1	C	74	ASN	2.5
1	C	1	HIS	2.5
1	A	19	MET	2.5
1	D	15	ASN	2.4
1	A	6	LEU	2.4
1	A	9	LEU	2.4
1	A	14	PHE	2.4
1	C	14	PHE	2.4
1	E	-4	ASP	2.4
1	B	169	TYR	2.4
1	E	-8	ASP	2.4
1	D	207	ARG	2.3
1	B	55	TYR	2.3
1	B	195	TYR	2.3
1	B	131	GLY	2.3
1	B	189	SER	2.3
1	B	0	LEU	2.3
1	B	194	PRO	2.3
1	C	15	ASN	2.3
1	C	47	THR	2.3
1	C	204	PHE	2.3
1	A	11	SER	2.3
1	E	1	HIS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	190	CYS	2.3
1	C	66	MET	2.3
1	B	-1	LYS	2.3
1	D	69	PRO	2.2
1	C	203	LYS	2.2
1	A	8	ARG	2.2
1	D	8	ARG	2.2
1	C	71	GLU	2.2
1	D	13	LEU	2.2
1	E	-3	ASP	2.2
1	C	152	PHE	2.2
1	B	7[A]	MET	2.2
1	C	50	VAL	2.2
1	D	71	GLU	2.2
1	C	138	ALA	2.2
1	A	188	TYR	2.2
1	A	12	ASP	2.2
1	A	191	CYS	2.2
1	D	192	PRO	2.2
1	C	135	GLU	2.1
1	B	116	MET	2.1
1	A	5	ASN	2.1
1	B	174	TYR	2.1
1	C	55	TYR	2.1
1	A	161	ASP	2.1
1	C	137	GLY	2.1
1	C	20	TYR	2.1
1	C	174	TYR	2.1
1	E	-5	ASP	2.1
1	B	134	SER	2.1
1	A	70	ASN	2.1
1	C	41	VAL	2.1
1	A	69	PRO	2.1
1	C	170	ALA	2.1
1	A	135	GLU	2.0
1	E	20	TYR	2.0
1	C	130	THR	2.0
1	C	139	THR	2.0
1	A	67	TRP	2.0
1	B	13	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	F	1	14/15	0.50	0.17	58,62,66,66	0
2	NAG	F	2	14/15	0.73	0.14	59,61,63,64	0
2	MAN	F	4	11/12	0.73	0.14	55,56,57,58	0
2	BMA	F	3	11/12	0.76	0.13	52,56,59,61	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	B	401	14/15	0.59	0.15	56,60,61,62	0
3	ZY7	B	301	23/23	0.77	0.15	33,42,49,52	0
3	ZY7	E	301[B]	23/23	0.81	0.14	26,30,34,37	23
3	ZY7	E	301[A]	23/23	0.81	0.14	27,30,31,32	23
3	ZY7	D	301[B]	23/23	0.82	0.13	25,31,37,38	23
3	ZY7	D	301[A]	23/23	0.82	0.13	29,34,36,37	23
3	ZY7	C	301	23/23	0.89	0.12	21,26,44,48	0
3	ZY7	A	301[B]	23/23	0.89	0.11	32,37,44,45	23
3	ZY7	A	301[A]	23/23	0.89	0.11	30,35,37,37	23

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZY7 B 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZY7 E 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZY7 E 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZY7 D 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZY7 D 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZY7 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZY7 A 301 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZY7 A 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.