



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:30 AM UTC

PDB ID : 2WNW / pdb_00002wnw
Title : The crystal structure of SrfJ from salmonella typhimurium
Authors : Kim, Y.-G.; Kim, J.-H.; Kim, K.-J.
Deposited on : 2009-07-20
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	% 85% 14%
1	B	447	3% 77% 21%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	B	1446	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 7544 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACTIVATED BY TRANSCRIPTION FACTOR SSRB.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	1
			3568	2249	631	666	22			
1	B	446	Total	C	N	O	S	0	0	1
			3568	2249	631	666	22			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	184	Total	O	0	0
			184	184		
4	B	180	Total	O	0	0
			180	180		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

● Molecule 1: ACTIVATED BY TRANSCRIPTION FACTOR SSRB



● Molecule 1: ACTIVATED BY TRANSCRIPTION FACTOR SSRB



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	92.60Å 162.30Å 169.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	90.2 (30.00-2.00) 98.4 (30.00-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 1.70Å)	Xtriage
Refinement program	CNS 1.12	Depositor
R, R_{free}	0.199 , 0.215 0.181 , 0.203	Depositor DCC
R_{free} test set	6601 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	16.4	Xtriage
Anisotropy	1.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.019 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7544	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	1/3659 (0.0%)	0.89	12/4957 (0.2%)
1	B	0.34	1/3659 (0.0%)	0.89	17/4957 (0.3%)
All	All	0.34	2/7318 (0.0%)	0.89	29/9914 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	445	GLU	C-N	-5.64	1.25	1.33
1	B	445	GLU	C-N	-5.60	1.25	1.33

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	209	SER	N-CA-C	-7.34	101.06	110.53
1	B	209	SER	N-CA-C	-7.30	101.12	110.53
1	B	374	CYS	N-CA-C	7.08	119.86	111.71
1	A	192	SER	N-CA-C	-6.96	98.50	109.50
1	B	392	LEU	N-CA-C	-6.88	104.36	112.89
1	A	92	SER	N-CA-C	6.82	120.11	110.50
1	B	192	SER	N-CA-C	-6.78	98.79	109.50
1	A	144	TRP	N-CA-C	-6.72	105.21	113.41
1	B	92	SER	N-CA-C	6.69	119.93	110.50
1	B	270	TYR	N-CA-C	6.65	120.86	112.87
1	B	144	TRP	N-CA-C	-6.57	105.40	113.41
1	A	34	ILE	N-CA-C	-6.55	96.31	106.72
1	A	374	CYS	N-CA-C	6.50	119.19	111.71
1	B	34	ILE	N-CA-C	-6.25	96.79	106.72
1	B	104	ASP	N-CA-C	6.08	120.57	112.30
1	A	270	TYR	N-CA-C	6.05	120.13	112.87
1	A	254	ALA	N-CA-C	-5.46	105.88	112.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	218	VAL	N-CA-C	5.44	116.93	111.00
1	B	146	PRO	N-CA-C	-5.37	104.15	110.70
1	B	218	VAL	N-CA-C	5.34	116.82	111.00
1	B	199	ALA	N-CA-C	5.26	116.98	108.41
1	A	51	SER	N-CA-C	5.26	118.05	109.59
1	B	254	ALA	N-CA-C	-5.24	106.39	112.89
1	A	199	ALA	N-CA-C	5.15	117.29	108.90
1	A	93	CYS	N-CA-C	-5.13	101.90	109.18
1	B	76	PHE	N-CA-C	5.11	120.15	113.30
1	B	64	SER	N-CA-C	-5.07	103.99	110.53
1	B	245	LEU	N-CA-C	5.04	116.46	110.97
1	B	202	THR	N-CA-C	-5.00	107.01	113.01

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3568	0	3411	46	0
1	B	3568	0	3411	77	0
2	A	10	0	0	1	0
2	B	10	0	0	6	0
3	A	12	0	16	4	0
3	B	12	0	16	0	0
4	A	184	0	0	5	0
4	B	180	0	0	2	0
All	All	7544	0	6854	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:GLN:NE2	1:B:113:ARG:HH12	1.66	0.94
1:B:21:VAL:HG21	1:B:428:ILE:HD11	1.61	0.82
1:B:111:GLN:HE21	1:B:113:ARG:HH12	1.31	0.77
1:A:322:LYS:HD2	1:A:395:GLU:O	1.86	0.75
1:B:81:HIS:HD2	1:B:375:ARG:HH11	1.35	0.75
1:A:111:GLN:NE2	1:A:113:ARG:HH21	1.86	0.73
1:B:116:PHE:O	1:B:120:GLU:HG3	1.89	0.73
1:B:336:ASN:HB2	2:B:1446:PO4:P	2.27	0.73
1:B:336:ASN:HB2	2:B:1446:PO4:O2	1.89	0.71
1:A:336:ASN:C	1:A:336:ASN:HD22	1.97	0.71
1:A:81:HIS:HD2	1:A:375:ARG:HH11	1.37	0.70
1:A:308:ARG:NH1	2:A:1447:PO4:O4	2.27	0.67
1:A:336:ASN:ND2	1:A:340:GLY:H	1.93	0.66
1:B:91:GLN:HE21	1:B:102:TYR:H	1.42	0.66
1:B:182:ARG:NH2	1:B:230:MET:HE2	2.11	0.65
1:A:116:PHE:O	1:A:120:GLU:HG3	1.96	0.65
1:A:4:ARG:HD2	1:A:18:GLU:OE2	1.97	0.64
1:B:394:GLU:OE2	1:B:412:ARG:HD2	1.97	0.64
1:A:91:GLN:HE21	1:A:102:TYR:H	1.45	0.64
1:B:21:VAL:CG2	1:B:428:ILE:HD11	2.28	0.63
1:B:337:SER:H	2:B:1446:PO4:P	2.22	0.61
1:B:7:SER:O	1:B:17:VAL:HG22	2.00	0.60
1:B:91:GLN:NE2	1:B:102:TYR:H	1.97	0.60
1:A:111:GLN:HE22	1:A:113:ARG:HH21	1.49	0.60
1:A:253:PHE:HE2	1:A:265:LEU:HD11	1.67	0.60
3:A:1448:GOL:H32	1:B:388:SER:H	1.65	0.60
1:A:91:GLN:NE2	1:A:102:TYR:H	1.99	0.59
1:B:336:ASN:HB2	2:B:1446:PO4:O4	2.01	0.59
1:B:354:TYR:O	2:B:1446:PO4:O4	2.20	0.59
1:B:28:ARG:HH11	1:B:28:ARG:HB2	1.68	0.59
1:B:189:GLN:HG3	4:B:2072:HOH:O	2.03	0.58
1:A:420:ARG:HD2	1:A:427:GLU:OE2	2.02	0.58
1:A:242:LYS:NZ	1:A:320:ASN:HD21	2.03	0.57
1:B:242:LYS:NZ	1:B:320:ASN:HD21	2.02	0.57
1:A:73:SER:O	1:A:77:SER:HB3	2.05	0.57
1:B:420:ARG:HD2	1:B:427:GLU:OE2	2.06	0.55
1:A:269:TRP:C	1:A:269:TRP:CD1	2.85	0.55
1:A:112:GLY:HA2	4:A:2052:HOH:O	2.06	0.55
1:A:238:TRP:CE2	1:A:240:HIS:HB3	2.43	0.54
1:B:4:ARG:HD2	1:B:18:GLU:OE2	2.07	0.54
1:B:269:TRP:C	1:B:269:TRP:CD1	2.86	0.53
1:B:238:TRP:CE2	1:B:240:HIS:HB3	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:355:ASP:HA	2:B:1446:PO4:O1	2.08	0.53
1:B:70:GLN:O	1:B:74:LEU:HD13	2.08	0.53
1:A:6:ILE:N	1:A:6:ILE:HD12	2.24	0.52
1:B:111:GLN:NE2	1:B:113:ARG:NH1	2.47	0.52
1:A:336:ASN:HD21	1:A:340:GLY:H	1.58	0.52
1:B:28:ARG:HB2	1:B:28:ARG:NH1	2.25	0.51
1:B:242:LYS:HZ2	1:B:320:ASN:HD21	1.58	0.51
1:B:57:GLY:HA3	1:B:122:HIS:O	2.10	0.51
1:A:306:GLN:NE2	1:A:365:HIS:H	2.08	0.50
1:B:260:LYS:NZ	1:B:260:LYS:HB3	2.26	0.50
1:B:94:ASP:HB3	1:B:203:TRP:CG	2.48	0.49
1:B:228:GLN:HB3	1:B:230:MET:HE3	1.93	0.49
1:B:36:VAL:C	1:B:37:LEU:HD12	2.38	0.48
1:A:92:SER:HB3	1:A:100:TYR:CD2	2.49	0.48
1:A:94:ASP:HB3	1:A:203:TRP:CG	2.48	0.48
1:A:336:ASN:C	1:A:336:ASN:ND2	2.70	0.48
1:B:17:VAL:O	1:B:17:VAL:HG23	2.13	0.48
1:B:361:LEU:C	1:B:361:LEU:HD23	2.38	0.48
1:B:52:PHE:HD2	1:B:126:LEU:HD13	1.79	0.47
1:B:163:ARG:HD2	1:B:165:GLU:OE1	2.14	0.47
1:B:331:TRP:CG	1:B:332:ASN:H	2.33	0.47
1:A:222:ARG:HB2	1:A:223:PRO:HD3	1.96	0.47
1:B:6:ILE:HD12	1:B:6:ILE:N	2.29	0.47
1:B:240:HIS:CG	1:B:241:ASP:H	2.33	0.47
1:B:37:LEU:HD12	1:B:37:LEU:N	2.31	0.46
1:B:133:LEU:N	1:B:133:LEU:HD12	2.31	0.46
1:B:111:GLN:HE21	1:B:113:ARG:NH1	2.07	0.46
1:A:108:ASP:OD1	1:A:113:ARG:NH1	2.47	0.46
1:A:116:PHE:CG	1:A:180:GLU:HG2	2.50	0.46
1:A:111:GLN:NE2	1:A:113:ARG:NH2	2.61	0.46
3:A:1448:GOL:H32	1:B:388:SER:N	2.30	0.46
1:B:306:GLN:NE2	1:B:365:HIS:H	2.13	0.46
1:A:108:ASP:OD1	1:A:113:ARG:NH2	2.47	0.46
1:B:92:SER:HB3	1:B:100:TYR:CD2	2.51	0.45
1:B:222:ARG:HB2	1:B:223:PRO:HD3	1.99	0.45
1:A:251:LEU:HD13	4:A:2111:HOH:O	2.16	0.45
1:B:134:ASN:O	1:B:137:MET:HG3	2.17	0.45
1:B:245:LEU:HG	1:B:281:LEU:HD12	1.99	0.45
1:B:306:GLN:HE22	1:B:364:ASN:HB3	1.82	0.45
1:B:355:ASP:OD1	1:B:357:GLN:HB2	2.17	0.45
1:B:81:HIS:CD2	1:B:375:ARG:HH11	2.25	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:91:GLN:HE22	1:B:147:PRO:HG3	1.83	0.44
1:B:391:ASN:C	1:B:391:ASN:HD22	2.25	0.44
1:A:189:GLN:HG3	4:A:2079:HOH:O	2.17	0.44
1:B:4:ARG:HH21	1:B:441:LEU:HD13	1.83	0.43
1:A:81:HIS:CD2	1:A:375:ARG:HH11	2.27	0.43
1:A:37:LEU:N	1:A:37:LEU:HD12	2.33	0.43
1:A:331:TRP:CG	1:A:332:ASN:H	2.36	0.43
1:B:224:ARG:HH11	1:B:224:ARG:HG3	1.82	0.43
1:A:422:LEU:HD11	4:A:2176:HOH:O	2.18	0.43
1:B:81:HIS:HE1	1:B:367:TRP:O	2.01	0.43
1:B:132:ARG:HB3	1:B:132:ARG:CZ	2.49	0.43
1:A:36:VAL:C	1:A:37:LEU:HD12	2.43	0.43
1:B:28:ARG:HH11	1:B:28:ARG:CB	2.32	0.43
1:B:142:SER:HA	1:B:143:PRO:HD3	1.91	0.42
1:A:195:ASN:HD21	3:A:1449:GOL:H31	1.84	0.42
1:A:240:HIS:CG	1:A:241:ASP:H	2.38	0.42
1:B:391:ASN:ND2	4:B:2157:HOH:O	2.51	0.42
1:A:242:LYS:HZ2	1:A:320:ASN:HD21	1.65	0.42
1:A:412:ARG:HH12	1:B:391:ASN:HD21	1.66	0.42
3:A:1449:GOL:H32	4:A:2086:HOH:O	2.19	0.42
1:B:331:TRP:HA	1:B:331:TRP:CE3	2.55	0.42
1:A:91:GLN:HE22	1:A:147:PRO:HG3	1.84	0.41
1:A:57:GLY:HA3	1:A:122:HIS:O	2.20	0.41
1:B:49:GLY:HA3	1:B:85:LEU:O	2.20	0.41
1:A:269:TRP:C	1:A:269:TRP:HD1	2.27	0.41
1:B:90:ILE:O	1:B:91:GLN:HB2	2.21	0.41
1:B:192:SER:HA	1:B:236:TYR:O	2.20	0.41
1:B:90:ILE:HD12	1:B:143:PRO:HG3	2.01	0.41
1:B:331:TRP:HA	1:B:331:TRP:HE3	1.85	0.41
1:B:392:LEU:O	1:B:412:ARG:HG2	2.21	0.41
1:A:331:TRP:CE3	1:A:331:TRP:HA	2.55	0.41
1:B:127:ILE:HG22	1:B:131:LEU:HD22	2.03	0.41
1:B:237:ILE:O	1:B:238:TRP:HB3	2.21	0.41
1:B:269:TRP:C	1:B:269:TRP:HD1	2.28	0.41
1:B:157:ASN:HD22	1:B:203:TRP:C	2.28	0.41
1:B:109:LEU:HD11	1:B:169:ASP:HB3	2.03	0.40
1:A:108:ASP:CG	1:A:113:ARG:HH12	2.28	0.40
1:A:331:TRP:HA	1:A:331:TRP:HE3	1.86	0.40
1:B:253:PHE:HE2	1:B:265:LEU:HD11	1.86	0.40
1:B:392:LEU:HD23	1:B:392:LEU:HA	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/447 (99%)	432 (97%)	10 (2%)	2 (0%)	24	21
1	B	444/447 (99%)	434 (98%)	8 (2%)	2 (0%)	24	21
All	All	888/894 (99%)	866 (98%)	18 (2%)	4 (0%)	24	21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	331	TRP
1	A	238	TRP
1	B	238	TRP
1	A	331	TRP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	381/383 (100%)	375 (98%)	6 (2%)	55	62
1	B	381/383 (100%)	373 (98%)	8 (2%)	47	52
All	All	762/766 (100%)	748 (98%)	14 (2%)	51	58

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	LEU
1	A	126	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	131	LEU
1	A	251	LEU
1	A	331	TRP
1	A	336	ASN
1	B	109	LEU
1	B	126	LEU
1	B	131	LEU
1	B	161	LYS
1	B	231	ASP
1	B	331	TRP
1	B	391	ASN
1	B	422	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	79	GLN
1	A	81	HIS
1	A	91	GLN
1	A	99	ASN
1	A	111	GLN
1	A	154	ASN
1	A	157	ASN
1	A	176	ASN
1	A	189	GLN
1	A	228	GLN
1	A	283	GLN
1	A	306	GLN
1	A	320	ASN
1	A	336	ASN
1	A	357	GLN
1	A	364	ASN
1	B	81	HIS
1	B	91	GLN
1	B	99	ASN
1	B	111	GLN
1	B	157	ASN
1	B	184	HIS
1	B	189	GLN
1	B	228	GLN
1	B	283	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	306	GLN
1	B	320	ASN
1	B	344	GLN
1	B	364	ASN
1	B	391	ASN
1	B	415	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	B	1449	-	5,5,5	0.51	0	5,5,5	0.58	0
2	PO4	A	1446	-	4,4,4	1.69	0	6,6,6	0.46	0
3	GOL	A	1448	-	5,5,5	0.63	0	5,5,5	0.54	0
2	PO4	B	1447	-	4,4,4	1.71	1 (25%)	6,6,6	0.46	0
2	PO4	B	1446	-	4,4,4	1.96	2 (50%)	6,6,6	0.44	0
3	GOL	B	1448	-	5,5,5	0.77	0	5,5,5	0.68	0
3	GOL	A	1449	-	5,5,5	0.80	0	5,5,5	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	1447	-	4,4,4	2.22	3 (75%)	6,6,6	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	1448	-	-	0/4/4/4	-
3	GOL	B	1449	-	-	0/4/4/4	-
3	GOL	A	1448	-	-	2/4/4/4	-
3	GOL	A	1449	-	-	0/4/4/4	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1447	PO4	P-O4	-2.91	1.46	1.54
2	B	1446	PO4	P-O4	-2.48	1.47	1.54
2	A	1447	PO4	P-O2	-2.29	1.48	1.54
2	B	1446	PO4	P-O3	-2.13	1.48	1.54
2	B	1447	PO4	P-O4	-2.03	1.48	1.54
2	A	1447	PO4	P-O3	-2.02	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1448	GOL	O1-C1-C2-C3
3	A	1448	GOL	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1448	GOL	2	0
2	B	1446	PO4	6	0
3	A	1449	GOL	2	0
2	A	1447	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/447 (99%)	-0.16	6 (1%) 75 74	14, 20, 34, 45	0
1	B	446/447 (99%)	-0.08	12 (2%) 56 55	13, 21, 33, 42	0
All	All	892/894 (99%)	-0.12	18 (2%) 65 64	13, 21, 34, 45	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	ARG	2.7
1	A	357	GLN	2.6
1	A	446	SER	2.5
1	A	28	ARG	2.5
1	A	231	ASP	2.4
1	B	21	VAL	2.4
1	A	104	ASP	2.4
1	B	358	ASN	2.3
1	B	104	ASP	2.3
1	B	446	SER	2.2
1	B	183	ARG	2.2
1	B	231	ASP	2.2
1	B	28	ARG	2.2
1	B	260	LYS	2.2
1	B	254	ALA	2.2
1	B	113	ARG	2.1
1	B	17	VAL	2.0
1	B	22	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	B	1446	5/5	0.71	0.35	83,83,84,84	0
2	PO4	A	1447	5/5	0.72	0.33	77,78,79,80	0
3	GOL	B	1449	6/6	0.73	0.24	45,46,47,51	0
3	GOL	B	1448	6/6	0.83	0.19	23,28,34,39	0
3	GOL	A	1449	6/6	0.83	0.18	22,26,31,35	0
3	GOL	A	1448	6/6	0.85	0.19	28,34,36,40	0
2	PO4	A	1446	5/5	0.94	0.09	27,28,29,30	0
2	PO4	B	1447	5/5	0.97	0.07	25,26,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.