



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 01:09 PM UTC

PDB ID : 4WNV / pdb_00004wnv
Title : Human Cytochrome P450 2D6 Quinine Complex
Authors : Wang, A.; Stout, C.D.; Johnson, E.F.
Deposited on : 2014-10-14
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	8% 86% 11% .
1	B	479	8% 83% 11% 5%
1	C	479	6% 84% 10% 5%
1	D	479	8% 85% 10% 5%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2D6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	464	Total	C	N	O	S	0	0	0
			3665	2352	649	650	14			
1	B	455	Total	C	N	O	S	0	0	0
			3606	2313	639	640	14			
1	C	454	Total	C	N	O	S	0	0	0
			3590	2301	637	638	14			
1	D	453	Total	C	N	O	S	0	0	0
			3588	2299	637	638	14			

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	initiating methionine	UNP P10635
A	24	ALA	-	expression tag	UNP P10635
A	25	LYS	-	expression tag	UNP P10635
A	26	LYS	-	expression tag	UNP P10635
A	27	THR	-	expression tag	UNP P10635
A	28	SER	-	expression tag	UNP P10635
A	29	SER	-	expression tag	UNP P10635
A	30	LYS	-	expression tag	UNP P10635
A	31	GLY	-	expression tag	UNP P10635
A	32	LYS	-	expression tag	UNP P10635
A	33	LEU	-	expression tag	UNP P10635
A	34	PRO	-	expression tag	UNP P10635
A	35	PRO	-	expression tag	UNP P10635
A	36	GLY	-	expression tag	UNP P10635
A	37	PRO	-	expression tag	UNP P10635
A	38	LEU	-	expression tag	UNP P10635
A	39	PRO	-	expression tag	UNP P10635
A	40	LEU	-	expression tag	UNP P10635
A	41	PRO	-	expression tag	UNP P10635
A	42	GLY	-	expression tag	UNP P10635
A	43	LEU	-	expression tag	UNP P10635

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	44	GLY	-	expression tag	UNP P10635
A	45	ASN	-	expression tag	UNP P10635
A	46	LEU	-	expression tag	UNP P10635
A	47	LEU	-	expression tag	UNP P10635
A	498	HIS	-	expression tag	UNP P10635
A	499	HIS	-	expression tag	UNP P10635
A	500	HIS	-	expression tag	UNP P10635
A	501	HIS	-	expression tag	UNP P10635
B	23	MET	-	initiating methionine	UNP P10635
B	24	ALA	-	expression tag	UNP P10635
B	25	LYS	-	expression tag	UNP P10635
B	26	LYS	-	expression tag	UNP P10635
B	27	THR	-	expression tag	UNP P10635
B	28	SER	-	expression tag	UNP P10635
B	29	SER	-	expression tag	UNP P10635
B	30	LYS	-	expression tag	UNP P10635
B	31	GLY	-	expression tag	UNP P10635
B	32	LYS	-	expression tag	UNP P10635
B	33	LEU	-	expression tag	UNP P10635
B	34	PRO	-	expression tag	UNP P10635
B	35	PRO	-	expression tag	UNP P10635
B	36	GLY	-	expression tag	UNP P10635
B	37	PRO	-	expression tag	UNP P10635
B	38	LEU	-	expression tag	UNP P10635
B	39	PRO	-	expression tag	UNP P10635
B	40	LEU	-	expression tag	UNP P10635
B	41	PRO	-	expression tag	UNP P10635
B	42	GLY	-	expression tag	UNP P10635
B	43	LEU	-	expression tag	UNP P10635
B	44	GLY	-	expression tag	UNP P10635
B	45	ASN	-	expression tag	UNP P10635
B	46	LEU	-	expression tag	UNP P10635
B	47	LEU	-	expression tag	UNP P10635
B	498	HIS	-	expression tag	UNP P10635
B	499	HIS	-	expression tag	UNP P10635
B	500	HIS	-	expression tag	UNP P10635
B	501	HIS	-	expression tag	UNP P10635
C	23	MET	-	initiating methionine	UNP P10635
C	24	ALA	-	expression tag	UNP P10635
C	25	LYS	-	expression tag	UNP P10635
C	26	LYS	-	expression tag	UNP P10635
C	27	THR	-	expression tag	UNP P10635

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	28	SER	-	expression tag	UNP P10635
C	29	SER	-	expression tag	UNP P10635
C	30	LYS	-	expression tag	UNP P10635
C	31	GLY	-	expression tag	UNP P10635
C	32	LYS	-	expression tag	UNP P10635
C	33	LEU	-	expression tag	UNP P10635
C	34	PRO	-	expression tag	UNP P10635
C	35	PRO	-	expression tag	UNP P10635
C	36	GLY	-	expression tag	UNP P10635
C	37	PRO	-	expression tag	UNP P10635
C	38	LEU	-	expression tag	UNP P10635
C	39	PRO	-	expression tag	UNP P10635
C	40	LEU	-	expression tag	UNP P10635
C	41	PRO	-	expression tag	UNP P10635
C	42	GLY	-	expression tag	UNP P10635
C	43	LEU	-	expression tag	UNP P10635
C	44	GLY	-	expression tag	UNP P10635
C	45	ASN	-	expression tag	UNP P10635
C	46	LEU	-	expression tag	UNP P10635
C	47	LEU	-	expression tag	UNP P10635
C	498	HIS	-	expression tag	UNP P10635
C	499	HIS	-	expression tag	UNP P10635
C	500	HIS	-	expression tag	UNP P10635
C	501	HIS	-	expression tag	UNP P10635
D	23	MET	-	initiating methionine	UNP P10635
D	24	ALA	-	expression tag	UNP P10635
D	25	LYS	-	expression tag	UNP P10635
D	26	LYS	-	expression tag	UNP P10635
D	27	THR	-	expression tag	UNP P10635
D	28	SER	-	expression tag	UNP P10635
D	29	SER	-	expression tag	UNP P10635
D	30	LYS	-	expression tag	UNP P10635
D	31	GLY	-	expression tag	UNP P10635
D	32	LYS	-	expression tag	UNP P10635
D	33	LEU	-	expression tag	UNP P10635
D	34	PRO	-	expression tag	UNP P10635
D	35	PRO	-	expression tag	UNP P10635
D	36	GLY	-	expression tag	UNP P10635
D	37	PRO	-	expression tag	UNP P10635
D	38	LEU	-	expression tag	UNP P10635
D	39	PRO	-	expression tag	UNP P10635
D	40	LEU	-	expression tag	UNP P10635

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	41	PRO	-	expression tag	UNP P10635
D	42	GLY	-	expression tag	UNP P10635
D	43	LEU	-	expression tag	UNP P10635
D	44	GLY	-	expression tag	UNP P10635
D	45	ASN	-	expression tag	UNP P10635
D	46	LEU	-	expression tag	UNP P10635
D	47	LEU	-	expression tag	UNP P10635
D	498	HIS	-	expression tag	UNP P10635
D	499	HIS	-	expression tag	UNP P10635
D	500	HIS	-	expression tag	UNP P10635
D	501	HIS	-	expression tag	UNP P10635

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is Quinine (CCD ID: QI9) (formula: $C_{20}H_{24}N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			24	20	2	2		
3	B	1	Total	C	N	O	0	0
			24	20	2	2		
3	C	1	Total	C	N	O	0	0
			24	20	2	2		
3	D	1	Total	C	N	O	0	0
			24	20	2	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Zn 3 3	0	0
5	B	1	Total Zn 1 1	0	0
5	C	2	Total Zn 2 2	0	0
5	D	1	Total Zn 1 1	0	0

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Na 1 1	0	0
6	D	1	Total Na 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	96	Total O 96 96	0	0
7	B	65	Total O 65 65	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	79	Total	O	0	0
			79	79		
7	D	56	Total	O	0	0
			56	56		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome P450 2D6




• Molecule 1: Cytochrome P450 2D6





• Molecule 1: Cytochrome P450 2D6





● Molecule 1: Cytochrome P450 2D6



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.57Å 192.70Å 249.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.43 – 2.35 35.43 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.4 (35.43-2.35) 98.2 (35.43-2.35)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.30 (at 2.34Å)	Xtrriage
Refinement program	PHENIX 1.9	Depositor
R, R_{free}	0.202 , 0.238 0.208 , 0.242	Depositor DCC
R_{free} test set	5762 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	26.5	Xtrriage
Anisotropy	0.874	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	15064	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.65 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.7150e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, GOL, QI9, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/3763	0.83	6/5116 (0.1%)
1	B	0.50	0/3703	0.80	1/5034 (0.0%)
1	C	0.52	0/3686	0.83	9/5011 (0.2%)
1	D	0.48	0/3683	0.81	2/5006 (0.0%)
All	All	0.51	0/14835	0.82	18/20167 (0.1%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	434	LEU	CA-C-N	-6.71	112.89	119.87
1	A	434	LEU	C-N-CA	-6.71	112.89	119.87
1	A	199	ASP	CA-C-N	6.47	125.97	119.24
1	A	199	ASP	C-N-CA	6.47	125.97	119.24
1	C	446	GLU	CA-C-N	-6.25	112.57	119.19
1	C	446	GLU	C-N-CA	-6.25	112.57	119.19
1	C	199	ASP	CA-C-N	6.10	125.59	119.24
1	C	199	ASP	C-N-CA	6.10	125.59	119.24
1	C	411	LYS	CA-C-N	5.71	125.39	119.56
1	C	411	LYS	C-N-CA	5.71	125.39	119.56
1	C	434	LEU	CA-C-N	-5.58	114.06	119.87
1	C	434	LEU	C-N-CA	-5.58	114.06	119.87
1	C	74	ALA	CB-CA-C	-5.41	110.36	116.63
1	D	370	VAL	CA-C-N	5.18	124.35	118.97
1	D	370	VAL	C-N-CA	5.18	124.35	118.97
1	A	411	LYS	CA-C-N	5.10	124.89	119.28
1	A	411	LYS	C-N-CA	5.10	124.89	119.28
1	B	408	VAL	N-CA-C	5.07	115.30	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3665	0	3658	30	0
1	B	3606	0	3592	38	0
1	C	3590	0	3578	29	0
1	D	3588	0	3576	28	0
2	A	43	0	30	4	0
2	B	43	0	30	4	0
2	C	43	0	30	4	0
2	D	43	0	30	4	0
3	A	24	0	24	2	0
3	B	24	0	24	3	0
3	C	24	0	24	1	0
3	D	24	0	24	3	0
4	A	12	0	16	1	0
4	B	12	0	16	0	0
4	C	12	0	16	1	0
4	D	6	0	8	0	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	A	96	0	0	1	0
7	B	65	0	0	3	0
7	C	79	0	0	1	0
7	D	56	0	0	2	0
All	All	15064	0	14676	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:224:LEU:HG	1:D:240:VAL:HG11	1.62	0.80
1:C:324:HIS:HE1	1:C:477:HIS:HE1	1.37	0.72
1:D:201:ARG:HD3	1:D:254:LEU:HD21	1.73	0.70
1:B:122:ALA:O	1:B:441:ARG:NH2	2.23	0.69
1:B:166:ASN:O	1:B:170:ARG:NH2	2.30	0.63
1:D:369:ILE:HG13	1:D:370:VAL:HG23	1.80	0.63
1:A:46:LEU:HD21	1:A:74:ALA:H	1.66	0.60
1:A:369:ILE:HG13	1:A:370:VAL:HG23	1.83	0.59
1:D:483:PHE:HB3	3:D:602:QI9:H24	1.85	0.59
1:D:480:VAL:O	7:D:710:HOH:O	2.17	0.58
2:C:601:HEM:HMB2	2:C:601:HEM:HBB2	1.84	0.58
1:C:324:HIS:CE1	1:C:477:HIS:HE1	2.20	0.57
1:C:443:CYS:HB2	2:C:601:HEM:NA	2.19	0.57
1:A:89:GLU:OE2	7:A:701:HOH:O	2.17	0.56
1:B:307:MET:HB3	7:B:713:HOH:O	2.06	0.56
1:A:356:THR:HG21	1:A:458:THR:HG22	1.88	0.56
1:A:222:GLU:OE2	4:A:603:GOL:H12	2.05	0.56
1:B:472:GLN:O	7:B:701:HOH:O	2.17	0.56
1:D:445:GLY:HA3	2:D:601:HEM:C3C	2.42	0.55
1:B:266:GLN:HG3	1:B:267:PRO:HD2	1.89	0.55
2:D:601:HEM:HMB2	2:D:601:HEM:HBB2	1.88	0.55
1:A:53:ASN:ND2	1:D:64:ARG:HH21	2.07	0.54
1:B:369:ILE:HG13	1:B:370:VAL:HG23	1.90	0.53
1:B:167:HIS:HA	1:B:170:ARG:NH2	2.23	0.53
1:C:324:HIS:HE1	1:C:477:HIS:CE1	2.22	0.53
1:A:38:LEU:HD12	1:A:39:PRO:HD2	1.91	0.52
1:B:32:LYS:HG3	1:B:388:ARG:HB2	1.91	0.52
1:D:91:LEU:HD11	1:D:397:THR:HG21	1.91	0.52
1:D:120:PHE:CD2	3:D:602:QI9:H12	2.45	0.52
1:B:227:VAL:HG12	1:B:229:VAL:HG12	1.93	0.51
1:D:227:VAL:HG12	1:D:229:VAL:HG12	1.91	0.51
1:B:448:LEU:HD23	2:B:601:HEM:HBC2	1.91	0.51
1:A:211:GLU:OE2	1:A:214:LYS:NZ	2.42	0.51
1:D:347:MET:HG3	1:D:451:MET:HE2	1.94	0.50
1:B:91:LEU:HD11	1:B:397:THR:HG21	1.93	0.50
1:A:326:ASP:OD1	1:A:326:ASP:N	2.45	0.50
1:D:276:LEU:HA	1:D:279:MET:HE3	1.92	0.50
1:A:316:TRP:CD1	1:A:487:PRO:HD3	2.47	0.49
1:B:59:ASP:O	1:B:63:ARG:HG2	2.13	0.49
1:C:109:ILE:HD11	1:C:231:LEU:HD22	1.94	0.49
1:B:120:PHE:CD2	3:B:602:QI9:H12	2.48	0.49
1:C:316:TRP:CD1	1:C:487:PRO:HD3	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:339:ILE:HA	1:A:343:ARG:HH12	1.77	0.48
2:A:601:HEM:HMB1	2:A:601:HEM:HBB2	1.94	0.48
1:A:91:LEU:HD11	1:A:397:THR:HG21	1.95	0.48
1:B:483:PHE:HB3	3:B:602:QI9:H24	1.95	0.48
1:C:64:ARG:HD2	1:C:65:PHE:CE1	2.48	0.48
1:C:323:LEU:HD13	1:C:477:HIS:CD2	2.49	0.48
1:B:424:GLN:O	1:D:424:GLN:HG3	2.13	0.47
1:C:180:LYS:HE2	1:C:203:LEU:HD21	1.95	0.47
1:D:216:GLU:O	1:D:221:ARG:HD3	2.14	0.47
1:A:64:ARG:HD2	1:A:65:PHE:CE1	2.50	0.47
1:A:381:ASP:OD1	1:A:391:LYS:N	2.38	0.47
1:D:316:TRP:CD1	1:D:487:PRO:HD3	2.49	0.47
1:C:324:HIS:CE1	1:C:477:HIS:CE1	3.02	0.47
1:C:436:PHE:HB3	1:C:443:CYS:HB3	1.97	0.46
1:B:224:LEU:HD12	1:B:240:VAL:HG11	1.97	0.46
1:D:144:LEU:HD12	1:D:145:GLY:N	2.30	0.46
1:C:448:LEU:HD23	2:C:601:HEM:HBC2	1.97	0.46
1:A:152:TRP:CD2	1:A:188:SER:HB3	2.50	0.46
1:B:224:LEU:CD1	1:B:240:VAL:HG11	2.45	0.46
4:C:603:GOL:O2	4:C:604:GOL:H11	2.16	0.46
1:A:120:PHE:HE2	1:A:374:VAL:HG11	1.81	0.46
1:B:56:TYR:CD1	1:C:60:GLN:HG3	2.51	0.46
1:B:173:ARG:NH1	1:B:489:PRO:HB3	2.31	0.45
1:D:97:ASP:OD2	1:D:380:ARG:HD3	2.16	0.45
1:D:110:LEU:HD21	1:D:241:LEU:HD13	1.97	0.45
1:B:445:GLY:HA3	2:B:601:HEM:C3C	2.51	0.45
1:D:60:GLN:HB3	1:D:64:ARG:NH2	2.32	0.45
1:A:448:LEU:HD23	2:A:601:HEM:HBC2	1.99	0.45
1:B:236:LEU:O	1:B:240:VAL:HG13	2.16	0.45
1:C:369:ILE:HG13	1:C:370:VAL:HG23	1.99	0.45
1:A:227:VAL:HG12	1:A:229:VAL:HG22	1.99	0.45
1:A:219:PHE:O	1:A:222:GLU:HB2	2.17	0.45
1:D:409:TRP:O	1:D:412:PRO:HD3	2.17	0.45
1:A:445:GLY:HA3	2:A:601:HEM:C3C	2.52	0.44
1:D:307:MET:HB3	7:D:707:HOH:O	2.17	0.44
1:A:437:SER:HB3	2:A:601:HEM:HBA1	1.99	0.44
1:B:437:SER:HB3	2:B:601:HEM:HBA1	1.99	0.44
1:D:52:GLN:OE1	1:D:481:PHE:HB3	2.18	0.44
1:B:406:GLU:O	7:B:746:HOH:O	2.20	0.44
1:C:91:LEU:HD11	1:C:397:THR:HG21	1.98	0.44
1:C:339:ILE:HD13	1:C:345:PRO:HB3	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356:THR:HG21	1:C:458:THR:HG22	1.99	0.44
1:A:270:ASP:OD1	1:A:273:GLU:HG3	2.18	0.44
1:B:106:ILE:HG22	1:B:231:LEU:HD21	1.98	0.44
1:C:193:ARG:NH1	7:C:702:HOH:O	2.48	0.44
1:B:54:THR:HB	1:B:55:PRO:HD3	2.00	0.43
1:B:224:LEU:HD13	1:B:231:LEU:HD23	2.00	0.43
1:C:445:GLY:HA3	2:C:601:HEM:C3C	2.53	0.43
1:D:446:GLU:HB3	1:D:447:PRO:HD3	1.99	0.43
1:A:220:LEU:HD23	1:A:220:LEU:HA	1.75	0.43
1:A:275:PHE:HE2	1:A:279:MET:HE2	1.84	0.43
1:A:275:PHE:CE2	1:A:279:MET:HE2	2.53	0.43
1:C:199:ASP:HA	1:C:200:PRO:HD3	1.88	0.43
1:A:120:PHE:CD2	3:A:602:QI9:H12	2.53	0.43
1:A:107:THR:HB	1:A:112:PHE:CD2	2.54	0.42
1:C:262:TRP:O	1:C:264:PRO:HD3	2.18	0.42
1:C:270:ASP:OD1	1:C:273:GLU:HG3	2.19	0.42
1:A:275:PHE:CD2	1:A:295:LEU:HD13	2.53	0.42
1:A:422:ASP:CB	1:C:424:GLN:HG3	2.49	0.42
1:B:56:TYR:HD1	1:C:60:GLN:HG3	1.84	0.42
1:B:204:ARG:CZ	1:B:208:LEU:HD11	2.50	0.42
1:B:355:TYR:O	1:B:359:VAL:HG23	2.19	0.42
2:D:601:HEM:HMC2	2:D:601:HEM:HBC2	2.02	0.42
3:A:602:QI9:H13	3:A:602:QI9:H10	1.83	0.42
1:B:140:ARG:O	1:B:144:LEU:HD13	2.19	0.42
1:D:221:ARG:HA	1:D:224:LEU:HB2	2.02	0.42
1:D:448:LEU:HD23	2:D:601:HEM:HBC2	2.01	0.42
1:B:100:ASP:HA	1:B:124:TYR:HB2	2.02	0.41
1:B:283:LYS:HB3	1:B:283:LYS:HE2	1.85	0.41
1:D:152:TRP:CD2	1:D:188:SER:HB3	2.56	0.41
3:D:602:QI9:H13	3:D:602:QI9:H10	1.92	0.41
3:C:602:QI9:H13	3:C:602:QI9:H10	1.79	0.41
1:D:495:VAL:HA	1:D:496:PRO:HD3	1.91	0.41
1:A:167:HIS:HE1	1:A:177:LEU:HD11	1.86	0.41
1:C:152:TRP:CD2	1:C:188:SER:HB3	2.55	0.41
1:B:220:LEU:O	1:B:224:LEU:HG	2.21	0.41
1:B:319:LEU:O	1:B:322:ILE:HG12	2.20	0.41
1:B:356:THR:HG21	1:B:458:THR:HG22	2.02	0.41
1:B:483:PHE:CG	3:B:602:QI9:H24	2.56	0.41
1:B:443:CYS:HB2	2:B:601:HEM:NA	2.35	0.40
1:C:106:ILE:HD13	1:C:221:ARG:HG3	2.03	0.40
1:C:275:PHE:HE2	1:C:279:MET:HE2	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:HIS:HA	1:B:170:ARG:HH21	1.86	0.40
1:C:267:PRO:HA	1:C:268:PRO:HD3	1.95	0.40
1:C:149:LEU:HD23	1:C:152:TRP:HE3	1.87	0.40
1:D:468:VAL:HA	1:D:469:PRO:HD3	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/479 (96%)	448 (97%)	12 (3%)	0	100	100
1	B	451/479 (94%)	443 (98%)	8 (2%)	0	100	100
1	C	450/479 (94%)	438 (97%)	12 (3%)	0	100	100
1	D	449/479 (94%)	440 (98%)	9 (2%)	0	100	100
All	All	1810/1916 (94%)	1769 (98%)	41 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/409 (97%)	391 (99%)	4 (1%)	68	81
1	B	389/409 (95%)	384 (99%)	5 (1%)	61	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	387/409 (95%)	381 (98%)	6 (2%)	55	70
1	D	387/409 (95%)	384 (99%)	3 (1%)	73	84
All	All	1558/1636 (95%)	1540 (99%)	18 (1%)	63	77

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	224	LEU
1	A	341	GLN
1	A	389	ILE
1	A	484	LEU
1	B	32	LYS
1	B	342	VAL
1	B	461	LEU
1	B	468	VAL
1	B	492	LEU
1	C	148	SER
1	C	240	VAL
1	C	251	LEU
1	C	341	GLN
1	C	342	VAL
1	C	370	VAL
1	D	96	GLU
1	D	210	GLN
1	D	259	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	167	HIS
1	A	333	GLN
1	B	94	HIS
1	B	250	GLN
1	B	341	GLN
1	C	94	HIS
1	C	210	GLN
1	C	324	HIS
1	C	477	HIS
1	C	478	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	291	ASN
1	D	333	GLN
1	D	341	GLN
1	D	478	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 9 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	QI9	A	602	-	27,27,27	0.20	0	39,39,39	0.39	0
2	HEM	C	601	7,1	50,50,50	1.48	6 (12%)	67,82,82	1.13	4 (5%)
2	HEM	A	601	7,1	50,50,50	1.55	7 (14%)	67,82,82	1.22	8 (11%)
2	HEM	B	601	7,1	50,50,50	1.37	6 (12%)	67,82,82	1.26	7 (10%)
4	GOL	B	603	-	5,5,5	0.35	0	5,5,5	0.23	0
4	GOL	B	604	-	5,5,5	0.31	0	5,5,5	0.35	0
4	GOL	A	604	-	5,5,5	0.34	0	5,5,5	0.48	0
2	HEM	D	601	7,1	50,50,50	1.43	6 (12%)	67,82,82	1.28	10 (14%)
3	QI9	C	602	-	27,27,27	0.22	0	39,39,39	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	C	603	-	5,5,5	0.32	0	5,5,5	0.44	0
3	QI9	B	602	-	27,27,27	0.27	0	39,39,39	0.51	0
4	GOL	C	604	-	5,5,5	0.40	0	5,5,5	0.32	0
4	GOL	D	603	-	5,5,5	0.40	0	5,5,5	0.26	0
4	GOL	A	603	-	5,5,5	0.34	0	5,5,5	0.62	0
3	QI9	D	602	-	27,27,27	0.21	0	39,39,39	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	QI9	A	602	-	-	0/12/33/33	0/5/4/4
2	HEM	C	601	7,1	-	3/14/54/54	-
2	HEM	A	601	7,1	-	3/14/54/54	-
2	HEM	B	601	7,1	-	3/14/54/54	-
4	GOL	B	603	-	-	3/4/4/4	-
4	GOL	B	604	-	-	2/4/4/4	-
4	GOL	A	604	-	-	0/4/4/4	-
2	HEM	D	601	7,1	-	2/14/54/54	-
3	QI9	C	602	-	-	0/12/33/33	0/5/4/4
4	GOL	C	603	-	-	2/4/4/4	-
3	QI9	B	602	-	-	0/12/33/33	0/5/4/4
4	GOL	C	604	-	-	0/4/4/4	-
4	GOL	D	603	-	-	2/4/4/4	-
4	GOL	A	603	-	-	2/4/4/4	-
3	QI9	D	602	-	-	0/12/33/33	0/5/4/4

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEM	FE-NA	4.86	2.11	1.95
2	D	601	HEM	FE-ND	4.35	2.08	1.94
2	B	601	HEM	FE-NB	4.25	2.08	1.94
2	C	601	HEM	FE-ND	4.23	2.07	1.94
2	A	601	HEM	FE-ND	4.22	2.07	1.94
2	B	601	HEM	FE-ND	4.07	2.07	1.94
2	D	601	HEM	FE-NB	4.01	2.07	1.94
2	C	601	HEM	FE-NB	3.99	2.07	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	HEM	FE-NC	3.98	2.08	1.95
2	A	601	HEM	FE-NB	3.67	2.06	1.94
2	A	601	HEM	FE-NC	3.52	2.06	1.95
2	D	601	HEM	FE-NA	3.44	2.06	1.95
2	B	601	HEM	FE-NC	3.38	2.06	1.95
2	D	601	HEM	FE-NC	3.24	2.05	1.95
2	A	601	HEM	CAB-C3B	3.13	1.55	1.47
2	D	601	HEM	CAC-C3C	3.01	1.55	1.47
2	C	601	HEM	CAB-C3B	2.99	1.55	1.47
2	A	601	HEM	CAC-C3C	2.92	1.55	1.47
2	C	601	HEM	CAC-C3C	2.88	1.55	1.47
2	B	601	HEM	CAC-C3C	2.81	1.54	1.47
2	D	601	HEM	CAB-C3B	2.80	1.54	1.47
2	B	601	HEM	FE-NA	2.70	2.04	1.95
2	B	601	HEM	CAB-C3B	2.62	1.54	1.47
2	A	601	HEM	C2A-C3A	-2.52	1.32	1.38
2	C	601	HEM	FE-NA	2.42	2.03	1.95

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	HEM	C1B-NB-C4B	3.29	109.10	105.21
2	D	601	HEM	C1B-NB-C4B	3.22	109.02	105.21
2	B	601	HEM	C4D-ND-C1D	3.07	108.84	105.21
2	C	601	HEM	C1B-NB-C4B	2.99	108.75	105.21
2	D	601	HEM	CAA-CBA-CGA	-2.80	106.23	113.67
2	B	601	HEM	C1B-NB-C4B	2.80	108.52	105.21
2	B	601	HEM	C3D-C4D-ND	-2.62	107.30	110.17
2	D	601	HEM	C2A-C1A-NA	-2.54	107.33	110.15
2	A	601	HEM	C4D-ND-C1D	2.51	108.18	105.21
2	D	601	HEM	CHC-C4B-NB	2.44	127.05	124.42
2	A	601	HEM	C3D-C4D-ND	-2.40	107.54	110.17
2	D	601	HEM	C3B-C4B-NB	-2.37	107.76	109.47
2	A	601	HEM	C2B-C1B-NB	-2.37	107.12	109.84
2	D	601	HEM	CBD-CAD-C3D	-2.35	106.05	112.53
2	D	601	HEM	C4D-ND-C1D	2.34	107.98	105.21
2	B	601	HEM	C3B-C4B-NB	-2.30	107.82	109.47
2	B	601	HEM	CBD-CAD-C3D	-2.29	106.21	112.53
2	C	601	HEM	C4D-ND-C1D	2.28	107.90	105.21
2	D	601	HEM	C2B-C1B-NB	-2.27	107.23	109.84
2	A	601	HEM	CBD-CAD-C3D	-2.26	106.29	112.53
2	D	601	HEM	C3D-C4D-ND	-2.21	107.75	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	HEM	C3B-C2B-C1B	2.20	108.07	106.41
2	B	601	HEM	C2A-C1A-NA	-2.12	107.81	110.15
2	A	601	HEM	C3B-C2B-C1B	2.07	107.96	106.41
2	A	601	HEM	CAA-CBA-CGA	-2.06	108.21	113.67
2	C	601	HEM	CAA-CBA-CGA	-2.06	108.21	113.67
2	B	601	HEM	C2D-C1D-ND	-2.05	107.54	109.90
2	C	601	HEM	C3B-C4B-NB	-2.02	108.02	109.47
2	A	601	HEM	C3B-C4B-NB	-2.00	108.03	109.47

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	603	GOL	O1-C1-C2-O2
4	A	603	GOL	O1-C1-C2-C3
4	B	604	GOL	O1-C1-C2-C3
4	D	603	GOL	O1-C1-C2-C3
4	B	603	GOL	O1-C1-C2-C3
4	B	603	GOL	C1-C2-C3-O3
4	C	603	GOL	O1-C1-C2-C3
4	B	603	GOL	O2-C2-C3-O3
4	C	603	GOL	O1-C1-C2-O2
4	B	604	GOL	O1-C1-C2-O2
4	D	603	GOL	O1-C1-C2-O2
2	A	601	HEM	CAA-CBA-CGA-O2A
2	C	601	HEM	CAA-CBA-CGA-O2A
2	D	601	HEM	CAA-CBA-CGA-O2A
2	A	601	HEM	CAA-CBA-CGA-O1A
2	C	601	HEM	CAA-CBA-CGA-O1A
2	B	601	HEM	CAA-CBA-CGA-O2A
2	B	601	HEM	CAA-CBA-CGA-O1A
2	D	601	HEM	CAA-CBA-CGA-O1A
2	C	601	HEM	CAD-CBD-CGD-O2D
2	A	601	HEM	CAD-CBD-CGD-O2D
2	B	601	HEM	CAD-CBD-CGD-O2D

There are no ring outliers.

11 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	QI9	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	601	HEM	4	0
2	A	601	HEM	4	0
2	B	601	HEM	4	0
2	D	601	HEM	4	0
3	C	602	QI9	1	0
4	C	603	GOL	1	0
3	B	602	QI9	3	0
4	C	604	GOL	1	0
4	A	603	GOL	1	0
3	D	602	QI9	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	464/479 (96%)	0.22	38 (8%) 17 20	11, 29, 66, 88	0
1	B	455/479 (94%)	0.42	40 (8%) 15 18	16, 33, 70, 95	0
1	C	454/479 (94%)	0.24	29 (6%) 25 28	12, 30, 66, 92	0
1	D	453/479 (94%)	0.50	39 (8%) 16 18	16, 36, 73, 90	0
All	All	1826/1916 (95%)	0.34	146 (7%) 18 21	11, 32, 69, 95	0

All (146) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	219	PHE	7.6
1	D	144	LEU	6.4
1	B	169	GLY	6.3
1	B	75	TRP	6.0
1	A	219	PHE	5.7
1	D	38	LEU	5.6
1	A	47	LEU	5.4
1	D	240	VAL	5.2
1	D	145	GLY	5.1
1	C	56	TYR	4.9
1	B	38	LEU	4.7
1	D	219	PHE	4.7
1	D	75	TRP	4.5
1	B	39	PRO	4.5
1	D	146	LYS	4.5
1	B	219	PHE	4.5
1	C	75	TRP	4.5
1	C	53	ASN	4.4
1	C	39	PRO	4.3
1	A	40	LEU	4.3
1	A	75	TRP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	220	LEU	4.2
1	D	64	ARG	4.1
1	B	240	VAL	4.1
1	D	63	ARG	4.0
1	B	144	LEU	3.9
1	A	56	TYR	3.9
1	A	51	PHE	3.9
1	A	38	LEU	3.9
1	B	480	VAL	3.8
1	A	229	VAL	3.6
1	B	342	VAL	3.6
1	A	46	LEU	3.6
1	B	145	GLY	3.5
1	C	38	LEU	3.5
1	D	241	LEU	3.4
1	C	146	LYS	3.4
1	B	483	PHE	3.3
1	D	221	ARG	3.3
1	C	145	GLY	3.3
1	A	240	VAL	3.3
1	D	60	GLN	3.3
1	D	52	GLN	3.3
1	D	424	GLN	3.3
1	A	39	PRO	3.2
1	D	235	ALA	3.2
1	B	74	ALA	3.2
1	A	43	LEU	3.1
1	A	341	GLN	3.1
1	D	231	LEU	3.1
1	A	143	GLY	3.1
1	B	51	PHE	3.1
1	A	144	LEU	3.1
1	D	342	VAL	3.0
1	B	470	THR	3.0
1	B	64	ARG	3.0
1	D	143	GLY	3.0
1	B	424	GLN	2.9
1	B	473	PRO	2.9
1	A	483	PHE	2.9
1	A	52	GLN	2.9
1	D	226	ALA	2.9
1	A	191	CYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	217	SER	2.8
1	B	56	TYR	2.8
1	B	73	LEU	2.8
1	B	239	LYS	2.8
1	C	144	LEU	2.8
1	D	220	LEU	2.8
1	D	239	LYS	2.8
1	C	342	VAL	2.8
1	A	45	ASN	2.8
1	C	59	ASP	2.8
1	D	229	VAL	2.8
1	C	232	HIS	2.7
1	B	146	LYS	2.7
1	A	74	ALA	2.7
1	B	463	HIS	2.7
1	B	235	ALA	2.7
1	B	237	ALA	2.7
1	A	59	ASP	2.7
1	B	115	ARG	2.7
1	C	74	ALA	2.6
1	C	143	GLY	2.6
1	D	77	PRO	2.6
1	C	152	TRP	2.6
1	A	72	GLN	2.6
1	D	32	LYS	2.6
1	C	241	LEU	2.6
1	B	63	ARG	2.6
1	A	235	ALA	2.6
1	C	228	PRO	2.5
1	D	111	GLY	2.5
1	B	147	LYS	2.5
1	D	37	PRO	2.5
1	A	234	PRO	2.5
1	D	112	PHE	2.5
1	A	42	GLY	2.5
1	D	115	ARG	2.4
1	D	74	ALA	2.4
1	A	216	GLU	2.4
1	C	240	VAL	2.4
1	C	168	SER	2.4
1	C	221	ARG	2.4
1	A	96	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	237	ALA	2.4
1	B	142	LEU	2.4
1	D	142	LEU	2.4
1	B	72	GLN	2.4
1	A	238	GLY	2.3
1	C	223	VAL	2.3
1	B	52	GLN	2.3
1	B	341	GLN	2.3
1	B	380	ARG	2.3
1	C	341	GLN	2.3
1	A	146	LYS	2.3
1	B	143	GLY	2.3
1	D	238	GLY	2.3
1	D	168	SER	2.3
1	B	218	GLY	2.3
1	C	340	GLY	2.3
1	B	214	LYS	2.3
1	A	53	ASN	2.2
1	A	218	GLY	2.2
1	A	73	LEU	2.2
1	A	220	LEU	2.2
1	D	236	LEU	2.2
1	B	168	SER	2.2
1	A	145	GLY	2.2
1	B	32	LYS	2.2
1	A	41	PRO	2.2
1	A	168	SER	2.2
1	A	232	HIS	2.1
1	C	234	PRO	2.1
1	D	169	GLY	2.1
1	C	224	LEU	2.1
1	C	230	LEU	2.1
1	B	53	ASN	2.1
1	C	477	HIS	2.1
1	D	72	GLN	2.1
1	B	229	VAL	2.1
1	B	481	PHE	2.1
1	D	147	LYS	2.0
1	D	244	GLN	2.0
1	D	380	ARG	2.0
1	D	71	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	604	6/6	0.57	0.25	58,60,61,62	0
4	GOL	C	604	6/6	0.70	0.23	63,64,65,65	0
4	GOL	D	603	6/6	0.77	0.16	62,62,64,64	0
4	GOL	B	604	6/6	0.78	0.21	55,58,59,59	0
4	GOL	C	603	6/6	0.80	0.18	64,66,68,70	0
4	GOL	A	603	6/6	0.81	0.20	55,58,61,63	0
4	GOL	B	603	6/6	0.81	0.18	61,63,66,66	0
3	QI9	B	602	24/24	0.82	0.13	33,36,43,48	0
3	QI9	D	602	24/24	0.87	0.12	35,39,45,49	0
3	QI9	A	602	24/24	0.88	0.12	32,36,41,42	0
3	QI9	C	602	24/24	0.89	0.10	22,27,30,36	0
6	NA	B	606	1/1	0.90	0.19	55,55,55,55	0
5	ZN	C	606	1/1	0.95	0.07	55,55,55,55	0
5	ZN	A	606	1/1	0.97	0.05	53,53,53,53	0
2	HEM	A	601	43/43	0.98	0.05	8,11,15,20	0
2	HEM	D	601	43/43	0.98	0.06	15,19,20,24	0
6	NA	D	605	1/1	0.98	0.05	30,30,30,30	0
2	HEM	C	601	43/43	0.99	0.06	9,12,16,19	0
5	ZN	D	604	1/1	0.99	0.02	28,28,28,28	0
2	HEM	B	601	43/43	0.99	0.06	13,16,20,26	0
5	ZN	B	605	1/1	0.99	0.03	28,28,28,28	0
5	ZN	A	605	1/1	1.00	0.01	24,24,24,24	0
5	ZN	C	605	1/1	1.00	0.02	27,27,27,27	0
5	ZN	A	607	1/1	1.00	0.01	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around HEM A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 601:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.