



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:19 AM UTC

PDB ID : 5WNB / pdb_00005wnb
Title : Structure of antibody 3D3 bound to the linear epitope of RSV G
Authors : Fedechkin, S.O.; George, N.L.; Wolff, J.T.; Kauvar, L.M.; DuBois, R.M.
Deposited on : 2017-07-31
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	231	7% 78% 20% .
1	I	231	18% 75% 18% 6%
2	L	213	3% 78% 21% .
2	M	213	12% 74% 19% 6%
3	A	11	55% 45%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	B	11	18% 64% 36%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6664 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called mAb 3D3 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	226	Total	C	N	O	S	0	0	0
			1668	1045	282	333	8			
1	I	216	Total	C	N	O	S	0	0	0
			1548	983	257	301	7			

- Molecule 2 is a protein called mAb 3D3 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	213	Total	C	N	O	S	0	1	0
			1639	1027	279	328	5			
2	M	200	Total	C	N	O	S	0	0	0
			1497	941	253	299	4			

- Molecule 3 is a protein called Major surface glycoprotein G.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	A	11	Total	C	N	O	0	0	0
			100	70	14	16			
3	B	11	Total	C	N	O	0	0	0
			100	70	14	16			

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	4	Total	Zn	0	0
			4	4		
4	L	3	Total	Zn	0	0
			3	3		
4	I	3	Total	Zn	0	0
			3	3		
4	M	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		

- Molecule 5 is ACETIC ACID (CCD ID: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	L	1	Total	C	O	0	0
			4	2	2		
5	M	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	25	Total	O	0	0
			25	25		
6	L	27	Total	O	0	0
			27	27		
6	I	16	Total	O	0	0
			16	16		
6	M	17	Total	O	0	0
			17	17		
6	A	3	Total	O	0	0
			3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: mAb 3D3 Fab heavy chain




- Molecule 1: mAb 3D3 Fab heavy chain




- Molecule 2: mAb 3D3 Fab light chain



- Molecule 2: mAb 3D3 Fab light chain






● Molecule 3: Major surface glycoprotein G



● Molecule 3: Major surface glycoprotein G



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.76Å 105.43Å 121.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.38 – 2.40 48.38 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.38-2.40) 97.2 (48.38-2.40)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.224 , 0.268 0.224 , 0.269	Depositor DCC
R_{free} test set	2000 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	34.8	Xtriage
Anisotropy	0.315	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6664	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACY, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.29	0/1706	0.49	0/2324
1	I	0.29	0/1586	0.57	1/2168 (0.0%)
2	L	0.36	1/1679 (0.1%)	0.51	1/2286 (0.0%)
2	M	0.27	0/1529	0.50	1/2085 (0.0%)
3	A	0.23	0/105	0.40	0/142
3	B	0.28	0/105	0.53	0/142
All	All	0.30	1/6710 (0.0%)	0.52	3/9147 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	190	VAL	C-O	-6.00	1.17	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	30	SER	CB-CA-C	-5.21	110.59	116.63
1	I	124	SER	CB-CA-C	-5.20	100.69	110.67
2	L	189	LYS	N-CA-C	5.16	119.79	112.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1668	0	1594	30	0
1	I	1548	0	1422	39	0
2	L	1639	0	1578	29	0
2	M	1497	0	1389	35	0
3	A	100	0	83	4	0
3	B	100	0	83	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	H	4	0	0	0	0
4	I	3	0	0	0	0
4	L	3	0	0	0	0
4	M	2	0	0	0	0
5	L	4	0	3	0	0
5	M	4	0	3	0	0
6	A	3	0	0	1	0
6	B	2	0	0	0	0
6	H	25	0	0	0	0
6	I	16	0	0	0	0
6	L	27	0	0	0	0
6	M	17	0	0	0	0
All	All	6664	0	6155	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:211:HIS:HD2	1:I:213:PRO:HD2	1.16	1.03
1:I:211:HIS:CD2	1:I:213:PRO:HD2	2.00	0.95
2:L:21:LEU:HD22	2:L:101:THR:HG21	1.68	0.76
2:M:107:ARG:NH1	2:M:108:THR:O	2.26	0.69
2:M:19:ALA:HB2	2:M:78:LEU:HD11	1.77	0.67
1:I:180:VAL:HG11	2:M:159:GLN:HG2	1.77	0.66
1:I:137:PRO:HG3	1:I:149:LEU:HB3	1.80	0.63
2:L:18:ARG:HB2	2:L:76:SER:O	1.99	0.63
1:H:208:ASN:ND2	1:H:219:ASP:OD1	2.21	0.61
1:I:211:HIS:CD2	1:I:213:PRO:CD	2.82	0.61
1:H:13:GLN:HB3	1:H:14:PRO:HD2	1.84	0.60
3:A:164:HIS:HB2	3:A:167:VAL:HG23	1.83	0.60
1:H:76:LYS:HB3	1:H:78:ILE:HG13	1.84	0.60
1:H:31:GLU:HB3	3:B:172:PRO:HB3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:154:LYS:NZ	1:H:155:ASP:OD2	2.34	0.59
1:H:133:PHE:HD2	1:H:152:LEU:HD23	1.67	0.58
2:L:37:GLN:HB2	2:L:47:LEU:HD21	1.86	0.57
1:I:192:VAL:HG11	2:M:134:LEU:HD22	1.86	0.57
2:M:61:ARG:NH2	2:M:82:ASP:OD1	2.30	0.56
2:M:166:ASP:OD1	2:M:168:LYS:HG2	2.05	0.56
2:M:162:VAL:HG22	2:M:174:LEU:HG	1.88	0.56
1:I:36:TRP:CE2	1:I:81:LEU:HB2	2.41	0.56
2:L:19:ALA:HB2	2:L:78:LEU:HD11	1.88	0.55
2:M:8:PRO:HG2	2:M:11:LEU:HB2	1.88	0.55
1:I:174:VAL:HG22	1:I:193:VAL:HG22	1.89	0.55
1:I:12:VAL:HG13	1:I:122:VAL:HG22	1.89	0.54
1:H:27:LEU:C	1:H:77:ASP:HB2	2.33	0.54
2:L:121:ASP:O	2:L:125:LYS:HG3	2.07	0.53
1:I:133:PHE:CD1	2:M:123:GLN:HB2	2.43	0.53
1:I:135:LEU:HD12	2:M:117:PHE:CB	2.38	0.53
1:H:36:TRP:CE2	1:H:81:LEU:HB2	2.44	0.53
2:L:131:VAL:HB	2:L:178:LEU:HB3	1.90	0.53
1:I:135:LEU:HD21	1:I:152:LEU:HB2	1.90	0.52
1:I:180:VAL:CG1	2:M:159:GLN:CD	2.82	0.52
1:I:135:LEU:HD12	2:M:117:PHE:HB2	1.91	0.52
1:H:182:GLN:HG2	1:H:186:LEU:O	2.10	0.52
2:L:2:ILE:O	2:L:96:THR:HG21	2.10	0.51
1:H:164:SER:OG	1:H:208:ASN:OD1	2.28	0.51
2:M:1:GLN:HG2	2:M:94:TRP:HB2	1.91	0.51
2:L:2:ILE:HD13	2:L:29:VAL:HG12	1.93	0.51
1:H:12:VAL:HG22	1:H:16:ARG:HB2	1.93	0.50
1:I:192:VAL:HG11	2:M:134:LEU:CD2	2.40	0.50
1:H:4:LEU:HD23	1:H:24:GLY:HA2	1.94	0.50
3:B:164:HIS:HB2	3:B:167:VAL:HG23	1.93	0.50
1:H:154:LYS:HZ2	1:H:155:ASP:CG	2.19	0.50
2:M:33:LEU:HD13	2:M:71:PHE:CD1	2.46	0.50
1:H:141:SER:HA	2:L:115:PHE:HB3	1.93	0.50
1:I:12:VAL:O	1:I:122:VAL:HA	2.11	0.50
2:M:139:TYR:CG	2:M:140:PRO:HA	2.47	0.49
2:L:190:VAL:HG22	2:L:209:ASN:OD1	2.12	0.49
1:H:203:GLN:OE1	1:H:204:THR:N	2.45	0.49
1:I:159:GLU:N	1:I:160:PRO:CD	2.76	0.49
1:H:83:MET:HE1	1:H:120:VAL:HG21	1.94	0.49
1:H:170:LEU:HD21	1:H:193:VAL:HG21	1.94	0.48
1:I:180:VAL:HG11	2:M:159:GLN:CG	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:154:LYS:NZ	1:I:155:ASP:OD1	2.47	0.48
1:I:36:TRP:NE1	1:I:81:LEU:HB2	2.28	0.48
2:M:91:ARG:HA	2:M:94:TRP:O	2.14	0.48
2:L:17:GLU:O	2:L:77:SER:HA	2.14	0.48
2:L:146:GLN:O	2:L:193:CYS:HA	2.14	0.47
1:H:73:ASP:OD2	1:H:76:LYS:HD3	2.14	0.47
2:M:94:TRP:CE2	3:A:163:PHE:HB2	2.49	0.47
2:L:91:ARG:HA	2:L:94:TRP:O	2.13	0.47
2:M:37:GLN:HB2	2:M:47:LEU:HD11	1.97	0.47
1:H:103:THR:HG22	1:H:108:HIS:HD2	1.80	0.46
2:L:8:PRO:HG3	2:L:11:LEU:HD13	1.96	0.46
1:H:130:PRO:HB3	1:H:156:TYR:HB3	1.96	0.46
2:L:2:ILE:HG12	2:L:27:GLN:HG2	1.96	0.46
1:I:6:GLU:N	1:I:6:GLU:OE1	2.49	0.46
1:H:76:LYS:HE2	1:H:78:ILE:HD12	1.98	0.46
1:H:130:PRO:HD2	1:H:216:THR:HG21	1.98	0.46
2:M:81:GLU:H	2:M:81:GLU:CD	2.24	0.46
2:M:166:ASP:HB3	2:M:169:ASP:OD1	2.16	0.46
2:L:3:VAL:HG22	2:L:26:SER:HB3	1.98	0.45
1:I:155:ASP:HB3	1:I:186:LEU:HD13	1.98	0.45
2:M:14:SER:O	2:M:17:GLU:HB2	2.17	0.45
2:M:91:ARG:HG2	2:M:95:TYR:CE2	2.52	0.45
1:I:159:GLU:N	1:I:160:PRO:HD3	2.32	0.45
3:A:166:GLU:OE1	6:A:301:HOH:O	2.21	0.45
1:I:211:HIS:HE2	1:I:213:PRO:HG2	1.81	0.45
2:M:38:GLN:O	2:M:84:ALA:HB1	2.17	0.45
2:L:162:VAL:HG22	2:L:174:LEU:HD12	1.99	0.44
1:I:132:VAL:O	1:I:133:PHE:HD2	2.00	0.44
2:L:2:ILE:HG12	2:L:27:GLN:CG	2.47	0.44
2:M:66:GLY:HA3	2:M:71:PHE:HA	1.99	0.44
1:I:83:MET:HB3	1:I:86:LEU:HD21	1.98	0.44
2:L:135:LEU:HD11	2:L:195:VAL:HG21	1.99	0.44
1:I:37:VAL:O	1:I:95:PHE:N	2.39	0.44
3:B:162:ASP:O	3:B:162:ASP:CG	2.60	0.44
2:L:137:ASN:ND2	2:L:169:ASP:OD1	2.50	0.44
2:M:30:SER:OG	2:M:31:ASN:N	2.46	0.44
2:M:29:VAL:O	2:M:30:SER:HB3	2.17	0.43
1:H:67:ARG:HD3	1:H:87:ARG:NH2	2.32	0.43
2:L:144:LYS:HB3	2:L:196:THR:OG1	2.18	0.43
2:M:33:LEU:HA	2:M:89:GLN:O	2.18	0.43
2:L:166:ASP:HB3	2:L:169:ASP:OD2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:133:CYS:HB2	2:M:147:TRP:CH2	2.53	0.43
1:I:20:LEU:HD22	1:I:118:THR:HG21	2.00	0.43
2:M:137:ASN:ND2	2:M:169:ASP:OD2	2.52	0.43
1:H:12:VAL:HG11	1:H:86:LEU:HD13	2.01	0.43
1:H:163:VAL:HG11	1:H:191:SER:CB	2.49	0.43
1:I:153:VAL:O	1:I:188:SER:HA	2.19	0.43
2:L:8:PRO:HG2	2:L:11:LEU:HB2	2.00	0.42
1:H:177:PHE:HB3	2:L:161:SER:OG	2.19	0.42
1:I:44:GLY:HA2	2:M:87:TYR:OH	2.20	0.42
1:I:64:VAL:HB	1:I:68:PHE:CD2	2.55	0.42
1:I:89:GLU:H	1:I:89:GLU:CD	2.28	0.42
2:M:8:PRO:HG3	2:M:11:LEU:HD13	2.02	0.42
2:L:59:PRO:HB2	2:L:61:ARG:HG2	2.02	0.42
2:L:24:ARG:HA	2:L:69:THR:O	2.20	0.42
1:I:130:PRO:HB3	1:I:156:TYR:HB3	2.02	0.42
1:H:36:TRP:NE1	1:H:81:LEU:HB2	2.35	0.42
1:I:216:THR:HG22	1:I:218:VAL:HG23	2.01	0.42
2:L:81:GLU:H	2:L:81:GLU:CD	2.27	0.41
1:I:126:SER:OG	1:I:127:THR:N	2.53	0.41
2:L:166:ASP:OD1	2:L:167:SER:N	2.54	0.41
1:I:12:VAL:CG1	1:I:122:VAL:HG22	2.50	0.41
2:M:139:TYR:HA	2:M:140:PRO:C	2.45	0.41
1:H:47:TRP:CD1	2:L:95:TYR:HB2	2.56	0.41
1:I:81:LEU:CD1	1:I:83:MET:HG3	2.50	0.41
1:H:20:LEU:HD22	1:H:118:THR:HG21	2.03	0.40
1:I:31:GLU:HB3	3:A:172:PRO:HB3	2.03	0.40
1:I:180:VAL:HG11	2:M:159:GLN:CD	2.47	0.40
1:H:34:MET:HB3	1:H:79:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	222/231 (96%)	217 (98%)	5 (2%)	0	100	100
1	I	210/231 (91%)	202 (96%)	8 (4%)	0	100	100
2	L	212/213 (100%)	204 (96%)	8 (4%)	0	100	100
2	M	190/213 (89%)	181 (95%)	9 (5%)	0	100	100
3	A	9/11 (82%)	9 (100%)	0	0	100	100
3	B	9/11 (82%)	9 (100%)	0	0	100	100
All	All	852/910 (94%)	822 (96%)	30 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	184/196 (94%)	184 (100%)	0	100	100
1	I	156/196 (80%)	156 (100%)	0	100	100
2	L	183/187 (98%)	182 (100%)	1 (0%)	81	91
2	M	160/187 (86%)	159 (99%)	1 (1%)	78	89
3	A	11/11 (100%)	11 (100%)	0	100	100
3	B	11/11 (100%)	11 (100%)	0	100	100
All	All	705/788 (90%)	703 (100%)	2 (0%)	86	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	189	LYS
2	M	103	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	74	ASN
2	L	159	GLN
2	L	198	GLN
1	I	32	HIS
1	I	39	GLN
2	M	38	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 14 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ACY	M	303	4	3,3,3	0.80	0	3,3,3	0.83	0
5	ACY	L	304	4	3,3,3	0.81	0	3,3,3	0.81	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	226/231 (97%)	0.48	17 (7%) 20 17	22, 38, 74, 85	0
1	I	216/231 (93%)	1.14	41 (18%) 3 2	25, 62, 101, 120	0
2	L	213/213 (100%)	0.28	7 (3%) 49 45	22, 37, 58, 79	1 (0%)
2	M	200/213 (93%)	0.91	26 (13%) 7 5	25, 55, 97, 109	0
3	A	11/11 (100%)	0.15	0 100 100	25, 30, 43, 47	0
3	B	11/11 (100%)	1.07	2 (18%) 3 3	36, 44, 62, 64	0
All	All	877/910 (96%)	0.69	93 (10%) 11 8	22, 45, 93, 120	1 (0%)

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	222	VAL	5.1
1	H	27	LEU	5.0
1	H	25	SER	4.9
1	I	144	GLY	4.4
1	I	219	ASP	4.2
1	I	223	GLU	4.0
2	M	210	ARG	4.0
2	M	189	LYS	3.9
1	I	224	PRO	3.8
1	I	88	SER	3.7
2	M	178	LEU	3.6
1	H	26	GLY	3.5
1	I	182	GLN	3.4
2	L	213	CYS	3.4
1	I	146	THR	3.4
1	I	26	GLY	3.4
1	I	131	SER	3.1
2	L	67	SER	3.1
1	H	202	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	130	PRO	3.0
1	H	29	PHE	3.0
1	H	144	GLY	3.0
2	M	153	LEU	3.0
1	I	137	PRO	3.0
2	M	68	GLY	3.0
1	I	1	GLU	2.9
1	I	145	GLY	2.9
1	H	1	GLU	2.9
1	I	215	ASN	2.9
2	M	70	ASP	2.9
3	B	162	ASP	2.9
2	M	148	LYS	2.9
1	I	196	PRO	2.9
2	M	1	GLN	2.8
1	I	133	PHE	2.8
1	H	74	ASN	2.8
1	I	160	PRO	2.8
2	M	128	THR	2.8
1	I	27	LEU	2.8
1	I	159	GLU	2.8
2	M	185	TYR	2.7
1	H	32	HIS	2.7
1	I	220	LYS	2.7
1	H	227	CYS	2.6
2	M	196	THR	2.6
2	M	190	VAL	2.6
2	M	183	ALA	2.6
1	I	179	ALA	2.5
2	L	109	VAL	2.5
1	I	213	PRO	2.5
2	L	1	GLN	2.5
1	I	218	VAL	2.5
2	M	205	THR	2.5
2	M	198	GLN	2.4
1	I	125	ALA	2.4
2	M	179	THR	2.4
1	I	188	SER	2.4
1	I	106	ASP	2.4
2	M	147	TRP	2.4
2	M	143	ALA	2.4
2	L	126	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	2	GLU	2.4
3	B	172	PRO	2.4
2	M	156	GLY	2.4
1	H	151	CYS	2.4
1	H	201	GLY	2.3
2	M	11	LEU	2.3
1	I	126	SER	2.3
1	H	24	GLY	2.3
1	I	167	SER	2.3
1	H	2	GLU	2.3
2	M	195	VAL	2.3
2	M	191	TYR	2.3
1	I	135	LEU	2.2
1	I	209	VAL	2.2
1	I	201	GLY	2.2
2	M	65	SER	2.2
1	I	134	PRO	2.2
2	M	117	PHE	2.2
2	M	199	GLY	2.1
1	H	31	GLU	2.1
1	I	184	SER	2.1
1	H	76	LYS	2.1
1	H	225	LYS	2.1
1	I	3	GLN	2.1
1	I	124	SER	2.1
1	I	192	VAL	2.1
2	L	153	LEU	2.1
2	L	23	CYS	2.1
2	M	209	ASN	2.0
1	I	217	LYS	2.0
1	I	152	LEU	2.0
1	I	164	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	B	201	1/1	0.76	0.19	108,108,108,108	0
4	ZN	H	303	1/1	0.81	0.12	122,122,122,122	0
4	ZN	M	302	1/1	0.85	0.14	108,108,108,108	0
4	ZN	H	302	1/1	0.86	0.26	130,130,130,130	0
5	ACY	L	304	4/4	0.88	0.12	46,51,56,64	0
4	ZN	L	303	1/1	0.90	0.09	57,57,57,57	0
4	ZN	I	302	1/1	0.93	0.06	52,52,52,52	0
4	ZN	A	201	1/1	0.95	0.07	65,65,65,65	0
5	ACY	M	303	4/4	0.95	0.08	35,36,38,40	0
4	ZN	L	302	1/1	0.96	0.08	58,58,58,58	0
4	ZN	H	304	1/1	0.98	0.04	46,46,46,46	0
4	ZN	I	301	1/1	0.98	0.06	68,68,68,68	0
4	ZN	H	301	1/1	0.98	0.05	46,46,46,46	0
4	ZN	I	303	1/1	0.98	0.07	72,72,72,72	0
4	ZN	M	301	1/1	0.98	0.04	40,40,40,40	0
4	ZN	L	301	1/1	0.99	0.08	39,39,39,39	0

6.5 Other polymers

There are no such residues in this entry.