



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:42 PM UTC

PDB ID : 2WOJ / pdb_00002woj
Title : ADP-AlF₄ complex of *S. cerevisiae* GET3
Authors : Mateja, A.; Szlachcic, A.; Downing, M.E.; Dobosz, M.; Mariappan, M.; Hegde, R.S.; Keenan, R.J.
Deposited on : 2009-07-26
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	4% 64% 19% • 15%
1	B	354	5% 68% 14% • 15%
1	C	354	4% 65% 13% • 20%
1	D	354	7% 63% 19% • 14%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPASE GET3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2369	1502	391	459	17			
1	B	301	Total	C	N	O	S	0	0	0
			2372	1506	393	456	17			
1	C	284	Total	C	N	O	S	0	0	0
			2242	1425	371	430	16			
1	D	304	Total	C	N	O	S	0	0	0
			2385	1512	397	459	17			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is TETRAFLUOROALUMINATE ION (CCD ID: ALF) (formula: AlF_4^-).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Al	F	0	0
			5	1	4		
3	B	1	Total	Al	F	0	0
			5	1	4		
3	C	1	Total	Al	F	0	0
			5	1	4		
3	D	1	Total	Al	F	0	0
			5	1	4		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total 1	Mg 1	0	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Zn 1	0	0
5	C	1	Total 1	Zn 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	134	Total 134	O 134	0	0
6	B	154	Total 154	O 154	0	0
6	C	118	Total 118	O 118	0	0
6	D	106	Total 106	O 106	0	0

- Molecule 1: ATPASE GET3





● Molecule 1: ATPASE GET3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.61Å 82.63Å 167.28Å 90.00° 98.28° 90.00°	Depositor
Resolution (Å)	37.44 – 1.99 37.44 – 1.99	Depositor EDS
% Data completeness (in resolution range)	95.8 (37.44-1.99) 95.8 (37.44-1.99)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.00Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.176 , 0.213 0.175 , 0.211	Depositor DCC
R_{free} test set	4715 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	32.4	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 61.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10014	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ALF, MG, ADP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/2407	0.89	3/3243 (0.1%)
1	B	0.67	0/2409	0.85	2/3247 (0.1%)
1	C	0.63	0/2278	0.85	3/3071 (0.1%)
1	D	0.61	0/2422	0.88	5/3262 (0.2%)
All	All	0.64	0/9516	0.87	13/12823 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	GLN	CA-C-N	6.38	126.30	119.28
1	A	46	GLN	C-N-CA	6.38	126.30	119.28
1	D	46	GLN	CA-C-N	6.28	125.96	119.56
1	D	46	GLN	C-N-CA	6.28	125.96	119.56
1	C	46	GLN	CA-C-N	6.01	126.45	119.47
1	C	46	GLN	C-N-CA	6.01	126.45	119.47
1	A	122	GLN	N-CA-C	5.54	117.46	108.26
1	D	190	PHE	N-CA-C	-5.30	104.91	111.33
1	B	339	ASN	CA-C-N	5.30	125.11	119.28
1	B	339	ASN	C-N-CA	5.30	125.11	119.28
1	C	6	GLU	N-CA-C	5.20	115.96	109.57
1	D	310	HIS	CA-C-N	-5.09	116.38	122.90
1	D	310	HIS	C-N-CA	-5.09	116.38	122.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2369	0	2361	53	0
1	B	2372	0	2377	47	0
1	C	2242	0	2246	46	0
1	D	2385	0	2385	62	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
6	A	134	0	0	7	0
6	B	154	0	0	4	0
6	C	118	0	0	5	0
6	D	106	0	0	2	0
All	All	10014	0	9417	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ASN:HD21	1:A:122:GLN:HG2	1.20	1.00
1:B:159:THR:HG22	1:B:160:PHE:H	1.25	0.99
1:C:285:CYS:HB2	1:D:285:CYS:HB2	1.49	0.94
1:D:326:ASN:HD21	1:D:351:GLU:H	1.12	0.92
1:A:98:ASN:ND2	1:A:122:GLN:HG2	1.85	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:ILE:HD13	1:A:42:MET:HE1	1.53	0.88
1:D:126:LEU:O	1:D:130:THR:HG22	1.76	0.86
1:A:98:ASN:HD21	1:A:122:GLN:CG	1.94	0.80
1:B:336:LYS:O	1:B:336:LYS:HD3	1.81	0.79
1:A:342:THR:HG22	1:A:343:ASP:OD1	1.82	0.79
1:C:151:ARG:O	1:C:151:ARG:HG2	1.83	0.78
1:A:229:GLN:O	1:A:236:THR:HG23	1.84	0.78
1:B:159:THR:HG22	1:B:160:PHE:N	2.00	0.76
1:A:21:ILE:CD1	1:A:42:MET:HE1	2.16	0.75
1:C:15:SER:OG	1:C:18:HIS:HD2	1.68	0.75
1:D:15:SER:OG	1:D:18:HIS:HD2	1.71	0.74
1:A:38:ILE:CG2	1:A:42:MET:HE3	2.18	0.73
1:C:50:GLN:NE2	1:C:76:LYS:HE2	2.03	0.73
1:D:94:LEU:HD13	1:D:130:THR:HG23	1.72	0.72
1:A:169:PRO:HG2	1:B:169:PRO:HG2	1.72	0.72
1:B:159:THR:CG2	1:B:160:PHE:H	2.01	0.71
1:D:90:PRO:HA	1:D:140:LEU:CD1	2.21	0.71
1:C:126:LEU:HD12	1:C:128:ASP:H	1.54	0.70
1:A:351:GLU:O	1:A:352:ASP:HB2	1.93	0.69
1:C:129:LEU:HD22	1:D:186:LEU:HG	1.75	0.69
1:A:230:PHE:HA	1:A:236:THR:HG21	1.75	0.67
1:B:15:SER:OG	1:B:18:HIS:HD2	1.77	0.67
1:D:21:ILE:HD13	1:D:42:MET:HE1	1.75	0.67
1:B:72:LYS:HE3	1:B:96:ASP:OD1	1.94	0.67
1:C:169:PRO:HG2	1:D:169:PRO:HG2	1.77	0.67
1:B:148:HIS:ND1	1:B:159:THR:HG23	2.09	0.67
1:D:189:LYS:N	1:D:189:LYS:HD3	2.11	0.66
1:D:97:MET:HE1	1:D:143:MET:SD	2.36	0.65
1:D:280:ASP:C	1:D:281:GLN:HG3	2.22	0.64
1:D:147:LYS:O	1:D:151:ARG:HD3	1.99	0.63
1:A:178:GLN:NE2	1:A:262:TYR:OH	2.32	0.63
1:A:76:LYS:HE3	1:A:81:ASN:O	1.99	0.63
1:D:280:ASP:O	1:D:281:GLN:HG3	1.99	0.62
1:B:6:GLU:HG3	1:B:8:ASN:ND2	2.15	0.62
1:B:333:PHE:CE2	1:B:336:LYS:HE3	2.35	0.62
1:C:181:ASN:ND2	1:C:227:ARG:HE	1.99	0.61
1:A:183:LEU:O	1:A:187:LEU:HB2	2.00	0.61
1:D:230:PHE:HA	1:D:236:THR:HG21	1.83	0.60
1:A:159:THR:HG22	6:A:2060:HOH:O	2.01	0.60
1:A:212:ILE:HD12	1:A:212:ILE:O	2.01	0.60
1:C:285:CYS:CB	1:D:285:CYS:HB2	2.28	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:142:PHE:HE1	1:D:180:PRO:HG3	1.66	0.59
1:C:146:MET:HG2	1:C:226:ILE:HD11	1.84	0.59
1:A:15:SER:OG	1:A:18:HIS:HD2	1.83	0.59
1:A:38:ILE:HG23	1:A:42:MET:HE3	1.84	0.59
1:A:336:LYS:O	1:A:336:LYS:HG3	2.02	0.59
1:B:212:ILE:HD13	1:B:213:SER:N	2.18	0.59
1:A:321:ILE:HG12	1:A:350:LEU:CD2	2.34	0.58
1:C:219:LEU:O	1:C:223:VAL:HG13	2.04	0.57
1:B:128:ASP:OD1	1:B:128:ASP:N	2.37	0.57
1:D:146:MET:HG2	1:D:226:ILE:HD11	1.87	0.57
1:B:6:GLU:CG	1:B:8:ASN:ND2	2.68	0.57
1:D:20:TRP:HD1	1:D:236:THR:HG22	1.70	0.57
1:D:90:PRO:HA	1:D:140:LEU:HD12	1.87	0.56
1:D:49:LYS:O	1:D:82:ASN:OD1	2.23	0.56
1:A:20:TRP:HB2	1:A:236:THR:HB	1.88	0.56
1:B:6:GLU:CG	1:B:8:ASN:HD21	2.19	0.55
1:C:126:LEU:CD1	1:C:128:ASP:H	2.19	0.55
1:A:20:TRP:HD1	1:A:236:THR:HG22	1.72	0.55
1:C:50:GLN:HE22	1:C:76:LYS:HE2	1.69	0.55
1:A:179:LEU:O	1:A:183:LEU:HB2	2.07	0.54
1:C:147:LYS:O	1:C:151:ARG:HB3	2.08	0.54
1:B:126:LEU:HA	1:B:129:LEU:HD21	1.90	0.54
1:B:181:ASN:ND2	1:B:227:ARG:HE	2.06	0.54
1:A:6:GLU:HG3	1:A:8:ASN:ND2	2.23	0.54
1:C:48:ASN:HB2	6:C:2018:HOH:O	2.07	0.54
1:D:72:LYS:HD3	1:D:89:ASP:H	1.72	0.54
1:B:69:LYS:HE3	1:B:70:PHE:O	2.08	0.53
1:D:187:LEU:O	1:D:190:PHE:HB3	2.07	0.53
1:C:329:LYS:O	1:C:332:GLN:HG2	2.09	0.53
1:D:212:ILE:HD12	1:D:212:ILE:O	2.07	0.53
1:C:151:ARG:O	1:C:151:ARG:CG	2.56	0.53
1:C:317:CYS:SG	1:C:350:LEU:HD12	2.49	0.53
1:D:188:GLU:HB3	1:D:189:LYS:HD3	1.90	0.53
1:A:90:PRO:HA	1:A:140:LEU:CD1	2.38	0.53
1:B:126:LEU:HA	1:B:129:LEU:CD2	2.40	0.52
1:A:71:GLY:HA3	1:A:75:ARG:HH12	1.75	0.52
1:B:126:LEU:HD23	1:B:129:LEU:HD11	1.90	0.52
1:A:190:PHE:C	1:A:190:PHE:CD2	2.88	0.52
1:A:245:GLU:HG2	1:A:294:MET:HE3	1.92	0.52
1:C:50:GLN:HE22	1:C:82:ASN:HA	1.75	0.52
1:D:326:ASN:ND2	1:D:351:GLU:H	1.95	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:LYS:HD2	6:A:2078:HOH:O	2.10	0.51
1:C:321:ILE:HD13	1:C:350:LEU:HD13	1.91	0.51
1:D:146:MET:HG2	1:D:226:ILE:CD1	2.40	0.51
1:D:12:LEU:HG	1:D:42:MET:CE	2.41	0.51
1:D:20:TRP:O	1:D:236:THR:HA	2.10	0.51
1:C:126:LEU:HD13	1:C:127:ALA:N	2.24	0.51
1:A:172:HIS:HD2	6:A:2068:HOH:O	1.94	0.51
1:C:142:PHE:CD2	1:C:146:MET:HE2	2.47	0.50
1:A:172:HIS:HE1	1:B:138:GLU:OE2	1.95	0.50
1:C:50:GLN:NE2	1:C:82:ASN:HA	2.26	0.50
1:D:52:LEU:HD12	1:D:148:HIS:CE1	2.47	0.50
1:A:61:ASN:ND2	6:A:2029:HOH:O	2.43	0.49
1:A:285:CYS:HB3	1:B:285:CYS:HB2	1.93	0.49
1:C:129:LEU:HD23	1:D:182:THR:HG23	1.94	0.49
1:B:179:LEU:CD1	1:B:183:LEU:HD13	2.42	0.49
1:D:20:TRP:CD1	1:D:236:THR:HG22	2.47	0.49
1:C:187:LEU:HD21	1:C:219:LEU:HD23	1.93	0.49
1:D:72:LYS:HE3	1:D:93:ALA:HB2	1.94	0.49
1:D:43:ALA:O	1:D:82:ASN:ND2	2.45	0.49
1:B:278:GLU:CD	1:B:292:TRP:HE1	2.21	0.48
1:D:51:PHE:CD1	1:D:162:THR:HB	2.49	0.48
1:B:6:GLU:HG2	1:B:8:ASN:HD21	1.78	0.48
1:A:149:ILE:O	1:A:153:GLU:HG2	2.13	0.48
1:B:144:GLU:O	1:B:148:HIS:HD2	1.96	0.48
1:D:181:ASN:OD1	1:D:181:ASN:C	2.57	0.47
1:A:229:GLN:O	1:A:236:THR:CG2	2.60	0.47
1:B:19:LYS:HD3	1:B:235:LEU:HD22	1.96	0.47
1:B:179:LEU:HD12	1:B:183:LEU:HD13	1.97	0.47
1:B:274:LEU:HD12	1:B:313:LYS:HB3	1.96	0.47
1:C:181:ASN:ND2	1:C:227:ARG:NE	2.62	0.47
1:D:188:GLU:C	1:D:189:LYS:HD3	2.39	0.47
1:A:224:GLU:HG2	6:A:2078:HOH:O	2.14	0.47
1:C:6:GLU:HB3	6:C:2003:HOH:O	2.14	0.46
1:C:181:ASN:HD22	1:C:227:ARG:NE	2.14	0.46
1:A:24:GLY:HA3	1:A:238:PHE:CZ	2.50	0.46
1:A:98:ASN:ND2	6:A:2047:HOH:O	2.48	0.46
1:D:189:LYS:N	1:D:189:LYS:CD	2.78	0.46
1:D:50:GLN:NE2	1:D:76:LYS:HE2	2.31	0.46
1:D:279:ASN:CG	1:D:340:PRO:HB2	2.41	0.46
1:D:12:LEU:O	1:D:42:MET:HE2	2.16	0.46
1:D:245:GLU:HG2	1:D:294:MET:HE3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:90:PRO:HA	1:C:140:LEU:CD1	2.45	0.46
1:C:26:LYS:HE3	1:C:247:LEU:HB3	1.96	0.45
1:A:148:HIS:O	1:A:152:GLN:HG3	2.17	0.45
1:A:147:LYS:HE3	1:A:147:LYS:HB2	1.45	0.45
1:D:267:ASN:HD22	1:D:267:ASN:C	2.25	0.45
1:B:313:LYS:HE3	6:B:2134:HOH:O	2.17	0.45
1:B:19:LYS:NZ	1:B:152:GLN:NE2	2.64	0.45
1:D:264:MET:HE2	1:D:264:MET:HB2	1.77	0.45
1:B:299:LEU:HD22	1:B:313:LYS:HE2	1.98	0.44
1:C:146:MET:HG2	1:C:226:ILE:CD1	2.48	0.44
1:A:6:GLU:HA	1:A:7:PRO:HD3	1.82	0.44
1:A:329:LYS:O	1:A:332:GLN:HG2	2.18	0.44
1:D:285:CYS:N	6:D:2081:HOH:O	2.51	0.44
1:A:5:VAL:HG23	1:A:5:VAL:O	2.17	0.44
1:A:19:LYS:HG3	1:A:235:LEU:HD22	1.98	0.44
1:C:88:ILE:HG13	6:C:2050:HOH:O	2.17	0.44
1:B:187:LEU:HD13	1:B:187:LEU:N	2.33	0.44
1:B:4:THR:N	6:B:2002:HOH:O	2.51	0.44
1:D:15:SER:OG	1:D:18:HIS:CD2	2.60	0.43
1:D:142:PHE:CE1	1:D:180:PRO:HG3	2.49	0.43
1:B:181:ASN:HD22	1:B:227:ARG:HE	1.66	0.43
1:B:187:LEU:N	1:B:187:LEU:CD1	2.80	0.43
1:C:174:LEU:HD22	1:C:258:GLU:HG2	1.99	0.43
1:B:179:LEU:N	1:B:180:PRO:CD	2.82	0.43
1:C:61:ASN:ND2	6:C:2034:HOH:O	2.51	0.43
1:C:142:PHE:HD2	1:C:146:MET:HE2	1.83	0.43
1:A:32:THR:OG1	1:A:166:ASP:OD2	2.37	0.43
1:A:121:LEU:N	1:A:122:GLN:OE1	2.52	0.43
1:D:177:LEU:HD23	1:D:177:LEU:HA	1.88	0.43
1:C:277:ALA:HB3	1:C:292:TRP:CD1	2.54	0.43
1:A:159:THR:HG23	1:A:160:PHE:CD2	2.54	0.43
1:A:230:PHE:HA	1:A:236:THR:CG2	2.45	0.43
1:C:336:LYS:HG3	1:C:336:LYS:O	2.20	0.42
6:C:2020:HOH:O	1:D:287:ARG:HG2	2.20	0.42
1:D:229:GLN:O	1:D:236:THR:HG23	2.19	0.42
1:B:19:LYS:CE	1:B:152:GLN:NE2	2.83	0.42
1:B:126:LEU:N	1:B:128:ASP:OD1	2.53	0.42
1:D:21:ILE:CD1	1:D:42:MET:HE1	2.46	0.42
1:A:321:ILE:HG12	1:A:350:LEU:HD23	2.01	0.42
1:C:15:SER:OG	1:C:18:HIS:CD2	2.59	0.42
1:D:61:ASN:ND2	6:D:2029:HOH:O	2.51	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:183:LEU:O	1:D:187:LEU:HB2	2.20	0.42
1:A:212:ILE:N	6:A:2072:HOH:O	2.53	0.42
1:B:170:THR:HG23	1:B:255:LEU:HD13	2.01	0.42
1:C:181:ASN:O	1:C:185:LYS:HG3	2.20	0.41
1:B:146:MET:HG2	1:B:222:ASN:OD1	2.19	0.41
1:C:150:LYS:CE	1:C:218:GLU:OE1	2.68	0.41
1:A:220:LYS:HA	1:A:220:LYS:HD3	1.84	0.41
1:C:97:MET:HE3	1:C:97:MET:HB2	1.92	0.41
1:D:45:SER:C	1:D:47:PRO:HD3	2.45	0.41
1:C:126:LEU:HD12	1:C:128:ASP:N	2.28	0.41
1:C:129:LEU:HD21	1:D:185:LYS:HB2	2.02	0.41
1:D:98:ASN:HD21	1:D:124:GLY:HA2	1.86	0.41
1:D:8:ASN:HA	1:D:312:VAL:HG22	2.03	0.41
1:B:143:MET:HA	1:B:146:MET:HE2	2.03	0.41
1:B:296:LYS:HD2	1:B:296:LYS:HA	1.79	0.41
1:C:90:PRO:O	1:C:94:LEU:HG	2.20	0.41
1:D:72:LYS:HE2	1:D:88:ILE:HG13	2.02	0.41
1:D:96:ASP:O	1:D:100:MET:HG3	2.21	0.41
1:A:188:GLU:O	1:A:190:PHE:N	2.54	0.41
1:B:245:GLU:HG2	1:B:294:MET:HE3	2.03	0.41
1:D:6:GLU:HA	1:D:7:PRO:HD3	1.90	0.41
1:B:338:TYR:OH	1:B:344:GLY:HA2	2.21	0.40
1:D:342:THR:HG22	1:D:343:ASP:OD1	2.21	0.40
1:B:100:MET:O	1:B:104:ARG:HB2	2.21	0.40
1:C:225:THR:O	1:C:229:GLN:HG3	2.22	0.40
1:B:193:ILE:HG22	6:B:2087:HOH:O	2.21	0.40
1:B:219:LEU:HB2	6:B:2053:HOH:O	2.22	0.40
1:C:6:GLU:CD	1:C:6:GLU:H	2.28	0.40
1:D:46:GLN:N	1:D:47:PRO:HD3	2.37	0.40
1:A:90:PRO:HA	1:A:140:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/354 (83%)	285 (97%)	8 (3%)	0	100	100
1	B	291/354 (82%)	288 (99%)	3 (1%)	0	100	100
1	C	274/354 (77%)	268 (98%)	6 (2%)	0	100	100
1	D	294/354 (83%)	288 (98%)	6 (2%)	0	100	100
All	All	1152/1416 (81%)	1129 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/309 (86%)	248 (93%)	19 (7%)	13	10
1	B	269/309 (87%)	253 (94%)	16 (6%)	18	14
1	C	255/309 (82%)	238 (93%)	17 (7%)	15	11
1	D	269/309 (87%)	251 (93%)	18 (7%)	15	11
All	All	1060/1236 (86%)	990 (93%)	70 (7%)	15	12

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	76	LYS
1	A	100	MET
1	A	132	SER
1	A	146	MET
1	A	150	LYS
1	A	154	GLN
1	A	183	LEU
1	A	187	LEU
1	A	189	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	212	ILE
1	A	236	THR
1	A	263	ASP
1	A	266	VAL
1	A	278	GLU
1	A	305	LEU
1	A	311	VAL
1	A	342	THR
1	A	347	ILE
1	B	88	ILE
1	B	104	ARG
1	B	126	LEU
1	B	128	ASP
1	B	129	LEU
1	B	183	LEU
1	B	187	LEU
1	B	193	ILE
1	B	212	ILE
1	B	216	LEU
1	B	263	ASP
1	B	266	VAL
1	B	305	LEU
1	B	308	ASP
1	B	336	LYS
1	B	350	LEU
1	C	6	GLU
1	C	11	SER
1	C	75	ARG
1	C	97	MET
1	C	126	LEU
1	C	129	LEU
1	C	147	LYS
1	C	151	ARG
1	C	179	LEU
1	C	187	LEU
1	C	223	VAL
1	C	264	MET
1	C	266	VAL
1	C	305	LEU
1	C	311	VAL
1	C	321	ILE
1	C	325	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	48	ASN
1	D	52	LEU
1	D	104	ARG
1	D	151	ARG
1	D	174	LEU
1	D	181	ASN
1	D	187	LEU
1	D	188	GLU
1	D	189	LYS
1	D	190	PHE
1	D	212	ILE
1	D	225	THR
1	D	264	MET
1	D	266	VAL
1	D	267	ASN
1	D	281	GLN
1	D	311	VAL
1	D	342	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	41	GLN
1	A	50	GLN
1	A	61	ASN
1	A	152	GLN
1	A	154	GLN
1	A	172	HIS
1	A	178	GLN
1	A	217	ASN
1	A	222	ASN
1	A	228	GLN
1	A	289	GLN
1	A	301	GLN
1	A	325	ASN
1	A	326	ASN
1	B	18	HIS
1	B	61	ASN
1	B	181	ASN
1	B	217	ASN
1	B	279	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	325	ASN
1	B	326	ASN
1	C	18	HIS
1	C	50	GLN
1	C	61	ASN
1	C	152	GLN
1	C	181	ASN
1	C	217	ASN
1	C	222	ASN
1	C	228	GLN
1	C	326	ASN
1	D	18	HIS
1	D	41	GLN
1	D	48	ASN
1	D	61	ASN
1	D	81	ASN
1	D	98	ASN
1	D	217	ASN
1	D	222	ASN
1	D	267	ASN
1	D	273	GLN
1	D	325	ASN
1	D	326	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ADP	A	401	4,3	28,29,29	1.28	4 (14%)	43,45,45	1.49	7 (16%)
2	ADP	D	401	4,3	28,29,29	1.68	8 (28%)	43,45,45	1.52	8 (18%)
2	ADP	B	401	4,3	28,29,29	1.23	3 (10%)	43,45,45	1.47	6 (13%)
2	ADP	C	401	4,3	28,29,29	1.50	4 (14%)	43,45,45	1.51	9 (20%)
3	ALF	A	402	4,2,6	4,4,4	1.15	0	-		
3	ALF	B	402	4,2,6	4,4,4	1.14	0	-		
3	ALF	C	402	4,2,6	4,4,4	1.19	0	-		
3	ALF	D	402	4,2,6	4,4,4	1.19	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	401	4,3	-	0/16/32/32	0/3/3/3
2	ADP	D	401	4,3	-	0/16/32/32	0/3/3/3
2	ADP	B	401	4,3	-	0/16/32/32	0/3/3/3
2	ADP	C	401	4,3	-	0/16/32/32	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	ADP	C8-N9	3.64	1.43	1.37
2	D	401	ADP	C5-C4	3.61	1.45	1.39
2	C	401	ADP	C5-C4	3.42	1.45	1.39
2	B	401	ADP	C5-C4	2.81	1.44	1.39
2	C	401	ADP	C8-N9	2.76	1.42	1.37
2	A	401	ADP	C5-C4	2.75	1.44	1.39
2	D	401	ADP	PB-O3B	-2.75	1.44	1.54
2	C	401	ADP	PB-O1B	2.69	1.58	1.50
2	A	401	ADP	PB-O3B	-2.67	1.44	1.54
2	C	401	ADP	PB-O3B	-2.64	1.45	1.54
2	B	401	ADP	PB-O3B	-2.39	1.45	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	ADP	C4-N3	2.31	1.38	1.34
2	D	401	ADP	PB-O1B	2.24	1.57	1.50
2	A	401	ADP	O4'-C1'	2.20	1.47	1.42
2	D	401	ADP	C5-N7	2.15	1.43	1.39
2	D	401	ADP	C8-N7	2.14	1.35	1.31
2	B	401	ADP	C8-N9	2.06	1.41	1.37
2	D	401	ADP	PA-O2A	-2.02	1.46	1.55
2	A	401	ADP	PA-O1A	2.01	1.57	1.50

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	ADP	O4'-C1'-N9	-3.97	100.46	108.09
2	A	401	ADP	O4'-C1'-N9	-3.71	100.95	108.09
2	A	401	ADP	C6-C5-C4	-3.28	112.69	117.18
2	D	401	ADP	C6-C5-C4	-3.24	112.76	117.18
2	B	401	ADP	O2B-PB-O1B	-3.14	98.61	110.83
2	A	401	ADP	C4-N9-C1'	-3.06	119.47	126.63
2	B	401	ADP	O3B-PB-O3A	3.01	114.71	104.64
2	C	401	ADP	C4-N9-C1'	-2.94	119.75	126.63
2	D	401	ADP	O3B-PB-O2B	2.94	118.82	107.80
2	B	401	ADP	C4-N9-C1'	-2.84	120.00	126.63
2	D	401	ADP	O3A-PA-O1A	-2.80	102.28	110.70
2	D	401	ADP	C4-N9-C1'	-2.78	120.13	126.63
2	B	401	ADP	O3B-PB-O2B	2.70	117.93	107.80
2	C	401	ADP	O3B-PB-O3A	2.64	113.48	104.64
2	D	401	ADP	C4-N9-C8	2.61	108.48	105.74
2	D	401	ADP	O2B-PB-O3A	-2.56	96.03	104.64
2	C	401	ADP	O3B-PB-O1B	2.52	120.66	110.83
2	C	401	ADP	C6-C5-C4	-2.45	113.83	117.18
2	B	401	ADP	O4'-C1'-N9	-2.39	103.50	108.09
2	A	401	ADP	O3A-PA-O1A	-2.37	103.58	110.70
2	A	401	ADP	O3B-PB-O1B	2.37	120.06	110.83
2	C	401	ADP	C4-N9-C8	2.34	108.19	105.74
2	A	401	ADP	O3B-PB-O2B	2.33	116.53	107.80
2	D	401	ADP	O4'-C1'-N9	-2.29	103.70	108.09
2	C	401	ADP	O3A-PA-O1A	-2.28	103.85	110.70
2	D	401	ADP	O3B-PB-O3A	2.27	112.26	104.64
2	C	401	ADP	C5-C4-N9	-2.23	103.38	105.81
2	B	401	ADP	O3B-PB-O1B	2.16	119.24	110.83
2	A	401	ADP	C5-C6-N6	-2.15	117.97	123.29
2	C	401	ADP	O2B-PB-O1B	-2.10	102.64	110.83


There are no chirality outliers.



There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/354 (85%)	0.25	15 (4%) 34 33	22, 43, 81, 100	0
1	B	301/354 (85%)	0.14	18 (5%) 27 26	21, 39, 73, 93	0
1	C	284/354 (80%)	0.21	14 (4%) 35 34	25, 41, 73, 102	0
1	D	304/354 (85%)	0.61	26 (8%) 16 15	30, 50, 78, 105	0
All	All	1190/1416 (84%)	0.31	73 (6%) 27 26	21, 44, 79, 105	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	LEU	5.2
1	D	190	PHE	4.8
1	B	193	ILE	4.6
1	C	126	LEU	4.4
1	D	191	GLY	4.4
1	D	88	ILE	3.9
1	A	212	ILE	3.9
1	B	129	LEU	3.8
1	D	212	ILE	3.6
1	A	157	GLY	3.5
1	D	102	VAL	3.4
1	A	190	PHE	3.4
1	B	88	ILE	3.3
1	B	127	ALA	3.3
1	D	216	LEU	3.3
1	C	213	SER	3.3
1	D	281	GLN	3.3
1	B	187	LEU	3.3
1	C	350	LEU	3.2
1	C	214	GLY	3.2
1	A	5	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	350	LEU	3.1
1	D	103	SER	3.1
1	A	123	GLY	2.9
1	A	126	LEU	2.8
1	A	100	MET	2.7
1	D	120	LEU	2.7
1	B	190	PHE	2.7
1	A	121	LEU	2.6
1	C	187	LEU	2.6
1	A	155	GLY	2.6
1	B	105	ALA	2.6
1	D	118	GLY	2.6
1	B	102	VAL	2.6
1	B	5	VAL	2.5
1	A	81	ASN	2.5
1	C	132	SER	2.5
1	B	159	THR	2.5
1	B	188	GLU	2.4
1	D	188	GLU	2.4
1	D	336	LYS	2.4
1	A	216	LEU	2.4
1	D	101	ALA	2.3
1	D	104	ARG	2.3
1	D	129	LEU	2.3
1	B	4	THR	2.3
1	B	212	ILE	2.3
1	B	285	CYS	2.3
1	C	159	THR	2.3
1	D	151	ARG	2.2
1	C	277	ALA	2.2
1	D	186	LEU	2.2
1	B	279	ASN	2.2
1	D	48	ASN	2.2
1	A	218	GLU	2.2
1	D	213	SER	2.2
1	D	74	ALA	2.2
1	C	48	ASN	2.1
1	C	267	ASN	2.1
1	D	100	MET	2.1
1	B	286	LYS	2.1
1	A	352	ASP	2.1
1	C	231	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	119	SER	2.1
1	D	6	GLU	2.1
1	D	82	ASN	2.1
1	C	152	GLN	2.1
1	A	99	ASP	2.1
1	D	262	TYR	2.1
1	C	215	LYS	2.1
1	A	187	LEU	2.1
1	D	150	LYS	2.0
1	C	45	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ALF	C	402	5/5	0.97	0.07	28,29,33,41	0
4	MG	D	403	1/1	0.97	0.04	35,35,35,35	0
5	ZN	A	1353	1/1	0.97	0.04	43,43,43,43	0
5	ZN	C	1352	1/1	0.97	0.04	40,40,40,40	0
2	ADP	B	401	27/27	0.98	0.05	20,26,33,39	0
3	ALF	D	402	5/5	0.98	0.06	28,30,37,41	0
4	MG	B	403	1/1	0.98	0.03	27,27,27,27	0
4	MG	C	403	1/1	0.98	0.03	30,30,30,30	0
2	ADP	D	401	27/27	0.98	0.06	28,32,37,41	0
3	ALF	A	402	5/5	0.98	0.06	24,29,33,34	0
3	ALF	B	402	5/5	0.98	0.05	25,27,31,35	0
4	MG	A	403	1/1	0.99	0.03	28,28,28,28	0
2	ADP	C	401	27/27	0.99	0.04	24,28,34,34	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ADP	A	401	27/27	0.99	0.04	21,25,33,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around ADP D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.