



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 06:15 AM UTC

PDB ID : 4WOY / pdb_00004woy
Title : Crystal structure and functional analysis of MiD49, a receptor for the mitochondrial fission protein Drp1
Authors : Loson, O.C.; Meng, S.; Ngo, H.B.; Liu, R.; Kaiser, J.T.; Chan, D.C.
Deposited on : 2014-10-17
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	
1	B	329	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5337 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitochondrial dynamics protein MID49.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2581	1667	441	465	8			
1	B	329	Total	C	N	O	S	0	0	0
			2581	1667	441	465	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	218	ALA	ARG	engineered mutation	UNP Q5NCS9
B	218	ALA	ARG	engineered mutation	UNP Q5NCS9


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	91	Total	O	0	0
			91	91		
2	B	84	Total	O	0	0
			84	84		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Mitochondrial dynamics protein MID49



• Molecule 1: Mitochondrial dynamics protein MID49



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	100.67Å 153.39Å 109.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.98 – 2.40 36.98 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.9 (36.98-2.40) 98.9 (36.98-2.40)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1760)	Depositor
R, R_{free}	0.206 , 0.243 0.212 , 0.246	Depositor DCC
R_{free} test set	904 reflections (1.24%)	wwPDB-VP
Wilson B-factor (Å ²)	48.3	Xtriage
Anisotropy	0.178	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5337	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.07 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1759e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/2645	0.96	9/3610 (0.2%)
1	B	0.57	0/2645	0.89	2/3610 (0.1%)
All	All	0.60	0/5290	0.93	11/7220 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	322	LEU	N-CA-C	-10.93	90.12	108.26
1	A	217	ALA	N-CA-C	-7.08	99.33	109.96
1	B	284	ALA	N-CA-C	-6.04	103.59	111.74
1	A	299	PHE	N-CA-C	6.00	117.36	108.60
1	A	324	GLY	N-CA-C	-5.58	104.08	112.89
1	A	285	SER	CB-CA-C	-5.55	110.16	116.54
1	B	391	ALA	N-CA-C	5.40	116.86	110.97
1	A	322	LEU	CB-CA-C	5.39	118.44	110.14
1	A	424	SER	CA-C-N	-5.25	115.60	122.37
1	A	424	SER	C-N-CA	-5.25	115.60	122.37
1	A	283	VAL	N-CA-C	5.03	119.81	109.34

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	321	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2581	0	2594	73	0
1	B	2581	0	2594	50	0
2	A	91	0	0	13	0
2	B	84	0	0	14	1
All	All	5337	0	5188	120	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:ARG:NH1	2:A:501:HOH:O	1.84	1.10
1:B:391:ALA:O	2:B:558:HOH:O	1.91	0.88
1:A:184:ASP:O	2:A:589:HOH:O	1.93	0.86
1:A:285:SER:N	2:A:581:HOH:O	1.95	0.85
1:A:151:GLN:NE2	1:A:155:ASP:OD2	2.13	0.82
1:A:367:HIS:ND1	2:A:502:HOH:O	2.14	0.80
1:A:343:ARG:NH2	2:A:585:HOH:O	2.14	0.80
1:A:192:GLU:OE2	2:A:590:HOH:O	2.01	0.77
1:B:187:GLN:HG2	2:B:581:HOH:O	1.84	0.76
1:A:291:LYS:HG3	1:A:292:VAL:HG22	1.67	0.76
1:A:292:VAL:HB	1:A:293:GLN:C	2.12	0.74
1:B:321:PRO:O	2:B:578:HOH:O	2.07	0.71
1:A:372:ARG:NH1	1:A:435:GLU:OE2	2.23	0.71
1:A:186:LEU:HB3	1:A:187:GLN:HG2	1.73	0.70
1:A:252:ARG:HB2	1:A:327:SER:HB3	1.73	0.69
1:A:228:THR:HG22	1:A:229:GLN:HG3	1.74	0.68
1:A:163:TYR:CE1	1:A:167:LYS:HG3	2.29	0.68
1:A:130:ARG:NH1	2:A:505:HOH:O	2.28	0.67
1:B:389:GLU:OE2	2:B:501:HOH:O	2.11	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:GLN:NE2	1:B:155:ASP:OD2	2.29	0.66
1:A:372:ARG:O	2:A:587:HOH:O	2.13	0.65
1:A:308:PRO:O	2:A:503:HOH:O	2.14	0.65
1:B:310:ALA:O	2:B:502:HOH:O	2.15	0.65
1:A:278:LEU:N	1:A:291:LYS:O	2.22	0.65
1:B:306:VAL:HG12	1:B:318:LEU:HD23	1.79	0.64
1:A:290:LEU:HD23	1:A:299:PHE:CE1	2.33	0.64
1:B:143:GLU:O	2:B:560:HOH:O	2.14	0.64
1:A:292:VAL:HB	1:A:294:HIS:N	2.15	0.62
1:B:131:LEU:HD12	1:B:454:PHE:HZ	1.65	0.62
1:A:292:VAL:HG12	1:A:297:LEU:O	1.99	0.62
1:A:444:TYR:CZ	1:A:445:SER:HB3	2.34	0.62
1:A:451:GLU:OE1	2:A:572:HOH:O	2.16	0.61
1:A:211:PRO:HG3	1:A:223:TRP:CH2	2.36	0.60
1:A:402:LEU:HD22	1:A:446:GLY:O	2.03	0.59
1:B:391:ALA:H	1:B:400:ARG:HH21	1.50	0.58
1:B:293:GLN:OE1	2:B:503:HOH:O	2.17	0.57
1:A:261:ALA:HA	1:A:265:SER:HB3	1.86	0.57
1:B:441:TYR:HB3	2:B:520:HOH:O	2.04	0.56
1:A:228:THR:HG22	1:A:229:GLN:N	2.19	0.56
1:B:282:ASP:O	1:B:284:ALA:N	2.39	0.56
1:A:279:ILE:HG12	1:A:290:LEU:HD13	1.87	0.56
1:A:293:GLN:O	1:A:295:GLU:N	2.39	0.55
1:B:282:ASP:OD1	1:B:283:VAL:N	2.39	0.55
1:B:161:GLN:O	1:B:165:ARG:HG3	2.07	0.55
1:A:290:LEU:HD23	1:A:299:PHE:CZ	2.41	0.55
1:A:282:ASP:OD1	1:A:283:VAL:N	2.41	0.54
1:B:223:TRP:NE1	2:B:504:HOH:O	2.31	0.53
1:B:355:ARG:HH22	1:B:394:GLU:HG3	1.74	0.53
1:A:127:PHE:CE1	1:A:450:PRO:HB2	2.43	0.53
1:A:294:HIS:O	1:A:296:CYS:N	2.40	0.53
1:B:345:LEU:O	1:B:348:GLN:HG2	2.09	0.53
1:B:309:GLY:O	2:B:533:HOH:O	2.19	0.53
1:B:335:TYR:O	1:B:339:THR:HG23	2.10	0.52
1:A:164:LEU:HD21	1:A:173:PHE:CD2	2.44	0.52
1:A:447:LEU:HB2	1:B:274:LEU:HD11	1.91	0.52
1:B:290:LEU:HB2	1:B:301:LEU:HB2	1.93	0.51
1:B:405:LEU:O	1:B:409:VAL:HG13	2.10	0.51
1:B:252:ARG:O	1:B:256:GLU:HG3	2.11	0.51
1:B:282:ASP:C	1:B:284:ALA:H	2.19	0.51
1:A:291:LYS:NZ	1:A:298:GLU:OE2	2.35	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:VAL:HG12	1:A:318:LEU:HD23	1.94	0.50
1:A:292:VAL:H	1:A:293:GLN:HA	1.76	0.49
1:A:448:GLN:HG3	1:A:449:VAL:H	1.77	0.49
1:A:448:GLN:OE1	2:A:573:HOH:O	2.18	0.49
1:A:444:TYR:CG	1:A:445:SER:N	2.81	0.49
1:B:432:ARG:HH22	1:B:434:GLU:HB3	1.78	0.49
1:A:307:VAL:HG22	1:A:317:LEU:HB2	1.94	0.48
1:A:323:GLU:HA	1:A:327:SER:OG	2.14	0.48
1:A:345:LEU:O	1:A:348:GLN:HG2	2.13	0.48
1:A:149:ALA:HB2	1:A:297:LEU:HD21	1.96	0.48
1:B:335:TYR:CZ	1:B:339:THR:HG21	2.49	0.47
1:B:126:THR:HG23	1:B:129:GLU:H	1.79	0.47
1:A:291:LYS:HA	1:A:292:VAL:HA	1.55	0.47
1:A:246:GLY:O	2:A:501:HOH:O	2.21	0.46
1:A:372:ARG:NH1	2:A:570:HOH:O	2.25	0.46
1:B:383:LEU:O	1:B:387:GLU:HG2	2.15	0.46
1:A:279:ILE:HG12	1:A:290:LEU:CD1	2.45	0.46
1:B:223:TRP:CD1	2:B:504:HOH:O	2.69	0.46
1:A:130:ARG:HD2	1:A:451:GLU:HG2	1.98	0.46
1:B:200:LEU:HB2	1:B:307:VAL:HG12	1.96	0.46
1:A:268:TRP:N	1:A:269:PRO:HD2	2.32	0.45
1:B:432:ARG:NH2	1:B:434:GLU:HB3	2.32	0.45
1:A:441:TYR:HE1	1:B:267:ASN:HD21	1.64	0.45
1:A:196:LEU:HD12	1:A:196:LEU:HA	1.84	0.45
1:B:390:VAL:HB	1:B:400:ARG:NH2	2.32	0.45
1:A:293:GLN:O	1:A:294:HIS:C	2.60	0.44
1:B:268:TRP:N	1:B:269:PRO:HD2	2.33	0.44
1:B:282:ASP:C	1:B:284:ALA:N	2.74	0.44
1:B:290:LEU:HD23	1:B:290:LEU:HA	1.88	0.44
1:A:228:THR:HG22	1:A:229:GLN:CG	2.43	0.44
1:A:335:TYR:CZ	1:A:339:THR:HG21	2.53	0.44
1:B:294:HIS:CE1	1:B:295:GLU:HG2	2.53	0.44
1:A:290:LEU:HA	1:A:290:LEU:HD12	1.75	0.43
1:B:400:ARG:HD3	1:B:400:ARG:HA	1.67	0.43
1:A:278:LEU:O	1:A:290:LEU:HD12	2.18	0.43
1:B:282:ASP:HB3	1:B:289:LEU:HB2	2.00	0.43
1:B:325:LEU:HA	1:B:325:LEU:HD12	1.72	0.43
1:A:326:ALA:HB1	1:A:329:LEU:HG	1.99	0.43
1:A:335:TYR:O	1:A:339:THR:HG23	2.19	0.43
1:A:448:GLN:HB3	1:B:274:LEU:HA	2.00	0.42
1:B:320:TRP:HD1	2:B:578:HOH:O	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:390:VAL:HB	1:B:400:ARG:CZ	2.49	0.42
1:B:405:LEU:HB2	1:B:447:LEU:HD21	2.01	0.42
1:A:362:GLY:HA2	1:A:365:ARG:NH2	2.34	0.42
1:A:288:LEU:HB2	1:A:301:LEU:HB2	2.02	0.41
1:B:287:GLU:O	1:B:289:LEU:HG	2.20	0.41
1:B:320:TRP:CD1	2:B:578:HOH:O	2.74	0.41
1:A:277:CYS:SG	1:A:290:LEU:HD11	2.60	0.41
1:B:355:ARG:NH2	1:B:394:GLU:HG3	2.34	0.41
1:A:148:LEU:CD2	1:A:295:GLU:HG3	2.50	0.41
1:A:252:ARG:O	1:A:256:GLU:HG3	2.21	0.41
1:A:148:LEU:HD22	1:A:295:GLU:HG3	2.03	0.41
1:A:227:ARG:NH1	1:A:228:THR:O	2.54	0.41
1:A:320:TRP:CG	1:A:321:PRO:HD2	2.55	0.41
1:A:422:ASN:O	1:A:425:VAL:HG22	2.21	0.40
1:A:152:LEU:O	1:A:156:ILE:HG13	2.21	0.40
1:A:400:ARG:HA	1:A:400:ARG:HD3	1.72	0.40
1:B:367:HIS:HA	1:B:368:PRO:HD3	1.91	0.40
1:A:148:LEU:HD22	1:A:295:GLU:CD	2.46	0.40
1:B:144:ALA:HA	2:B:560:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:522:HOH:O	2:B:523:HOH:O[3_856]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	327/329 (99%)	314 (96%)	10 (3%)	3 (1%)	14 22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	327/329 (99%)	322 (98%)	4 (1%)	1 (0%)	36	50
All	All	654/658 (99%)	636 (97%)	14 (2%)	4 (1%)	21	32

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	309	GLY
1	B	283	VAL
1	A	294	HIS
1	A	284	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/275 (100%)	272 (99%)	3 (1%)	65	82
1	B	275/275 (100%)	269 (98%)	6 (2%)	45	67
All	All	550/550 (100%)	541 (98%)	9 (2%)	55	76

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	278	LEU
1	A	367	HIS
1	A	380	GLN
1	B	278	LEU
1	B	283	VAL
1	B	311	SER
1	B	355	ARG
1	B	380	GLN
1	B	449	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	GLN
1	A	229	GLN
1	A	384	HIS
1	B	138	HIS
1	B	420	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/329 (100%)	0.20	33 (10%) 12 9	32, 54, 122, 204	0
1	B	329/329 (100%)	0.12	20 (6%) 27 23	34, 61, 107, 187	0
All	All	658/658 (100%)	0.16	53 (8%) 18 14	32, 57, 112, 204	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	326	ALA	8.4
1	B	326	ALA	7.8
1	A	446	GLY	7.7
1	B	325	LEU	7.0
1	A	325	LEU	6.4
1	A	284	ALA	6.1
1	A	447	LEU	5.6
1	B	324	GLY	5.5
1	A	322	LEU	5.0
1	A	448	GLN	4.7
1	A	294	HIS	4.3
1	A	444	TYR	4.1
1	A	285	SER	4.1
1	B	285	SER	4.0
1	B	441	TYR	3.7
1	A	451	GLU	3.6
1	A	283	VAL	3.5
1	B	322	LEU	3.5
1	A	290	LEU	3.4
1	A	321	PRO	3.4
1	A	453	LEU	3.4
1	B	323	GLU	3.3
1	B	205	GLY	3.3
1	A	454	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	295	GLU	3.1
1	A	441	TYR	3.1
1	A	163	TYR	3.0
1	B	186	LEU	3.0
1	B	391	ALA	3.0
1	A	324	GLY	2.9
1	A	390	VAL	2.8
1	A	445	SER	2.8
1	A	388	GLU	2.8
1	A	450	PRO	2.7
1	A	185	GLY	2.7
1	B	286	GLU	2.7
1	B	454	PHE	2.5
1	A	287	GLU	2.5
1	A	205	GLY	2.4
1	B	284	ALA	2.4
1	A	126	THR	2.4
1	A	389	GLU	2.3
1	B	283	VAL	2.3
1	B	443	LEU	2.3
1	A	323	GLU	2.2
1	B	126	THR	2.2
1	B	187	GLN	2.2
1	B	367	HIS	2.2
1	B	368	PRO	2.2
1	A	246	GLY	2.1
1	A	296	CYS	2.1
1	B	327	SER	2.1
1	A	164	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.