



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:21 PM UTC

PDB ID : 5WO8 / pdb_00005wo8
Title : Crystal Structure of Transient Receptor Potential (TRP) channel TRPV6*-Del1
Authors : Singh, A.K.; Saotome, K.; Sobolevsky, A.I.
Deposited on : 2017-08-01
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1001 (3.44-3.36)
Clashscore	190562	1022 (3.44-3.36)
Ramachandran outliers	187476	1012 (3.44-3.36)
Sidechain outliers	187428	1012 (3.44-3.36)
RSRZ outliers	180081	1001 (3.44-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	672	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4690 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Transient receptor potential cation channel subfamily V member 6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	587	Total	C	N	O	S	0	0	0
			4674	3024	780	839	31			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	62	TYR	ILE	engineered mutation	UNP Q9R186
A	92	ASN	LEU	engineered mutation	UNP Q9R186
A	96	GLN	MET	engineered mutation	UNP Q9R186
A	670	VAL	-	expression tag	UNP Q9R186
A	671	PRO	-	expression tag	UNP Q9R186
A	672	ARG	-	expression tag	UNP Q9R186

- Molecule 2 is 6-(5-METHYL-2-OXO-IMIDAZOLIDIN-4-YL)-HEXANOIC ACID (CCD ID: DTB) (formula: C₁₀H₁₈N₂O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	10	2	3		


- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transient receptor potential cation channel subfamily V member 6



4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	145.32Å 145.32Å 113.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.74 – 3.40 49.74 – 3.40	Depositor EDS
% Data completeness (in resolution range)	99.3 (49.74-3.40) 99.3 (49.74-3.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 3.40Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.281 , 0.316 0.291 , 0.330	Depositor DCC
R_{free} test set	874 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	145.4	Xtriage
Anisotropy	0.298	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 97.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4690	wwPDB-VP
Average B, all atoms (Å ²)	136.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, DTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/4781	0.65	9/6499 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	284	SER	N-CA-C	32.26	152.63	113.28
1	A	284	SER	CB-CA-C	-14.44	81.99	109.72
1	A	406	ILE	N-CA-C	11.62	133.50	109.34
1	A	323	TYR	CB-CA-C	-8.92	92.66	110.42
1	A	285	SER	N-CA-CB	-7.93	97.09	110.49
1	A	324	GLY	N-CA-C	-6.03	98.90	113.18
1	A	406	ILE	N-CA-CB	-5.72	101.79	111.23
1	A	407	PHE	N-CA-C	-5.29	96.18	111.00
1	A	405	ASP	CB-CA-C	5.12	120.61	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4674	0	4680	103	0
2	A	15	0	17	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
All	All	4690	0	4697	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:406:ILE:CD1	1:A:407:PHE:H	1.56	1.18
1:A:406:ILE:HD12	1:A:407:PHE:N	1.61	1.13
1:A:442:ARG:O	1:A:443:LEU:HG	1.44	1.13
1:A:406:ILE:HD12	1:A:407:PHE:H	0.87	1.03
1:A:511:PHE:CE1	1:A:519:LEU:HD22	2.03	0.92
1:A:406:ILE:CD1	1:A:407:PHE:O	2.20	0.88
1:A:406:ILE:HD12	1:A:407:PHE:O	1.79	0.80
1:A:378:THR:HG23	1:A:378:THR:O	1.87	0.74
1:A:343:THR:HG21	1:A:461:TRP:HE1	1.53	0.73
1:A:115:TYR:CE1	2:A:701:DTB:HCR	2.24	0.72
1:A:511:PHE:CE1	1:A:519:LEU:CD2	2.73	0.71
1:A:406:ILE:CG1	1:A:407:PHE:H	1.97	0.71
1:A:287:ASP:OD1	1:A:287:ASP:N	2.25	0.70
1:A:406:ILE:HD12	1:A:407:PHE:CA	2.24	0.67
1:A:161:TYR:OH	1:A:193:ASP:OD2	2.14	0.65
1:A:406:ILE:HD12	1:A:407:PHE:C	2.21	0.65
1:A:511:PHE:HE1	1:A:519:LEU:HD22	1.58	0.64
1:A:519:LEU:O	1:A:519:LEU:HD23	1.99	0.62
1:A:406:ILE:HD11	1:A:407:PHE:O	1.98	0.62
1:A:425:HIS:NE2	1:A:602:MET:SD	2.68	0.62
1:A:441:MET:HG3	1:A:452:PRO:HG3	1.82	0.62
1:A:71:GLU:H	1:A:71:GLU:CD	2.06	0.61
1:A:442:ARG:O	1:A:443:LEU:CG	2.36	0.61
1:A:60:ALA:O	1:A:64:LEU:N	2.24	0.60
1:A:349:ARG:NH1	1:A:512:GLN:OE1	2.35	0.60
1:A:89:TYR:O	1:A:91:ASN:N	2.35	0.59
1:A:256:GLN:O	1:A:260:GLN:NE2	2.34	0.59
1:A:365:THR:HB	1:A:367:LEU:HD13	1.84	0.58
1:A:228:LEU:HD12	1:A:228:LEU:H	1.68	0.58
1:A:349:ARG:HB2	1:A:350:PRO:HD2	1.85	0.58
1:A:183:ILE:HD13	1:A:187:ALA:HB3	1.85	0.57
1:A:284:SER:C	1:A:286:GLY:H	2.12	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:ARG:HH12	1:A:229:LYS:HB3	1.70	0.57
1:A:406:ILE:CD1	1:A:407:PHE:N	2.41	0.56
1:A:406:ILE:CG1	1:A:407:PHE:N	2.68	0.56
1:A:236:ASN:ND2	1:A:238:GLN:OE1	2.38	0.55
1:A:442:ARG:C	1:A:443:LEU:HG	2.30	0.55
1:A:543:PRO:O	1:A:554:TYR:OH	2.21	0.55
1:A:582:TRP:HE3	1:A:584:VAL:HG23	1.72	0.55
1:A:115:TYR:CZ	2:A:701:DTB:HCR	2.41	0.54
1:A:236:ASN:OD1	1:A:237:ASN:N	2.41	0.53
1:A:190:ARG:NH2	1:A:229:LYS:O	2.27	0.52
1:A:44:ILE:HG13	1:A:50:LEU:HB3	1.92	0.52
1:A:64:LEU:O	1:A:69:GLY:HA2	2.09	0.52
1:A:343:THR:HG21	1:A:461:TRP:NE1	2.24	0.52
1:A:266:GLN:OE1	1:A:274:SER:OG	2.27	0.51
1:A:492:PHE:HA	1:A:495:LEU:HB2	1.92	0.51
1:A:183:ILE:HG21	1:A:222:TYR:CD1	2.46	0.50
1:A:72:VAL:HG12	1:A:105:LEU:HD11	1.93	0.50
1:A:352:LYS:HB2	1:A:372:LEU:HD23	1.94	0.50
1:A:352:LYS:HE2	1:A:355:ILE:HG21	1.94	0.49
1:A:310:THR:HG23	1:A:311:PRO:HD3	1.93	0.49
1:A:505:SER:HA	1:A:525:TYR:HE1	1.77	0.49
1:A:93:GLU:OE2	1:A:93:GLU:N	2.43	0.47
1:A:336:VAL:O	1:A:340:ILE:HG22	2.13	0.47
1:A:137:LEU:HB3	1:A:185:HIS:CD2	2.50	0.47
1:A:33:ARG:O	1:A:37:ASN:ND2	2.28	0.47
1:A:286:GLY:HA3	1:A:289:GLN:HB2	1.96	0.47
1:A:500:ILE:O	1:A:504:ALA:N	2.37	0.47
1:A:402:GLU:OE2	1:A:425:HIS:ND1	2.48	0.47
1:A:162:TYR:O	1:A:168:SER:OG	2.23	0.46
1:A:585:ALA:O	1:A:589:ASP:N	2.47	0.46
1:A:506:ALA:O	1:A:510:ILE:HG12	2.16	0.46
1:A:486:PHE:O	1:A:490:MET:HB2	2.14	0.46
1:A:369:GLN:HE21	1:A:369:GLN:HB2	1.52	0.46
1:A:279:LEU:HB3	1:A:628:TRP:O	2.16	0.45
1:A:503:PHE:CD1	1:A:561:PHE:HB2	2.52	0.45
1:A:174:GLY:HA2	1:A:215:MET:HE3	1.98	0.45
1:A:176:GLU:O	1:A:180:ARG:HG2	2.17	0.45
1:A:339:ILE:O	1:A:343:THR:HG23	2.16	0.45
1:A:427:ILE:HG23	1:A:459:LEU:HG	1.99	0.45
1:A:525:TYR:HB3	1:A:526:PRO:HD3	1.99	0.44
1:A:354:ARG:HB2	1:A:368:GLN:HA	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:LEU:HD11	1:A:548:VAL:HG11	1.98	0.44
1:A:621:GLU:HA	1:A:622:TYR:C	2.42	0.44
1:A:319:LYS:NZ	1:A:604:GLU:OE1	2.46	0.44
1:A:374:GLU:N	1:A:374:GLU:OE1	2.51	0.44
1:A:205:LEU:HD23	1:A:249:GLU:HG2	2.00	0.44
1:A:582:TRP:CG	1:A:583:ARG:H	2.36	0.43
1:A:496:MET:O	1:A:500:ILE:HG12	2.19	0.43
1:A:284:SER:C	1:A:286:GLY:N	2.76	0.43
1:A:150:SER:HA	1:A:153:HIS:CD2	2.54	0.43
1:A:500:ILE:HG21	1:A:533:PHE:HA	2.00	0.43
1:A:43:ARG:NH1	1:A:46:GLU:OE1	2.51	0.43
1:A:243:PHE:HA	1:A:258:LEU:HD12	2.00	0.43
1:A:147:ALA:HB1	1:A:152:PHE:CE2	2.53	0.42
1:A:226:ASP:OD1	1:A:226:ASP:N	2.51	0.42
1:A:332:GLY:HA2	1:A:467:PHE:CE2	2.54	0.42
1:A:442:ARG:C	1:A:444:THR:H	2.27	0.42
1:A:372:LEU:HD13	1:A:374:GLU:HG2	2.01	0.42
1:A:439:MET:HE2	1:A:439:MET:HB3	1.98	0.42
1:A:257:HIS:O	1:A:260:GLN:HG2	2.20	0.42
1:A:488:ASP:O	1:A:490:MET:N	2.48	0.42
1:A:504:ALA:HB2	1:A:532:THR:HB	2.02	0.42
1:A:519:LEU:HD11	1:A:543:PRO:HB2	2.02	0.42
1:A:582:TRP:CE3	1:A:584:VAL:HG23	2.54	0.41
1:A:110:MET:HE2	1:A:110:MET:HB3	1.90	0.41
1:A:399:LEU:O	1:A:403:ILE:HB	2.20	0.41
1:A:206:GLN:HA	1:A:207:PRO:HD3	1.98	0.41
1:A:522:PHE:HB3	1:A:528:ALA:HB2	2.01	0.41
1:A:36:GLN:O	1:A:40:GLN:N	2.46	0.41
1:A:167:LEU:HA	1:A:182:LEU:HD13	2.03	0.41
1:A:343:THR:HG22	1:A:457:LEU:HD22	2.03	0.41
2:A:701:DTB:HCE2	2:A:701:DTB:HCT3	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	581/672 (86%)	542 (93%)	34 (6%)	5 (1%)	14	42

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	406	ILE
1	A	90	ASP
1	A	285	SER
1	A	620	ARG
1	A	621	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	503/584 (86%)	479 (95%)	24 (5%)	23	50

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	GLU
1	A	104	GLU
1	A	228	LEU
1	A	262	ARG
1	A	287	ASP
1	A	288	ASP
1	A	304	ARG
1	A	314	GLU
1	A	340	ILE
1	A	450	VAL
1	A	498	VAL
1	A	500	ILE
1	A	510	ILE
1	A	518	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	522	PHE
1	A	540	ILE
1	A	548	VAL
1	A	552	PHE
1	A	569	MET
1	A	570	LEU
1	A	586	HIS
1	A	590	GLU
1	A	624	LEU
1	A	631	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	74	GLN
1	A	227	HIS
1	A	256	GLN
1	A	309	GLN
1	A	373	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DTB	A	701	-	15,15,15	0.64	0	16,19,19	1.18	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTB	A	701	-	-	5/8/20/20	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	DTB	OI2-C-CA	2.28	121.21	114.00

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	DTB	CE-CD-CG-CB
2	A	701	DTB	CD-CE-CR-N2
2	A	701	DTB	OI2-C-CA-CB
2	A	701	DTB	OI1-C-CA-CB
2	A	701	DTB	CG-CD-CE-CR

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	DTB	3	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	587/672 (87%)	0.58	56 (9%) 14 13	104, 130, 183, 219	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	560	ALA	6.9
1	A	283	ASP	5.0
1	A	610	CYS	4.5
1	A	612	TRP	4.3
1	A	540	ILE	4.1
1	A	608	PRO	4.1
1	A	607	LEU	3.8
1	A	566	THR	3.8
1	A	443	LEU	3.7
1	A	237	ASN	3.5
1	A	564	ILE	3.5
1	A	228	LEU	3.5
1	A	351	LEU	3.5
1	A	156	PRO	3.4
1	A	371	LEU	3.4
1	A	294	LEU	3.3
1	A	570	LEU	3.3
1	A	284	SER	3.3
1	A	513	THR	3.3
1	A	626	ASP	3.1
1	A	70	CYS	3.1
1	A	360	ASN	3.1
1	A	470	GLY	3.0
1	A	539	ILE	3.0
1	A	603	LEU	2.9
1	A	68	GLU	2.9
1	A	578	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	382	ASP	2.9
1	A	366	LEU	2.8
1	A	614	ARG	2.8
1	A	604	GLU	2.8
1	A	584	VAL	2.7
1	A	569	MET	2.7
1	A	367	LEU	2.7
1	A	521	HIS	2.6
1	A	605	ARG	2.6
1	A	282	ILE	2.5
1	A	154	TYR	2.5
1	A	568	LEU	2.5
1	A	462	CYS	2.4
1	A	279	LEU	2.4
1	A	159	LEU	2.4
1	A	489	LEU	2.3
1	A	624	LEU	2.3
1	A	600	THR	2.3
1	A	75	LYS	2.3
1	A	606	LYS	2.3
1	A	635	ARG	2.3
1	A	567	LEU	2.2
1	A	617	ILE	2.2
1	A	270	GLY	2.2
1	A	292	LEU	2.1
1	A	563	ILE	2.1
1	A	102	ALA	2.0
1	A	249	GLU	2.0
1	A	559	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DTB	A	701	15/15	0.90	0.17	92,103,113,122	0
3	CA	A	702	1/1	0.98	0.12	118,118,118,118	1

6.5 Other polymers [i](#)

There are no such residues in this entry.