



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:40 AM UTC

PDB ID : 1WPQ / pdb_00001wpq
Title : Ternary Complex Of Glycerol 3-phosphate Dehydrogenase 1 with NAD and dihydroxyactone
Authors : Ou, X.; Han, X.; Rao, Z.
Deposited on : 2004-09-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	5% 72% 26% .
1	B	349	5% 70% 27% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	13P	A	2002	-	-	X	-
3	13P	B	2001	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5993 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol-3-phosphate dehydrogenase [NAD⁺], cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	0	0
			2624	1670	445	490	19			
1	B	348	Total	C	N	O	S	0	0	0
			2624	1670	445	490	19			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,3-DIHYDROXYACETONEPHOSPHATE (CCD ID: 13P) (formula: $C_3H_7O_6P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			10	3	6	1		
3	B	1	Total	C	O	P	0	0
			10	3	6	1		

- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
4	B	1	Total 44	C 21	N 7	O 14	P 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	322	Total O 322 322	0	0
5	B	280	Total O 280 280	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycerol-3-phosphate dehydrogenase [NAD⁺], cytoplasmic



- Molecule 1: Glycerol-3-phosphate dehydrogenase [NAD⁺], cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	116.00Å 116.00Å 153.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 50.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.50) 94.3 (50.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.03 (at 2.45Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.258 , 0.294 0.256 , 0.286	Depositor DCC
R_{free} test set	1962 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 23.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5993	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 81.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.2580e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 13P, NAD, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/2670	1.00	15/3608 (0.4%)
1	B	0.44	0/2670	0.99	15/3608 (0.4%)
All	All	0.44	0/5340	0.99	30/7216 (0.4%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	PHE	CA-C-N	7.85	127.41	119.24
1	A	319	PHE	C-N-CA	7.85	127.41	119.24
1	A	151	ASN	N-CA-C	7.58	119.92	109.54
1	B	113	PRO	N-CA-CB	7.33	110.15	103.34
1	A	64	LEU	CA-C-N	7.00	126.97	119.76
1	A	64	LEU	C-N-CA	7.00	126.97	119.76
1	B	245	GLY	CA-C-N	6.86	128.41	119.84
1	B	245	GLY	C-N-CA	6.86	128.41	119.84
1	A	203	LEU	N-CA-C	6.80	118.69	111.28
1	A	113	PRO	N-CA-CB	6.70	109.58	103.34
1	A	221	ASP	N-CA-C	6.30	118.22	111.36
1	A	188	ILE	N-CA-C	6.18	117.50	108.53
1	A	245	GLY	CA-C-N	5.97	126.31	119.93
1	A	245	GLY	C-N-CA	5.97	126.31	119.93
1	A	128	GLY	N-CA-C	5.91	122.94	112.53
1	A	330	TYR	N-CA-C	5.89	121.90	114.31
1	B	182	GLN	N-CA-C	5.88	118.35	110.35
1	A	87	ASP	N-CA-C	-5.63	106.54	113.41
1	B	221	ASP	N-CA-C	5.51	117.37	111.36
1	A	291	LEU	N-CA-C	5.47	120.44	113.55
1	B	242	PHE	N-CA-C	5.41	119.88	113.28
1	B	64	LEU	CA-C-N	5.37	125.29	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	64	LEU	C-N-CA	5.37	125.29	119.76
1	B	296	LYS	N-CA-C	5.27	118.40	109.76
1	B	319	PHE	CA-C-N	5.20	126.34	119.84
1	B	319	PHE	C-N-CA	5.20	126.34	119.84
1	B	330	TYR	N-CA-C	5.19	121.00	114.31
1	B	144	MET	N-CA-C	5.18	118.00	109.72
1	B	262	ILE	N-CA-C	5.11	115.33	110.42
1	B	151	ASN	N-CA-C	5.10	116.52	109.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2624	0	2662	90	0
1	B	2624	0	2662	92	0
2	A	30	0	0	1	0
2	B	5	0	0	0	0
3	A	10	0	5	9	0
3	B	10	0	5	5	0
4	A	44	0	25	2	0
4	B	44	0	26	1	0
5	A	322	0	0	11	0
5	B	280	0	0	16	0
All	All	5993	0	5385	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:LYS:O	1:B:103:ASP:HB2	1.49	1.12
1:A:204:LYS:HZ1	3:A:2002:13P:H32	1.16	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:ARG:HH11	1:A:295:GLN:NE2	1.58	0.99
1:A:183:THR:HG22	1:A:185:ASN:H	1.26	0.99
1:B:269:ARG:HH11	1:B:295:GLN:HE21	1.14	0.95
1:A:269:ARG:HH11	1:A:295:GLN:HE21	1.05	0.93
1:A:96:GLN:HE21	1:A:96:GLN:H	1.17	0.90
1:A:204:LYS:NZ	3:A:2002:13P:H32	1.88	0.87
1:A:139:ARG:HG2	1:A:139:ARG:HH11	1.44	0.82
1:B:269:ARG:HH11	1:B:295:GLN:NE2	1.77	0.81
1:B:183:THR:HG22	1:B:185:ASN:H	1.46	0.81
1:A:204:LYS:HZ1	3:A:2002:13P:C3	1.97	0.77
1:B:79:VAL:HG22	1:B:105:LEU:HD21	1.66	0.77
1:A:223:THR:O	1:A:227:VAL:HG23	1.89	0.71
1:B:142:ILE:HD11	1:B:144:MET:HE3	1.73	0.70
1:A:103:ASP:HB2	1:A:139:ARG:NH2	2.07	0.69
1:B:124:GLU:HG3	5:B:3124:HOH:O	1.93	0.68
1:A:152:ILE:HD13	5:A:3197:HOH:O	1.94	0.67
1:A:124:GLU:HG3	1:A:309:ILE:HG12	1.76	0.67
1:A:212:GLY:HA3	1:A:274:ALA:HB3	1.75	0.67
1:A:269:ARG:NH1	1:A:295:GLN:HE21	1.84	0.67
1:A:124:GLU:OE2	1:A:312:HIS:HD2	1.78	0.66
1:B:124:GLU:OE2	1:B:312:HIS:HD2	1.78	0.66
1:A:297:LEU:HB2	5:A:3070:HOH:O	1.96	0.66
1:B:182:GLN:HE21	1:B:188:ILE:H	1.43	0.65
1:B:269:ARG:HB2	3:B:2001:13P:O2P	1.96	0.65
1:B:115:GLY:HA3	1:B:144:MET:HE1	1.77	0.65
1:B:129:LEU:HD21	1:B:131:LEU:HD23	1.79	0.64
1:A:264:THR:HG23	3:A:2002:13P:O1P	1.97	0.64
1:B:115:GLY:HA3	1:B:144:MET:CE	2.28	0.64
1:A:183:THR:HB	1:A:186:PHE:HB3	1.81	0.62
1:A:164:THR:HG22	1:A:188:ILE:HG12	1.82	0.62
1:A:182:GLN:NE2	5:A:3002:HOH:O	2.32	0.61
1:A:102:CYS:HB3	1:A:139:ARG:HD3	1.83	0.61
1:B:32:PHE:CZ	1:B:180:LEU:HB2	2.36	0.60
1:A:96:GLN:H	1:A:96:GLN:NE2	1.96	0.60
1:B:339:ILE:HB	5:B:3149:HOH:O	2.01	0.60
1:B:140:LEU:HB2	1:B:142:ILE:HD12	1.84	0.59
1:B:163:GLU:HG3	5:B:3006:HOH:O	2.02	0.59
1:A:340:HIS:CE1	1:A:344:ASN:ND2	2.71	0.59
1:A:18:ILE:HD12	1:A:181:MET:HE1	1.86	0.58
1:A:183:THR:HG23	1:A:184:PRO:HD2	1.84	0.58
1:B:241:LEU:HD22	1:B:242:PHE:CE1	2.39	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:ILE:HG12	1:B:203:LEU:CD1	2.34	0.58
1:B:183:THR:HB	1:B:186:PHE:HB3	1.86	0.57
1:B:99:GLY:O	5:B:3050:HOH:O	2.17	0.57
1:B:269:ARG:NH1	1:B:295:GLN:HB3	2.19	0.57
1:A:228:ILE:HG23	1:A:261:LEU:HG	1.87	0.57
1:A:139:ARG:HG2	1:A:139:ARG:NH1	2.18	0.56
1:B:142:ILE:HD13	1:B:142:ILE:H	1.71	0.56
1:A:32:PHE:CZ	1:A:180:LEU:HB2	2.40	0.56
1:A:348:HIS:HE1	1:B:254:GLU:OE2	1.89	0.55
1:B:183:THR:HG23	1:B:184:PRO:HD2	1.87	0.55
1:A:196:THR:O	1:A:199:ILE:HG22	2.07	0.55
1:B:340:HIS:CE1	1:B:344:ASN:HD21	2.26	0.54
1:B:124:GLU:OE2	1:B:312:HIS:CD2	2.60	0.54
1:B:10:GLY:HA2	1:B:93:VAL:HG12	1.90	0.54
1:A:147:LEU:CD1	1:A:181:MET:HE2	2.37	0.54
1:A:204:LYS:HD2	1:A:204:LYS:C	2.34	0.53
1:B:98:ILE:HG12	1:B:136:ILE:HD11	1.90	0.53
1:B:281:GLY:HA2	5:B:3134:HOH:O	2.08	0.53
1:B:241:LEU:HD22	1:B:242:PHE:CD1	2.43	0.53
1:A:340:HIS:CE1	1:A:344:ASN:HD21	2.27	0.53
1:B:183:THR:HG21	5:B:3125:HOH:O	2.08	0.53
1:A:120:LYS:HD2	3:A:2002:13P:H31	1.91	0.53
1:A:147:LEU:HD13	1:A:181:MET:HE2	1.92	0.52
1:A:269:ARG:NH1	1:A:295:GLN:HB3	2.24	0.52
1:B:53:ILE:HG23	1:B:57:GLN:OE1	2.10	0.52
1:B:142:ILE:CD1	1:B:144:MET:HE3	2.40	0.52
1:A:234:GLU:OE1	1:A:320:PRO:HD2	2.10	0.52
1:B:95:HIS:O	1:B:98:ILE:HG22	2.10	0.51
1:B:125:GLY:C	1:B:127:ASN:N	2.68	0.51
1:A:273:VAL:HG21	1:A:297:LEU:HD11	1.93	0.51
1:A:116:ILE:HD11	1:A:147:LEU:HB2	1.92	0.51
1:B:54:ILE:O	1:B:58:HIS:HA	2.10	0.51
1:A:124:GLU:HG3	1:A:309:ILE:CG1	2.40	0.51
1:A:204:LYS:HD2	1:A:205:ASN:N	2.26	0.51
1:A:152:ILE:N	1:B:222:ASN:HD21	2.09	0.51
1:B:204:LYS:HZ1	3:B:2001:13P:H31	1.77	0.50
1:A:152:ILE:HG12	1:B:222:ASN:OD1	2.11	0.50
1:A:292:LEU:HB3	1:A:295:GLN:HB2	1.92	0.50
1:A:124:GLU:OE2	1:A:312:HIS:CD2	2.62	0.49
1:A:252:PHE:O	1:A:258:VAL:HG23	2.12	0.49
1:A:125:GLY:O	1:A:126:PRO:C	2.55	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:ARG:NH1	1:A:295:GLN:NE2	2.43	0.49
1:A:120:LYS:HE2	1:A:148:MET:SD	2.52	0.48
1:A:229:ARG:HD3	1:B:163:GLU:OE2	2.13	0.48
1:B:224:LYS:O	1:B:228:ILE:HG13	2.13	0.48
1:A:10:GLY:HA3	1:A:92:VAL:O	2.13	0.48
1:A:152:ILE:HA	5:A:3197:HOH:O	2.14	0.48
1:A:204:LYS:CE	3:A:2002:13P:H32	2.43	0.48
1:B:273:VAL:HG11	1:B:297:LEU:HD11	1.94	0.48
1:A:151:ASN:O	4:A:3001:NAD:H4N	2.14	0.48
1:B:201:GLY:O	1:B:204:LYS:HG3	2.14	0.48
1:A:120:LYS:HA	5:A:3120:HOH:O	2.13	0.47
1:B:48:LYS:HB2	1:B:53:ILE:HD11	1.95	0.47
1:B:164:THR:HG22	1:B:188:ILE:HG12	1.96	0.47
1:A:268:GLY:HA3	3:A:2002:13P:O1P	2.14	0.47
1:A:91:PHE:HE1	1:A:144:MET:HE1	1.79	0.47
1:A:269:ARG:HG3	3:A:2002:13P:O2P	2.14	0.47
1:B:61:VAL:HG22	5:B:3096:HOH:O	2.13	0.47
1:B:125:GLY:C	1:B:127:ASN:H	2.20	0.47
1:B:84:GLU:HG2	5:B:3048:HOH:O	2.14	0.47
1:A:229:ARG:NH1	1:B:163:GLU:OE2	2.47	0.47
1:B:90:ILE:HD12	1:B:90:ILE:N	2.30	0.47
1:B:148:MET:HB3	5:B:3007:HOH:O	2.14	0.47
1:A:224:LYS:HD2	1:A:266:TYR:CZ	2.50	0.46
1:A:5:LYS:HB3	5:A:3199:HOH:O	2.14	0.46
1:B:269:ARG:HD3	1:B:295:GLN:NE2	2.29	0.46
1:A:103:ASP:HB2	1:A:139:ARG:CZ	2.45	0.46
1:B:151:ASN:O	4:B:3002:NAD:H4N	2.14	0.46
1:A:272:LYS:HE2	2:A:1003:SO4:O2	2.16	0.46
1:A:142:ILE:HD11	1:A:144:MET:CE	2.46	0.46
1:A:255:SER:N	1:B:229:ARG:HE	2.14	0.46
1:B:204:LYS:NZ	3:B:2001:13P:H31	2.31	0.46
1:B:269:ARG:H	3:B:2001:13P:P	2.39	0.46
1:B:305:GLU:O	1:B:309:ILE:HG13	2.16	0.46
1:A:183:THR:HG23	1:A:184:PRO:CD	2.47	0.45
1:B:44:ASP:HB2	5:B:3240:HOH:O	2.14	0.45
1:B:79:VAL:HG13	1:B:80:VAL:N	2.31	0.45
1:B:140:LEU:HB2	1:B:142:ILE:CD1	2.46	0.45
1:A:61:VAL:HG22	5:A:3210:HOH:O	2.16	0.45
1:B:241:LEU:C	1:B:241:LEU:HD23	2.42	0.45
1:B:125:GLY:O	1:B:127:ASN:N	2.50	0.45
1:B:315:LEU:HD22	1:B:318:LYS:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:ILE:HG23	5:A:3043:HOH:O	2.16	0.45
1:A:92:VAL:O	1:A:92:VAL:HG13	2.17	0.44
1:A:254:GLU:C	1:B:229:ARG:HE	2.25	0.44
1:B:157:ALA:HA	5:B:3065:HOH:O	2.18	0.44
1:B:199:ILE:HG12	1:B:203:LEU:HD12	2.00	0.44
1:B:39:TRP:CZ3	1:B:101:ILE:HD11	2.52	0.44
1:A:162:CYS:HB2	5:A:3036:HOH:O	2.17	0.44
1:B:147:LEU:HD13	1:B:181:MET:HE3	1.99	0.44
1:A:120:LYS:HE3	4:A:3001:NAD:H6N	1.99	0.44
1:A:56:THR:HG22	1:A:57:GLN:NE2	2.33	0.43
1:A:183:THR:HB	1:A:186:PHE:CB	2.47	0.43
1:A:292:LEU:O	1:A:293:ASN:C	2.61	0.43
1:B:239:ALA:O	1:B:243:CYS:HB2	2.17	0.43
1:A:270:ASN:ND2	3:A:2002:13P:O3P	2.52	0.43
1:A:269:ARG:NH2	5:A:3037:HOH:O	2.36	0.43
1:B:162:CYS:HB2	5:B:3008:HOH:O	2.19	0.43
1:B:292:LEU:O	1:B:293:ASN:C	2.62	0.43
1:A:340:HIS:HB2	5:A:3217:HOH:O	2.18	0.42
1:A:91:PHE:CE1	1:A:144:MET:HE1	2.54	0.42
1:A:321:LEU:C	1:A:321:LEU:HD23	2.44	0.42
1:B:205:ASN:O	1:B:209:VAL:HG23	2.19	0.42
1:A:117:SER:C	1:A:118:LEU:HD12	2.44	0.42
1:B:182:GLN:NE2	1:B:188:ILE:H	2.13	0.42
1:B:205:ASN:HB3	1:B:299:GLY:HA2	2.02	0.42
1:B:100:LYS:HA	5:B:3050:HOH:O	2.18	0.42
1:B:224:LYS:HA	5:B:3118:HOH:O	2.17	0.42
1:A:98:ILE:HG23	1:A:99:GLY:N	2.33	0.42
1:A:101:ILE:O	1:A:104:GLN:HB2	2.20	0.42
1:B:116:ILE:HA	1:B:145:SER:O	2.20	0.42
1:B:129:LEU:HD21	1:B:131:LEU:CD2	2.46	0.42
1:B:83:ALA:HB1	1:B:89:LEU:HD21	2.01	0.42
1:A:222:ASN:ND2	1:B:155:GLU:HB2	2.35	0.41
1:A:204:LYS:HE2	1:A:260:ASP:OD2	2.20	0.41
1:B:200:CYS:HB3	1:B:256:CYS:O	2.19	0.41
1:B:258:VAL:O	1:B:262:ILE:HG13	2.20	0.41
1:A:181:MET:HB2	1:A:188:ILE:CD1	2.51	0.41
1:B:70:PRO:HA	1:B:71:PRO:HD3	1.95	0.41
1:A:308:SER:O	1:A:311:GLN:HG3	2.21	0.41
1:B:151:ASN:N	5:B:3012:HOH:O	2.49	0.41
1:B:311:GLN:HG3	1:B:312:HIS:N	2.35	0.41
1:A:341:CYS:O	1:A:345:HIS:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:VAL:O	1:B:92:VAL:HG22	2.21	0.41
1:B:204:LYS:HZ1	3:B:2001:13P:C3	2.33	0.41
1:A:76:VAL:HB	1:A:82:ALA:HB2	2.03	0.41
1:B:113:PRO:O	1:B:142:ILE:HB	2.20	0.41
1:B:224:LYS:HB2	1:B:224:LYS:HE3	1.92	0.41
1:A:273:VAL:CB	1:A:297:LEU:HD11	2.51	0.40
1:B:20:LYS:HE3	5:B:3222:HOH:O	2.21	0.40
1:B:282:LYS:HB2	1:B:287:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	346/349 (99%)	330 (95%)	13 (4%)	3 (1%)	14	27
1	B	346/349 (99%)	320 (92%)	23 (7%)	3 (1%)	14	27
All	All	692/698 (99%)	650 (94%)	36 (5%)	6 (1%)	14	27

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	103	ASP
1	B	112	ASN
1	A	126	PRO
1	B	84	GLU
1	A	112	ASN
1	A	194	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/284 (99%)	277 (98%)	5 (2%)	51	77
1	B	282/284 (99%)	278 (99%)	4 (1%)	59	81
All	All	564/568 (99%)	555 (98%)	9 (2%)	55	79

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	GLN
1	A	139	ARG
1	A	183	THR
1	A	284	ILE
1	A	311	GLN
1	B	18	ILE
1	B	103	ASP
1	B	139	ARG
1	B	142	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	57	GLN
1	A	60	ASN
1	A	81	GLN
1	A	96	GLN
1	A	108	HIS
1	A	185	ASN
1	A	192	GLN
1	A	295	GLN
1	A	311	GLN
1	A	312	HIS
1	A	344	ASN
1	A	348	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	25	ASN
1	B	28	GLN
1	B	60	ASN
1	B	81	GLN
1	B	104	GLN
1	B	108	HIS
1	B	182	GLN
1	B	192	GLN
1	B	295	GLN
1	B	312	HIS
1	B	344	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1002	-	4,4,4	0.92	0	6,6,6	0.16	0
2	SO4	A	1001	-	4,4,4	0.76	0	6,6,6	0.19	0
2	SO4	A	1003	-	4,4,4	0.96	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	1007	-	4,4,4	0.91	0	6,6,6	0.18	0
2	SO4	B	1005	-	4,4,4	0.98	0	6,6,6	0.24	0
3	13P	A	2002	-	9,9,9	2.66	3 (33%)	10,12,12	1.49	2 (20%)
2	SO4	A	1006	-	4,4,4	1.06	0	6,6,6	0.25	0
4	NAD	B	3002	-	46,48,48	4.90	14 (30%)	64,73,73	2.55	20 (31%)
3	13P	B	2001	-	9,9,9	1.67	2 (22%)	10,12,12	1.55	4 (40%)
2	SO4	A	1004	-	4,4,4	1.06	0	6,6,6	0.21	0
4	NAD	A	3001	-	46,48,48	4.94	14 (30%)	64,73,73	2.50	19 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	13P	B	2001	-	-	4/8/8/8	-
4	NAD	B	3002	-	-	8/30/62/62	0/5/5/5
4	NAD	A	3001	-	-	11/30/62/62	0/5/5/5
3	13P	A	2002	-	-	5/8/8/8	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	3001	NAD	PN-O3	23.54	1.84	1.59
4	B	3002	NAD	PN-O3	23.08	1.84	1.59
4	A	3001	NAD	C2N-N1N	14.20	1.50	1.35
4	B	3002	NAD	C2N-N1N	13.86	1.50	1.35
4	B	3002	NAD	C4N-C3N	11.46	1.56	1.39
4	A	3001	NAD	C4N-C3N	11.13	1.56	1.39
4	B	3002	NAD	C5N-C4N	7.96	1.52	1.38
4	A	3001	NAD	C5N-C4N	7.57	1.51	1.38
4	A	3001	NAD	PA-O3	-7.53	1.51	1.59
4	B	3002	NAD	PA-O3	-7.18	1.51	1.59
3	A	2002	13P	O1-C1	6.45	1.49	1.43
4	B	3002	NAD	C6N-N1N	6.09	1.49	1.35
4	A	3001	NAD	C6N-N1N	5.32	1.47	1.35
4	A	3001	NAD	C6N-C5N	5.17	1.49	1.38
4	B	3002	NAD	C6N-C5N	4.95	1.48	1.38
3	B	2001	13P	O1-C1	3.91	1.47	1.43
4	B	3002	NAD	C4A-N3A	3.21	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2002	13P	C1-C2	-3.20	1.44	1.50
4	A	3001	NAD	C4A-N3A	3.16	1.40	1.34
4	A	3001	NAD	O4D-C1D	2.94	1.44	1.40
4	B	3002	NAD	C2A-N1A	2.72	1.38	1.33
4	A	3001	NAD	C3N-C7N	2.68	1.54	1.50
4	B	3002	NAD	O4D-C1D	2.66	1.44	1.40
4	A	3001	NAD	C2A-N1A	2.60	1.38	1.33
4	B	3002	NAD	C3N-C7N	2.57	1.54	1.50
4	A	3001	NAD	O3D-C3D	-2.51	1.36	1.43
4	B	3002	NAD	C2A-N3A	2.44	1.38	1.33
4	A	3001	NAD	PA-O2A	-2.29	1.44	1.55
4	B	3002	NAD	PA-O2A	-2.20	1.45	1.55
4	A	3001	NAD	C2A-N3A	2.10	1.37	1.33
3	A	2002	13P	O3-C3	2.04	1.48	1.41
4	B	3002	NAD	O3D-C3D	-2.04	1.37	1.43
3	B	2001	13P	P-O2P	-2.00	1.47	1.54

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3001	NAD	O2A-PA-O3	-8.39	84.60	107.27
4	B	3002	NAD	O2A-PA-O3	-8.17	85.18	107.27
4	B	3002	NAD	O3-PA-O1A	-7.91	86.90	110.70
4	A	3001	NAD	O3-PA-O1A	-7.71	87.52	110.70
4	B	3002	NAD	N3A-C2A-N1A	-6.57	118.64	128.58
4	A	3001	NAD	N3A-C2A-N1A	-6.48	118.78	128.58
4	B	3002	NAD	C3N-C7N-N7N	5.44	124.44	117.74
4	A	3001	NAD	C3N-C7N-N7N	5.16	124.09	117.74
4	B	3002	NAD	C2N-C3N-C4N	4.62	123.63	118.26
4	A	3001	NAD	C2N-C3N-C4N	4.42	123.40	118.26
4	A	3001	NAD	C5N-C4N-C3N	-4.31	116.13	120.36
4	B	3002	NAD	C5N-C4N-C3N	-4.01	116.42	120.36
4	B	3002	NAD	C2A-N3A-C4A	3.99	121.59	111.83
4	A	3001	NAD	C5A-C4A-N3A	-3.98	121.23	126.72
4	B	3002	NAD	C5A-C4A-N3A	-3.98	121.24	126.72
4	A	3001	NAD	C2A-N3A-C4A	3.96	121.50	111.83
4	B	3002	NAD	O7N-C7N-N7N	-3.76	117.18	122.62
4	A	3001	NAD	N3A-C4A-N9A	3.24	132.69	127.17
4	B	3002	NAD	N3A-C4A-N9A	3.16	132.54	127.17
4	A	3001	NAD	O7N-C7N-N7N	-3.14	118.08	122.62
4	B	3002	NAD	N9A-C8A-N7A	-3.08	109.56	113.94
4	B	3002	NAD	O5B-PA-O1A	2.90	120.41	108.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3001	NAD	N9A-C8A-N7A	-2.86	109.88	113.94
4	B	3002	NAD	C5A-N7A-C8A	2.85	107.92	103.45
4	A	3001	NAD	C5A-N7A-C8A	2.76	107.79	103.45
4	A	3001	NAD	O5B-PA-O1A	2.73	119.77	108.94
4	B	3002	NAD	C6N-N1N-C1D	-2.73	114.37	119.73
4	A	3001	NAD	O2A-PA-O1A	2.54	124.28	112.44
3	B	2001	13P	O2P-P-O1P	2.54	120.73	110.83
4	B	3002	NAD	O4B-C1B-C2B	2.53	112.04	106.62
4	B	3002	NAD	O2A-PA-O1A	2.50	124.07	112.44
3	A	2002	13P	O2-C2-C1	2.49	125.07	120.77
3	A	2002	13P	O2P-P-O1P	2.48	120.50	110.83
4	A	3001	NAD	C2D-C3D-C4D	2.40	107.24	102.61
4	B	3002	NAD	C4A-N9A-C8A	2.33	108.19	105.74
4	A	3001	NAD	O4D-C4D-C5D	-2.29	102.01	109.33
4	B	3002	NAD	C2D-C3D-C4D	2.27	107.00	102.61
4	A	3001	NAD	C6N-N1N-C1D	-2.27	115.27	119.73
4	A	3001	NAD	O4B-C1B-C2B	2.26	111.46	106.62
3	B	2001	13P	O2-C2-C1	2.17	124.51	120.77
4	B	3002	NAD	C4A-C5A-N7A	-2.16	108.11	110.58
4	B	3002	NAD	O4D-C4D-C5D	-2.08	102.66	109.33
4	A	3001	NAD	C4A-N9A-C8A	2.07	107.91	105.74
3	B	2001	13P	O3P-P-O1	2.02	111.93	106.67
3	B	2001	13P	O1-P-O1P	-2.01	101.01	106.44

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2002	13P	C1-O1-P-O1P
3	A	2002	13P	C1-O1-P-O2P
3	A	2002	13P	C1-O1-P-O3P
3	B	2001	13P	C1-O1-P-O1P
3	B	2001	13P	C1-O1-P-O2P
3	B	2001	13P	C1-O1-P-O3P
4	A	3001	NAD	C5B-O5B-PA-O1A
4	A	3001	NAD	C5D-O5D-PN-O3
4	A	3001	NAD	C5D-O5D-PN-O1N
4	A	3001	NAD	C5D-O5D-PN-O2N
4	A	3001	NAD	O4D-C1D-N1N-C2N
4	A	3001	NAD	O4D-C1D-N1N-C6N
4	B	3002	NAD	C5B-O5B-PA-O1A
4	B	3002	NAD	C5D-O5D-PN-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	3002	NAD	C5D-O5D-PN-O1N
4	B	3002	NAD	C5D-O5D-PN-O2N
4	B	3002	NAD	O4D-C1D-N1N-C2N
4	B	3002	NAD	O4D-C1D-N1N-C6N
3	B	2001	13P	O1-C1-C2-O2
3	A	2002	13P	O1-C1-C2-C3
4	A	3001	NAD	PA-O3-PN-O1N
4	A	3001	NAD	C2D-C1D-N1N-C2N
4	A	3001	NAD	C2D-C1D-N1N-C6N
4	A	3001	NAD	O4B-C4B-C5B-O5B
4	B	3002	NAD	O4B-C4B-C5B-O5B
4	B	3002	NAD	PA-O3-PN-O2N
3	A	2002	13P	O1-C1-C2-O2
4	A	3001	NAD	PA-O3-PN-O2N


There are no ring outliers.

5 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1003	SO4	1	0
3	A	2002	13P	9	0
4	B	3002	NAD	1	0
3	B	2001	13P	5	0
4	A	3001	NAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/349 (99%)	0.53	17 (4%) 35 31	28, 28, 28, 28	0
1	B	348/349 (99%)	0.50	16 (4%) 37 33	28, 28, 28, 28	0
All	All	696/698 (99%)	0.52	33 (4%) 36 32	28, 28, 28, 28	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	127	ASN	5.9
1	B	127	ASN	5.9
1	A	103	ASP	5.0
1	A	126	PRO	4.7
1	A	244	SER	4.2
1	B	103	ASP	4.1
1	B	126	PRO	3.8
1	B	125	GLY	3.3
1	B	128	GLY	3.3
1	B	46	GLY	3.2
1	B	112	ASN	3.1
1	A	314	GLY	3.1
1	A	125	GLY	3.0
1	B	246	PRO	2.9
1	B	244	SER	2.9
1	A	246	PRO	2.8
1	A	317	ASP	2.6
1	B	317	ASP	2.6
1	A	344	ASN	2.4
1	A	111	ALA	2.4
1	B	47	GLY	2.4
1	A	128	GLY	2.3
1	B	138	GLU	2.3
1	A	46	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	106	LYS	2.2
1	B	45	ILE	2.1
1	A	85	ASP	2.1
1	A	182	GLN	2.1
1	B	101	ILE	2.1
1	A	312	HIS	2.1
1	B	311	GLN	2.1
1	A	311	GLN	2.0
1	B	104	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	1004	5/5	0.75	0.36	28,28,28,28	0
2	SO4	A	1006	5/5	0.80	0.30	28,28,28,28	0
3	13P	B	2001	10/10	0.82	0.26	28,28,28,28	0
2	SO4	A	1007	5/5	0.84	0.26	28,28,28,28	0
2	SO4	A	1001	5/5	0.87	0.17	28,28,28,28	0
3	13P	A	2002	10/10	0.87	0.22	28,28,28,28	0
2	SO4	A	1002	5/5	0.87	0.19	28,28,28,28	0
2	SO4	B	1005	5/5	0.88	0.22	28,28,28,28	0
2	SO4	A	1003	5/5	0.91	0.20	28,28,28,28	0
4	NAD	B	3002	44/44	0.91	0.12	28,28,28,28	0
4	NAD	A	3001	44/44	0.93	0.11	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD B 3002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD A 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.