



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 13, 2026 – 11:52 PM UTC

PDB ID : 5WPH / pdb_00005wph
Title : Crystal structure of ArsN, N-acetyltransferase with substrate AST from Pseudomonas putida KT2440
Authors : Venkadesh, S.; Dheeman, D.S.; Yoshinaga, M.; Kandavelu, P.; Rosen, B.P.
Deposited on : 2017-08-04
Resolution : 2.19 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	3% 72% 11% 14%
1	B	207	2% 69% 15% 14%
1	C	207	3% 68% 14% 14%
1	D	207	0% 72% 11% 14%
1	E	207	2% 72% 12% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	207	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BLJ	A	301	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphinothricin N-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	179	1419	912	253	253	1	0	1	0
1	B	179	1420	912	250	257	1	0	1	0
1	C	177	1388	895	244	248	1	0	0	0
1	D	178	1427	916	260	250	1	0	2	0
1	E	178	1406	905	253	247	1	0	1	0
1	F	179	1383	890	246	246	1	0	0	0

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	184	LEU	-	expression tag	UNP Q88LK7
A	185	GLY	-	expression tag	UNP Q88LK7
A	186	PRO	-	expression tag	UNP Q88LK7
A	187	GLU	-	expression tag	UNP Q88LK7
A	188	GLN	-	expression tag	UNP Q88LK7
A	189	LYS	-	expression tag	UNP Q88LK7
A	190	LEU	-	expression tag	UNP Q88LK7
A	191	ILE	-	expression tag	UNP Q88LK7
A	192	SER	-	expression tag	UNP Q88LK7
A	193	GLU	-	expression tag	UNP Q88LK7
A	194	GLU	-	expression tag	UNP Q88LK7
A	195	ASP	-	expression tag	UNP Q88LK7
A	196	LEU	-	expression tag	UNP Q88LK7
A	197	ASN	-	expression tag	UNP Q88LK7
A	198	SER	-	expression tag	UNP Q88LK7
A	199	ALA	-	expression tag	UNP Q88LK7
A	200	VAL	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	201	ASP	-	expression tag	UNP Q88LK7
A	202	HIS	-	expression tag	UNP Q88LK7
A	203	HIS	-	expression tag	UNP Q88LK7
A	204	HIS	-	expression tag	UNP Q88LK7
A	205	HIS	-	expression tag	UNP Q88LK7
A	206	HIS	-	expression tag	UNP Q88LK7
A	207	HIS	-	expression tag	UNP Q88LK7
B	184	LEU	-	expression tag	UNP Q88LK7
B	185	GLY	-	expression tag	UNP Q88LK7
B	186	PRO	-	expression tag	UNP Q88LK7
B	187	GLU	-	expression tag	UNP Q88LK7
B	188	GLN	-	expression tag	UNP Q88LK7
B	189	LYS	-	expression tag	UNP Q88LK7
B	190	LEU	-	expression tag	UNP Q88LK7
B	191	ILE	-	expression tag	UNP Q88LK7
B	192	SER	-	expression tag	UNP Q88LK7
B	193	GLU	-	expression tag	UNP Q88LK7
B	194	GLU	-	expression tag	UNP Q88LK7
B	195	ASP	-	expression tag	UNP Q88LK7
B	196	LEU	-	expression tag	UNP Q88LK7
B	197	ASN	-	expression tag	UNP Q88LK7
B	198	SER	-	expression tag	UNP Q88LK7
B	199	ALA	-	expression tag	UNP Q88LK7
B	200	VAL	-	expression tag	UNP Q88LK7
B	201	ASP	-	expression tag	UNP Q88LK7
B	202	HIS	-	expression tag	UNP Q88LK7
B	203	HIS	-	expression tag	UNP Q88LK7
B	204	HIS	-	expression tag	UNP Q88LK7
B	205	HIS	-	expression tag	UNP Q88LK7
B	206	HIS	-	expression tag	UNP Q88LK7
B	207	HIS	-	expression tag	UNP Q88LK7
C	184	LEU	-	expression tag	UNP Q88LK7
C	185	GLY	-	expression tag	UNP Q88LK7
C	186	PRO	-	expression tag	UNP Q88LK7
C	187	GLU	-	expression tag	UNP Q88LK7
C	188	GLN	-	expression tag	UNP Q88LK7
C	189	LYS	-	expression tag	UNP Q88LK7
C	190	LEU	-	expression tag	UNP Q88LK7
C	191	ILE	-	expression tag	UNP Q88LK7
C	192	SER	-	expression tag	UNP Q88LK7
C	193	GLU	-	expression tag	UNP Q88LK7
C	194	GLU	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	195	ASP	-	expression tag	UNP Q88LK7
C	196	LEU	-	expression tag	UNP Q88LK7
C	197	ASN	-	expression tag	UNP Q88LK7
C	198	SER	-	expression tag	UNP Q88LK7
C	199	ALA	-	expression tag	UNP Q88LK7
C	200	VAL	-	expression tag	UNP Q88LK7
C	201	ASP	-	expression tag	UNP Q88LK7
C	202	HIS	-	expression tag	UNP Q88LK7
C	203	HIS	-	expression tag	UNP Q88LK7
C	204	HIS	-	expression tag	UNP Q88LK7
C	205	HIS	-	expression tag	UNP Q88LK7
C	206	HIS	-	expression tag	UNP Q88LK7
C	207	HIS	-	expression tag	UNP Q88LK7
D	184	LEU	-	expression tag	UNP Q88LK7
D	185	GLY	-	expression tag	UNP Q88LK7
D	186	PRO	-	expression tag	UNP Q88LK7
D	187	GLU	-	expression tag	UNP Q88LK7
D	188	GLN	-	expression tag	UNP Q88LK7
D	189	LYS	-	expression tag	UNP Q88LK7
D	190	LEU	-	expression tag	UNP Q88LK7
D	191	ILE	-	expression tag	UNP Q88LK7
D	192	SER	-	expression tag	UNP Q88LK7
D	193	GLU	-	expression tag	UNP Q88LK7
D	194	GLU	-	expression tag	UNP Q88LK7
D	195	ASP	-	expression tag	UNP Q88LK7
D	196	LEU	-	expression tag	UNP Q88LK7
D	197	ASN	-	expression tag	UNP Q88LK7
D	198	SER	-	expression tag	UNP Q88LK7
D	199	ALA	-	expression tag	UNP Q88LK7
D	200	VAL	-	expression tag	UNP Q88LK7
D	201	ASP	-	expression tag	UNP Q88LK7
D	202	HIS	-	expression tag	UNP Q88LK7
D	203	HIS	-	expression tag	UNP Q88LK7
D	204	HIS	-	expression tag	UNP Q88LK7
D	205	HIS	-	expression tag	UNP Q88LK7
D	206	HIS	-	expression tag	UNP Q88LK7
D	207	HIS	-	expression tag	UNP Q88LK7
E	184	LEU	-	expression tag	UNP Q88LK7
E	185	GLY	-	expression tag	UNP Q88LK7
E	186	PRO	-	expression tag	UNP Q88LK7
E	187	GLU	-	expression tag	UNP Q88LK7
E	188	GLN	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	189	LYS	-	expression tag	UNP Q88LK7
E	190	LEU	-	expression tag	UNP Q88LK7
E	191	ILE	-	expression tag	UNP Q88LK7
E	192	SER	-	expression tag	UNP Q88LK7
E	193	GLU	-	expression tag	UNP Q88LK7
E	194	GLU	-	expression tag	UNP Q88LK7
E	195	ASP	-	expression tag	UNP Q88LK7
E	196	LEU	-	expression tag	UNP Q88LK7
E	197	ASN	-	expression tag	UNP Q88LK7
E	198	SER	-	expression tag	UNP Q88LK7
E	199	ALA	-	expression tag	UNP Q88LK7
E	200	VAL	-	expression tag	UNP Q88LK7
E	201	ASP	-	expression tag	UNP Q88LK7
E	202	HIS	-	expression tag	UNP Q88LK7
E	203	HIS	-	expression tag	UNP Q88LK7
E	204	HIS	-	expression tag	UNP Q88LK7
E	205	HIS	-	expression tag	UNP Q88LK7
E	206	HIS	-	expression tag	UNP Q88LK7
E	207	HIS	-	expression tag	UNP Q88LK7
F	184	LEU	-	expression tag	UNP Q88LK7
F	185	GLY	-	expression tag	UNP Q88LK7
F	186	PRO	-	expression tag	UNP Q88LK7
F	187	GLU	-	expression tag	UNP Q88LK7
F	188	GLN	-	expression tag	UNP Q88LK7
F	189	LYS	-	expression tag	UNP Q88LK7
F	190	LEU	-	expression tag	UNP Q88LK7
F	191	ILE	-	expression tag	UNP Q88LK7
F	192	SER	-	expression tag	UNP Q88LK7
F	193	GLU	-	expression tag	UNP Q88LK7
F	194	GLU	-	expression tag	UNP Q88LK7
F	195	ASP	-	expression tag	UNP Q88LK7
F	196	LEU	-	expression tag	UNP Q88LK7
F	197	ASN	-	expression tag	UNP Q88LK7
F	198	SER	-	expression tag	UNP Q88LK7
F	199	ALA	-	expression tag	UNP Q88LK7
F	200	VAL	-	expression tag	UNP Q88LK7
F	201	ASP	-	expression tag	UNP Q88LK7
F	202	HIS	-	expression tag	UNP Q88LK7
F	203	HIS	-	expression tag	UNP Q88LK7
F	204	HIS	-	expression tag	UNP Q88LK7
F	205	HIS	-	expression tag	UNP Q88LK7
F	206	HIS	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	207	HIS	-	expression tag	UNP Q88LK7

- Molecule 2 is (2S)-2-amino-4-[hydroxy(methyl)arsoryl]butanoic acid (CCD ID: BLJ) (formula: C₅H₁₂AsNO₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	As	C	N	O		
2	A	1	Total	As	C	N	O	0	0
			11	1	5	1	4		
2	B	1	Total	As	C	N	O	0	0
			11	1	5	1	4		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	135	Total 135	O 135	0	0
4	B	143	Total 143	O 143	0	0
4	C	152	Total 152	O 152	0	0
4	D	148	Total 148	O 148	0	0
4	E	154	Total 154	O 154	0	0
4	F	143	Total 143	O 143	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phosphinothricin N-acetyltransferase




- Molecule 1: Phosphinothricin N-acetyltransferase



- Molecule 1: Phosphinothricin N-acetyltransferase




- Molecule 1: Phosphinothricin N-acetyltransferase



SER
GLU
GLU
ASP
LEU
ASN
SER
SER
ALA
VAL
ASP
ASP
HIS
HIS
HIS
HIS
HIS


- Molecule 1: Phosphinothricin N-acetyltransferase



MET
HIS
SER
G4
I5
D6
I7
R8
E13
E16
F33
E34
T53
R64
A78
R81
V90
R96
S97
Q102
L103
L108
L111
G132
E135
R136
L137
G138
F139
G149
W161
L170
E173
S180
Q181
PRO
LEU
GLY
PRO
GLY
PRO
GLU

GLN
LYS
LEU
ILE
SER
GLU
GLU
ASP
LEU
ASN
SER
ALA
VAL
ASP
HIS
HIS
HIS
HIS

- Molecule 1: Phosphinothricin N-acetyltransferase



MET
HIS
SER
G4
I5
D6
V9
A10
I20
E34
Q52
T53
V58
A59
V60
R61
A78
A79
Y80
R81
Q94
I99
A100
R101
V106
L107
L108
L133
F139
K151
L152
D153
W161
F178
L179
S180
Q181
I182
PRO
LEU
GLY
PRO
GLU
GLN
LYS
LEU

ILE
SER
GLU
GLU
ASP
LEU
ASN
SER
SER
ALA
VAL
ASP
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	185.27Å 141.74Å 54.55Å 90.00° 90.59° 90.00°	Depositor
Resolution (Å)	49.02 – 2.19 49.02 – 2.19	Depositor EDS
% Data completeness (in resolution range)	97.5 (49.02-2.19) 98.0 (49.02-2.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.18Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.180 , 0.232 0.180 , 0.232	Depositor DCC
R_{free} test set	3600 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtrriage
Anisotropy	0.062	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.036 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9344	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BLJ, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.85	1/1456 (0.1%)	0.93	3/1982 (0.2%)
1	B	0.80	1/1457 (0.1%)	0.92	0/1984
1	C	0.84	0/1425	0.92	1/1942 (0.1%)
1	D	0.85	0/1464	0.95	3/1991 (0.2%)
1	E	0.79	0/1443	0.94	0/1965
1	F	0.86	0/1420	0.91	3/1937 (0.2%)
All	All	0.83	2/8665 (0.0%)	0.93	10/11801 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	23	ALA	CA-C	6.02	1.58	1.52
1	A	27	LEU	C-O	-5.09	1.18	1.24

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	180	SER	N-CA-C	8.83	121.70	111.11
1	A	180	SER	N-CA-C	6.14	123.87	110.80
1	D	97	SER	N-CA-C	5.87	123.30	110.80
1	F	106	VAL	N-CA-C	-5.74	106.87	111.81
1	A	181	GLN	N-CA-C	5.56	118.06	110.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1419	0	1381	23	0
1	B	1420	0	1376	16	0
1	C	1388	0	1350	30	0
1	D	1427	0	1400	10	0
1	E	1406	0	1373	13	0
1	F	1383	0	1326	13	0
2	A	11	0	0	6	0
2	B	11	0	0	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	135	0	0	3	0
4	B	143	0	0	2	2
4	C	152	0	0	3	0
4	D	148	0	0	5	2
4	E	154	0	0	5	0
4	F	143	0	0	4	0
All	All	9344	0	8206	93	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 93 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:7:ILE:HD11	1:C:102:GLN:HB3	1.54	0.89
1:A:11:ARG:HH21	1:C:11:ARG:HG3	1.36	0.87
1:E:136[A]:ARG:NH1	4:E:301:HOH:O	2.11	0.83
1:A:179:LEU:H	1:C:113:ARG:HH12	1.26	0.82
1:B:7:ILE:HD11	1:B:102:GLN:HB3	1.61	0.81

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:410:HOH:O	4:D:406:HOH:O[4_749]	2.12	0.08
4:B:529:HOH:O	4:D:510:HOH:O[4_749]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	178/207 (86%)	170 (96%)	5 (3%)	3 (2%)	7 5
1	B	178/207 (86%)	172 (97%)	3 (2%)	3 (2%)	7 5
1	C	175/207 (84%)	171 (98%)	3 (2%)	1 (1%)	21 23
1	D	178/207 (86%)	172 (97%)	3 (2%)	3 (2%)	7 5
1	E	177/207 (86%)	170 (96%)	4 (2%)	3 (2%)	7 5
1	F	177/207 (86%)	171 (97%)	4 (2%)	2 (1%)	11 10
All	All	1063/1242 (86%)	1026 (96%)	22 (2%)	15 (1%)	9 7

5 of 15 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	97	SER
1	F	180	SER
1	A	179	LEU
1	B	179	LEU
1	D	5	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/170 (82%)	131 (94%)	9 (6%)	16	19
1	B	141/170 (83%)	128 (91%)	13 (9%)	8	9
1	C	137/170 (81%)	124 (90%)	13 (10%)	8	8
1	D	141/170 (83%)	127 (90%)	14 (10%)	7	8
1	E	138/170 (81%)	126 (91%)	12 (9%)	9	10
1	F	133/170 (78%)	126 (95%)	7 (5%)	20	26
All	All	830/1020 (81%)	762 (92%)	68 (8%)	11	12

5 of 68 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	111	LEU
1	E	137	LEU
1	F	60	VAL
1	C	16	GLU
1	C	11	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	102	GLN
1	F	52	GLN
1	F	171	HIS
1	C	28	ASN
1	B	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BLJ	B	301	-	6,10,10	0.99	0	6,14,14	2.32	4 (66%)
2	BLJ	A	301	-	6,10,10	1.02	0	6,14,14	2.23	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BLJ	B	301	-	-	4/6/10/10	-
2	BLJ	A	301	-	-	6/6/10/10	-

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	BLJ	OEA-AS-CE	-3.66	96.97	105.84
2	B	301	BLJ	OEB-AS-CE	-3.18	107.55	111.50
2	B	301	BLJ	OT-C1-O1	-2.76	117.82	124.08
2	A	301	BLJ	CB-CA-N1	-2.76	102.94	110.12
2	B	301	BLJ	CG-CB-CA	2.57	118.10	113.94

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	BLJ	O1-C1-CA-N1
2	A	301	BLJ	C1-CA-CB-CG
2	A	301	BLJ	N1-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	BLJ	OT-C1-CA-N1
2	B	301	BLJ	OT-C1-CA-N1

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	BLJ	1	0
2	A	301	BLJ	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	179/207 (86%)	-0.24	6 (3%) 48 45	11, 27, 49, 70	1 (0%)
1	B	179/207 (86%)	-0.21	4 (2%) 62 59	16, 27, 46, 62	1 (0%)
1	C	177/207 (85%)	-0.22	6 (3%) 48 45	16, 27, 49, 95	0
1	D	178/207 (85%)	-0.30	2 (1%) 78 76	12, 27, 47, 71	2 (1%)
1	E	178/207 (85%)	-0.23	4 (2%) 62 59	15, 28, 47, 73	1 (0%)
1	F	179/207 (86%)	-0.18	4 (2%) 62 59	20, 28, 48, 67	0
All	All	1070/1242 (86%)	-0.23	26 (2%) 59 56	11, 27, 48, 95	5 (0%)

The worst 5 of 26 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	182	ILE	4.4
1	C	4	GLY	4.3
1	E	4	GLY	4.3
1	E	97	SER	4.3
1	A	181	GLN	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BLJ	A	301	11/11	0.84	0.17	23,49,58,78	0
3	NA	C	301	1/1	0.92	0.08	35,35,35,35	0
3	NA	A	302	1/1	0.94	0.13	32,32,32,32	0
3	NA	B	302	1/1	0.94	0.13	32,32,32,32	0
2	BLJ	B	301	11/11	0.94	0.13	26,44,53,71	0
3	NA	D	301	1/1	0.95	0.09	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.