



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 10:11 PM UTC

PDB ID : 7WPS / pdb_00007wps
EMDB ID : EMD-32690
Title : Cryo-EM structure of VWF D'D3 dimer complexed with D1D2 at 4.3 angstrom resolution (7 units)
Authors : Zeng, J.W.; Shu, Z.M.; Zhou, A.W.
Deposited on : 2022-01-24
Resolution : 4.32 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3853 (3.83 - 4.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	741	
1	B	741	
1	E	741	
1	G	741	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	741	88% 8%
1	K	741	88% 7%
1	M	741	32% 89% 7%
1	O	741	19% 89% 6%
1	Q	741	88% 8%
1	S	741	87% 9%
1	U	741	88% 8%
1	W	741	87% 9%
1	Y	741	89% 7%
1	a	741	6% 87% 9%
2	C	490	6% 90% 7%
2	D	490	89% 8%
2	F	490	87% 10%
2	H	490	88% 9%
2	J	490	89% 8%
2	L	490	88% 9%
2	N	490	19% 90% 8%
2	P	490	16% 90% 7%
2	R	490	88% 9%
2	T	490	89% 8%
2	V	490	89% 8%
2	X	490	87% 10%
2	Z	490	6% 90% 7%
2	b	490	7% 91% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	C	1302	-	-	X	-
3	NAG	V	1302	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 127624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called von Willebrand antigen 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	711	5421	3353	929	1061	78	0	0
1	B	711	5421	3353	929	1061	78	0	0
1	E	711	5421	3353	929	1061	78	0	0
1	G	711	5421	3353	929	1061	78	0	0
1	I	711	5421	3353	929	1061	78	0	0
1	K	711	5421	3353	929	1061	78	0	0
1	M	711	5421	3353	929	1061	78	0	0
1	O	711	5421	3353	929	1061	78	0	0
1	Q	711	5421	3353	929	1061	78	0	0
1	S	711	5421	3353	929	1061	78	0	0
1	U	711	5421	3353	929	1061	78	0	0
1	W	711	5421	3353	929	1061	78	0	0
1	Y	711	5421	3353	929	1061	78	0	0
1	a	711	5421	3353	929	1061	78	0	0

- Molecule 2 is a protein called von Willebrand factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	Z	478	3649	2247	631	711	60	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	b	478	3649	2247	631	711	60	1	0
2	C	478	3649	2247	631	711	60	1	0
2	D	478	3649	2247	631	711	60	1	0
2	F	478	3649	2247	631	711	60	1	0
2	H	478	3649	2247	631	711	60	1	0
2	J	478	3649	2247	631	711	60	1	0
2	L	478	3649	2247	631	711	60	1	0
2	N	478	3649	2247	631	711	60	1	0
2	P	478	3649	2247	631	711	60	1	0
2	R	478	3649	2247	631	711	60	1	0
2	T	478	3649	2247	631	711	60	1	0
2	V	478	3649	2247	631	711	60	1	0
2	X	478	3649	2247	631	711	60	1	0

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	1242	GLY	-	expression tag	UNP P04275
Z	1243	LEU	-	expression tag	UNP P04275
Z	1244	VAL	-	expression tag	UNP P04275
Z	1245	VAL	-	expression tag	UNP P04275
Z	1246	PRO	-	expression tag	UNP P04275
Z	1247	PRO	-	expression tag	UNP P04275
Z	1248	HIS	-	expression tag	UNP P04275
Z	1249	HIS	-	expression tag	UNP P04275
Z	1250	HIS	-	expression tag	UNP P04275
Z	1251	HIS	-	expression tag	UNP P04275
Z	1252	HIS	-	expression tag	UNP P04275
Z	1253	HIS	-	expression tag	UNP P04275
b	1242	GLY	-	expression tag	UNP P04275

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	1243	LEU	-	expression tag	UNP P04275
b	1244	VAL	-	expression tag	UNP P04275
b	1245	VAL	-	expression tag	UNP P04275
b	1246	PRO	-	expression tag	UNP P04275
b	1247	PRO	-	expression tag	UNP P04275
b	1248	HIS	-	expression tag	UNP P04275
b	1249	HIS	-	expression tag	UNP P04275
b	1250	HIS	-	expression tag	UNP P04275
b	1251	HIS	-	expression tag	UNP P04275
b	1252	HIS	-	expression tag	UNP P04275
b	1253	HIS	-	expression tag	UNP P04275
C	1242	GLY	-	expression tag	UNP P04275
C	1243	LEU	-	expression tag	UNP P04275
C	1244	VAL	-	expression tag	UNP P04275
C	1245	VAL	-	expression tag	UNP P04275
C	1246	PRO	-	expression tag	UNP P04275
C	1247	PRO	-	expression tag	UNP P04275
C	1248	HIS	-	expression tag	UNP P04275
C	1249	HIS	-	expression tag	UNP P04275
C	1250	HIS	-	expression tag	UNP P04275
C	1251	HIS	-	expression tag	UNP P04275
C	1252	HIS	-	expression tag	UNP P04275
C	1253	HIS	-	expression tag	UNP P04275
D	1242	GLY	-	expression tag	UNP P04275
D	1243	LEU	-	expression tag	UNP P04275
D	1244	VAL	-	expression tag	UNP P04275
D	1245	VAL	-	expression tag	UNP P04275
D	1246	PRO	-	expression tag	UNP P04275
D	1247	PRO	-	expression tag	UNP P04275
D	1248	HIS	-	expression tag	UNP P04275
D	1249	HIS	-	expression tag	UNP P04275
D	1250	HIS	-	expression tag	UNP P04275
D	1251	HIS	-	expression tag	UNP P04275
D	1252	HIS	-	expression tag	UNP P04275
D	1253	HIS	-	expression tag	UNP P04275
F	1242	GLY	-	expression tag	UNP P04275
F	1243	LEU	-	expression tag	UNP P04275
F	1244	VAL	-	expression tag	UNP P04275
F	1245	VAL	-	expression tag	UNP P04275
F	1246	PRO	-	expression tag	UNP P04275
F	1247	PRO	-	expression tag	UNP P04275
F	1248	HIS	-	expression tag	UNP P04275

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1249	HIS	-	expression tag	UNP P04275
F	1250	HIS	-	expression tag	UNP P04275
F	1251	HIS	-	expression tag	UNP P04275
F	1252	HIS	-	expression tag	UNP P04275
F	1253	HIS	-	expression tag	UNP P04275
H	1242	GLY	-	expression tag	UNP P04275
H	1243	LEU	-	expression tag	UNP P04275
H	1244	VAL	-	expression tag	UNP P04275
H	1245	VAL	-	expression tag	UNP P04275
H	1246	PRO	-	expression tag	UNP P04275
H	1247	PRO	-	expression tag	UNP P04275
H	1248	HIS	-	expression tag	UNP P04275
H	1249	HIS	-	expression tag	UNP P04275
H	1250	HIS	-	expression tag	UNP P04275
H	1251	HIS	-	expression tag	UNP P04275
H	1252	HIS	-	expression tag	UNP P04275
H	1253	HIS	-	expression tag	UNP P04275
J	1242	GLY	-	expression tag	UNP P04275
J	1243	LEU	-	expression tag	UNP P04275
J	1244	VAL	-	expression tag	UNP P04275
J	1245	VAL	-	expression tag	UNP P04275
J	1246	PRO	-	expression tag	UNP P04275
J	1247	PRO	-	expression tag	UNP P04275
J	1248	HIS	-	expression tag	UNP P04275
J	1249	HIS	-	expression tag	UNP P04275
J	1250	HIS	-	expression tag	UNP P04275
J	1251	HIS	-	expression tag	UNP P04275
J	1252	HIS	-	expression tag	UNP P04275
J	1253	HIS	-	expression tag	UNP P04275
L	1242	GLY	-	expression tag	UNP P04275
L	1243	LEU	-	expression tag	UNP P04275
L	1244	VAL	-	expression tag	UNP P04275
L	1245	VAL	-	expression tag	UNP P04275
L	1246	PRO	-	expression tag	UNP P04275
L	1247	PRO	-	expression tag	UNP P04275
L	1248	HIS	-	expression tag	UNP P04275
L	1249	HIS	-	expression tag	UNP P04275
L	1250	HIS	-	expression tag	UNP P04275
L	1251	HIS	-	expression tag	UNP P04275
L	1252	HIS	-	expression tag	UNP P04275
L	1253	HIS	-	expression tag	UNP P04275
N	1242	GLY	-	expression tag	UNP P04275

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	1243	LEU	-	expression tag	UNP P04275
N	1244	VAL	-	expression tag	UNP P04275
N	1245	VAL	-	expression tag	UNP P04275
N	1246	PRO	-	expression tag	UNP P04275
N	1247	PRO	-	expression tag	UNP P04275
N	1248	HIS	-	expression tag	UNP P04275
N	1249	HIS	-	expression tag	UNP P04275
N	1250	HIS	-	expression tag	UNP P04275
N	1251	HIS	-	expression tag	UNP P04275
N	1252	HIS	-	expression tag	UNP P04275
N	1253	HIS	-	expression tag	UNP P04275
P	1242	GLY	-	expression tag	UNP P04275
P	1243	LEU	-	expression tag	UNP P04275
P	1244	VAL	-	expression tag	UNP P04275
P	1245	VAL	-	expression tag	UNP P04275
P	1246	PRO	-	expression tag	UNP P04275
P	1247	PRO	-	expression tag	UNP P04275
P	1248	HIS	-	expression tag	UNP P04275
P	1249	HIS	-	expression tag	UNP P04275
P	1250	HIS	-	expression tag	UNP P04275
P	1251	HIS	-	expression tag	UNP P04275
P	1252	HIS	-	expression tag	UNP P04275
P	1253	HIS	-	expression tag	UNP P04275
R	1242	GLY	-	expression tag	UNP P04275
R	1243	LEU	-	expression tag	UNP P04275
R	1244	VAL	-	expression tag	UNP P04275
R	1245	VAL	-	expression tag	UNP P04275
R	1246	PRO	-	expression tag	UNP P04275
R	1247	PRO	-	expression tag	UNP P04275
R	1248	HIS	-	expression tag	UNP P04275
R	1249	HIS	-	expression tag	UNP P04275
R	1250	HIS	-	expression tag	UNP P04275
R	1251	HIS	-	expression tag	UNP P04275
R	1252	HIS	-	expression tag	UNP P04275
R	1253	HIS	-	expression tag	UNP P04275
T	1242	GLY	-	expression tag	UNP P04275
T	1243	LEU	-	expression tag	UNP P04275
T	1244	VAL	-	expression tag	UNP P04275
T	1245	VAL	-	expression tag	UNP P04275
T	1246	PRO	-	expression tag	UNP P04275
T	1247	PRO	-	expression tag	UNP P04275
T	1248	HIS	-	expression tag	UNP P04275

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	1249	HIS	-	expression tag	UNP P04275
T	1250	HIS	-	expression tag	UNP P04275
T	1251	HIS	-	expression tag	UNP P04275
T	1252	HIS	-	expression tag	UNP P04275
T	1253	HIS	-	expression tag	UNP P04275
V	1242	GLY	-	expression tag	UNP P04275
V	1243	LEU	-	expression tag	UNP P04275
V	1244	VAL	-	expression tag	UNP P04275
V	1245	VAL	-	expression tag	UNP P04275
V	1246	PRO	-	expression tag	UNP P04275
V	1247	PRO	-	expression tag	UNP P04275
V	1248	HIS	-	expression tag	UNP P04275
V	1249	HIS	-	expression tag	UNP P04275
V	1250	HIS	-	expression tag	UNP P04275
V	1251	HIS	-	expression tag	UNP P04275
V	1252	HIS	-	expression tag	UNP P04275
V	1253	HIS	-	expression tag	UNP P04275
X	1242	GLY	-	expression tag	UNP P04275
X	1243	LEU	-	expression tag	UNP P04275
X	1244	VAL	-	expression tag	UNP P04275
X	1245	VAL	-	expression tag	UNP P04275
X	1246	PRO	-	expression tag	UNP P04275
X	1247	PRO	-	expression tag	UNP P04275
X	1248	HIS	-	expression tag	UNP P04275
X	1249	HIS	-	expression tag	UNP P04275
X	1250	HIS	-	expression tag	UNP P04275
X	1251	HIS	-	expression tag	UNP P04275
X	1252	HIS	-	expression tag	UNP P04275
X	1253	HIS	-	expression tag	UNP P04275

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	Total 14	C 8	N 1	O 5	0
3	A	1	Total 14	C 8	N 1	O 5	0
3	Z	1	Total 14	C 8	N 1	O 5	0
3	B	1	Total 14	C 8	N 1	O 5	0
3	B	1	Total 14	C 8	N 1	O 5	0
3	E	1	Total 14	C 8	N 1	O 5	0
3	E	1	Total 14	C 8	N 1	O 5	0
3	G	1	Total 14	C 8	N 1	O 5	0
3	G	1	Total 14	C 8	N 1	O 5	0
3	I	1	Total 14	C 8	N 1	O 5	0
3	I	1	Total 14	C 8	N 1	O 5	0
3	K	1	Total 14	C 8	N 1	O 5	0
3	K	1	Total 14	C 8	N 1	O 5	0
3	Q	1	Total 14	C 8	N 1	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	Q	1	14	8	1	5	0
3	S	1	14	8	1	5	0
3	S	1	14	8	1	5	0
3	U	1	14	8	1	5	0
3	U	1	14	8	1	5	0
3	W	1	14	8	1	5	0
3	W	1	14	8	1	5	0
3	a	1	14	8	1	5	0
3	a	1	14	8	1	5	0
3	C	1	14	8	1	5	0
3	C	1	14	8	1	5	0
3	D	1	14	8	1	5	0
3	F	1	14	8	1	5	0
3	F	1	14	8	1	5	0
3	F	1	14	8	1	5	0
3	H	1	14	8	1	5	0
3	H	1	14	8	1	5	0
3	J	1	14	8	1	5	0
3	J	1	14	8	1	5	0
3	L	1	14	8	1	5	0
3	L	1	14	8	1	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
3	R	1	Total	C	N	O	0
			14	8	1	5	
3	R	1	Total	C	N	O	0
			14	8	1	5	
3	T	1	Total	C	N	O	0
			14	8	1	5	
3	V	1	Total	C	N	O	0
			14	8	1	5	
3	V	1	Total	C	N	O	0
			14	8	1	5	
3	X	1	Total	C	N	O	0
			14	8	1	5	
3	X	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	2	Total	Ca	0
			2	2	
4	Z	2	Total	Ca	0
			2	2	
4	B	2	Total	Ca	0
			2	2	
4	b	2	Total	Ca	0
			2	2	
4	E	2	Total	Ca	0
			2	2	
4	G	2	Total	Ca	0
			2	2	
4	I	2	Total	Ca	0
			2	2	
4	K	2	Total	Ca	0
			2	2	
4	M	2	Total	Ca	0
			2	2	
4	O	2	Total	Ca	0
			2	2	
4	Q	2	Total	Ca	0
			2	2	
4	S	2	Total	Ca	0
			2	2	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
4	U	2	Total 2	Ca 2	0
4	W	2	Total 2	Ca 2	0
4	Y	2	Total 2	Ca 2	0
4	a	2	Total 2	Ca 2	0
4	C	2	Total 2	Ca 2	0
4	D	2	Total 2	Ca 2	0
4	F	2	Total 2	Ca 2	0
4	H	2	Total 2	Ca 2	0
4	J	2	Total 2	Ca 2	0
4	L	2	Total 2	Ca 2	0
4	N	2	Total 2	Ca 2	0
4	P	2	Total 2	Ca 2	0
4	R	2	Total 2	Ca 2	0
4	T	2	Total 2	Ca 2	0
4	V	2	Total 2	Ca 2	0
4	X	2	Total 2	Ca 2	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: von Willebrand antigen 2




- Molecule 1: von Willebrand antigen 2




- Molecule 1: von Willebrand antigen 2







• Molecule 1: von Willebrand antigen 2




• Molecule 1: von Willebrand antigen 2





• Molecule 1: von Willebrand antigen 2












• Molecule 1: von Willebrand antigen 2




• Molecule 1: von Willebrand antigen 2




• Molecule 2: von Willebrand factor





• Molecule 2: von Willebrand factor







• Molecule 2: von Willebrand factor



• Molecule 2: von Willebrand factor




• Molecule 2: von Willebrand factor






• Molecule 2: von Willebrand factor










• Molecule 2: von Willebrand factor





• Molecule 2: von Willebrand factor




• Molecule 2: von Willebrand factor





• Molecule 2: von Willebrand factor





• Molecule 2: von Willebrand factor




• Molecule 2: von Willebrand factor




• Molecule 2: von Willebrand factor



• Molecule 2: von Willebrand factor





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	220564	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.037	Depositor
Minimum map value	-0.012	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.004	Depositor
Map size (Å)	306.31412, 304.11832, 354.6217	wwPDB
Map dimensions	279, 277, 323	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0979, 1.0979, 1.0979	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/5547	0.53	0/7520
1	B	0.32	0/5547	0.51	0/7520
1	E	0.32	0/5547	0.51	0/7520
1	G	0.32	0/5547	0.51	0/7520
1	I	0.30	0/5547	0.50	0/7520
1	K	0.32	0/5547	0.51	0/7520
1	M	0.30	0/5547	0.50	0/7520
1	O	0.30	0/5547	0.50	0/7520
1	Q	0.32	0/5547	0.51	0/7520
1	S	0.32	0/5547	0.51	0/7520
1	U	0.31	0/5547	0.50	0/7520
1	W	0.33	0/5547	0.52	0/7520
1	Y	0.30	0/5547	0.49	0/7520
1	a	0.32	0/5547	0.51	0/7520
2	C	0.28	0/3728	0.48	0/5066
2	D	0.29	0/3728	0.48	0/5066
2	F	0.33	0/3728	0.51	0/5066
2	H	0.32	0/3728	0.49	0/5066
2	J	0.31	0/3728	0.49	0/5066
2	L	0.31	0/3728	0.50	0/5066
2	N	0.27	0/3728	0.47	0/5066
2	P	0.27	0/3728	0.47	0/5066
2	R	0.32	0/3728	0.50	0/5066
2	T	0.32	0/3728	0.50	0/5066
2	V	0.30	0/3728	0.49	0/5066
2	X	0.31	0/3728	0.49	0/5066
2	Z	0.29	0/3728	0.48	0/5066
2	b	0.27	0/3728	0.47	0/5066
All	All	0.31	0/129850	0.50	0/176204

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5421	0	5001	101	0
1	B	5421	0	5001	51	0
1	E	5421	0	5001	49	0
1	G	5421	0	5001	82	0
1	I	5421	0	5000	80	0
1	K	5421	0	5001	36	0
1	M	5421	0	5003	29	0
1	O	5421	0	5003	61	0
1	Q	5421	0	5001	44	0
1	S	5421	0	5001	84	0
1	U	5421	0	5002	87	0
1	W	5421	0	5001	39	0
1	Y	5421	0	5003	27	0
1	a	5421	0	5001	42	0
2	C	3649	0	3441	29	0
2	D	3649	0	3443	27	0
2	F	3649	0	3440	45	0
2	H	3649	0	3442	28	0
2	J	3649	0	3442	26	0
2	L	3649	0	3442	28	0
2	N	3649	0	3444	23	0
2	P	3649	0	3444	21	0
2	R	3649	0	3442	27	0
2	T	3649	0	3443	30	0
2	V	3649	0	3442	30	0
2	X	3649	0	3442	30	0
2	Z	3649	0	3443	25	0
2	b	3649	0	3444	20	0
3	A	28	0	26	4	0
3	B	28	0	26	3	0
3	C	28	0	26	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	14	0	13	0	0
3	E	28	0	26	0	0
3	F	42	0	39	8	0
3	G	28	0	26	1	0
3	H	28	0	26	0	0
3	I	28	0	26	2	0
3	J	28	0	26	0	0
3	K	28	0	26	1	0
3	L	28	0	26	0	0
3	Q	28	0	26	3	0
3	R	28	0	26	0	0
3	S	28	0	26	1	0
3	T	14	0	13	1	0
3	U	28	0	26	4	0
3	V	28	0	26	7	0
3	W	28	0	26	1	0
3	X	28	0	26	0	0
3	Z	14	0	13	0	0
3	a	28	0	26	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
4	I	2	0	0	0	0
4	J	2	0	0	0	0
4	K	2	0	0	0	0
4	L	2	0	0	0	0
4	M	2	0	0	0	0
4	N	2	0	0	0	0
4	O	2	0	0	0	0
4	P	2	0	0	0	0
4	Q	2	0	0	0	0
4	R	2	0	0	0	0
4	S	2	0	0	0	0
4	T	2	0	0	0	0
4	U	2	0	0	0	0
4	V	2	0	0	0	0
4	W	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	X	2	0	0	0	0
4	Y	2	0	0	0	0
4	Z	2	0	0	0	0
4	a	2	0	0	0	0
4	b	2	0	0	0	0
All	All	127624	0	118760	990	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 990 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:99:ASN:HD21	3:U:802:NAG:C1	1.20	1.53
1:A:725:HIS:CE1	1:O:560:GLN:HB2	1.51	1.44
1:G:442:ARG:NH1	1:I:722:PHE:HZ	1.12	1.43
1:A:722:PHE:HZ	1:O:442:ARG:NH1	1.19	1.39
1:G:442:ARG:NH1	1:I:722:PHE:CZ	1.84	1.39

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	709/741 (96%)	629 (89%)	77 (11%)	3 (0%)	30	66
1	B	709/741 (96%)	639 (90%)	68 (10%)	2 (0%)	36	71
1	E	709/741 (96%)	640 (90%)	67 (9%)	2 (0%)	36	71
1	G	709/741 (96%)	643 (91%)	65 (9%)	1 (0%)	48	83
1	I	709/741 (96%)	644 (91%)	64 (9%)	1 (0%)	48	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	K	709/741 (96%)	641 (90%)	67 (9%)	1 (0%)	48	83
1	M	709/741 (96%)	644 (91%)	64 (9%)	1 (0%)	48	83
1	O	709/741 (96%)	645 (91%)	64 (9%)	0	100	100
1	Q	709/741 (96%)	638 (90%)	69 (10%)	2 (0%)	36	71
1	S	709/741 (96%)	641 (90%)	64 (9%)	4 (1%)	21	58
1	U	709/741 (96%)	643 (91%)	65 (9%)	1 (0%)	48	83
1	W	709/741 (96%)	641 (90%)	67 (9%)	1 (0%)	48	83
1	Y	709/741 (96%)	646 (91%)	63 (9%)	0	100	100
1	a	709/741 (96%)	640 (90%)	67 (9%)	2 (0%)	36	71
2	C	477/490 (97%)	424 (89%)	53 (11%)	0	100	100
2	D	477/490 (97%)	425 (89%)	50 (10%)	2 (0%)	30	66
2	F	477/490 (97%)	421 (88%)	54 (11%)	2 (0%)	30	66
2	H	477/490 (97%)	425 (89%)	50 (10%)	2 (0%)	30	66
2	J	477/490 (97%)	424 (89%)	53 (11%)	0	100	100
2	L	477/490 (97%)	423 (89%)	53 (11%)	1 (0%)	43	77
2	N	477/490 (97%)	424 (89%)	53 (11%)	0	100	100
2	P	477/490 (97%)	425 (89%)	52 (11%)	0	100	100
2	R	477/490 (97%)	424 (89%)	51 (11%)	2 (0%)	30	66
2	T	477/490 (97%)	424 (89%)	53 (11%)	0	100	100
2	V	477/490 (97%)	423 (89%)	53 (11%)	1 (0%)	43	77
2	X	477/490 (97%)	423 (89%)	52 (11%)	2 (0%)	30	66
2	Z	477/490 (97%)	425 (89%)	50 (10%)	2 (0%)	30	66
2	b	477/490 (97%)	425 (89%)	52 (11%)	0	100	100
All	All	16604/17234 (96%)	14909 (90%)	1660 (10%)	35 (0%)	44	77

5 of 35 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	S	101	THR
2	F	1232	LEU
2	H	1148	SER
1	S	99	ASN
2	D	851	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	599/628 (95%)	597 (100%)	2 (0%)	86	84
1	B	599/628 (95%)	596 (100%)	3 (0%)	81	81
1	E	599/628 (95%)	598 (100%)	1 (0%)	87	85
1	G	599/628 (95%)	596 (100%)	3 (0%)	81	81
1	I	599/628 (95%)	598 (100%)	1 (0%)	87	85
1	K	599/628 (95%)	597 (100%)	2 (0%)	86	84
1	M	599/628 (95%)	598 (100%)	1 (0%)	87	85
1	O	599/628 (95%)	598 (100%)	1 (0%)	87	85
1	Q	599/628 (95%)	596 (100%)	3 (0%)	81	81
1	S	599/628 (95%)	597 (100%)	2 (0%)	86	84
1	U	599/628 (95%)	597 (100%)	2 (0%)	86	84
1	W	599/628 (95%)	597 (100%)	2 (0%)	86	84
1	Y	599/628 (95%)	598 (100%)	1 (0%)	87	85
1	a	599/628 (95%)	597 (100%)	2 (0%)	86	84
2	C	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	D	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	F	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	H	423/436 (97%)	423 (100%)	0	100	100
2	J	423/436 (97%)	423 (100%)	0	100	100
2	L	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	N	423/436 (97%)	423 (100%)	0	100	100
2	P	423/436 (97%)	423 (100%)	0	100	100
2	R	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	T	423/436 (97%)	421 (100%)	2 (0%)	81	81
2	V	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	X	423/436 (97%)	422 (100%)	1 (0%)	87	85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	Z	423/436 (97%)	422 (100%)	1 (0%)	87	85
2	b	423/436 (97%)	423 (100%)	0	100	100
All	All	14308/14896 (96%)	14272 (100%)	36 (0%)	84	84

5 of 36 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	850	VAL
2	X	850	VAL
2	F	1147	ASN
2	T	850	VAL
1	K	348	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 95 such sidechains are listed below:

Mol	Chain	Res	Type
2	H	952	HIS
2	N	952	HIS
2	H	1134	ASN
2	J	1176	HIS
2	P	857	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 98 ligands modelled in this entry, 56 are monoatomic - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	Q	802	1	14,14,15	0.41	0	17,19,21	0.76	0
3	NAG	C	1302	2	14,14,15	0.39	0	17,19,21	0.76	0
3	NAG	V	1302	2	14,14,15	0.42	0	17,19,21	0.75	0
3	NAG	W	801	1	14,14,15	0.41	0	17,19,21	0.76	0
3	NAG	F	1302	2	14,14,15	0.30	0	17,19,21	0.72	0
3	NAG	Q	801	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	a	801	1	14,14,15	0.40	0	17,19,21	0.75	0
3	NAG	X	1302	2	14,14,15	0.41	0	17,19,21	0.75	0
3	NAG	E	801	1	14,14,15	0.41	0	17,19,21	0.75	0
3	NAG	I	801	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	R	1302	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	C	1301	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	B	802	1	14,14,15	0.40	0	17,19,21	0.75	0
3	NAG	X	1301	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	B	801	1	14,14,15	0.42	0	17,19,21	0.76	0
3	NAG	A	801	1	14,14,15	0.41	0	17,19,21	0.76	0
3	NAG	G	802	1	14,14,15	0.42	0	17,19,21	0.75	0
3	NAG	G	801	1	14,14,15	0.39	0	17,19,21	0.75	0
3	NAG	I	802	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	K	801	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	F	1301	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	H	1302	2	14,14,15	0.41	0	17,19,21	0.76	0
3	NAG	L	1302	2	14,14,15	0.40	0	17,19,21	0.75	0
3	NAG	a	802	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	H	1301	2	14,14,15	0.26	0	17,19,21	0.67	0
3	NAG	U	801	1	14,14,15	0.39	0	17,19,21	0.76	0
3	NAG	K	802	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	U	802	1	14,14,15	0.42	0	17,19,21	0.76	0
3	NAG	E	802	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	R	1301	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	T	1301	2	14,14,15	0.29	0	17,19,21	0.61	0
3	NAG	Z	1301	2	14,14,15	0.40	0	17,19,21	0.75	0
3	NAG	J	1302	2	14,14,15	0.23	0	17,19,21	0.61	0
3	NAG	S	801	1	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	D	1301	2	14,14,15	0.27	0	17,19,21	0.61	0
3	NAG	A	802	1	14,14,15	0.40	0	17,19,21	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	L	1301	2	14,14,15	0.40	0	17,19,21	0.76	0
3	NAG	S	802	1	14,14,15	0.37	0	17,19,21	0.68	0
3	NAG	V	1301	2	14,14,15	0.27	0	17,19,21	0.60	0
3	NAG	J	1301	2	14,14,15	0.27	0	17,19,21	0.58	0
3	NAG	F	1303	2	14,14,15	0.28	0	17,19,21	0.73	0
3	NAG	W	802	1	14,14,15	0.39	0	17,19,21	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Q	802	1	-	1/6/23/26	0/1/1/1
3	NAG	C	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	V	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	W	801	1	-	1/6/23/26	0/1/1/1
3	NAG	F	1302	2	-	2/6/23/26	0/1/1/1
3	NAG	Q	801	1	-	1/6/23/26	0/1/1/1
3	NAG	a	801	1	-	1/6/23/26	0/1/1/1
3	NAG	X	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	E	801	1	-	1/6/23/26	0/1/1/1
3	NAG	I	801	1	-	1/6/23/26	0/1/1/1
3	NAG	R	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	C	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	B	802	1	-	1/6/23/26	0/1/1/1
3	NAG	X	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	B	801	1	-	1/6/23/26	0/1/1/1
3	NAG	A	801	1	-	1/6/23/26	0/1/1/1
3	NAG	G	802	1	-	1/6/23/26	0/1/1/1
3	NAG	G	801	1	-	1/6/23/26	0/1/1/1
3	NAG	I	802	1	-	1/6/23/26	0/1/1/1
3	NAG	K	801	1	-	1/6/23/26	0/1/1/1
3	NAG	F	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	H	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	L	1302	2	-	1/6/23/26	0/1/1/1
3	NAG	a	802	1	-	1/6/23/26	0/1/1/1
3	NAG	H	1301	2	-	3/6/23/26	0/1/1/1
3	NAG	U	801	1	-	1/6/23/26	0/1/1/1
3	NAG	K	802	1	-	1/6/23/26	0/1/1/1
3	NAG	U	802	1	-	1/6/23/26	0/1/1/1
3	NAG	E	802	1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	R	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	T	1301	2	-	3/6/23/26	0/1/1/1
3	NAG	Z	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	J	1302	2	-	3/6/23/26	0/1/1/1
3	NAG	S	801	1	-	1/6/23/26	0/1/1/1
3	NAG	D	1301	2	-	0/6/23/26	0/1/1/1
3	NAG	A	802	1	-	1/6/23/26	0/1/1/1
3	NAG	L	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	S	802	1	-	2/6/23/26	0/1/1/1
3	NAG	V	1301	2	-	1/6/23/26	0/1/1/1
3	NAG	J	1301	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1303	2	-	2/6/23/26	0/1/1/1
3	NAG	W	802	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 49 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	S	802	NAG	C8-C7-N2-C2
3	S	802	NAG	O7-C7-N2-C2
3	F	1302	NAG	C8-C7-N2-C2
3	F	1302	NAG	O7-C7-N2-C2
3	F	1303	NAG	C8-C7-N2-C2

There are no ring outliers.

14 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Q	802	NAG	3	0
3	C	1302	NAG	9	0
3	V	1302	NAG	7	0
3	F	1302	NAG	5	0
3	B	802	NAG	3	0
3	G	802	NAG	1	0
3	I	802	NAG	2	0
3	K	802	NAG	1	0
3	U	802	NAG	4	0
3	T	1301	NAG	1	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	NAG	4	0
3	S	802	NAG	1	0
3	F	1303	NAG	3	0
3	W	802	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














































































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32690. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 139



Y Index: 138




Z Index: 161


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 81



Y Index: 77




Z Index: 190


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.004. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3121 nm³; this corresponds to an approximate mass of 2819 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-32690 and PDB model 7WPS. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.004).



























































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.004) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9240	 0.1820
A	 0.9340	 0.0950
B	 0.9710	 0.1930
C	 0.9110	 0.0710
D	 0.9470	 0.1350
E	 0.9830	 0.2910
F	 0.9490	 0.2570
G	 0.9820	 0.3270
H	 0.9560	 0.2780
I	 0.9700	 0.2780
J	 0.9480	 0.2500
K	 0.9770	 0.3210
L	 0.9480	 0.2670
M	 0.6340	 0.0180
N	 0.7810	 0.0150
O	 0.7790	 0.0320
P	 0.8110	 0.0110
Q	 0.9760	 0.3160
R	 0.9400	 0.2620
S	 0.9760	 0.2850
T	 0.9430	 0.2410
U	 0.9800	 0.2450
V	 0.9350	 0.1940
W	 0.9780	 0.1930
X	 0.9410	 0.1560
Y	 0.9580	 0.1000
Z	 0.9080	 0.0660
a	 0.9000	 0.0480
b	 0.9080	 0.0490

