



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 11:52 AM EDT

PDB ID : 2WQY / pdb_00002wqy
Title : Remodelling of carboxin binding to the Q-site of avian respiratory complex II
Authors : Ruprecht, J.; Iwata, S.; Cecchini, G.
Deposited on : 2009-08-27
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	621	 82% 15% ..
1	N	621	 80% 17% ..
2	B	252	 81% 13% 5%
2	O	252	 81% 13% 5%
3	C	141	 68% 28% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	P	141	 71% 26% ..
4	D	103	 82% 15% ..
4	Q	103	 81% 16% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	BHG	C	142	X	-	-	-
14	BHG	P	204	X	-	-	-
5	UNL	A	1003	-	-	X	-
5	UNL	A	1004	-	-	X	-
5	UNL	B	1005	-	-	X	-
5	UNL	C	145	-	-	X	-
5	UNL	C	214	-	-	X	-
5	UNL	D	245	-	-	X	-
5	UNL	N	1003	-	-	X	-
5	UNL	O	1005	-	-	X	-
5	UNL	P	211	-	-	X	-
7	AZI	A	623	-	X	-	-
9	OAA	A	1002	-	X	X	-
9	OAA	N	1002	-	X	X	-

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 19490 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	613	Total	C	N	O	S	0	0	0
			4731	2959	844	899	29			
1	N	612	Total	C	N	O	S	0	0	0
			4725	2956	843	897	29			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	501	ARG	CYS	conflict	UNP Q9YHT1
A	556	LEU	PHE	conflict	UNP Q9YHT1
A	560	GLU	ASP	conflict	UNP Q9YHT1
N	501	ARG	CYS	conflict	UNP Q9YHT1
N	556	LEU	PHE	conflict	UNP Q9YHT1
N	560	GLU	ASP	conflict	UNP Q9YHT1

- Molecule 2 is a protein called SUCCINATE DEHYDROGENASE IP SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	239	Total	C	N	O	S	0	0	0
			1918	1213	325	358	22			
2	O	239	Total	C	N	O	S	0	0	0
			1918	1213	325	358	22			

- Molecule 3 is a protein called SUCCINATE DEHYDROGENASE CYTOCHROME B, LARGE SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	140	Total	C	N	O	S	0	0	0
			1078	708	179	187	4			
3	P	140	Total	C	N	O	S	0	0	0
			1078	708	179	187	4			

- Molecule 4 is a protein called SUCCINATE DEHYDROGENASE CYTOCHROME B, SMALL SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	101	Total	C	N	O	S	0	0	0
			765	505	121	136	3			
4	Q	101	Total	C	N	O	S	0	0	0
			765	505	121	136	3			


- Molecule 5 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	21	Total	C	O	0	0
			29	19	10		
5	B	10	Total	C	O	0	0
			14	9	5		
5	C	15	Total	C	O	0	0
			22	13	9		
5	D	9	Total	C		0	0
			9	9			
5	N	21	Total	C	O	0	0
			24	20	4		
5	O	6	Total	C	O	0	0
			10	5	5		
5	P	7	Total	C	O	0	0
			11	6	5		
5	Q	6	Total	C		0	0
			6	6			

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	K	0	0
			1	1		
6	B	1	Total	K	0	0
			1	1		
6	N	1	Total	K	0	0
			1	1		
6	O	1	Total	K	0	0
			1	1		


- Molecule 7 is AZIDE ION (CCD ID: AZI) (formula: N₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	N			0	0
			3	3				


- Molecule 8 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			9	4	5		
9	N	1	Total	C	O	0	0
			9	4	5		

- Molecule 10 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	Fe	S	0	0
			4	2	2		
10	O	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 11 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	Fe	S	0	0
			8	4	4		
11	O	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 12 is FE3-S4 CLUSTER (CCD ID: F3S) (formula: Fe_3S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	Fe	S	0	0
			7	3	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	O	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 13 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			6	3	3		
13	C	1	Total	C	O	0	0
			6	3	3		
13	O	1	Total	C	O	0	0
			6	3	3		
13	P	1	Total	C	O	0	0
			6	3	3		

- Molecule 14 is hexyl beta-D-galactopyranoside (CCD ID: BHG) (formula: $C_{12}H_{24}O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	C	1	Total	C	O		0	0
			18	12	6			
14	P	1	Total	C	O		0	0
			18	12	6			

- Molecule 15 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
15	C	1	Total	C	Fe	N	O	0	0
			41	32	1	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
15	P	1	Total	C	Fe	N	O	0	0
			41	32	1	4	4		

- Molecule 16 is 2-METHYL-N-PHENYL-5,6-DIHYDRO-1,4-OXATHIINE-3-CARBOXAMIDE (CCD ID: CBE) (formula: $C_{12}H_{13}NO_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	C	1	Total	C	N	O	S	0	0
			16	12	1	2	1		
16	P	1	Total	C	N	O	S	0	0
			16	12	1	2	1		

- Molecule 17 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (CCD ID: PEE) (formula: $C_{41}H_{78}NO_8P$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	D	1	Total C 24 24	0	0
17	Q	1	Total C 24 24	0	0


- Molecule 18 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	A	548	Total O 548 548	0	0
18	B	297	Total O 297 297	0	0
18	C	102	Total O 102 102	0	0
18	D	60	Total O 60 60	0	0
18	N	558	Total O 558 558	0	0
18	O	287	Total O 287 287	0	0
18	P	82	Total O 82 82	0	0
18	Q	62	Total O 62 62	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT



• Molecule 1: SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT



• Molecule 2: SUCCINATE DEHYDROGENASE IP SUBUNIT





• Molecule 2: SUCCINATE DEHYDROGENASE IP SUBUNIT

Chain O: 81% 13% 5%



• Molecule 3: SUCCINATE DEHYDROGENASE CYTOCHROME B, LARGE SUBUNIT

Chain C: 68% 28% ..



• Molecule 3: SUCCINATE DEHYDROGENASE CYTOCHROME B, LARGE SUBUNIT

Chain P: 71% 26% ..



• Molecule 4: SUCCINATE DEHYDROGENASE CYTOCHROME B, SMALL SUBUNIT

Chain D: 82% 15% ..



• Molecule 4: SUCCINATE DEHYDROGENASE CYTOCHROME B, SMALL SUBUNIT

Chain Q: 81% 16% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	118.70Å 200.75Å 67.63Å 90.00° 90.06° 90.00°	Depositor
Resolution (Å)	64.09 – 2.10 64.09 – 2.10	Depositor EDS
% Data completeness (in resolution range)	88.3 (64.09-2.10) 88.1 (64.09-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.62 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.184 , 0.223 0.184 , 0.224	Depositor DCC
R_{free} test set	8237 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.525	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 61.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.287 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19490	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, F3S, AZI, UNL, GOL, CBE, OAA, HEM, BHG, K, FAD, PEE, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.78	0/4832	1.12	33/6543 (0.5%)
1	N	0.80	0/4826	1.12	35/6535 (0.5%)
2	B	0.82	2/1959 (0.1%)	1.10	11/2641 (0.4%)
2	O	0.81	2/1959 (0.1%)	1.11	14/2641 (0.5%)
3	C	0.63	0/1107	0.93	6/1506 (0.4%)
3	P	0.61	0/1107	0.97	7/1506 (0.5%)
4	D	0.56	0/788	0.93	2/1082 (0.2%)
4	Q	0.55	0/788	0.93	2/1082 (0.2%)
All	All	0.76	4/17366 (0.0%)	1.08	110/23536 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	66	ARG	CA-C	6.92	1.62	1.52
2	B	75	MET	SD-CE	6.84	1.96	1.79
2	O	66	ARG	CA-C	6.38	1.61	1.52
2	O	75	MET	SD-CE	5.82	1.94	1.79

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	O	72	SER	N-CA-C	9.46	121.19	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	72	SER	N-CA-C	9.46	121.19	111.07
1	N	51	PHE	N-CA-C	-9.18	98.18	109.83
1	A	51	PHE	N-CA-C	-8.41	98.96	109.64
1	A	401	ALA	N-CA-C	8.38	120.42	111.28
1	N	401	ALA	N-CA-C	8.38	120.41	111.28
2	B	65	CYS	N-CA-C	8.34	123.23	112.89
1	N	421	GLY	N-CA-C	-8.27	102.49	112.49
2	O	65	CYS	N-CA-C	7.97	122.82	113.18
1	A	421	GLY	N-CA-C	-7.95	102.87	112.49
1	N	255	THR	N-CA-C	7.81	122.55	107.71
1	A	255	THR	N-CA-C	7.64	122.22	107.71
3	P	80	SER	CA-C-N	7.63	127.67	119.28
3	P	80	SER	C-N-CA	7.63	127.67	119.28
2	B	213	TYR	N-CA-C	7.56	122.18	113.19
1	N	256	GLY	N-CA-C	-7.54	99.04	112.54
1	N	283	PHE	N-CA-C	7.44	121.46	112.38
1	N	265	THR	N-CA-C	7.43	119.90	110.24
1	N	518	ASP	N-CA-C	-7.36	103.34	111.36
1	A	518	ASP	N-CA-C	-7.33	103.22	111.14
2	O	213	TYR	N-CA-C	7.30	121.84	113.15
1	A	283	PHE	N-CA-C	7.22	121.19	112.38
1	A	265	THR	N-CA-C	7.01	119.88	110.35
1	A	256	GLY	N-CA-C	-6.96	99.31	111.62
2	O	73	CYS	N-CA-C	6.92	121.17	113.21
1	A	61	GLN	N-CA-C	6.78	121.21	112.12
1	N	61	GLN	N-CA-C	6.71	121.12	112.12
2	B	210	PHE	N-CA-C	6.69	121.83	112.93
1	N	588	ASP	N-CA-C	-6.65	97.70	108.41
2	O	210	PHE	N-CA-C	6.62	121.74	112.93
1	N	113	TYR	N-CA-C	-6.62	105.21	113.28
2	O	103	PRO	N-CA-C	6.57	121.39	111.14
2	B	103	PRO	N-CA-C	6.53	121.33	111.14
3	C	16	ASN	N-CA-C	6.53	118.47	111.36
3	P	63	LEU	CA-C-N	6.46	125.69	118.97
3	P	63	LEU	C-N-CA	6.46	125.69	118.97
1	N	62	GLY	N-CA-C	6.46	120.45	112.64
1	A	588	ASP	N-CA-C	-6.44	98.04	108.41
1	A	113	TYR	N-CA-C	-6.39	105.45	113.18
3	C	63	LEU	CA-C-N	6.38	125.60	118.97
3	C	63	LEU	C-N-CA	6.38	125.60	118.97
4	D	93	ILE	N-CA-C	6.36	117.04	110.36
3	P	16	ASN	N-CA-C	6.35	118.28	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	219	MET	N-CA-C	6.33	120.95	113.23
1	N	347	PHE	N-CA-C	6.30	121.13	113.38
1	N	90	LEU	N-CA-C	-6.29	105.55	113.72
4	Q	93	ILE	N-CA-C	6.28	116.95	110.36
1	A	266	GLU	N-CA-C	-6.24	105.52	113.01
2	B	73	CYS	N-CA-C	6.16	120.30	113.21
2	O	16	ILE	N-CA-C	6.16	116.73	108.11
2	O	219	MET	N-CA-C	6.15	120.73	113.23
1	A	90	LEU	N-CA-C	-6.14	105.74	113.72
4	Q	58	TYR	N-CA-C	6.14	121.05	113.50
1	A	589	VAL	N-CA-C	6.07	118.64	111.05
1	A	119	ARG	N-CA-C	6.07	119.44	109.85
1	A	244	CYS	N-CA-C	-6.07	101.48	110.46
1	N	244	CYS	N-CA-C	-6.06	101.23	110.14
4	D	58	TYR	N-CA-C	6.05	120.94	113.50
1	A	44	THR	N-CA-C	5.96	119.19	109.59
1	N	555	LYS	N-CA-C	5.93	119.77	112.54
1	A	389	VAL	N-CA-C	-5.91	101.70	107.55
3	P	110	MET	N-CA-C	-5.84	105.92	113.16
1	A	62	GLY	N-CA-C	5.82	119.68	112.64
1	N	118	SER	N-CA-C	-5.81	102.86	110.53
2	B	23	LYS	N-CA-C	-5.78	100.69	109.30
1	N	589	VAL	N-CA-C	5.74	118.22	111.05
2	B	16	ILE	N-CA-C	5.69	116.08	108.11
2	O	112	VAL	N-CA-C	5.68	113.17	107.55
1	A	347	PHE	N-CA-C	5.66	120.34	113.38
3	C	110	MET	N-CA-C	-5.65	106.16	113.16
1	N	119	ARG	N-CA-C	5.61	118.70	109.72
1	N	225	SER	N-CA-C	5.60	117.96	110.35
1	A	118	SER	N-CA-C	-5.59	103.16	110.53
1	A	558	ILE	N-CA-C	5.58	114.78	106.85
1	A	555	LYS	N-CA-C	5.57	119.69	113.01
1	N	266	GLU	N-CA-C	-5.57	106.33	113.01
1	A	65	ASN	N-CA-C	5.54	118.95	110.20
1	A	148	CYS	N-CA-C	5.53	117.21	108.96
1	A	224	THR	N-CA-C	-5.51	106.51	113.18
1	N	140	GLY	N-CA-C	5.48	126.18	113.18
2	B	244	THR	N-CA-C	5.47	120.83	113.72
1	N	558	ILE	N-CA-C	5.47	114.61	106.85
1	N	373	ASN	N-CA-C	-5.47	101.91	110.17
2	O	23	LYS	CA-C-N	5.46	125.80	119.47
2	O	23	LYS	C-N-CA	5.46	125.80	119.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	27	GLY	N-CA-C	-5.45	102.96	112.55
1	A	140	GLY	N-CA-C	5.42	126.04	113.18
1	N	389	VAL	N-CA-C	-5.42	102.19	107.55
1	N	52	PRO	N-CA-C	5.41	123.60	112.47
1	N	44	THR	N-CA-C	5.37	118.23	109.59
3	C	114	PHE	N-CA-C	5.36	119.81	113.28
1	N	213	THR	N-CA-C	5.35	119.67	113.20
1	A	290	VAL	N-CA-C	5.34	115.60	110.74
2	B	60	THR	N-CA-C	5.32	117.57	108.90
1	N	486	GLY	N-CA-C	5.30	119.05	112.64
1	N	290	VAL	N-CA-C	5.28	115.55	110.74
1	N	142	GLN	N-CA-C	5.28	117.96	110.10
1	N	65	ASN	N-CA-C	5.27	118.53	110.20
1	A	213	THR	N-CA-C	5.27	119.69	113.16
3	P	114	PHE	N-CA-C	5.26	119.69	113.28
1	N	148	CYS	N-CA-C	5.23	116.75	108.96
1	A	142	GLN	N-CA-C	5.23	117.89	110.10
1	N	27	GLY	N-CA-C	-5.21	103.38	112.55
1	A	486	GLY	N-CA-C	5.20	118.94	112.64
3	C	139	ALA	N-CA-C	-5.19	107.11	112.93
2	O	244	THR	N-CA-C	5.17	121.36	113.61
2	O	108	VAL	N-CA-C	-5.14	105.83	110.82
1	N	295	ALA	N-CA-C	-5.09	103.96	110.53
2	O	60	THR	N-CA-C	5.05	117.13	108.90
1	A	52	PRO	N-CA-C	5.04	122.86	112.47

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	30	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4731	0	4614	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	N	4725	0	4609	68	0
2	B	1918	0	1910	27	0
2	O	1918	0	1909	28	0
3	C	1078	0	1118	40	0
3	P	1078	0	1118	38	0
4	D	765	0	761	21	0
4	Q	765	0	761	15	0
5	A	29	0	0	10	0
5	B	14	0	0	4	0
5	C	22	0	0	4	0
5	D	9	0	0	2	0
5	N	24	0	0	3	0
5	O	10	0	0	3	0
5	P	11	0	0	2	0
5	Q	6	0	0	1	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	N	1	0	0	0	0
6	O	1	0	0	0	0
7	A	3	0	0	0	0
8	A	53	0	29	4	0
8	N	53	0	29	4	0
9	A	9	0	2	6	0
9	N	9	0	2	5	0
10	B	4	0	0	0	0
10	O	4	0	0	0	0
11	B	8	0	0	0	0
11	O	8	0	0	0	0
12	B	7	0	0	0	0
12	O	7	0	0	0	0
13	B	6	0	8	0	0
13	C	6	0	8	1	0
13	O	6	0	8	2	0
13	P	6	0	8	0	0
14	C	18	0	24	0	0
14	P	18	0	24	0	0
15	C	41	0	24	1	0
15	P	41	0	24	0	0
16	C	16	0	13	4	0
16	P	16	0	13	4	0
17	D	24	0	40	0	0
17	Q	24	0	40	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	A	548	0	0	9	0
18	B	297	0	0	6	0
18	C	102	0	0	5	0
18	D	60	0	0	1	0
18	N	558	0	0	18	0
18	O	287	0	0	6	0
18	P	82	0	0	4	0
18	Q	62	0	0	1	0
All	All	19490	0	17096	299	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (299) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1005:UNL:O5	5:B:1005:UNL:O6	1.55	1.25
5:A:1003:UNL:O6	5:A:1003:UNL:O5	1.54	1.25
5:O:1005:UNL:O6	5:O:1005:UNL:O5	1.54	1.24
5:A:1004:UNL:O6	5:A:1004:UNL:O5	1.55	1.23
5:P:211:UNL:O5	5:P:211:UNL:O1	1.57	1.22
5:C:214:UNL:O6	5:C:214:UNL:O5	1.56	1.22
5:C:145:UNL:O6	5:C:145:UNL:O5	1.55	1.22
5:O:1005:UNL:O5	5:O:1005:UNL:O1	1.57	1.22
5:C:145:UNL:O5	5:C:145:UNL:O1	1.57	1.22
5:P:211:UNL:O5	5:P:211:UNL:O6	1.55	1.22
5:N:1003:UNL:O5	5:N:1003:UNL:O1	1.58	1.21
5:N:1003:UNL:O5	5:N:1003:UNL:O6	1.56	1.21
5:A:1003:UNL:O5	5:A:1003:UNL:O1	1.57	1.20
5:B:1005:UNL:O5	5:B:1005:UNL:O1	1.57	1.18
5:A:1004:UNL:O5	5:A:1004:UNL:O1	1.59	1.16
5:C:214:UNL:O5	5:C:214:UNL:O1	1.59	1.15
2:O:66:ARG:HB2	2:O:66:ARG:HH11	1.22	1.03
2:B:66:ARG:HH11	2:B:66:ARG:HB2	1.24	1.02
1:N:189:ARG:HD3	1:N:439:PRO:HB2	1.42	1.01
1:A:189:ARG:HD3	1:A:439:PRO:HB2	1.43	1.00
1:A:112:ASN:HD22	2:B:138:GLY:H	1.13	0.95
1:N:280:GLY:HA2	18:N:2286:HOH:O	1.68	0.93
1:N:96:ILE:HG21	18:N:2096:HOH:O	1.68	0.91
1:N:112:ASN:HD22	2:O:138:GLY:H	1.22	0.86
5:A:1003:UNL:O5	5:A:1003:UNL:O4	1.94	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:O:1005:UNL:O5	5:O:1005:UNL:O3	1.95	0.85
1:A:297:ARG:HH22	9:A:1002:OAA:C2	1.92	0.82
1:N:96:ILE:HD13	18:N:2096:HOH:O	1.78	0.82
2:O:66:ARG:HH11	2:O:66:ARG:CB	1.94	0.79
2:B:66:ARG:HH11	2:B:66:ARG:CB	1.95	0.79
2:O:214:ARG:HH22	4:Q:53:GLN:HE22	1.31	0.79
1:A:507:LYS:HE3	18:A:2406:HOH:O	1.83	0.79
2:B:214:ARG:HH22	4:D:53:GLN:HE22	1.29	0.78
1:A:112:ASN:ND2	2:B:138:GLY:H	1.81	0.78
3:C:101:ASN:HD21	3:C:104:ARG:HH11	1.30	0.78
1:N:297:ARG:HH22	9:N:1002:OAA:C2	1.98	0.77
4:Q:24:LEU:HB2	4:Q:25:PRO:HD3	1.66	0.77
3:C:26:HIS:CD2	3:C:27:ILE:H	2.03	0.77
4:D:24:LEU:HB2	4:D:25:PRO:HD3	1.66	0.77
1:A:297:ARG:HH22	9:A:1002:OAA:H22	1.50	0.76
3:P:26:HIS:CD2	3:P:27:ILE:H	2.04	0.76
3:P:101:ASN:HD21	3:P:104:ARG:HH11	1.32	0.75
1:A:181:LEU:HD21	1:A:211:ILE:HD11	1.67	0.75
1:A:13:PRO:HA	18:A:2003:HOH:O	1.87	0.74
3:C:68:PRO:HA	4:D:99:MET:HE1	1.69	0.74
3:P:7:GLU:O	3:P:11:ARG:HG2	1.88	0.74
3:P:3:THR:CG2	3:P:7:GLU:HB2	2.16	0.74
1:N:181:LEU:HD21	1:N:211:ILE:HD11	1.68	0.73
3:C:7:GLU:O	3:C:11:ARG:HG2	1.88	0.73
3:C:3:THR:CG2	3:C:7:GLU:HB2	2.18	0.72
3:P:141:SER:HB2	17:Q:210:PEE:H25	1.72	0.70
1:N:297:ARG:HH22	9:N:1002:OAA:H22	1.56	0.70
4:D:73:TYR:CD1	5:D:245:UNL:C2	2.75	0.69
1:N:112:ASN:ND2	2:O:138:GLY:H	1.91	0.67
1:A:593:LYS:HD2	5:A:1017:UNL:C2	2.25	0.67
2:O:18:ARG:NH2	2:O:56:ASP:OD2	2.28	0.67
1:A:216:TYR:H	1:A:366:ASN:ND2	1.93	0.67
1:A:486:GLY:O	1:A:490:GLN:HG3	1.96	0.66
1:N:486:GLY:O	1:N:490:GLN:HG3	1.96	0.65
1:A:18:GLU:OE1	1:A:438:VAL:HG11	1.96	0.65
1:N:277:ASN:O	18:N:2286:HOH:O	2.15	0.65
1:A:72:GLU:OE1	1:A:144:HIS:HD2	1.81	0.64
1:N:72:GLU:OE1	1:N:144:HIS:HD2	1.80	0.64
1:N:84:VAL:N	18:N:2096:HOH:O	2.30	0.64
2:B:18:ARG:NH2	2:B:56:ASP:OD2	2.31	0.64
3:C:43:ARG:CZ	16:C:144:CBE:H62	2.27	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:216:TYR:H	1:N:366:ASN:ND2	1.96	0.64
1:N:276:ILE:HB	18:N:2286:HOH:O	1.98	0.63
5:A:1003:UNL:O5	5:A:1003:UNL:O3	2.17	0.63
2:O:214:ARG:HH12	4:Q:53:GLN:NE2	1.97	0.62
1:N:60:ALA:HB3	1:N:154:GLY:HA3	1.82	0.62
1:N:121:GLU:HG2	18:N:2133:HOH:O	1.99	0.62
1:N:276:ILE:HD12	18:N:2286:HOH:O	1.99	0.62
3:C:37:ALA:O	3:C:40:ILE:HG12	2.00	0.61
3:P:37:ALA:O	3:P:40:ILE:HG12	2.01	0.61
2:B:214:ARG:HH12	4:D:53:GLN:NE2	1.98	0.60
1:A:573:ARG:HD3	18:A:2496:HOH:O	2.00	0.60
4:Q:63:THR:HB	4:Q:64:PRO:HD3	1.82	0.60
1:N:207:LYS:NZ	1:N:436:GLU:HB2	2.16	0.60
4:D:22:GLY:O	4:D:25:PRO:HD2	2.01	0.60
4:D:63:THR:HB	4:D:64:PRO:HD3	1.83	0.59
3:C:34:LEU:HB3	3:C:35:PRO:HD3	1.83	0.59
1:N:401:ALA:N	1:N:402:SER:HA	2.18	0.59
3:P:69:HIS:O	3:P:73:VAL:HG23	2.03	0.59
1:A:401:ALA:N	1:A:402:SER:HA	2.18	0.59
3:C:69:HIS:O	3:C:73:VAL:HG23	2.02	0.59
4:Q:22:GLY:O	4:Q:25:PRO:HD2	2.02	0.59
1:N:18:GLU:OE1	1:N:438:VAL:HG11	2.02	0.58
3:C:34:LEU:HD23	18:C:2089:HOH:O	2.04	0.58
13:O:1009:GOL:H32	18:O:2227:HOH:O	2.02	0.58
1:A:297:ARG:HH22	9:A:1002:OAA:C1	2.17	0.58
8:N:1001:FAD:C4	9:N:1002:OAA:H21	2.33	0.57
3:P:34:LEU:HB3	3:P:35:PRO:HD3	1.84	0.57
1:A:207:LYS:NZ	1:A:436:GLU:HB2	2.20	0.57
5:A:1003:UNL:O5	5:A:1003:UNL:O2	2.21	0.57
1:A:60:ALA:HB3	1:A:154:GLY:HA3	1.86	0.57
3:C:68:PRO:CA	4:D:99:MET:HE1	2.34	0.56
2:O:21:PRO:O	2:O:24:PRO:HD3	2.05	0.56
1:N:207:LYS:HZ1	1:N:436:GLU:HB2	1.71	0.56
16:P:202:CBE:O9	16:P:202:CBE:H16	2.04	0.56
1:A:112:ASN:HD22	2:B:138:GLY:N	1.93	0.56
16:C:144:CBE:O9	16:C:144:CBE:H16	2.04	0.56
3:P:4:THR:OG1	3:P:7:GLU:HG3	2.05	0.56
3:P:55:LEU:O	3:P:58:VAL:HG12	2.06	0.56
3:P:106:LEU:O	3:P:110:MET:HG3	2.05	0.56
5:A:1013:UNL:C2	18:A:2546:HOH:O	2.53	0.55
3:C:106:LEU:O	3:C:110:MET:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:LEU:HD21	8:A:1001:FAD:H5'2	1.88	0.55
8:A:1001:FAD:C4	9:A:1002:OAA:H21	2.36	0.55
1:N:491:GLU:HG3	5:N:1019:UNL:C2	2.36	0.55
1:N:112:ASN:HD22	2:O:138:GLY:N	2.00	0.55
1:N:263:LEU:HG	1:N:264:ILE:N	2.22	0.55
1:A:326:HIS:HD2	5:A:1021:UNL:C2	2.19	0.55
3:C:55:LEU:O	3:C:58:VAL:HG12	2.07	0.55
5:B:277:UNL:C2	18:B:2290:HOH:O	2.55	0.55
3:C:36:MET:HE2	16:C:144:CBE:H13	1.89	0.55
4:D:36:ASP:OD2	4:D:93:ILE:N	2.39	0.54
1:N:83:THR:C	18:N:2096:HOH:O	2.51	0.54
18:N:2260:HOH:O	2:O:66:ARG:HB3	2.07	0.54
1:A:263:LEU:HG	1:A:264:ILE:N	2.21	0.54
2:B:66:ARG:NH1	2:B:66:ARG:CG	2.71	0.54
3:C:101:ASN:ND2	3:C:104:ARG:HH11	2.04	0.54
1:N:507:LYS:HE3	18:N:2410:HOH:O	2.07	0.54
4:Q:3:SER:HA	18:Q:2003:HOH:O	2.08	0.54
4:Q:36:ASP:OD2	4:Q:93:ILE:N	2.41	0.54
3:C:42:HIS:HD2	3:C:101:ASN:HB3	1.73	0.54
2:O:198:TYR:O	2:O:202:ARG:HG3	2.08	0.54
2:O:223:ARG:HA	3:P:116:LEU:HD21	1.90	0.54
3:C:4:THR:OG1	3:C:7:GLU:HG3	2.06	0.53
1:A:297:ARG:NH2	9:A:1002:OAA:H22	2.21	0.53
3:P:47:VAL:O	3:P:51:LEU:HG	2.09	0.53
2:O:223:ARG:HD3	18:O:2265:HOH:O	2.09	0.53
1:A:331:GLN:HB3	18:A:2324:HOH:O	2.09	0.53
3:P:3:THR:HG22	3:P:7:GLU:HB2	1.89	0.53
1:N:297:ARG:HH22	9:N:1002:OAA:C1	2.21	0.52
2:B:66:ARG:HH11	2:B:66:ARG:CG	2.23	0.52
1:A:50:LEU:HD21	1:A:228:THR:HG21	1.91	0.52
1:A:453:LEU:C	1:A:453:LEU:HD23	2.35	0.52
3:C:47:VAL:O	3:C:51:LEU:HG	2.09	0.52
1:A:254:PRO:O	1:A:304:MET:HE1	2.10	0.52
3:C:26:HIS:CG	3:C:27:ILE:H	2.27	0.52
2:O:66:ARG:HB2	2:O:66:ARG:NH1	2.07	0.52
3:P:42:HIS:HD2	3:P:101:ASN:HB3	1.74	0.52
3:C:3:THR:HG23	3:C:7:GLU:HB2	1.92	0.51
2:B:58:THR:HB	18:B:2084:HOH:O	2.09	0.51
2:O:66:ARG:NH1	2:O:66:ARG:CG	2.73	0.51
2:O:27:LYS:HD3	18:O:2030:HOH:O	2.09	0.51
1:N:155:HIS:HD2	18:O:2112:HOH:O	1.94	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:P:26:HIS:CG	3:P:27:ILE:H	2.29	0.51
1:N:50:LEU:HD21	1:N:228:THR:HG21	1.93	0.51
1:N:496:LEU:HD12	1:N:536:ILE:HG21	1.92	0.51
2:B:214:ARG:NH2	4:D:53:GLN:HE22	2.04	0.51
1:N:280:GLY:CA	18:N:2286:HOH:O	2.44	0.50
1:N:417:LEU:HD21	8:N:1001:FAD:H5'2	1.92	0.50
2:O:66:ARG:HH11	2:O:66:ARG:CG	2.23	0.50
4:Q:73:TYR:CD1	5:Q:288:UNL:C2	2.94	0.50
3:C:70:TYR:O	3:C:74:VAL:HG23	2.12	0.50
1:N:87:SER:HB2	1:N:405:GLY:HA3	1.93	0.50
3:P:3:THR:HG23	3:P:7:GLU:OE1	2.11	0.50
3:P:101:ASN:ND2	3:P:104:ARG:HH11	2.05	0.50
18:C:2021:HOH:O	3:P:40:ILE:HD11	2.11	0.49
1:N:453:LEU:C	1:N:453:LEU:HD23	2.37	0.49
2:B:223:ARG:HA	3:C:116:LEU:HD21	1.94	0.49
2:O:214:ARG:NH2	4:Q:53:GLN:HE22	2.06	0.49
1:A:87:SER:HB2	1:A:405:GLY:HA3	1.94	0.49
2:B:198:TYR:O	2:B:202:ARG:HG3	2.12	0.49
3:P:70:TYR:O	3:P:74:VAL:HG23	2.11	0.49
5:B:1005:UNL:O5	5:B:1005:UNL:O3	2.30	0.49
1:A:496:LEU:HD12	1:A:536:ILE:HG21	1.95	0.49
4:D:44:THR:HG21	4:D:80:PHE:HB2	1.95	0.49
1:N:326:HIS:HE1	18:N:2323:HOH:O	1.95	0.49
3:C:3:THR:HG22	3:C:7:GLU:HB2	1.91	0.49
3:P:3:THR:HG23	3:P:7:GLU:HB2	1.92	0.49
1:A:220:TYR:CG	1:A:363:VAL:HG21	2.48	0.48
1:N:83:THR:HB	18:N:2096:HOH:O	2.12	0.48
4:Q:44:THR:HG21	4:Q:80:PHE:HB2	1.95	0.48
1:N:431:THR:HG22	1:N:432:CYS:SG	2.53	0.48
3:C:3:THR:HG23	3:C:7:GLU:OE1	2.12	0.48
1:A:431:THR:HG22	1:A:432:CYS:SG	2.54	0.48
4:D:33:PRO:HG2	18:D:2022:HOH:O	2.13	0.48
1:A:155:HIS:HD2	18:B:2105:HOH:O	1.97	0.48
18:B:2141:HOH:O	4:D:4:LYS:HE3	2.14	0.48
1:A:61:GLN:OE1	1:A:265:THR:HB	2.14	0.48
1:A:369:GLY:HA2	18:A:2259:HOH:O	2.13	0.47
4:Q:27:ALA:HB1	17:Q:210:PEE:H63	1.96	0.47
1:A:205:ARG:NH2	1:A:438:VAL:HG13	2.29	0.47
3:P:67:PHE:HB3	3:P:68:PRO:HD3	1.96	0.47
1:N:205:ARG:NH2	1:N:438:VAL:HG13	2.29	0.47
3:P:36:MET:HE2	16:P:202:CBE:H13	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:O:155:LEU:CD1	2:O:192:ILE:HD11	2.45	0.47
2:B:245:TYR:O	4:D:4:LYS:NZ	2.48	0.47
1:N:253:HIS:NE2	1:N:263:LEU:HD11	2.29	0.47
1:N:515:TRP:CD1	2:O:108:VAL:HG11	2.50	0.47
3:C:29:ILE:C	3:C:29:ILE:HD12	2.40	0.47
3:C:67:PHE:HB3	3:C:68:PRO:HD3	1.96	0.47
2:O:245:TYR:O	4:Q:4:LYS:NZ	2.48	0.47
13:C:294:GOL:O3	4:D:93:ILE:HG23	2.15	0.47
1:N:61:GLN:OE1	1:N:265:THR:HB	2.15	0.47
1:N:174:VAL:HG12	1:N:175:GLU:HG3	1.97	0.47
1:A:515:TRP:CD1	2:B:108:VAL:HG11	2.50	0.46
4:D:73:TYR:CE1	5:D:245:UNL:C2	2.98	0.46
3:P:116:LEU:HD12	3:P:116:LEU:HA	1.81	0.46
2:B:155:LEU:HD11	2:B:192:ILE:HD11	1.98	0.46
2:B:214:ARG:HH12	4:D:53:GLN:HE21	1.64	0.46
2:O:155:LEU:HD11	2:O:192:ILE:HD11	1.98	0.46
1:A:253:HIS:NE2	1:A:263:LEU:HD11	2.31	0.46
3:C:88:LYS:NZ	3:C:140:ILE:HG12	2.30	0.46
2:B:66:ARG:HB2	2:B:66:ARG:NH1	2.09	0.46
3:P:43:ARG:CZ	16:P:202:CBE:H62	2.46	0.46
1:A:253:HIS:O	1:A:361:PRO:HA	2.16	0.46
18:O:2042:HOH:O	3:P:6:LYS:HE2	2.15	0.46
3:P:29:ILE:HD12	3:P:29:ILE:C	2.41	0.46
3:C:138:ALA:C	3:C:140:ILE:H	2.24	0.46
1:N:124:LYS:NZ	18:N:2143:HOH:O	2.48	0.46
1:N:462:THR:HG21	18:N:2088:HOH:O	2.16	0.46
3:P:34:LEU:HD23	18:P:2074:HOH:O	2.16	0.46
16:C:144:CBE:O9	16:C:144:CBE:C16	2.63	0.45
3:C:65:GLU:HG3	3:C:69:HIS:CD2	2.51	0.45
1:N:375:LYS:HE2	18:N:2390:HOH:O	2.15	0.45
2:B:98:LYS:HE3	18:C:2025:HOH:O	2.16	0.45
2:O:104:HIS:O	13:O:1009:GOL:H12	2.17	0.45
1:A:197:GLU:HB2	18:A:2196:HOH:O	2.16	0.45
3:C:101:ASN:ND2	3:C:104:ARG:HD3	2.32	0.45
1:N:220:TYR:CG	1:N:363:VAL:HG21	2.52	0.45
1:A:381:HIS:ND1	1:A:386:ASP:OD1	2.46	0.45
2:O:191:MET:CE	2:O:203:LEU:HD21	2.46	0.45
1:N:381:HIS:ND1	1:N:386:ASP:OD1	2.47	0.44
2:B:155:LEU:CD1	2:B:192:ILE:HD11	2.46	0.44
2:B:121:GLN:NE2	2:B:171:TYR:OH	2.49	0.44
1:N:72:GLU:OE1	1:N:144:HIS:CD2	2.66	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:O:123:LYS:NZ	3:P:3:THR:O	2.47	0.44
3:P:63:LEU:HA	3:P:64:PRO:HD3	1.81	0.44
16:P:202:CBE:O9	16:P:202:CBE:C16	2.63	0.44
1:A:155:HIS:HE1	2:B:156:TYR:O	2.00	0.44
2:B:191:MET:CE	2:B:203:LEU:HD21	2.48	0.44
1:N:254:PRO:O	1:N:304:MET:HE1	2.17	0.44
3:P:120:GLU:HG3	18:P:2075:HOH:O	2.18	0.44
1:A:174:VAL:HG12	1:A:175:GLU:HG3	2.00	0.44
3:C:116:LEU:HD12	3:C:116:LEU:HA	1.83	0.44
1:N:567:LEU:HD23	1:N:570:GLN:NE2	2.32	0.44
1:A:72:GLU:OE1	1:A:144:HIS:CD2	2.67	0.43
1:N:463:ILE:O	1:N:506:LEU:HA	2.18	0.43
3:P:65:GLU:HG3	3:P:69:HIS:CD2	2.53	0.43
1:A:169:ASP:C	3:C:2:ALA:HB2	2.43	0.43
1:A:567:LEU:HD23	1:A:570:GLN:NE2	2.33	0.43
1:N:60:ALA:HA	8:N:1001:FAD:N5	2.34	0.43
1:N:189:ARG:HH11	1:N:189:ARG:HG2	1.83	0.43
3:P:42:HIS:CD2	3:P:101:ASN:HB3	2.53	0.43
1:A:121:GLU:HG2	18:A:2126:HOH:O	2.18	0.43
1:A:213:THR:OG1	1:A:233:GLY:HA3	2.18	0.43
1:N:71:MET:HG2	1:N:127:GLN:HB2	2.00	0.43
3:C:42:HIS:CD2	3:C:101:ASN:HB3	2.53	0.43
1:N:155:HIS:CD2	18:O:2112:HOH:O	2.71	0.43
1:A:220:TYR:CD2	1:A:363:VAL:HG21	2.54	0.43
1:N:268:CYS:HB3	1:N:325:LEU:HD21	2.00	0.43
2:B:53:ASN:HA	18:B:2071:HOH:O	2.18	0.43
1:N:96:ILE:CG2	18:N:2096:HOH:O	2.46	0.43
1:N:297:ARG:NH2	9:N:1002:OAA:H22	2.28	0.43
1:A:268:CYS:HB3	1:A:325:LEU:HD21	2.00	0.43
2:B:123:LYS:NZ	3:C:3:THR:O	2.51	0.43
2:O:214:ARG:HH12	4:Q:53:GLN:HE21	1.65	0.43
3:C:68:PRO:HA	4:D:99:MET:CE	2.45	0.43
3:P:101:ASN:ND2	3:P:104:ARG:HD3	2.34	0.43
1:A:39:GLU:HB3	1:A:168:TYR:CE2	2.54	0.43
1:A:189:ARG:HG2	1:A:189:ARG:HH11	1.83	0.43
3:C:11:ARG:HG3	18:C:2006:HOH:O	2.18	0.43
1:A:189:ARG:NE	18:A:2392:HOH:O	2.30	0.42
4:D:53:GLN:NE2	4:D:53:GLN:HA	2.34	0.42
2:O:98:LYS:HE3	18:P:2021:HOH:O	2.18	0.42
4:Q:53:GLN:NE2	4:Q:53:GLN:HA	2.34	0.42
1:N:60:ALA:HA	8:N:1001:FAD:C5X	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:LYS:HZ1	1:A:436:GLU:HB2	1.84	0.42
3:C:15:LYS:NZ	18:C:2016:HOH:O	2.52	0.42
3:C:71:VAL:HG21	4:D:99:MET:HE2	2.01	0.42
1:N:253:HIS:O	1:N:361:PRO:HA	2.18	0.42
1:A:60:ALA:HA	8:A:1001:FAD:C5X	2.50	0.42
3:C:43:ARG:HE	15:C:143:HEM:CGA	2.32	0.42
3:P:11:ARG:HG3	18:P:2007:HOH:O	2.19	0.41
1:A:297:ARG:HH22	9:A:1002:OAA:C3	2.34	0.41
1:A:71:MET:HG2	1:A:127:GLN:HB2	2.01	0.41
1:N:382:VAL:O	1:N:385:GLU:HG3	2.20	0.41
3:P:55:LEU:HA	3:P:55:LEU:HD23	1.84	0.41
1:A:382:VAL:O	1:A:385:GLU:HG3	2.20	0.41
3:C:93:PHE:HB3	3:C:94:PRO:CD	2.50	0.41
1:N:39:GLU:HB3	1:N:168:TYR:CE2	2.56	0.41
1:N:213:THR:OG1	1:N:233:GLY:HA3	2.20	0.41
3:P:55:LEU:C	3:P:58:VAL:HG12	2.45	0.41
1:A:60:ALA:HA	8:A:1001:FAD:N5	2.35	0.41
1:N:305:THR:O	1:N:309:ARG:HG3	2.20	0.41
3:P:55:LEU:HA	3:P:58:VAL:HG12	2.02	0.41
1:N:49:LYS:NZ	1:N:524:GLU:OE2	2.49	0.41
4:D:27:ALA:HA	4:D:35:VAL:HG11	2.04	0.40
1:N:182:LEU:HD23	1:N:182:LEU:HA	1.88	0.40
2:O:191:MET:HE3	2:O:203:LEU:HD21	2.04	0.40
4:Q:87:ASN:HA	4:Q:92:GLY:HA2	2.04	0.40
1:A:63:GLY:HA2	1:A:153:THR:HG21	2.04	0.40
2:B:227:LYS:HE3	18:B:2273:HOH:O	2.21	0.40
1:A:97:HIS:CD2	1:A:97:HIS:C	3.00	0.40
1:N:97:HIS:C	1:N:97:HIS:CD2	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	611/621 (98%)	590 (97%)	21 (3%)	0	100	100
1	N	610/621 (98%)	590 (97%)	20 (3%)	0	100	100
2	B	237/252 (94%)	228 (96%)	8 (3%)	1 (0%)	30	28
2	O	237/252 (94%)	229 (97%)	7 (3%)	1 (0%)	30	28
3	C	138/141 (98%)	135 (98%)	2 (1%)	1 (1%)	18	15
3	P	138/141 (98%)	135 (98%)	2 (1%)	1 (1%)	18	15
4	D	99/103 (96%)	97 (98%)	2 (2%)	0	100	100
4	Q	99/103 (96%)	97 (98%)	2 (2%)	0	100	100
All	All	2169/2234 (97%)	2101 (97%)	64 (3%)	4 (0%)	43	44

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	66	ARG
2	O	66	ARG
3	C	140	ILE
3	P	140	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/506 (98%)	494 (99%)	4 (1%)	73	81
1	N	497/506 (98%)	492 (99%)	5 (1%)	68	76
2	B	214/219 (98%)	213 (100%)	1 (0%)	81	88
2	O	214/219 (98%)	213 (100%)	1 (0%)	81	88
3	C	118/119 (99%)	115 (98%)	3 (2%)	42	48
3	P	118/119 (99%)	115 (98%)	3 (2%)	42	48
4	D	78/79 (99%)	77 (99%)	1 (1%)	61	69
4	Q	78/79 (99%)	76 (97%)	2 (3%)	40	46
All	All	1815/1846 (98%)	1795 (99%)	20 (1%)	65	74

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLU
1	A	73	ASP
1	A	462	THR
1	A	593	LYS
2	B	229	LEU
3	C	11	ARG
3	C	66	GLN
3	C	116	LEU
4	D	36	ASP
1	N	10	THR
1	N	72	GLU
1	N	73	ASP
1	N	462	THR
1	N	593	LYS
2	O	229	LEU
3	P	11	ARG
3	P	66	GLN
3	P	116	LEU
4	Q	14	ARG
4	Q	36	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	ASN
1	A	112	ASN
1	A	144	HIS
1	A	155	HIS
1	A	185	ASN
1	A	320	HIS
1	A	324	GLN
1	A	326	HIS
1	A	331	GLN
1	A	366	ASN
1	A	383	ASN
1	A	571	GLN
2	B	121	GLN
2	B	144	GLN
3	C	26	HIS
3	C	42	HIS
3	C	69	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	101	ASN
4	D	9	HIS
4	D	53	GLN
4	D	69	ASN
1	N	43	ASN
1	N	112	ASN
1	N	144	HIS
1	N	155	HIS
1	N	185	ASN
1	N	320	HIS
1	N	324	GLN
1	N	366	ASN
1	N	383	ASN
1	N	534	GLN
1	N	571	GLN
2	O	121	GLN
2	O	144	GLN
3	P	26	HIS
3	P	42	HIS
3	P	69	HIS
3	P	101	ASN
4	Q	9	HIS
4	Q	53	GLN
4	Q	69	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 122 ligands modelled in this entry, 95 are unknown and 4 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
16	CBE	P	202	-	16,17,17	1.11	1 (6%)	17,22,22	1.83	2 (11%)
13	GOL	C	294	-	5,5,5	1.26	0	5,5,5	0.60	0
10	FES	B	1002	2	0,4,4	-	-	-	-	-
14	BHG	P	204	-	18,18,18	1.59	3 (16%)	23,23,23	0.69	0
15	HEM	C	143	3,4	48,48,50	1.36	5 (10%)	66,80,82	1.23	6 (9%)
9	OAA	A	1002	-	8,8,8	5.43	4 (50%)	8,10,10	1.99	3 (37%)
17	PEE	D	109	-	22,22,50	1.53	4 (18%)	20,20,55	1.16	3 (15%)
8	FAD	N	1001	1	58,58,58	2.76	20 (34%)	85,89,89	1.83	22 (25%)
15	HEM	P	201	3,4	48,48,50	1.47	6 (12%)	66,80,82	1.19	5 (7%)
17	PEE	Q	210	-	22,22,50	1.50	4 (18%)	20,20,55	1.17	4 (20%)
13	GOL	O	1009	-	5,5,5	1.09	0	5,5,5	0.59	0
12	F3S	B	1004	2	0,9,9	-	-	-	-	-
11	SF4	B	1003	2	0,12,12	-	-	-	-	-
14	BHG	C	142	-	18,18,18	1.93	5 (27%)	23,23,23	0.76	0
9	OAA	N	1002	-	8,8,8	5.93	4 (50%)	8,10,10	1.97	3 (37%)
10	FES	O	1002	2	0,4,4	-	-	-	-	-
16	CBE	C	144	-	16,17,17	1.12	1 (6%)	17,22,22	1.83	2 (11%)
13	GOL	P	208	-	5,5,5	1.31	0	5,5,5	0.62	0
7	AZI	A	623	-	2,2,2	2.72	2 (100%)	0,1,1	-	-
8	FAD	A	1001	1	58,58,58	2.71	17 (29%)	85,89,89	1.86	23 (27%)
12	F3S	O	1004	2	0,9,9	-	-	-	-	-
13	GOL	B	1010	-	5,5,5	1.13	0	5,5,5	0.53	0
11	SF4	O	1003	2	0,12,12	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CBE	P	202	-	-	1/6/19/19	0/2/2/2
13	GOL	C	294	-	-	2/4/4/4	-
14	BHG	P	204	-	1/1/5/5	2/9/29/29	0/1/1/1
10	FES	B	1002	2	-	-	0/1/1/1
15	HEM	C	143	3,4	-	3/10/50/54	-
9	OAA	A	1002	-	-	4/8/8/8	-
17	PEE	D	109	-	-	10/18/18/54	-
8	FAD	N	1001	1	-	10/34/50/50	0/6/6/6
15	HEM	P	201	3,4	-	3/10/50/54	-
17	PEE	Q	210	-	-	14/18/18/54	-
13	GOL	O	1009	-	-	4/4/4/4	-
12	F3S	B	1004	2	-	-	0/3/3/3
11	SF4	B	1003	2	-	-	0/6/5/5
14	BHG	C	142	-	1/1/5/5	3/9/29/29	0/1/1/1
9	OAA	N	1002	-	-	4/8/8/8	-
10	FES	O	1002	2	-	-	0/1/1/1
16	CBE	C	144	-	-	1/6/19/19	0/2/2/2
13	GOL	P	208	-	-	2/4/4/4	-
8	FAD	A	1001	1	-	10/34/50/50	0/6/6/6
12	F3S	O	1004	2	-	-	0/3/3/3
13	GOL	B	1010	-	-	1/4/4/4	-
11	SF4	O	1003	2	-	-	0/6/5/5

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	N	1002	OAA	O3-C3	13.86	1.51	1.23
8	N	1001	FAD	PA-O3P	-13.40	1.45	1.59
8	A	1001	FAD	PA-O3P	-13.24	1.45	1.59
9	A	1002	OAA	O3-C3	12.03	1.47	1.23
9	A	1002	OAA	C2-C1	-8.34	1.38	1.51
9	N	1002	OAA	C2-C1	-7.20	1.39	1.51
15	P	201	HEM	CAB-C3B	-5.48	1.39	1.50
14	C	142	BHG	O1-C1	5.46	1.49	1.40
15	C	143	HEM	CAB-C3B	-5.26	1.40	1.50
8	A	1001	FAD	P-O3P	5.20	1.65	1.59
8	A	1001	FAD	C4X-N5	5.11	1.41	1.30
8	N	1001	FAD	C4X-N5	4.93	1.41	1.30
9	N	1002	OAA	C3-C4	-4.60	1.46	1.53
8	N	1001	FAD	P-O3P	4.59	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	N	1001	FAD	C10-N10	4.55	1.47	1.37
8	A	1001	FAD	C10-N10	4.39	1.46	1.37
14	P	204	BHG	O1-C1	4.31	1.47	1.40
8	N	1001	FAD	PA-O1A	-4.31	1.35	1.50
17	D	109	PEE	C39-C38	4.10	1.55	1.31
15	P	201	HEM	CAC-C3C	-4.07	1.42	1.50
17	Q	210	PEE	C39-C38	3.99	1.54	1.31
8	A	1001	FAD	PA-O1A	-3.96	1.37	1.50
8	A	1001	FAD	PA-O2A	-3.96	1.37	1.55
8	N	1001	FAD	C6-C5X	3.93	1.46	1.40
17	D	109	PEE	C18-C19	3.88	1.53	1.31
8	N	1001	FAD	PA-O2A	-3.85	1.37	1.55
8	A	1001	FAD	C6-C7	3.69	1.44	1.39
17	Q	210	PEE	C18-C19	3.68	1.52	1.31
8	A	1001	FAD	C5A-N7A	-3.63	1.32	1.39
15	C	143	HEM	CAC-C3C	-3.53	1.43	1.50
8	N	1001	FAD	C5A-N7A	-3.48	1.32	1.39
8	N	1001	FAD	C6-C7	3.44	1.44	1.39
8	N	1001	FAD	C9-C9A	3.41	1.45	1.39
9	A	1002	OAA	C3-C4	-3.30	1.48	1.53
8	N	1001	FAD	C2-N3	3.26	1.46	1.39
14	C	142	BHG	O5-C1	3.22	1.50	1.41
8	N	1001	FAD	C8-C7	3.14	1.48	1.40
8	A	1001	FAD	C2A-N3A	3.12	1.39	1.33
15	C	143	HEM	FE-ND	3.09	2.04	1.94
8	N	1001	FAD	C4A-N9A	-3.03	1.31	1.37
8	A	1001	FAD	C6-C5X	3.01	1.44	1.40
8	N	1001	FAD	C2A-N1A	2.94	1.39	1.33
8	A	1001	FAD	C8-C7	2.89	1.47	1.40
7	A	623	AZI	N1-N2	-2.89	1.17	1.23
15	P	201	HEM	FE-ND	2.88	2.03	1.94
8	A	1001	FAD	C4A-N9A	-2.87	1.31	1.37
14	P	204	BHG	O5-C1	2.87	1.49	1.41
8	N	1001	FAD	C4'-C3'	2.85	1.58	1.53
8	A	1001	FAD	C9A-C5X	2.85	1.45	1.41
8	A	1001	FAD	C2-N3	2.85	1.45	1.39
16	C	144	CBE	C11-N10	-2.79	1.36	1.41
16	P	202	CBE	C11-N10	-2.78	1.36	1.41
17	Q	210	PEE	C17-C18	-2.74	1.35	1.50
8	A	1001	FAD	C2A-N1A	2.62	1.38	1.33
8	A	1001	FAD	C10-N1	2.59	1.38	1.33
9	N	1002	OAA	O4-C4	2.58	1.28	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	D	109	PEE	C17-C18	-2.54	1.36	1.50
8	A	1001	FAD	C9-C8	2.54	1.43	1.39
7	A	623	AZI	N3-N2	-2.54	1.17	1.23
8	N	1001	FAD	C2A-N3A	2.53	1.38	1.33
8	N	1001	FAD	C10-N1	2.52	1.38	1.33
15	C	143	HEM	FE-NB	2.51	2.02	1.94
15	P	201	HEM	CMD-C2D	2.48	1.55	1.50
15	P	201	HEM	FE-NB	2.40	2.02	1.94
8	N	1001	FAD	C4A-N3A	2.38	1.38	1.34
14	C	142	BHG	C4-C5	2.38	1.58	1.53
14	P	204	BHG	C4-C5	2.37	1.58	1.53
8	N	1001	FAD	P-O5'	-2.33	1.50	1.59
17	Q	210	PEE	C21-C20	-2.28	1.34	1.49
14	C	142	BHG	C3-C2	2.23	1.58	1.52
17	D	109	PEE	C21-C20	-2.23	1.34	1.49
14	C	142	BHG	O5-C5	2.12	1.49	1.44
15	C	143	HEM	CMD-C2D	2.12	1.55	1.50
9	A	1002	OAA	O4-C4	2.08	1.27	1.22
15	P	201	HEM	C4D-ND	-2.03	1.36	1.40
8	N	1001	FAD	C1'-C2'	2.02	1.55	1.52

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1001	FAD	N3A-C2A-N1A	-6.12	119.32	128.58
8	N	1001	FAD	N3A-C2A-N1A	-5.98	119.54	128.58
16	C	144	CBE	O7-C2-C1	5.73	116.08	109.30
16	P	202	CBE	O7-C2-C1	5.73	116.07	109.30
8	A	1001	FAD	C4-C4X-N5	4.32	124.17	118.21
8	N	1001	FAD	C4-C4X-N5	4.30	124.15	118.21
8	A	1001	FAD	O2P-P-O3P	4.15	118.49	107.27
8	A	1001	FAD	C5X-N5-C4X	3.66	124.02	118.09
8	N	1001	FAD	C5X-N5-C4X	3.61	123.93	118.09
8	N	1001	FAD	C4A-N9A-C8A	3.54	109.45	105.74
8	N	1001	FAD	O2P-P-O3P	3.50	116.74	107.27
8	N	1001	FAD	N3A-C4A-N9A	3.49	133.10	127.17
8	A	1001	FAD	N3A-C4A-N9A	3.48	133.08	127.17
8	A	1001	FAD	C2A-N3A-C4A	3.44	120.23	111.83
8	A	1001	FAD	C4A-N9A-C8A	3.44	109.35	105.74
8	N	1001	FAD	C2A-N3A-C4A	3.40	120.14	111.83
9	A	1002	OAA	O4-C4-C3	-3.25	117.77	121.81
16	P	202	CBE	C11-N10-C8	-3.19	121.79	127.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	C	144	CBE	C11-N10-C8	-3.18	121.81	127.45
8	A	1001	FAD	C4-N3-C2	-3.13	120.09	125.64
8	N	1001	FAD	C4-N3-C2	-3.11	120.12	125.64
8	A	1001	FAD	C4'-C3'-C2'	-3.08	108.44	113.57
9	N	1002	OAA	O3-C3-C4	-3.07	115.28	119.67
8	N	1001	FAD	C4'-C3'-C2'	-3.04	108.51	113.57
8	A	1001	FAD	C5A-C4A-N3A	-3.02	122.55	126.72
9	N	1002	OAA	O4-C4-C3	-3.02	118.06	121.81
8	N	1001	FAD	C10-N1-C2	2.92	123.17	116.85
17	Q	210	PEE	C21-C20-C19	2.92	126.79	112.96
8	N	1001	FAD	C10-C4X-N5	-2.91	118.86	124.81
15	C	143	HEM	CAD-C3D-C2D	-2.90	122.43	127.87
9	A	1002	OAA	O3-C3-C4	-2.89	115.54	119.67
17	D	109	PEE	C21-C20-C19	2.87	126.58	112.96
8	N	1001	FAD	C5A-C4A-N3A	-2.84	122.81	126.72
8	A	1001	FAD	C10-C4X-N5	-2.80	119.09	124.81
8	A	1001	FAD	C1'-C2'-C3'	2.80	117.25	109.66
17	D	109	PEE	C16-C17-C18	2.79	128.23	112.60
15	C	143	HEM	C1D-C2D-C3D	-2.71	104.13	106.98
17	Q	210	PEE	C16-C17-C18	2.71	127.75	112.60
8	A	1001	FAD	O5'-C5'-C4'	2.68	116.52	109.36
8	A	1001	FAD	C10-N1-C2	2.66	122.61	116.85
15	P	201	HEM	CAD-C3D-C2D	-2.63	122.94	127.87
8	A	1001	FAD	C4X-C4-N3	2.62	119.93	113.25
8	N	1001	FAD	C1'-C2'-C3'	2.62	116.77	109.66
8	N	1001	FAD	O5'-C5'-C4'	2.62	116.34	109.36
15	P	201	HEM	CHA-C4D-ND	-2.53	121.23	124.37
8	A	1001	FAD	N9A-C8A-N7A	-2.51	110.38	113.94
9	A	1002	OAA	O5-C4-C3	2.46	120.42	113.59
8	N	1001	FAD	O3P-P-O1P	-2.45	103.34	110.70
15	P	201	HEM	C1D-C2D-C3D	-2.43	104.42	106.98
8	N	1001	FAD	C4X-C4-N3	2.43	119.43	113.25
8	N	1001	FAD	C7M-C7-C6	-2.42	115.31	119.57
8	N	1001	FAD	N9A-C8A-N7A	-2.41	110.51	113.94
15	C	143	HEM	CAD-C3D-C4D	2.41	128.90	124.70
8	A	1001	FAD	O3'-C3'-C2'	-2.36	103.57	108.93
15	C	143	HEM	CHA-C4D-ND	-2.34	121.48	124.37
8	A	1001	FAD	C7M-C7-C6	-2.34	115.46	119.57
9	N	1002	OAA	O5-C4-C3	2.29	119.94	113.59
8	A	1001	FAD	O3P-P-O1P	-2.29	103.83	110.70
15	P	201	HEM	CAD-C3D-C4D	2.28	128.66	124.70
8	A	1001	FAD	C9A-C5X-N5	-2.22	120.10	122.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	C	143	HEM	C2D-C1D-ND	2.19	112.44	109.90
8	A	1001	FAD	C8M-C8-C7	2.16	125.17	120.76
8	A	1001	FAD	C8M-C8-C9	-2.15	115.79	119.57
8	N	1001	FAD	O3'-C3'-C2'	-2.15	104.06	108.93
15	P	201	HEM	CHC-C1C-NC	-2.13	122.13	124.45
17	Q	210	PEE	C20-C19-C18	-2.10	113.76	126.42
15	C	143	HEM	CHC-C1C-NC	-2.10	122.16	124.45
8	N	1001	FAD	C4A-N9A-C1B	-2.09	121.73	126.63
17	D	109	PEE	C40-C39-C38	-2.09	113.86	126.42
8	N	1001	FAD	C8M-C8-C9	-2.08	115.91	119.57
17	Q	210	PEE	C40-C39-C38	-2.06	114.02	126.42
8	N	1001	FAD	C8M-C8-C7	2.04	124.93	120.76
8	A	1001	FAD	C4A-N9A-C1B	-2.04	121.86	126.63

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
14	C	142	BHG	C4
14	P	204	BHG	C4

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	1001	FAD	N10-C1'-C2'-O2'
8	A	1001	FAD	N10-C1'-C2'-C3'
8	A	1001	FAD	O4'-C4'-C5'-O5'
8	A	1001	FAD	C5'-O5'-P-O1P
8	A	1001	FAD	C5'-O5'-P-O2P
8	A	1001	FAD	C5'-O5'-P-O3P
8	N	1001	FAD	N10-C1'-C2'-O2'
8	N	1001	FAD	N10-C1'-C2'-C3'
8	N	1001	FAD	O4'-C4'-C5'-O5'
8	N	1001	FAD	C5'-O5'-P-O1P
8	N	1001	FAD	C5'-O5'-P-O2P
8	N	1001	FAD	C5'-O5'-P-O3P
8	N	1001	FAD	PA-O3P-P-O5'
9	A	1002	OAA	O3-C3-C4-O4
9	A	1002	OAA	O3-C3-C4-O5
9	A	1002	OAA	C2-C3-C4-O5
9	N	1002	OAA	O3-C3-C4-O4
9	N	1002	OAA	O3-C3-C4-O5
9	N	1002	OAA	C2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	N	1002	OAA	C2-C3-C4-O5
13	C	294	GOL	C1-C2-C3-O3
17	D	109	PEE	C17-C18-C19-C20
17	Q	210	PEE	C17-C18-C19-C20
13	B	1010	GOL	C1-C2-C3-O3
13	O	1009	GOL	O1-C1-C2-C3
13	O	1009	GOL	C1-C2-C3-O3
13	P	208	GOL	C1-C2-C3-O3
14	C	142	BHG	C2'-C3'-C4'-C5'
14	C	142	BHG	C1'-C2'-C3'-C4'
17	Q	210	PEE	C11-C12-C13-C14
13	C	294	GOL	O2-C2-C3-O3
13	O	1009	GOL	O2-C2-C3-O3
17	D	109	PEE	C32-C33-C34-C35
17	Q	210	PEE	C32-C33-C34-C35
17	Q	210	PEE	C13-C14-C15-C16
17	Q	210	PEE	C12-C13-C14-C15
17	D	109	PEE	C18-C19-C20-C21
17	D	109	PEE	C35-C36-C37-C38
17	D	109	PEE	C33-C34-C35-C36
8	A	1001	FAD	C3'-C4'-C5'-O5'
8	N	1001	FAD	C3'-C4'-C5'-O5'
17	Q	210	PEE	C35-C36-C37-C38
17	Q	210	PEE	C15-C16-C17-C18
17	Q	210	PEE	C14-C15-C16-C17
17	Q	210	PEE	C30-C31-C32-C33
17	Q	210	PEE	C33-C34-C35-C36
14	C	142	BHG	C3'-C4'-C5'-C6'
17	D	109	PEE	C34-C35-C36-C37
17	Q	210	PEE	C34-C35-C36-C37
8	A	1001	FAD	PA-O3P-P-O5'
13	P	208	GOL	O2-C2-C3-O3
14	P	204	BHG	C2'-C3'-C4'-C5'
9	A	1002	OAA	C2-C3-C4-O4
17	D	109	PEE	C31-C32-C33-C34
13	O	1009	GOL	O1-C1-C2-O2
17	Q	210	PEE	C38-C39-C40-C41
17	D	109	PEE	C10-C11-C12-C13
17	D	109	PEE	C12-C13-C14-C15
15	C	143	HEM	C2A-CAA-CBA-CGA
15	P	201	HEM	C2A-CAA-CBA-CGA
16	C	144	CBE	C2-C3-C8-N10

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
16	P	202	CBE	C2-C3-C8-N10
15	P	201	HEM	CAD-CBD-CGD-O2D
15	C	143	HEM	CAD-CBD-CGD-O2D
15	C	143	HEM	CAD-CBD-CGD-O1D
17	D	109	PEE	C15-C16-C17-C18
15	P	201	HEM	CAD-CBD-CGD-O1D
17	Q	210	PEE	C16-C17-C18-C19
8	N	1001	FAD	PA-O3P-P-O1P
14	P	204	BHG	C1'-C2'-C3'-C4'
17	Q	210	PEE	C37-C38-C39-C40
8	A	1001	FAD	PA-O3P-P-O2P
8	N	1001	FAD	PA-O3P-P-O2P
8	A	1001	FAD	O4B-C4B-C5B-O5B



There are no ring outliers.


10 monomers are involved in 31 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	P	202	CBE	4	0
13	C	294	GOL	1	0
15	C	143	HEM	1	0
9	A	1002	OAA	6	0
8	N	1001	FAD	4	0
17	Q	210	PEE	2	0
13	O	1009	GOL	2	0
9	N	1002	OAA	5	0
16	C	144	CBE	4	0
8	A	1001	FAD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	613/621 (98%)	-1.41	0 100 100	11, 23, 45, 85	0
1	N	612/621 (98%)	-1.44	0 100 100	10, 22, 42, 81	0
2	B	239/252 (94%)	-1.45	0 100 100	14, 22, 38, 67	0
2	O	239/252 (94%)	-1.48	0 100 100	13, 22, 37, 68	0
3	C	140/141 (99%)	-1.22	0 100 100	19, 34, 52, 75	0
3	P	140/141 (99%)	-1.08	0 100 100	18, 37, 77, 87	0
4	D	101/103 (98%)	-1.19	0 100 100	21, 41, 59, 62	0
4	Q	101/103 (98%)	-1.08	0 100 100	26, 47, 67, 75	0
All	All	2185/2234 (97%)	-1.37	0 100 100	10, 24, 53, 87	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	UNL	N	1012	1/-	0.91	0.25	94,94,94,94	0
5	UNL	D	265	1/-	0.92	0.22	103,103,103,103	0
5	UNL	N	1005	1/-	0.92	0.17	76,76,76,76	0
5	UNL	B	1006	1/-	0.92	0.21	76,76,76,76	0
5	UNL	A	1008	1/-	0.93	0.20	62,62,62,62	0
5	UNL	N	1016	1/-	0.93	0.17	62,62,62,62	0
5	UNL	P	285	1/-	0.93	0.21	50,50,50,50	0
5	UNL	A	1005	1/-	0.94	0.16	66,66,66,66	0
5	UNL	B	1009	1/-	0.94	0.29	73,73,73,73	0
5	UNL	C	254	1/-	0.94	0.24	55,55,55,55	0
5	UNL	A	1015	1/-	0.94	0.15	69,69,69,69	0
5	UNL	A	1003	6/-	0.96	0.11	135,136,136,137	0
5	UNL	A	1021	1/-	0.96	0.16	37,37,37,37	0
5	UNL	D	247	1/-	0.96	0.22	68,68,68,68	0
5	UNL	D	262	1/-	0.96	0.23	59,59,59,59	0
5	UNL	A	1022	1/-	0.96	0.19	51,51,51,51	0
5	UNL	B	268	1/-	0.96	0.23	51,51,51,51	0
5	UNL	N	1010	1/-	0.96	0.27	63,63,63,63	0
5	UNL	B	297	1/-	0.96	0.13	51,51,51,51	0
5	UNL	A	1011	1/-	0.96	0.15	55,55,55,55	0
5	UNL	N	1021	1/-	0.96	0.16	42,42,42,42	0
5	UNL	O	1008	1/-	0.96	0.18	47,47,47,47	0
5	UNL	P	224	1/-	0.96	0.29	71,71,71,71	0
5	UNL	B	1007	1/-	0.96	0.27	74,74,74,74	0
5	UNL	Q	288	1/-	0.96	0.12	44,44,44,44	0
5	UNL	A	1013	1/-	0.97	0.09	39,39,39,39	0
5	UNL	A	1009	1/-	0.97	0.18	50,50,50,50	0
5	UNL	B	1005	5/-	0.97	0.08	92,93,93,94	0
5	UNL	D	291	1/-	0.97	0.19	58,58,58,58	0
5	UNL	N	1004	1/-	0.97	0.16	45,45,45,45	0
5	UNL	A	1017	1/-	0.97	0.11	48,48,48,48	0
5	UNL	N	1006	1/-	0.97	0.32	52,52,52,52	0
5	UNL	N	1009	1/-	0.97	0.19	50,50,50,50	0
5	UNL	A	1006	1/-	0.97	0.18	47,47,47,47	0
5	UNL	N	1011	1/-	0.97	0.13	38,38,38,38	0
5	UNL	A	1012	1/-	0.97	0.32	69,69,69,69	0
5	UNL	N	1013	1/-	0.97	0.18	57,57,57,57	0
5	UNL	N	1014	1/-	0.97	0.14	76,76,76,76	0
5	UNL	C	145	4/-	0.97	0.05	70,70,70,70	0
5	UNL	N	1019	1/-	0.97	0.23	49,49,49,49	0
5	UNL	C	251	1/-	0.97	0.16	53,53,53,53	0
5	UNL	N	1022	1/-	0.97	0.21	72,72,72,72	0
5	UNL	O	276	1/-	0.97	0.24	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	UNL	O	282	1/-	0.97	0.21	52,52,52,52	0
5	UNL	O	1005	5/-	0.97	0.08	146,146,147,147	0
5	UNL	O	1006	1/-	0.97	0.24	66,66,66,66	0
5	UNL	O	1007	1/-	0.97	0.25	69,69,69,69	0
5	UNL	A	1023	1/-	0.97	0.17	53,53,53,53	0
5	UNL	P	211	5/-	0.97	0.10	119,119,120,121	0
5	UNL	C	256	1/-	0.97	0.23	61,61,61,61	0
5	UNL	P	274	1/-	0.97	0.26	56,56,56,56	0
5	UNL	C	259	1/-	0.97	0.23	64,64,64,64	0
5	UNL	D	245	1/-	0.97	0.12	58,58,58,58	0
13	GOL	P	208	6/6	0.97	0.16	155,156,156,157	0
17	PEE	D	109	24/51	0.97	0.12	48,64,74,75	0
17	PEE	Q	210	24/51	0.97	0.14	70,82,95,95	0
5	UNL	C	241	1/-	0.98	0.21	61,61,61,61	0
5	UNL	C	248	1/-	0.98	0.18	57,57,57,57	0
5	UNL	A	1007	1/-	0.98	0.25	66,66,66,66	0
5	UNL	B	277	1/-	0.98	0.14	46,46,46,46	0
5	UNL	B	280	1/-	0.98	0.24	53,53,53,53	0
5	UNL	A	1018	1/-	0.98	0.22	45,45,45,45	0
5	UNL	C	267	1/-	0.98	0.27	52,52,52,52	0
5	UNL	N	1017	1/-	0.98	0.09	30,30,30,30	0
5	UNL	N	1018	1/-	0.98	0.24	46,46,46,46	0
5	UNL	C	272	1/-	0.98	0.20	54,54,54,54	0
5	UNL	N	1020	1/-	0.98	0.11	56,56,56,56	0
5	UNL	C	289	1/-	0.98	0.20	57,57,57,57	0
5	UNL	C	292	1/-	0.98	0.24	64,64,64,64	0
5	UNL	N	1023	1/-	0.98	0.17	45,45,45,45	0
5	UNL	C	293	1/-	0.98	0.27	62,62,62,62	0
5	UNL	A	1020	1/-	0.98	0.06	34,34,34,34	0
5	UNL	A	1010	1/-	0.98	0.17	67,67,67,67	0
5	UNL	D	255	1/-	0.98	0.10	35,35,35,35	0
5	UNL	A	1014	1/-	0.98	0.26	47,47,47,47	0
5	UNL	D	263	1/-	0.98	0.24	53,53,53,53	0
5	UNL	A	1004	4/-	0.98	0.06	55,60,60,61	0
5	UNL	P	218	1/-	0.98	0.24	57,57,57,57	0
5	UNL	D	266	1/-	0.98	0.28	62,62,62,62	0
5	UNL	P	233	1/-	0.98	0.18	44,44,44,44	0
5	UNL	P	236	1/-	0.98	0.22	53,53,53,53	0
5	UNL	B	258	1/-	0.98	0.25	57,57,57,57	0
5	UNL	N	1003	4/-	0.98	0.06	57,58,59,59	0
5	UNL	Q	219	1/-	0.98	0.14	45,45,45,45	0
5	UNL	Q	234	1/-	0.98	0.23	53,53,53,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	UNL	Q	287	1/-	0.98	0.18	75,75,75,75	0
5	UNL	C	214	5/-	0.98	0.08	90,91,92,93	0
7	AZI	A	623	3/3	0.98	0.06	56,56,64,64	0
13	GOL	C	294	6/6	0.98	0.12	132,132,133,133	0
13	GOL	O	1009	6/6	0.98	0.05	29,30,33,33	0
5	UNL	C	235	1/-	0.98	0.24	71,71,71,71	0
14	BHG	C	142	18/18	0.98	0.07	49,67,79,79	0
5	UNL	C	240	1/-	0.98	0.17	45,45,45,45	0
5	UNL	N	1007	1/-	0.98	0.16	59,59,59,59	0
5	UNL	A	1016	1/-	0.99	0.24	50,50,50,50	0
5	UNL	A	1019	1/-	0.99	0.09	37,37,37,37	0
9	OAA	A	1002	9/9	0.99	0.03	19,21,24,26	0
9	OAA	N	1002	9/9	0.99	0.03	13,17,22,23	0
13	GOL	B	1010	6/6	0.99	0.04	26,29,32,32	0
5	UNL	B	1008	1/-	0.99	0.27	61,61,61,61	0
5	UNL	N	1008	1/-	0.99	0.19	39,39,39,39	0
5	UNL	Q	221	1/-	0.99	0.20	56,56,56,56	0
5	UNL	D	250	1/-	0.99	0.18	53,53,53,53	0
14	BHG	P	204	18/18	0.99	0.04	38,45,58,59	0
16	CBE	C	144	16/16	0.99	0.03	28,32,37,39	0
5	UNL	Q	237	1/-	0.99	0.17	47,47,47,47	0
5	UNL	N	1015	1/-	0.99	0.19	42,42,42,42	0
11	SF4	O	1003	8/8	1.00	0.01	14,18,20,20	0
12	F3S	B	1004	7/7	1.00	0.01	17,19,20,25	0
12	F3S	O	1004	7/7	1.00	0.02	15,20,22,22	0
6	K	O	253	1/1	1.00	0.03	39,39,39,39	0
6	K	A	622	1/1	1.00	0.01	24,24,24,24	0
8	FAD	A	1001	53/53	1.00	0.02	9,14,22,25	0
8	FAD	N	1001	53/53	1.00	0.02	4,13,21,24	0
6	K	B	253	1/1	1.00	0.03	38,38,38,38	0
6	K	N	622	1/1	1.00	0.01	19,19,19,19	0
15	HEM	C	143	41/43	1.00	0.03	23,32,40,49	0
15	HEM	P	201	41/43	1.00	0.03	29,32,43,48	0
10	FES	B	1002	4/4	1.00	0.01	14,16,16,17	0
16	CBE	P	202	16/16	1.00	0.03	25,30,35,35	0
10	FES	O	1002	4/4	1.00	0.01	14,16,16,19	0
11	SF4	B	1003	8/8	1.00	0.01	16,17,19,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PEE D 109:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEE Q 210:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BHG C 142:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BHG P 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD N 1001:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 143:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.