



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:38 PM UTC

PDB ID : 2WRH / pdb_00002wrh
Title : structure of H1 duck albert hemagglutinin with human receptor
Authors : Liu, J.; Stevens, D.J.; Haire, L.F.; Walker, P.A.; Coombs, P.J.; Russell, R.J.;
Gamblin, S.J.; Skehel, J.J.
Deposited on : 2009-09-01
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	324	5% 69% 27% • •
1	J	324	3% 68% 27% 5% •
1	L	324	4% 72% 23% • •
2	I	222	3% 56% 14% • 28%
2	K	222	3% 55% 16% • 28%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	M	222	3% 56% 14% 28%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMAGGLUTININ HA1 CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	322	Total	C	N	O	S	0	0	0
			2483	1558	430	484	11			
1	J	322	Total	C	N	O	S	0	0	0
			2483	1558	430	484	11			
1	L	322	Total	C	N	O	S	0	0	0
			2483	1558	430	484	11			


There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	?	-	ASN	deletion	UNP Q9WCE0
H	?	-	THR	deletion	UNP Q9WCE0
H	327	ARG	ILE	conflict	UNP Q9WCE0
J	?	-	ASN	deletion	UNP Q9WCE0
J	?	-	THR	deletion	UNP Q9WCE0
J	327	ARG	ILE	conflict	UNP Q9WCE0
L	?	-	ASN	deletion	UNP Q9WCE0
L	?	-	THR	deletion	UNP Q9WCE0
L	327	ARG	ILE	conflict	UNP Q9WCE0

- Molecule 2 is a protein called HEMAGGLUTININ HA2 CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	160	Total	C	N	O	S	0	0	0
			1274	794	219	255	6			
2	K	160	Total	C	N	O	S	0	0	0
			1274	794	219	255	6			
2	M	160	Total	C	N	O	S	0	0	0
			1274	794	219	255	6			

- Molecule 3 is N-acetyl-alpha-neuraminic acid (CCD ID: SIA) (formula: C₁₁H₁₉NO₉).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	H	1	Total	C	N	O	0	0
			21	11	1	9		
3	J	1	Total	C	N	O	0	0
			20	11	1	8		
3	L	1	Total	C	N	O	0	0
			20	11	1	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HEMAGGLUTININ HA1 CHAIN



• Molecule 1: HEMAGGLUTININ HA1 CHAIN




• Molecule 1: HEMAGGLUTININ HA1 CHAIN







• Molecule 2: HEMAGGLUTININ HA2 CHAIN



• Molecule 2: HEMAGGLUTININ HA2 CHAIN



• Molecule 2: HEMAGGLUTININ HA2 CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	103.42Å 155.54Å 157.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 – 3.00 19.98 – 3.00	Depositor EDS
% Data completeness (in resolution range)	93.2 (19.98-3.00) 97.6 (19.98-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.98Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.229 , 0.252 0.231 , 0.252	Depositor DCC
R_{free} test set	2576 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	73.1	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 52.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.017 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11332	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.43	0/2546	0.84	2/3473 (0.1%)
1	J	0.48	0/2546	0.87	4/3473 (0.1%)
1	L	0.50	0/2546	0.88	3/3473 (0.1%)
2	I	0.52	0/1300	0.83	0/1755
2	K	0.58	0/1300	0.83	0/1755
2	M	0.52	0/1300	0.83	1/1755 (0.1%)
All	All	0.50	0/11538	0.85	10/15684 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	291	SER	N-CA-C	9.60	124.06	108.41
1	L	291	SER	N-CA-C	9.34	123.74	108.52
1	H	291	SER	N-CA-C	9.13	123.30	108.41
1	J	131	GLU	N-CA-C	5.59	117.97	109.63
2	M	511	GLU	N-CA-C	5.54	117.32	111.28
1	J	319	THR	N-CA-C	-5.45	107.28	114.04
1	H	319	THR	N-CA-C	-5.27	107.51	114.04
1	L	319	THR	N-CA-C	-5.26	107.52	114.04
1	J	292	SER	N-CA-C	-5.07	105.88	113.89
1	L	133	LYS	N-CA-C	-5.03	104.97	111.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	2483	0	2339	75	0
1	J	2483	0	2339	71	0
1	L	2483	0	2339	61	0
2	I	1274	0	1158	35	0
2	K	1274	0	1156	29	0
2	M	1274	0	1158	24	0
3	H	21	0	17	1	0
3	J	20	0	16	1	0
3	L	20	0	16	1	0
All	All	11332	0	10538	264	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (264) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:131:GLU:HG3	1:L:132:THR:H	1.24	1.01
1:H:131:GLU:HG3	1:H:132:THR:H	1.24	1.00
1:J:131:GLU:HG3	1:J:132:THR:H	1.21	0.99
2:K:528:ASN:HB3	2:K:530:GLN:H	1.37	0.89
2:M:528:ASN:HB3	2:M:530:GLN:H	1.39	0.87
2:I:528:ASN:HB3	2:I:530:GLN:H	1.39	0.86
1:H:8:CYS:O	2:I:524:TYR:HA	1.78	0.84
1:J:131:GLU:CG	1:J:132:THR:H	1.93	0.82
1:H:131:GLU:CG	1:H:132:THR:H	1.94	0.80
1:J:185:PRO:HG2	1:J:191:GLN:HE21	1.47	0.79
1:H:6:THR:O	2:I:526:HIS:HA	1.82	0.79
1:L:20:VAL:HG12	1:L:316:ARG:HG2	1.65	0.78
1:J:158:GLY:O	1:J:159:THR:HG22	1.85	0.76
1:L:131:GLU:CG	1:L:132:THR:H	1.95	0.76
2:M:644:CYS:HG	2:M:648:CYS:HG	0.77	0.76
1:L:134:GLY:HA3	1:L:153:TRP:HB3	1.67	0.75
1:H:185:PRO:HG2	1:H:191:GLN:HE21	1.52	0.75
1:H:134:GLY:HA3	1:H:153:TRP:HB3	1.69	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:185:PRO:HG2	1:J:191:GLN:NE2	2.02	0.74
1:J:20:VAL:HG12	1:J:316:ARG:HG2	1.68	0.74
1:L:185:PRO:HG2	1:L:191:GLN:HE21	1.53	0.74
1:H:158:GLY:O	1:H:159:THR:HG22	1.88	0.73
1:L:158:GLY:O	1:L:159:THR:HG22	1.88	0.73
1:J:74:LEU:O	1:J:76:THR:HG23	1.88	0.72
1:H:20:VAL:HG12	1:H:316:ARG:HG2	1.70	0.72
1:H:185:PRO:HG2	1:H:191:GLN:NE2	2.05	0.72
1:L:185:PRO:HG2	1:L:191:GLN:NE2	2.05	0.72
1:L:74:LEU:O	1:L:76:THR:HG23	1.91	0.70
2:M:551:LYS:HE3	2:M:603:GLU:OE2	1.91	0.70
1:J:156:LYS:NZ	1:J:196:GLN:HE21	1.90	0.70
1:H:156:LYS:NZ	1:H:196:GLN:HE21	1.91	0.69
1:J:134:GLY:HA3	1:J:153:TRP:HB3	1.73	0.69
1:H:7:ILE:HA	2:I:526:HIS:HA	1.74	0.69
1:H:74:LEU:O	1:H:76:THR:HG23	1.93	0.69
1:H:308:LYS:HG2	2:I:592:TRP:CE2	2.29	0.67
1:L:156:LYS:NZ	1:L:196:GLN:HE21	1.92	0.67
2:K:551:LYS:HE3	2:K:603:GLU:OE2	1.94	0.67
2:I:551:LYS:HE3	2:I:603:GLU:OE2	1.94	0.66
1:J:132:THR:HG23	1:J:132:THR:O	1.94	0.66
1:L:132:THR:HG23	1:L:132:THR:O	1.96	0.66
1:H:132:THR:HG23	1:H:132:THR:O	1.94	0.66
1:J:6:THR:O	2:K:526:HIS:HA	1.96	0.66
1:J:310:VAL:HG22	2:K:593:THR:HA	1.77	0.66
1:L:123:LYS:HE2	1:L:132:THR:OG1	1.96	0.65
1:L:308:LYS:HG2	2:M:592:TRP:CE2	2.32	0.65
1:H:123:LYS:HE2	1:H:132:THR:OG1	1.96	0.65
1:H:156:LYS:HZ2	1:H:196:GLN:HE21	1.43	0.64
1:L:310:VAL:HG13	1:L:312:SER:H	1.62	0.64
2:M:642:HIS:HE1	2:M:657:TYR:OH	1.81	0.63
2:K:642:HIS:HE1	2:K:657:TYR:OH	1.81	0.63
1:L:19:THR:HG23	1:L:314:LYS:NZ	2.14	0.63
1:H:310:VAL:HG13	1:H:312:SER:H	1.64	0.63
2:I:642:HIS:HE1	2:I:657:TYR:OH	1.81	0.62
1:L:156:LYS:HZ2	1:L:196:GLN:HE21	1.45	0.62
2:I:644:CYS:HB3	2:I:649:MET:HE2	1.81	0.62
1:J:123:LYS:HE2	1:J:132:THR:OG1	1.99	0.62
1:J:310:VAL:HG13	1:J:312:SER:H	1.65	0.62
1:H:19:THR:HG23	1:H:314:LYS:NZ	2.15	0.61
1:J:156:LYS:HZ2	1:J:196:GLN:HE21	1.47	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:218:ALA:HB1	1:L:203:SER:OG	2.00	0.61
1:J:19:THR:HG23	1:J:314:LYS:NZ	2.15	0.61
1:L:310:VAL:HG22	2:M:593:THR:HA	1.82	0.61
1:J:63:GLY:HA3	1:J:92:GLY:HA2	1.82	0.60
1:L:63:GLY:HA3	1:L:92:GLY:HA2	1.83	0.60
1:H:93:THR:HG22	1:H:93:THR:O	2.03	0.59
1:H:63:GLY:HA3	1:H:92:GLY:HA2	1.85	0.59
1:H:156:LYS:HD2	1:H:196:GLN:HG2	1.85	0.59
1:H:327:ARG:HB2	1:H:327:ARG:NH1	2.17	0.59
1:J:131:GLU:O	1:J:132:THR:HB	2.03	0.59
1:L:156:LYS:HD2	1:L:196:GLN:HG2	1.85	0.58
1:J:131:GLU:CG	1:J:132:THR:N	2.66	0.58
1:J:308:LYS:HG2	2:K:592:TRP:CE2	2.38	0.57
2:K:571:ASN:OD1	2:K:574:GLU:HG3	2.05	0.57
1:L:93:THR:HG22	1:L:93:THR:O	2.03	0.57
1:J:217:ILE:O	1:L:212:ARG:NH1	2.37	0.57
1:J:156:LYS:HD2	1:J:196:GLN:HG2	1.85	0.57
1:H:325:PRO:O	1:H:327:ARG:HG3	2.05	0.56
2:K:644:CYS:HB3	2:K:649:MET:HE2	1.86	0.56
1:J:317:MET:HE2	2:K:552:VAL:HG22	1.88	0.56
1:H:131:GLU:CG	1:H:132:THR:N	2.67	0.55
1:J:74:LEU:O	1:J:75:LEU:C	2.49	0.55
2:I:525:HIS:O	2:I:533:GLY:O	2.25	0.55
1:L:131:GLU:O	1:L:132:THR:HB	2.07	0.55
1:J:93:THR:HG22	1:J:93:THR:O	2.06	0.55
2:M:525:HIS:O	2:M:533:GLY:O	2.25	0.55
2:I:528:ASN:ND2	2:I:646:ASP:OD1	2.40	0.54
1:H:74:LEU:O	1:H:75:LEU:C	2.50	0.54
1:H:131:GLU:O	1:H:132:THR:HB	2.08	0.54
1:H:19:THR:HG23	1:H:314:LYS:HZ1	1.71	0.54
1:H:8:CYS:O	2:I:524:TYR:CA	2.53	0.54
1:J:290:ASN:OD1	1:J:290:ASN:O	2.26	0.54
2:I:656:THR:O	2:I:656:THR:CG2	2.56	0.53
1:L:290:ASN:OD1	1:L:290:ASN:O	2.25	0.53
1:H:194:LEU:HD21	3:H:1328:SIA:H113	1.89	0.53
1:H:8:CYS:HB2	2:I:525:HIS:HB3	1.91	0.53
1:H:290:ASN:OD1	1:H:290:ASN:O	2.27	0.53
2:K:538:GLN:HA	2:K:538:GLN:NE2	2.22	0.53
1:L:74:LEU:O	1:L:75:LEU:C	2.52	0.53
2:M:530:GLN:HE22	2:M:645:ASP:HB2	1.73	0.53
1:J:63:GLY:CA	1:J:92:GLY:HA2	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:7:ILE:HA	2:I:526:HIS:CA	2.39	0.53
1:L:19:THR:HG23	1:L:314:LYS:HZ3	1.74	0.53
1:L:194:LEU:HD21	3:L:1328:SIA:H113	1.91	0.53
1:J:156:LYS:HE2	1:J:193:SER:O	2.09	0.52
1:H:156:LYS:HE2	1:H:193:SER:O	2.08	0.52
1:L:131:GLU:HG3	1:L:132:THR:N	2.08	0.52
1:J:131:GLU:HG3	1:J:132:THR:N	2.06	0.52
1:J:194:LEU:HD21	3:J:1328:SIA:H113	1.92	0.52
2:I:605:GLU:HG3	2:K:606:ARG:HH22	1.74	0.52
2:M:644:CYS:HB3	2:M:649:MET:HE2	1.91	0.52
2:I:644:CYS:HG	2:I:648:CYS:HG	0.60	0.52
1:H:114:SER:HB3	1:H:261:ASN:HB2	1.91	0.52
1:H:317:MET:HE2	2:I:552:VAL:HG22	1.90	0.52
1:J:294:PRO:HG3	2:K:556:ILE:HA	1.93	0.51
1:L:156:LYS:HE2	1:L:193:SER:O	2.10	0.51
2:K:525:HIS:O	2:K:533:GLY:O	2.29	0.51
1:H:310:VAL:HG22	2:I:593:THR:HA	1.92	0.51
1:J:310:VAL:CG1	1:J:312:SER:H	2.24	0.50
2:M:538:GLN:HA	2:M:538:GLN:NE2	2.25	0.50
1:J:75:LEU:HD21	1:J:117:LYS:HZ3	1.76	0.50
1:J:114:SER:HB3	1:J:261:ASN:HB2	1.93	0.50
1:L:310:VAL:CG1	1:L:312:SER:H	2.23	0.50
2:K:651:SER:HB2	2:K:656:THR:HG22	1.94	0.50
1:H:75:LEU:HD21	1:H:117:LYS:HZ3	1.77	0.50
1:H:195:TYR:O	1:H:197:ASN:N	2.44	0.50
1:L:260:LEU:HD23	1:L:260:LEU:C	2.36	0.50
1:J:122:PRO:O	1:J:126:SER:OG	2.29	0.50
2:K:530:GLN:HE22	2:K:645:ASP:HB2	1.76	0.50
1:L:75:LEU:HD21	1:L:117:LYS:HZ3	1.77	0.50
2:M:509:PHE:O	2:M:635:ASN:HA	2.11	0.50
2:K:656:THR:O	2:K:656:THR:CG2	2.60	0.49
1:H:310:VAL:CG1	1:H:312:SER:H	2.23	0.49
1:L:195:TYR:O	1:L:197:ASN:N	2.45	0.49
1:J:24:LEU:O	2:M:547:GLY:HA2	2.11	0.49
1:H:291:SER:HB3	1:H:307:PRO:CG	2.43	0.49
1:H:325:PRO:O	1:H:326:SER:C	2.56	0.49
1:L:291:SER:HB3	1:L:307:PRO:CG	2.42	0.49
1:L:63:GLY:CA	1:L:92:GLY:HA2	2.42	0.49
1:L:114:SER:HB3	1:L:261:ASN:HB2	1.94	0.49
1:H:68:ASN:HB3	1:H:71:CYS:SG	2.52	0.49
2:I:538:GLN:HA	2:I:538:GLN:NE2	2.26	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:195:TYR:O	1:J:197:ASN:N	2.45	0.49
1:H:284:THR:HG22	1:H:302:THR:HG22	1.94	0.49
1:J:220:ARG:HD2	1:J:229:ARG:HG2	1.95	0.48
2:K:572:ASN:C	2:K:572:ASN:HD22	2.21	0.48
2:M:572:ASN:HD22	2:M:572:ASN:C	2.21	0.48
1:J:284:THR:HG22	1:J:302:THR:HG22	1.95	0.48
2:M:571:ASN:OD1	2:M:574:GLU:HG3	2.14	0.48
1:H:260:LEU:C	1:H:260:LEU:HD23	2.39	0.48
2:K:509:PHE:O	2:K:635:ASN:HA	2.13	0.48
2:M:656:THR:O	2:M:656:THR:CG2	2.62	0.48
2:M:528:ASN:ND2	2:M:646:ASP:OD1	2.46	0.48
2:M:530:GLN:HE22	2:M:646:ASP:H	1.61	0.48
1:H:220:ARG:HD2	1:H:229:ARG:HG2	1.95	0.48
1:J:138:ALA:O	1:J:224:ARG:NH1	2.47	0.48
1:J:68:ASN:HB3	1:J:71:CYS:SG	2.54	0.48
1:J:9:VAL:HG21	2:K:619:TYR:HA	1.95	0.47
1:L:220:ARG:HD2	1:L:229:ARG:HG2	1.95	0.47
2:K:528:ASN:ND2	2:K:646:ASP:OD1	2.47	0.47
1:H:63:GLY:CA	1:H:92:GLY:HA2	2.44	0.47
1:H:215:PRO:HG3	1:H:250:ASN:ND2	2.29	0.47
2:I:643:LYS:HE3	2:I:643:LYS:HA	1.96	0.47
1:J:37:LEU:HD21	1:J:297:ASN:ND2	2.30	0.47
1:J:325:PRO:O	1:J:326:SER:C	2.58	0.47
1:H:131:GLU:HG3	1:H:132:THR:N	2.08	0.47
2:I:509:PHE:O	2:I:635:ASN:HA	2.15	0.47
1:J:19:THR:HG23	1:J:314:LYS:HZ3	1.79	0.46
1:J:97:GLY:HA3	1:J:230:MET:O	2.15	0.46
1:H:97:GLY:HA3	1:H:230:MET:O	2.15	0.46
2:K:643:LYS:HE3	2:K:643:LYS:HA	1.98	0.46
1:J:221:PRO:HG3	1:L:242:THR:O	2.16	0.46
2:K:505:ALA:HB3	2:K:612:ASP:OD2	2.15	0.46
2:K:530:GLN:HE22	2:K:646:ASP:H	1.64	0.46
1:J:291:SER:HB3	1:J:307:PRO:CG	2.46	0.46
2:I:530:GLN:HE22	2:I:646:ASP:H	1.62	0.46
2:K:625:GLN:NE2	2:K:655:GLY:HA2	2.30	0.46
1:L:120:ILE:HG23	1:L:121:PHE:N	2.30	0.46
1:H:37:LEU:HD21	1:H:297:ASN:ND2	2.30	0.45
2:I:530:GLN:HE22	2:I:645:ASP:HB2	1.80	0.45
1:J:48:SER:HB3	1:J:51:ILE:O	2.17	0.45
1:L:68:ASN:HB3	1:L:71:CYS:SG	2.56	0.45
1:H:138:ALA:O	1:H:224:ARG:NH1	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:625:GLN:HE22	2:K:655:GLY:HA2	1.81	0.45
1:H:48:SER:HB3	1:H:51:ILE:O	2.16	0.45
2:I:572:ASN:C	2:I:572:ASN:HD22	2.24	0.45
1:J:260:LEU:HD23	1:J:260:LEU:C	2.41	0.45
2:M:651:SER:HB2	2:M:656:THR:HG22	1.98	0.45
1:H:120:ILE:HG23	1:H:121:PHE:N	2.31	0.45
2:I:526:HIS:HB2	2:I:649:MET:SD	2.56	0.45
1:J:120:ILE:HG23	1:J:121:PHE:N	2.32	0.45
1:H:192:GLN:NE2	1:H:198:ALA:HB2	2.32	0.45
1:J:128:PRO:O	1:J:129:ASN:HB2	2.16	0.45
1:H:156:LYS:CD	1:H:196:GLN:HG2	2.46	0.45
1:H:304:GLY:HA2	2:I:563:PHE:CE1	2.51	0.45
2:M:642:HIS:CE1	2:M:657:TYR:OH	2.66	0.45
2:I:642:HIS:CE1	2:I:657:TYR:OH	2.66	0.45
1:L:103:GLU:CD	1:L:103:GLU:H	2.24	0.45
1:H:12:HIS:HB2	2:I:520:GLY:O	2.17	0.44
1:H:260:LEU:HD23	1:H:260:LEU:O	2.17	0.44
1:H:266:SER:OG	1:H:267:GLY:N	2.50	0.44
1:H:217:ILE:O	1:J:212:ARG:NH1	2.50	0.44
1:H:203:SER:OG	1:L:218:ALA:HB1	2.17	0.44
1:H:103:GLU:CD	1:H:103:GLU:H	2.26	0.44
1:L:192:GLN:NE2	1:L:198:ALA:HB2	2.33	0.44
2:M:643:LYS:HE3	2:M:643:LYS:HA	2.00	0.44
1:H:291:SER:HB3	1:H:307:PRO:HG3	1.99	0.44
1:H:66:LEU:HD22	1:H:151:LEU:HD22	1.99	0.44
1:H:218:ALA:HB1	1:J:203:SER:OG	2.17	0.44
1:H:23:VAL:HG12	2:I:605:GLU:HB2	2.00	0.44
1:J:156:LYS:CD	1:J:196:GLN:HG2	2.47	0.43
1:L:215:PRO:HG3	1:L:250:ASN:ND2	2.33	0.43
1:L:260:LEU:HD23	1:L:260:LEU:O	2.16	0.43
1:J:109:LEU:HD12	1:J:109:LEU:HA	1.82	0.43
1:L:78:ASN:OD1	1:L:78:ASN:C	2.60	0.43
1:L:94:CYS:O	1:L:224:ARG:HD3	2.19	0.43
1:H:122:PRO:O	1:H:126:SER:OG	2.36	0.43
2:I:571:ASN:OD1	2:I:574:GLU:HG3	2.17	0.43
1:J:13:ALA:HB2	2:K:513:GLY:HA3	2.00	0.43
1:L:85:GLU:O	1:L:270:THR:HA	2.18	0.43
2:I:659:TYR:HD2	2:I:659:TYR:HA	1.70	0.43
1:L:66:LEU:HD22	1:L:151:LEU:HD22	2.01	0.43
1:L:128:PRO:O	1:L:129:ASN:HB2	2.18	0.43
1:H:128:PRO:O	1:H:129:ASN:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:66:LEU:HD22	1:J:151:LEU:HD22	2.01	0.43
1:J:164:LEU:C	1:J:164:LEU:HD12	2.43	0.43
1:L:284:THR:HG22	1:L:302:THR:HG22	1.99	0.43
1:L:97:GLY:HA3	1:L:230:MET:O	2.18	0.43
1:L:156:LYS:CD	1:L:196:GLN:HG2	2.47	0.43
1:J:19:THR:HG23	1:J:314:LYS:HZ1	1.84	0.43
1:L:67:GLY:O	1:L:68:ASN:C	2.62	0.43
1:L:291:SER:HB3	1:L:307:PRO:HG3	2.00	0.43
1:L:131:GLU:CG	1:L:132:THR:N	2.68	0.42
1:L:9:VAL:HG21	2:M:619:TYR:HA	2.01	0.42
2:I:606:ARG:HH22	2:M:605:GLU:HG3	1.84	0.42
1:J:85:GLU:O	1:J:270:THR:HA	2.20	0.42
1:J:192:GLN:NE2	1:J:198:ALA:HB2	2.34	0.42
2:I:551:LYS:CE	2:I:603:GLU:OE2	2.65	0.42
1:J:132:THR:O	1:J:132:THR:CG2	2.66	0.42
1:H:126:SER:C	1:H:128:PRO:HD3	2.44	0.42
2:K:551:LYS:CE	2:K:603:GLU:OE2	2.66	0.42
1:H:94:CYS:O	1:H:224:ARG:HD3	2.20	0.42
1:J:266:SER:OG	1:J:267:GLY:N	2.52	0.42
1:L:109:LEU:HD12	1:L:109:LEU:HA	1.83	0.42
1:L:48:SER:HB3	1:L:51:ILE:O	2.20	0.42
1:L:164:LEU:HD12	1:L:164:LEU:C	2.45	0.42
1:H:164:LEU:C	1:H:164:LEU:HD12	2.44	0.42
2:I:651:SER:HB2	2:I:656:THR:HG22	2.02	0.41
1:L:122:PRO:O	1:L:126:SER:OG	2.38	0.41
1:L:220:ARG:HB2	1:L:221:PRO:CD	2.51	0.41
1:J:103:GLU:CD	1:J:103:GLU:H	2.28	0.41
2:M:629:ASN:HD22	2:M:629:ASN:HA	1.63	0.41
2:K:526:HIS:HB2	2:K:649:MET:SD	2.61	0.41
1:J:94:CYS:O	1:J:224:ARG:HD3	2.19	0.41
1:J:215:PRO:HG3	1:J:250:ASN:ND2	2.35	0.41
1:J:78:ASN:OD1	1:J:78:ASN:C	2.63	0.41
2:K:642:HIS:CE1	2:K:657:TYR:OH	2.67	0.41
1:H:327:ARG:HB2	1:H:327:ARG:CZ	2.50	0.41
1:J:55:GLN:CD	1:J:275:VAL:HG21	2.46	0.41
1:H:55:GLN:CD	1:H:275:VAL:HG21	2.46	0.41
2:I:528:ASN:OD1	2:I:644:CYS:O	2.39	0.40
1:J:291:SER:HB3	1:J:307:PRO:HG3	2.02	0.40
1:H:180:TRP:CZ2	1:H:204:VAL:HG21	2.56	0.40
1:H:185:PRO:HA	1:H:186:PRO:HD3	1.91	0.40
2:M:551:LYS:CE	2:M:603:GLU:OE2	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	320/324 (99%)	295 (92%)	20 (6%)	5 (2%)	7	34
1	J	320/324 (99%)	296 (92%)	19 (6%)	5 (2%)	7	34
1	L	320/324 (99%)	293 (92%)	22 (7%)	5 (2%)	7	34
2	I	158/222 (71%)	148 (94%)	9 (6%)	1 (1%)	21	56
2	K	158/222 (71%)	147 (93%)	10 (6%)	1 (1%)	21	56
2	M	158/222 (71%)	148 (94%)	9 (6%)	1 (1%)	21	56
All	All	1434/1638 (88%)	1327 (92%)	89 (6%)	18 (1%)	9	38

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	132	THR
1	J	132	THR
1	J	326	SER
1	L	132	THR
1	H	75	LEU
1	H	158	GLY
1	H	196	GLN
1	H	326	SER
1	J	75	LEU
1	J	158	GLY
1	J	196	GLN
1	L	75	LEU
1	L	158	GLY
1	L	196	GLN
1	L	326	SER
2	I	526	HIS
2	K	526	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	526	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	263/280 (94%)	239 (91%)	24 (9%)	9	33
1	J	263/280 (94%)	238 (90%)	25 (10%)	8	31
1	L	263/280 (94%)	238 (90%)	25 (10%)	8	31
2	I	128/191 (67%)	119 (93%)	9 (7%)	14	44
2	K	128/191 (67%)	118 (92%)	10 (8%)	11	39
2	M	128/191 (67%)	119 (93%)	9 (7%)	14	44
All	All	1173/1413 (83%)	1071 (91%)	102 (9%)	9	35

All (102) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	27	ASN
1	H	42	ASN
1	H	49	LEU
1	H	58	LYS
1	H	79	SER
1	H	90	GLU
1	H	93	THR
1	H	109	LEU
1	H	126	SER
1	H	151	LEU
1	H	152	LEU
1	H	155	THR
1	H	159	THR
1	H	163	LYS
1	H	188	VAL
1	H	208	LYS
1	H	222	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	260	LEU
1	H	264	SER
1	H	265	ASP
1	H	284	THR
1	H	291	SER
1	H	310	VAL
1	H	327	ARG
2	I	526	HIS
2	I	557	GLU
2	I	572	ASN
2	I	580	LEU
2	I	602	LEU
2	I	627	ARG
2	I	643	LYS
2	I	656	THR
2	I	659	TYR
1	J	27	ASN
1	J	42	ASN
1	J	49	LEU
1	J	58	LYS
1	J	79	SER
1	J	90	GLU
1	J	93	THR
1	J	109	LEU
1	J	126	SER
1	J	141	TYR
1	J	151	LEU
1	J	152	LEU
1	J	155	THR
1	J	159	THR
1	J	163	LYS
1	J	188	VAL
1	J	203	SER
1	J	208	LYS
1	J	222	LYS
1	J	260	LEU
1	J	264	SER
1	J	265	ASP
1	J	284	THR
1	J	291	SER
1	J	310	VAL
2	K	526	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	557	GLU
2	K	572	ASN
2	K	580	LEU
2	K	602	LEU
2	K	627	ARG
2	K	643	LYS
2	K	648	CYS
2	K	656	THR
2	K	659	TYR
1	L	27	ASN
1	L	42	ASN
1	L	49	LEU
1	L	58	LYS
1	L	79	SER
1	L	90	GLU
1	L	93	THR
1	L	109	LEU
1	L	126	SER
1	L	141	TYR
1	L	151	LEU
1	L	152	LEU
1	L	155	THR
1	L	159	THR
1	L	163	LYS
1	L	188	VAL
1	L	203	SER
1	L	208	LYS
1	L	222	LYS
1	L	260	LEU
1	L	264	SER
1	L	265	ASP
1	L	284	THR
1	L	291	SER
1	L	310	VAL
2	M	526	HIS
2	M	557	GLU
2	M	572	ASN
2	M	580	LEU
2	M	602	LEU
2	M	627	ARG
2	M	643	LYS
2	M	656	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	659	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (46) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	27	ASN
1	H	42	ASN
1	H	130	HIS
1	H	191	GLN
1	H	196	GLN
1	H	231	ASN
1	H	250	ASN
1	H	290	ASN
2	I	525	HIS
2	I	530	GLN
2	I	538	GLN
2	I	572	ASN
2	I	625	GLN
2	I	629	ASN
2	I	642	HIS
1	J	27	ASN
1	J	42	ASN
1	J	130	HIS
1	J	191	GLN
1	J	196	GLN
1	J	231	ASN
1	J	250	ASN
1	J	290	ASN
2	K	525	HIS
2	K	530	GLN
2	K	538	GLN
2	K	572	ASN
2	K	625	GLN
2	K	629	ASN
2	K	642	HIS
1	L	27	ASN
1	L	42	ASN
1	L	130	HIS
1	L	191	GLN
1	L	196	GLN
1	L	210	ASN
1	L	231	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	250	ASN
1	L	290	ASN
2	M	525	HIS
2	M	530	GLN
2	M	538	GLN
2	M	572	ASN
2	M	625	GLN
2	M	629	ASN
2	M	642	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SIA	L	1328	-	20,20,21	3.77	6 (30%)	21,28,31	2.43	8 (38%)
3	SIA	J	1328	-	20,20,21	3.78	6 (30%)	21,28,31	2.44	8 (38%)
3	SIA	H	1328	-	21,21,21	4.27	8 (38%)	24,31,31	4.01	9 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIA	L	1328	-	-	2/18/34/38	0/1/1/1
3	SIA	J	1328	-	-	2/18/34/38	0/1/1/1
3	SIA	H	1328	-	-	7/20/38/38	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	1328	SIA	O2-C2	11.39	1.55	1.39
3	J	1328	SIA	C2-C1	9.98	1.64	1.52
3	L	1328	SIA	C2-C1	9.93	1.64	1.52
3	L	1328	SIA	O4-C4	-7.48	1.27	1.43
3	J	1328	SIA	O4-C4	-7.46	1.27	1.43
3	H	1328	SIA	O4-C4	-7.41	1.27	1.43
3	H	1328	SIA	C2-C1	7.11	1.64	1.53
3	J	1328	SIA	C6-C5	6.76	1.63	1.53
3	L	1328	SIA	C6-C5	6.71	1.63	1.53
3	H	1328	SIA	C6-C5	6.70	1.63	1.53
3	H	1328	SIA	C3-C4	6.31	1.62	1.53
3	H	1328	SIA	C4-C5	5.72	1.58	1.53
3	L	1328	SIA	C4-C5	5.68	1.58	1.53
3	J	1328	SIA	C4-C5	5.67	1.58	1.53
3	L	1328	SIA	C3-C4	5.17	1.62	1.52
3	J	1328	SIA	C3-C4	5.17	1.62	1.52
3	H	1328	SIA	O6-C6	-3.13	1.39	1.44
3	J	1328	SIA	O6-C6	-3.07	1.39	1.44
3	L	1328	SIA	O6-C6	-3.02	1.39	1.44
3	H	1328	SIA	O6-C2	2.89	1.46	1.43

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	1328	SIA	O6-C6-C5	-14.65	96.43	109.84
3	H	1328	SIA	O6-C6-C7	8.61	120.09	106.65
3	H	1328	SIA	O1A-C1-C2	-5.48	114.72	123.85
3	J	1328	SIA	O6-C2-C3	-4.92	103.94	110.56
3	L	1328	SIA	O6-C2-C3	-4.91	103.96	110.56
3	J	1328	SIA	C11-C10-N5	4.66	123.85	116.12
3	H	1328	SIA	C11-C10-N5	4.66	123.84	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	1328	SIA	C11-C10-N5	4.63	123.80	116.12
3	J	1328	SIA	O1B-C1-C2	4.48	124.35	112.71
3	L	1328	SIA	O1B-C1-C2	4.46	124.32	112.71
3	H	1328	SIA	C5-N5-C10	3.94	132.32	123.11
3	J	1328	SIA	C5-N5-C10	3.93	132.30	123.11
3	L	1328	SIA	C5-N5-C10	3.92	132.29	123.11
3	J	1328	SIA	O1A-C1-C2	-3.75	114.76	122.85
3	L	1328	SIA	O1A-C1-C2	-3.74	114.78	122.85
3	L	1328	SIA	C6-C5-N5	-2.47	106.97	110.91
3	J	1328	SIA	C6-C5-N5	-2.44	107.01	110.91
3	H	1328	SIA	C6-C5-N5	-2.41	107.06	110.91
3	J	1328	SIA	O10-C10-N5	-2.40	117.73	121.98
3	L	1328	SIA	O10-C10-N5	-2.38	117.77	121.98
3	H	1328	SIA	O10-C10-N5	-2.37	117.79	121.98
3	H	1328	SIA	O4-C4-C3	-2.13	105.01	109.97
3	H	1328	SIA	O10-C10-C11	-2.07	118.37	122.05
3	J	1328	SIA	O10-C10-C11	-2.04	118.42	122.05
3	L	1328	SIA	O10-C10-C11	-2.04	118.43	122.05

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	1328	SIA	O1A-C1-C2-O2
3	H	1328	SIA	O1A-C1-C2-O6
3	H	1328	SIA	O1B-C1-C2-O2
3	H	1328	SIA	O1B-C1-C2-O6
3	H	1328	SIA	C11-C10-N5-C5
3	H	1328	SIA	O10-C10-N5-C5
3	J	1328	SIA	C11-C10-N5-C5
3	J	1328	SIA	O10-C10-N5-C5
3	L	1328	SIA	C11-C10-N5-C5
3	L	1328	SIA	O10-C10-N5-C5
3	H	1328	SIA	O1B-C1-C2-C3

There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	1328	SIA	1	0
3	J	1328	SIA	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	1328	SIA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand SIA J 1328




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	H	322/324 (99%)	0.37	15 (4%)	36	19	44, 92, 145, 181	0
1	J	322/324 (99%)	-0.00	11 (3%)	48	27	40, 65, 105, 146	0
1	L	322/324 (99%)	0.08	14 (4%)	40	21	43, 64, 133, 190	0
2	I	160/222 (72%)	-0.04	7 (4%)	39	21	43, 58, 96, 149	0
2	K	160/222 (72%)	-0.15	6 (3%)	44	24	37, 51, 81, 175	0
2	M	160/222 (72%)	-0.17	7 (4%)	39	21	41, 59, 99, 147	0
All	All	1446/1638 (88%)	0.06	60 (4%)	41	23	37, 66, 129, 190	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	K	660	PRO	9.4
1	L	75	LEU	6.2
2	M	660	PRO	6.2
1	J	141	TYR	5.4
2	K	658	ASP	5.1
1	L	77	ALA	5.1
2	K	531	GLY	4.5
1	H	75	LEU	4.3
1	L	326	SER	4.2
1	H	278	CYS	4.1
2	K	659	TYR	4.1
1	L	291	SER	3.9
2	M	658	ASP	3.8
2	M	659	TYR	3.8
1	L	141	TYR	3.8
2	K	529	GLU	3.6
2	I	659	TYR	3.6
1	H	127	TRP	3.5
2	I	660	PRO	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	290	ASN	3.3
1	H	291	SER	3.2
2	I	528	ASN	3.1
1	J	75	LEU	3.0
1	L	78	ASN	3.0
1	H	158	GLY	2.9
1	H	188	VAL	2.9
2	I	530	GLN	2.8
2	I	529	GLU	2.8
1	H	132	THR	2.8
1	L	190	GLU	2.8
1	H	265	ASP	2.8
1	J	91	ASN	2.7
1	J	291	SER	2.7
2	M	529	GLU	2.7
1	L	76	THR	2.7
1	H	326	SER	2.6
1	H	116	GLU	2.6
1	H	199	ASP	2.5
1	J	90	GLU	2.5
1	J	77	ALA	2.5
1	H	160	SER	2.4
1	L	161	TYR	2.4
2	K	528	ASN	2.4
2	M	528	ASN	2.3
1	J	132	THR	2.3
1	J	326	SER	2.3
1	L	132	THR	2.3
2	I	527	GLN	2.2
2	I	643	LYS	2.2
1	L	188	VAL	2.1
1	H	161	TYR	2.1
1	L	290	ASN	2.1
2	M	565	ALA	2.1
1	L	160	SER	2.1
1	H	91	ASN	2.1
1	J	278	CYS	2.1
1	J	73	LEU	2.1
2	M	557	GLU	2.1
1	L	196	GLN	2.1
1	H	327	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SIA	H	1328	21/21	0.78	0.18	131,137,143,145	0
3	SIA	J	1328	20/21	0.82	0.24	117,123,129,131	0
3	SIA	L	1328	20/21	0.87	0.17	125,131,137,139	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SIA H 1328:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SIA J 1328:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.