



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:50 AM UTC

PDB ID : 3WSY / pdb_00003wsy
Title : SorLA Vps10p domain in complex with its own propeptide fragment
Authors : Kitago, Y.; Nakata, Z.; Nagae, M.; Nogi, T.; Takagi, J.
Deposited on : 2014-03-30
Resolution : 3.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1816 (3.14-3.10)
Clashscore	190562	1906 (3.14-3.10)
Ramachandran outliers	187476	1802 (3.14-3.10)
Sidechain outliers	187428	1802 (3.14-3.10)
RSRZ outliers	180081	1816 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	
2	C	15	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5421 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sortilin-related receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	662	Total	C	N	O	S	0	0	0
			5262	3340	897	1002	23			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	85	GLU	-	SEE REMARK 999	UNP Q92673
A	754	SER	-	expression tag	UNP Q92673
A	755	ARG	-	expression tag	UNP Q92673
A	756	LEU	-	expression tag	UNP Q92673
A	757	GLU	-	expression tag	UNP Q92673
A	758	ASN	-	expression tag	UNP Q92673
A	759	LEU	-	expression tag	UNP Q92673
A	760	TYR	-	expression tag	UNP Q92673
A	761	PHE	-	expression tag	UNP Q92673
A	762	GLN	-	expression tag	UNP Q92673

- Molecule 2 is a protein called peptide from Sortilin-related receptor.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	11	Total	C	N	O	0	0	0
			89	58	16	15			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sortilin-related receptor



• Molecule 2: peptide from Sortilin-related receptor



4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	158.19Å 158.19Å 145.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.02 – 3.11 50.02 – 3.11	Depositor EDS
% Data completeness (in resolution range)	94.2 (50.02-3.11) 94.2 (50.02-3.11)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.33 (at 3.13Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.195 , 0.232 0.196 , 0.232	Depositor DCC
R_{free} test set	1532 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5421	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/5398	1.01	9/7318 (0.1%)
2	C	0.75	0/90	1.20	0/121
All	All	0.70	0/5488	1.01	9/7439 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	304	ASP	CB-CA-C	-6.41	109.19	116.63
1	A	591	GLY	N-CA-C	-6.35	106.37	114.37
1	A	595	THR	N-CA-C	-6.35	104.69	112.88
1	A	697	GLU	N-CA-C	5.67	117.94	108.02
1	A	303	ARG	N-CA-C	5.39	116.22	107.32
1	A	737	SER	N-CA-C	5.31	117.16	108.55
1	A	342	THR	N-CA-C	5.20	117.90	108.69
1	A	612	ILE	CB-CA-C	-5.16	103.46	110.42
1	A	612	ILE	N-CA-C	5.12	115.35	107.77

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5262	0	5039	212	1
2	C	89	0	91	1	0
3	A	70	0	65	5	0
All	All	5421	0	5195	216	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:699:CYS:SG	1:A:728:TYR:HE1	1.31	1.54
1:A:699:CYS:SG	1:A:728:TYR:CE1	2.05	1.48
1:A:722:TYR:CZ	1:A:724:ARG:HB2	1.51	1.46
1:A:722:TYR:CE2	1:A:724:ARG:HB2	1.53	1.40
1:A:316:LEU:HB2	1:A:320:GLN:CB	1.51	1.38
1:A:683:GLU:OE2	1:A:729:ARG:NH2	1.57	1.35
1:A:722:TYR:CE2	1:A:724:ARG:CB	2.21	1.24
1:A:699:CYS:CB	1:A:728:TYR:CE1	2.27	1.18
1:A:316:LEU:CB	1:A:320:GLN:CB	2.25	1.14
1:A:722:TYR:OH	1:A:724:ARG:HD2	1.49	1.12
1:A:723:ARG:HG3	1:A:749:LEU:CD1	1.79	1.12
1:A:316:LEU:HB2	1:A:320:GLN:HB2	1.13	1.11
1:A:316:LEU:CB	1:A:320:GLN:HG3	1.82	1.10
1:A:316:LEU:HB3	1:A:320:GLN:CG	1.81	1.09
1:A:722:TYR:OH	1:A:724:ARG:HB2	1.52	1.06
1:A:723:ARG:HG3	1:A:749:LEU:HD12	1.12	1.05
1:A:698:VAL:HG12	1:A:728:TYR:OH	1.54	1.05
1:A:316:LEU:HB3	1:A:320:GLN:HG3	1.07	1.04
1:A:683:GLU:CD	1:A:729:ARG:NH2	2.15	1.04
1:A:699:CYS:HB2	1:A:728:TYR:CE1	1.93	1.02
1:A:726:ARG:NH1	1:A:746:GLU:O	1.92	1.01
1:A:390:LEU:HG	1:A:481:LEU:HD23	1.43	1.01
1:A:654:ARG:NH1	1:A:658:ALA:O	1.94	1.01
1:A:699:CYS:SG	1:A:728:TYR:CD1	2.54	1.00
1:A:190:THR:HG21	1:A:194:CYS:H	1.27	0.99
1:A:282:ASP:OD2	1:A:286:SER:OG	1.80	0.99
1:A:259:ASP:OD2	1:A:332:ARG:NH2	1.96	0.99
1:A:716:CYS:HB3	1:A:753:PRO:HD2	1.43	0.97
1:A:691:SER:OG	1:A:693:ASP:OD1	1.82	0.95
1:A:316:LEU:HB2	1:A:320:GLN:HB3	1.47	0.94
1:A:722:TYR:CZ	1:A:724:ARG:CB	2.46	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:LEU:CB	1:A:320:GLN:CG	2.39	0.93
1:A:259:ASP:CG	1:A:332:ARG:HH21	1.77	0.92
1:A:722:TYR:HE2	1:A:724:ARG:CB	1.76	0.89
1:A:190:THR:OG1	1:A:197:LEU:CD2	2.22	0.88
1:A:316:LEU:CB	1:A:320:GLN:HB2	1.95	0.87
1:A:190:THR:HG22	1:A:192:ASP:H	1.41	0.85
1:A:190:THR:OG1	1:A:197:LEU:HD23	1.76	0.85
1:A:316:LEU:CD1	1:A:320:GLN:OE1	2.26	0.84
1:A:728:TYR:CD2	1:A:745:LEU:CD1	2.62	0.83
1:A:301:GLN:NE2	1:A:303:ARG:HD2	1.94	0.82
1:A:722:TYR:HE2	1:A:724:ARG:HB3	1.42	0.82
1:A:676:SER:HA	1:A:737:SER:O	1.80	0.82
1:A:724:ARG:O	1:A:748:GLU:N	2.12	0.81
1:A:728:TYR:CD2	1:A:745:LEU:HD11	2.14	0.81
1:A:519:ASN:ND2	1:A:535:PRO:O	2.09	0.81
1:A:190:THR:HG21	1:A:194:CYS:N	1.96	0.81
1:A:723:ARG:CG	1:A:749:LEU:HD12	2.05	0.81
1:A:316:LEU:HD12	1:A:320:GLN:HB3	1.63	0.80
1:A:722:TYR:OH	1:A:724:ARG:CB	2.30	0.80
3:A:801:NAG:O7	3:A:801:NAG:O3	1.99	0.79
1:A:722:TYR:OH	1:A:724:ARG:CD	2.29	0.79
1:A:359:VAL:H	1:A:375:SER:HB3	1.48	0.79
1:A:517:LYS:HE3	1:A:519:ASN:HD21	1.49	0.78
3:A:801:NAG:O7	3:A:801:NAG:C3	2.32	0.78
1:A:722:TYR:HB3	1:A:750:VAL:O	1.84	0.78
1:A:158:ASN:OD1	1:A:160:SER:OG	2.02	0.77
1:A:698:VAL:CG1	1:A:728:TYR:OH	2.31	0.77
1:A:683:GLU:CD	1:A:729:ARG:HH22	1.94	0.76
1:A:724:ARG:N	1:A:748:GLU:O	2.18	0.76
1:A:88:GLU:OE1	1:A:89:PRO:HD2	1.86	0.75
1:A:316:LEU:HD13	1:A:320:GLN:CD	2.12	0.74
1:A:442:ILE:HB	1:A:453:LEU:HD11	1.69	0.73
1:A:722:TYR:HH	1:A:724:ARG:HD2	1.52	0.72
1:A:316:LEU:HD12	1:A:320:GLN:OE1	1.90	0.71
1:A:330:PHE:O	1:A:333:LYS:HG3	1.90	0.71
1:A:723:ARG:CG	1:A:749:LEU:CD1	2.65	0.71
1:A:723:ARG:HA	1:A:749:LEU:HA	1.72	0.70
1:A:722:TYR:CE2	1:A:724:ARG:HB3	2.16	0.70
1:A:316:LEU:HD13	1:A:320:GLN:OE1	1.91	0.70
1:A:268:ARG:HE	1:A:278:PHE:HE2	1.40	0.70
1:A:154:PHE:HB2	1:A:158:ASN:HB3	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:607:VAL:HG12	1:A:608:HIS:N	2.08	0.69
1:A:716:CYS:HB3	1:A:753:PRO:CD	2.22	0.68
1:A:316:LEU:CD1	1:A:320:GLN:CG	2.72	0.68
1:A:230:GLN:HG2	1:A:243:MET:HE2	1.74	0.68
1:A:390:LEU:HG	1:A:481:LEU:CD2	2.19	0.68
1:A:116:VAL:HG21	1:A:193:PHE:CD1	2.29	0.67
1:A:713:PRO:HG3	1:A:722:TYR:HD1	1.58	0.67
1:A:716:CYS:CB	1:A:753:PRO:HD2	2.23	0.67
1:A:114:SER:O	1:A:115:ASN:HB2	1.94	0.67
1:A:343:ARG:HG3	1:A:344:HIS:N	2.11	0.66
1:A:193:PHE:O	1:A:194:CYS:HB2	1.97	0.65
1:A:728:TYR:CD2	1:A:745:LEU:HD12	2.31	0.65
1:A:125:LEU:O	1:A:127:LEU:O	2.16	0.64
1:A:245:GLN:HE21	1:A:268:ARG:HD3	1.62	0.64
1:A:517:LYS:HE3	1:A:519:ASN:ND2	2.13	0.64
1:A:316:LEU:CD1	1:A:320:GLN:HB3	2.28	0.63
1:A:316:LEU:CD1	1:A:320:GLN:CD	2.72	0.62
1:A:607:VAL:HG12	1:A:608:HIS:H	1.63	0.62
1:A:175:LYS:HG2	1:A:193:PHE:CE2	2.34	0.62
1:A:220:LEU:HG	1:A:253:TRP:CZ2	2.35	0.62
1:A:236:ASP:OD2	1:A:240:THR:OG1	2.17	0.61
1:A:499:SER:OG	1:A:592:GLU:OE1	2.15	0.61
1:A:724:ARG:HG3	1:A:725:THR:N	2.15	0.60
1:A:440:SER:HB2	1:A:476:HIS:HA	1.84	0.60
1:A:728:TYR:CG	1:A:745:LEU:HD11	2.37	0.60
1:A:190:THR:CG2	1:A:194:CYS:H	2.09	0.59
1:A:316:LEU:HD13	1:A:320:GLN:CG	2.32	0.59
1:A:699:CYS:HB2	1:A:728:TYR:CZ	2.36	0.59
1:A:329:SER:OG	1:A:333:LYS:O	2.18	0.59
1:A:699:CYS:CB	1:A:728:TYR:HE1	1.83	0.58
1:A:752:CYS:O	1:A:753:PRO:C	2.45	0.58
1:A:302:LEU:HD12	1:A:307:MET:HG2	1.85	0.58
1:A:355:SER:O	1:A:446:LYS:NZ	2.30	0.58
1:A:682:TYR:CD2	1:A:745:LEU:HD23	2.38	0.58
1:A:173:ASP:OD2	1:A:176:ARG:HG3	2.04	0.57
1:A:327:TRP:CE2	1:A:337:ALA:HB2	2.39	0.57
2:C:42:LEU:HD12	2:C:43:PRO:HD2	1.85	0.57
1:A:723:ARG:HG3	1:A:749:LEU:HD11	1.83	0.57
1:A:356:GLU:O	1:A:357:ASP:HB2	2.03	0.57
1:A:547:GLY:HA2	1:A:654:ARG:HH21	1.70	0.56
1:A:539:TYR:O	1:A:551:ALA:HA	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:683:GLU:CG	1:A:729:ARG:NH2	2.67	0.56
1:A:154:PHE:HB2	1:A:158:ASN:CB	2.35	0.56
1:A:316:LEU:CB	1:A:320:GLN:HB3	2.17	0.56
1:A:713:PRO:HD3	1:A:722:TYR:CE1	2.43	0.54
1:A:192:ASP:OD1	1:A:195:ASN:N	2.41	0.54
1:A:728:TYR:HD2	1:A:745:LEU:HD12	1.73	0.54
1:A:316:LEU:CD1	1:A:320:GLN:HG3	2.38	0.54
1:A:607:VAL:CG1	1:A:608:HIS:H	2.21	0.54
1:A:557:GLU:HG3	1:A:604:LYS:HD2	1.90	0.53
1:A:607:VAL:CG1	1:A:608:HIS:N	2.72	0.53
1:A:601:GLY:O	1:A:611:LEU:HB3	2.09	0.52
1:A:154:PHE:CD2	1:A:160:SER:OG	2.59	0.52
1:A:192:ASP:OD2	1:A:196:THR:OG1	2.12	0.52
1:A:192:ASP:O	1:A:193:PHE:HB2	2.07	0.52
1:A:125:LEU:O	1:A:126:ALA:C	2.53	0.52
1:A:170:SER:HB3	1:A:173:ASP:O	2.09	0.52
1:A:190:THR:HG21	1:A:194:CYS:HA	1.92	0.52
1:A:134:ASP:HA	1:A:149:SER:OG	2.10	0.51
1:A:184:ALA:O	1:A:186:TYR:N	2.43	0.51
1:A:316:LEU:HD13	1:A:320:GLN:HG3	1.92	0.51
1:A:741:VAL:O	1:A:745:LEU:HB3	2.10	0.51
1:A:699:CYS:CB	1:A:728:TYR:CZ	2.90	0.51
1:A:191:PHE:N	1:A:191:PHE:CD2	2.78	0.51
1:A:190:THR:HG21	1:A:194:CYS:CA	2.41	0.50
1:A:387:GLU:O	1:A:388:ASN:HB2	2.12	0.50
1:A:722:TYR:OH	1:A:724:ARG:CG	2.59	0.50
1:A:488:GLN:HB3	1:A:491:ARG:HG3	1.93	0.50
1:A:316:LEU:CG	1:A:320:GLN:HG3	2.42	0.49
1:A:541:THR:HG23	1:A:597:PHE:CE1	2.47	0.49
1:A:402:LEU:HD13	1:A:487:LEU:HD13	1.93	0.49
1:A:399:SER:HB3	3:A:802:NAG:O6	2.12	0.49
1:A:713:PRO:CG	1:A:722:TYR:HD1	2.25	0.49
1:A:98:LEU:O	1:A:99:ASN:HB2	2.13	0.49
1:A:247:HIS:O	1:A:268:ARG:HG3	2.13	0.49
1:A:127:LEU:HD13	1:A:129:ARG:H	1.78	0.49
3:A:801:NAG:O7	3:A:801:NAG:H3	2.11	0.49
1:A:173:ASP:OD2	1:A:176:ARG:CG	2.61	0.49
1:A:127:LEU:HD13	1:A:129:ARG:C	2.38	0.49
1:A:692:GLU:O	1:A:694:LEU:HD12	2.12	0.49
1:A:158:ASN:OD1	1:A:160:SER:CB	2.61	0.48
1:A:302:LEU:C	1:A:303:ARG:HG3	2.38	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:LEU:CD1	1:A:320:GLN:CB	2.91	0.48
1:A:713:PRO:HD3	1:A:722:TYR:HE1	1.77	0.48
1:A:413:ASP:CG	1:A:481:LEU:HB3	2.38	0.48
1:A:316:LEU:HD12	1:A:320:GLN:CB	2.38	0.47
1:A:272:SER:O	1:A:273:GLY:C	2.55	0.47
1:A:315:LEU:HD23	1:A:315:LEU:HA	1.74	0.47
1:A:112:GLU:OE2	1:A:174:ASN:ND2	2.47	0.47
1:A:127:LEU:HD11	1:A:130:PRO:HA	1.96	0.47
1:A:286:SER:OG	1:A:289:ASN:HB2	2.14	0.47
1:A:302:LEU:O	1:A:303:ARG:HG3	2.14	0.46
1:A:694:LEU:O	1:A:697:GLU:HG3	2.15	0.46
1:A:105:MET:HG3	1:A:106:VAL:N	2.29	0.46
1:A:92:VAL:O	1:A:92:VAL:HG12	2.16	0.45
1:A:684:CYS:SG	1:A:690:MET:HE3	2.55	0.45
1:A:122:ARG:HG2	1:A:123:ASP:N	2.30	0.45
1:A:316:LEU:CG	1:A:320:GLN:HB3	2.45	0.45
1:A:445:ASP:OD1	1:A:445:ASP:N	2.48	0.45
1:A:685:ASP:OD2	1:A:725:THR:HG21	2.16	0.45
1:A:749:LEU:CD1	1:A:749:LEU:N	2.79	0.45
1:A:87:PRO:O	1:A:88:GLU:C	2.59	0.45
1:A:259:ASP:CG	1:A:332:ARG:NH2	2.55	0.45
1:A:734:ASP:OD1	1:A:736:CYS:HB2	2.16	0.45
1:A:749:LEU:HD12	1:A:749:LEU:N	2.32	0.44
1:A:645:LEU:HB3	1:A:734:ASP:HA	1.99	0.44
1:A:499:SER:O	1:A:668:ARG:NH1	2.50	0.44
1:A:723:ARG:CG	1:A:749:LEU:HD11	2.43	0.44
1:A:559:ASN:HA	1:A:576:PHE:CZ	2.53	0.43
1:A:152:LEU:HD21	1:A:197:LEU:HD13	2.01	0.43
1:A:653:ARG:HA	1:A:668:ARG:HH21	1.84	0.43
1:A:429:ILE:HD13	1:A:438:MET:HG2	2.01	0.43
1:A:122:ARG:HG2	1:A:123:ASP:O	2.19	0.43
1:A:301:GLN:HE22	1:A:303:ARG:HH11	1.67	0.43
1:A:301:GLN:HE21	1:A:303:ARG:HD2	1.81	0.43
1:A:302:LEU:O	1:A:303:ARG:CG	2.67	0.43
1:A:690:MET:HE2	1:A:698:VAL:O	2.18	0.43
1:A:140:ASP:OD2	1:A:144:SER:OG	2.31	0.43
1:A:541:THR:HG23	1:A:597:PHE:HE1	1.82	0.43
1:A:541:THR:HG22	1:A:550:THR:OG1	2.19	0.42
1:A:187:LEU:HD23	1:A:187:LEU:HA	1.88	0.42
1:A:564:SER:HB2	1:A:570:THR:O	2.18	0.42
1:A:369:ARG:HE	1:A:369:ARG:HB2	1.67	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:ARG:HG3	1:A:344:HIS:H	1.85	0.42
1:A:673:SER:HA	3:A:805:NAG:H82	2.01	0.42
1:A:111:GLY:O	1:A:114:SER:CB	2.67	0.42
1:A:174:ASN:OD1	1:A:174:ASN:C	2.62	0.42
1:A:714:VAL:HA	1:A:715:PRO:HA	1.71	0.42
1:A:525:SER:HB2	1:A:528:ALA:HB3	2.01	0.41
1:A:343:ARG:CG	1:A:344:HIS:N	2.80	0.41
1:A:665:ASP:O	1:A:666:PHE:C	2.63	0.41
1:A:125:LEU:HA	1:A:125:LEU:HD12	1.75	0.41
1:A:552:ILE:HG21	1:A:583:VAL:HG21	2.03	0.41
1:A:717:PRO:HD2	1:A:720:SER:HB2	2.01	0.41
1:A:173:ASP:OD1	1:A:175:LYS:HE2	2.20	0.41
1:A:230:GLN:CG	1:A:243:MET:HE2	2.48	0.41
1:A:359:VAL:N	1:A:375:SER:HB3	2.26	0.41
1:A:713:PRO:HG3	1:A:722:TYR:CD1	2.48	0.41
1:A:654:ARG:HH11	1:A:658:ALA:HB3	1.87	0.40
1:A:331:GLY:O	1:A:332:ARG:HB2	2.22	0.40
1:A:678:THR:HG22	1:A:681:ASP:OD2	2.21	0.40
1:A:734:ASP:OD1	1:A:734:ASP:C	2.63	0.40
1:A:736:CYS:SG	1:A:737:SER:N	2.94	0.40
1:A:468:GLU:HB2	1:A:471:GLN:HG2	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:659:THR:OG1	1:A:659:THR:OG1[6_555]	2.01	0.19

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	656/678 (97%)	630 (96%)	26 (4%)	0	100	100
2	C	9/15 (60%)	8 (89%)	1 (11%)	0	100	100
All	All	665/693 (96%)	638 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	575/590 (98%)	563 (98%)	12 (2%)	47	69
2	C	10/13 (77%)	9 (90%)	1 (10%)	7	27
All	All	585/603 (97%)	572 (98%)	13 (2%)	45	68

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	MET
1	A	113	LYS
1	A	156	LEU
1	A	295	GLU
1	A	378	GLU
1	A	418	GLU
1	A	499	SER
1	A	611	LEU
1	A	615	VAL
1	A	675	CYS
1	A	690	MET
1	A	698	VAL
2	C	49	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	GLN
1	A	245	GLN
1	A	285	GLN
1	A	301	GLN
1	A	538	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	803	1	14,14,15	0.55	0	17,19,21	1.83	3 (17%)
3	NAG	A	804	1	14,14,15	0.51	0	17,19,21	1.88	3 (17%)
3	NAG	A	802	1	14,14,15	0.54	0	17,19,21	1.22	2 (11%)
3	NAG	A	801	1	14,14,15	0.57	0	17,19,21	0.89	1 (5%)
3	NAG	A	805	1	14,14,15	0.59	0	17,19,21	1.09	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	803	1	-	2/6/23/26	0/1/1/1
3	NAG	A	804	1	-	0/6/23/26	0/1/1/1
3	NAG	A	802	1	-	0/6/23/26	0/1/1/1
3	NAG	A	801	1	-	1/6/23/26	0/1/1/1
3	NAG	A	805	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	803	NAG	C1-O5-C5	5.95	120.16	112.19
3	A	804	NAG	C1-O5-C5	5.16	119.11	112.19
3	A	804	NAG	C1-C2-N2	4.09	116.88	110.43
3	A	803	NAG	O5-C1-C2	3.51	116.73	111.29
3	A	805	NAG	O5-C5-C6	2.75	113.01	107.66
3	A	802	NAG	C4-C3-C2	2.71	115.00	111.02
3	A	801	NAG	C1-O5-C5	2.50	115.54	112.19
3	A	804	NAG	C4-C3-C2	-2.38	107.53	111.02
3	A	802	NAG	O5-C1-C2	2.33	114.90	111.29
3	A	803	NAG	C4-C3-C2	2.10	114.09	111.02

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	801	NAG	C3-C2-N2-C7
3	A	805	NAG	O5-C5-C6-O6
3	A	803	NAG	O5-C5-C6-O6
3	A	805	NAG	C4-C5-C6-O6
3	A	803	NAG	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	NAG	1	0
3	A	801	NAG	3	0
3	A	805	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	662/678 (97%)	0.04	47 (7%)	22 11	26, 51, 129, 200	2 (0%)
2	C	11/15 (73%)	0.02	0	100 100	39, 50, 74, 77	0
All	All	673/693 (97%)	0.04	47 (6%)	22 12	26, 51, 129, 200	2 (0%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	712	PRO	8.1
1	A	750	VAL	6.6
1	A	87	PRO	6.1
1	A	751	PRO	5.2
1	A	717	PRO	5.1
1	A	715	PRO	4.9
1	A	753	PRO	4.6
1	A	714	VAL	4.5
1	A	707	GLY	4.3
1	A	156	LEU	4.2
1	A	721	THR	4.2
1	A	696	LEU	3.6
1	A	713	PRO	3.5
1	A	749	LEU	3.5
1	A	722	TYR	3.3
1	A	701	PRO	3.3
1	A	705	PHE	3.2
1	A	687	GLY	2.9
1	A	607	VAL	2.8
1	A	316	LEU	2.8
1	A	703	PRO	2.7
1	A	128	ALA	2.7
1	A	155	GLY	2.7
1	A	725	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	698	VAL	2.6
1	A	341	VAL	2.6
1	A	695	SER	2.5
1	A	408	ASN	2.5
1	A	700	VAL	2.5
1	A	706	SER	2.4
1	A	729	ARG	2.4
1	A	317	GLY	2.4
1	A	86	GLN	2.4
1	A	224	ARG	2.4
1	A	160	SER	2.4
1	A	435	GLU	2.3
1	A	746	GLU	2.3
1	A	686	PHE	2.3
1	A	93	TYR	2.2
1	A	318	SER	2.2
1	A	691	SER	2.2
1	A	745	LEU	2.2
1	A	716	CYS	2.2
1	A	129	ARG	2.2
1	A	606	ASN	2.2
1	A	694	LEU	2.1
1	A	605	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	801	14/15	0.72	0.19	93,104,106,108	0
3	NAG	A	802	14/15	0.72	0.18	99,113,128,132	0
3	NAG	A	803	14/15	0.88	0.18	99,103,120,121	0
3	NAG	A	805	14/15	0.90	0.12	68,78,94,106	0
3	NAG	A	804	14/15	0.91	0.11	57,66,73,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.