



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:12 AM UTC

PDB ID : 3WSZ / pdb_00003wsz
Title : SorLA Vps10p domain in complex with Abeta-derived peptide
Authors : Kitago, Y.; Nakata, Z.; Nagae, M.; Nogi, T.; Takagi, J.
Deposited on : 2014-03-30
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	
2	C	10	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sortilin-related receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	561	Total	C	N	O	S	0	0	0
			4490	2869	766	840	15			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	85	GLU	-	SEE REMARK 999	UNP Q92673
A	754	SER	-	expression tag	UNP Q92673
A	755	ARG	-	expression tag	UNP Q92673
A	756	LEU	-	expression tag	UNP Q92673
A	757	GLU	-	expression tag	UNP Q92673
A	758	ASN	-	expression tag	UNP Q92673
A	759	LEU	-	expression tag	UNP Q92673
A	760	TYR	-	expression tag	UNP Q92673
A	761	PHE	-	expression tag	UNP Q92673
A	762	GLN	-	expression tag	UNP Q92673

- Molecule 2 is a protein called 10-mer peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	7	Total	C	N	O	0	0	0
			35	21	7	7			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sortilin-related receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	163.74Å 163.74Å 121.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.01 – 3.20 49.01 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.01-3.20) 97.2 (49.01-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.22 (at 3.19Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.273 , 0.296 0.277 , 0.296	Depositor DCC
R_{free} test set	817 reflections (2.61%)	wwPDB-VP
Wilson B-factor (Å ²)	95.0	Xtriage
Anisotropy	0.205	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 80.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4581	wwPDB-VP
Average B, all atoms (Å ²)	129.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/4605	0.83	4/6237 (0.1%)
2	C	0.88	0/34	1.13	0/46
All	All	0.39	0/4639	0.84	4/6283 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	418	GLU	N-CA-C	5.78	117.38	111.14
1	A	273	GLY	N-CA-C	-5.62	107.61	114.92
1	A	662	ASN	N-CA-C	-5.45	102.82	110.50
1	A	304	ASP	CB-CA-C	-5.13	110.68	116.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4490	0	4326	144	2
2	C	35	0	34	5	0
3	A	56	0	52	1	1
All	All	4581	0	4412	145	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:490:ARG:NH1	2:C:10:ALA:O	1.94	1.01
1:A:608:HIS:ND1	2:C:9:ALA:HB2	1.89	0.88
1:A:519:ASN:ND2	1:A:535:PRO:O	2.12	0.81
1:A:297:VAL:HG21	1:A:309:ALA:HB1	1.63	0.81
1:A:276:THR:HG22	1:A:296:GLU:H	1.46	0.80
1:A:345:PRO:O	1:A:365:HIS:ND1	2.17	0.76
1:A:346:ILE:HG12	1:A:365:HIS:HE1	1.52	0.75
1:A:499:SER:O	1:A:668:ARG:NH1	2.19	0.75
1:A:346:ILE:HG12	1:A:365:HIS:CE1	2.23	0.74
1:A:621:LEU:HD23	1:A:661:PHE:HB3	1.69	0.74
1:A:306:TYR:OH	1:A:357:ASP:N	2.23	0.72
1:A:605:GLU:HA	1:A:606:ASN:C	2.16	0.69
1:A:112:GLU:OE1	1:A:174:ASN:ND2	2.26	0.68
1:A:398:GLY:O	1:A:401:THR:HG22	1.94	0.68
1:A:488:GLN:HB3	1:A:491:ARG:HG3	1.76	0.68
1:A:293:ILE:HD12	1:A:307:MET:HE1	1.76	0.67
1:A:187:LEU:HG	1:A:202:ILE:HD13	1.77	0.66
1:A:109:TRP:CD1	1:A:589:GLU:HG3	2.32	0.65
1:A:422:GLY:HA2	1:A:446:LYS:CG	2.25	0.65
1:A:458:PHE:HB3	1:A:464:LYS:HG2	1.77	0.65
1:A:548:ILE:HB	1:A:621:LEU:HD11	1.81	0.63
1:A:374:ILE:HD11	1:A:447:GLY:HA3	1.79	0.63
1:A:520:VAL:HB	1:A:534:LEU:HB2	1.82	0.62
1:A:393:SER:HA	1:A:410:PRO:HB3	1.82	0.61
1:A:537:PRO:HB2	1:A:554:GLN:OE1	2.01	0.61
1:A:375:SER:OG	1:A:376:GLU:N	2.33	0.60
1:A:329:SER:HB2	1:A:335:MET:HG2	1.83	0.60
1:A:390:LEU:HG	1:A:481:LEU:HD23	1.84	0.60
1:A:422:GLY:HA2	1:A:446:LYS:HG2	1.85	0.59
1:A:205:ARG:NH2	1:A:225:SER:H	2.01	0.59
1:A:401:THR:OG1	1:A:402:LEU:N	2.26	0.59
1:A:444:PHE:HB2	1:A:639:ARG:NH2	2.18	0.59
1:A:444:PHE:HB2	1:A:639:ARG:HH21	1.68	0.58
1:A:422:GLY:HA2	1:A:446:LYS:HG3	1.85	0.58
1:A:444:PHE:HD1	1:A:639:ARG:NE	2.02	0.58
1:A:604:LYS:HG2	1:A:605:GLU:OE1	2.04	0.57
1:A:348:GLU:HB3	1:A:364:SER:OG	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:THR:HG21	1:A:194:CYS:H	1.70	0.56
1:A:634:SER:OG	1:A:649:THR:O	2.19	0.56
1:A:608:HIS:CE1	2:C:9:ALA:HB2	2.40	0.56
1:A:357:ASP:O	1:A:376:GLU:HA	2.06	0.56
1:A:557:GLU:HB3	1:A:582:PHE:HD1	1.71	0.56
1:A:633:TRP:CE3	1:A:653:ARG:HD2	2.41	0.55
1:A:443:THR:OG1	1:A:445:ASP:OD1	2.25	0.54
1:A:557:GLU:HB3	1:A:582:PHE:CD1	2.42	0.54
1:A:352:ALA:HB1	1:A:414:PHE:CD2	2.43	0.54
1:A:443:THR:OG1	1:A:445:ASP:O	2.19	0.54
1:A:113:LYS:NZ	1:A:665:ASP:OD1	2.41	0.53
1:A:400:ASP:OD1	1:A:401:THR:N	2.43	0.52
1:A:180:ALA:HB1	1:A:206:ALA:HB3	1.91	0.52
1:A:346:ILE:HG23	1:A:363:VAL:HG13	1.91	0.52
1:A:488:GLN:NE2	1:A:491:ARG:HE	2.08	0.52
1:A:634:SER:HB2	1:A:650:VAL:HG22	1.92	0.52
1:A:416:ARG:NH2	1:A:420:LEU:O	2.37	0.51
1:A:259:ASP:OD1	1:A:265:TYR:OH	2.21	0.51
1:A:236:ASP:O	1:A:239:GLN:HG3	2.10	0.51
1:A:401:THR:HG23	1:A:403:VAL:HG23	1.93	0.51
1:A:608:HIS:HD1	2:C:9:ALA:HB2	1.69	0.51
1:A:373:TYR:HB3	1:A:382:PHE:HB3	1.92	0.51
1:A:487:LEU:HD12	1:A:489:LEU:CD1	2.41	0.50
1:A:374:ILE:HD13	1:A:446:LYS:O	2.12	0.50
1:A:482:SER:HA	1:A:485:LEU:HD12	1.93	0.50
1:A:222:PHE:CE2	1:A:224:ARG:HG2	2.47	0.50
1:A:305:LYS:HG2	1:A:331:GLY:H	1.77	0.50
1:A:509:SER:OG	1:A:517:LYS:O	2.30	0.50
1:A:445:ASP:OD1	1:A:445:ASP:N	2.39	0.50
1:A:346:ILE:HA	1:A:365:HIS:HD1	1.77	0.49
1:A:357:ASP:OD1	1:A:358:GLN:HG2	2.12	0.49
1:A:458:PHE:HA	1:A:464:LYS:HA	1.93	0.49
1:A:621:LEU:HD23	1:A:661:PHE:CB	2.39	0.49
3:A:801:NAG:O7	3:A:801:NAG:O3	2.25	0.49
1:A:307:MET:HB2	1:A:329:SER:HB3	1.94	0.49
1:A:306:TYR:HE2	1:A:356:GLU:HA	1.78	0.48
1:A:605:GLU:HA	1:A:607:VAL:N	2.27	0.48
1:A:621:LEU:CD2	1:A:661:PHE:HB3	2.40	0.48
1:A:476:HIS:HB3	1:A:514:LEU:HD12	1.94	0.48
1:A:444:PHE:HD1	1:A:639:ARG:HE	1.61	0.48
1:A:640:GLY:HA3	1:A:641:ASN:C	2.38	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:LEU:HD23	1:A:221:GLY:HA2	1.95	0.48
1:A:286:SER:HG	1:A:289:ASN:CG	2.22	0.48
1:A:230:GLN:NE2	1:A:243:MET:SD	2.87	0.48
1:A:114:SER:HB2	1:A:116:VAL:HG23	1.95	0.47
1:A:654:ARG:NH1	1:A:658:ALA:O	2.47	0.47
1:A:109:TRP:CG	1:A:589:GLU:HG3	2.50	0.47
1:A:534:LEU:HD13	1:A:538:HIS:CD2	2.49	0.47
1:A:393:SER:O	1:A:396:GLY:HA3	2.14	0.47
1:A:190:THR:CG2	1:A:194:CYS:H	2.27	0.47
1:A:453:LEU:O	1:A:475:LEU:N	2.40	0.47
1:A:483:GLN:HG2	1:A:488:GLN:OE1	2.15	0.47
1:A:584:TYR:CZ	2:C:9:ALA:HB3	2.50	0.47
1:A:103:ASN:HD21	1:A:124:SER:H	1.61	0.46
1:A:348:GLU:HG2	1:A:391:TYR:OH	2.15	0.46
1:A:165:ALA:HB2	1:A:182:ALA:HB2	1.97	0.46
1:A:268:ARG:HE	1:A:278:PHE:HE2	1.63	0.46
1:A:396:GLY:N	1:A:399:SER:HB3	2.31	0.46
1:A:103:ASN:ND2	1:A:124:SER:OG	2.49	0.45
1:A:487:LEU:O	1:A:487:LEU:HG	2.16	0.45
1:A:547:GLY:O	1:A:654:ARG:NH2	2.49	0.45
1:A:488:GLN:HB3	1:A:491:ARG:CG	2.45	0.45
1:A:439:ARG:NH2	1:A:472:GLY:O	2.50	0.45
1:A:402:LEU:HA	1:A:402:LEU:HD23	1.72	0.45
1:A:525:SER:OG	1:A:638:GLU:OE1	2.29	0.45
1:A:192:ASP:OD2	1:A:196:THR:OG1	2.34	0.44
1:A:220:LEU:HG	1:A:253:TRP:CZ2	2.52	0.44
1:A:487:LEU:HD12	1:A:489:LEU:HD13	2.00	0.44
1:A:414:PHE:HD1	1:A:426:ALA:HB2	1.82	0.44
1:A:442:ILE:HB	1:A:453:LEU:HD11	1.98	0.44
1:A:259:ASP:CG	1:A:332:ARG:HE	2.25	0.44
1:A:277:VAL:HG12	1:A:293:ILE:HD11	1.99	0.44
1:A:102:HIS:O	1:A:610:TRP:NE1	2.51	0.43
1:A:174:ASN:H	1:A:174:ASN:HD22	1.66	0.43
1:A:527:GLY:O	1:A:530:TRP:NE1	2.51	0.43
1:A:277:VAL:CG1	1:A:293:ILE:HD11	2.48	0.43
1:A:559:ASN:HB3	1:A:580:PRO:HA	2.01	0.43
1:A:294:LEU:HD23	1:A:294:LEU:HA	1.82	0.43
1:A:306:TYR:CE2	1:A:356:GLU:HA	2.54	0.43
1:A:222:PHE:CD2	1:A:224:ARG:HG2	2.54	0.43
1:A:260:LYS:O	1:A:263:THR:OG1	2.35	0.43
1:A:505:ILE:HD11	1:A:549:ILE:HD13	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:VAL:HG21	1:A:600:PHE:CZ	2.54	0.42
1:A:275:SER:O	1:A:297:VAL:HG12	2.19	0.42
1:A:358:GLN:OE1	1:A:375:SER:O	2.36	0.42
1:A:272:SER:OG	1:A:274:TYR:HB2	2.19	0.42
1:A:608:HIS:O	1:A:608:HIS:CG	2.72	0.42
1:A:277:VAL:HG23	1:A:297:VAL:HG11	2.02	0.42
1:A:305:LYS:HE3	1:A:331:GLY:CA	2.49	0.42
1:A:445:ASP:OD2	1:A:449:THR:N	2.52	0.42
1:A:375:SER:HA	1:A:381:LYS:O	2.20	0.42
1:A:282:ASP:OD2	1:A:286:SER:HB3	2.19	0.42
1:A:305:LYS:HE3	1:A:331:GLY:HA3	2.02	0.41
1:A:545:HIS:CE1	1:A:666:PHE:HB3	2.55	0.41
1:A:630:TYR:OH	1:A:662:ASN:HB3	2.20	0.41
1:A:96:VAL:HG11	1:A:145:PHE:HB2	2.01	0.41
1:A:192:ASP:OD1	1:A:195:ASN:HB2	2.21	0.41
1:A:438:MET:HB2	1:A:514:LEU:HD13	2.02	0.41
1:A:487:LEU:HD12	1:A:487:LEU:HA	1.74	0.41
1:A:588:THR:HG22	1:A:589:GLU:N	2.35	0.41
1:A:587:LEU:HD12	1:A:600:PHE:CE1	2.56	0.41
1:A:483:GLN:O	1:A:488:GLN:N	2.41	0.41
1:A:102:HIS:HE1	1:A:134:ASP:OD2	2.04	0.41
1:A:429:ILE:HD12	1:A:437:ASN:O	2.21	0.41
1:A:202:ILE:HG22	1:A:241:TRP:CD1	2.56	0.40
1:A:172:ALA:HB2	1:A:213:SER:O	2.21	0.40
1:A:327:TRP:CZ2	1:A:337:ALA:HB2	2.56	0.40
1:A:367:ASN:ND2	1:A:369:ARG:NE	2.69	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ASN:ND2	3:A:801:NAG:O7[11_555]	2.14	0.06
1:A:659:THR:OG1	1:A:659:THR:OG1[4_565]	2.15	0.05

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	547/678 (81%)	530 (97%)	17 (3%)	0	100	100
2	C	5/10 (50%)	3 (60%)	2 (40%)	0	100	100
All	All	552/688 (80%)	533 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/590 (83%)	472 (97%)	16 (3%)	33	65

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	GLU
1	A	113	LYS
1	A	147	LYS
1	A	174	ASN
1	A	190	THR
1	A	295	GLU
1	A	313	VAL
1	A	315	LEU
1	A	357	ASP
1	A	402	LEU
1	A	445	ASP
1	A	492	MET
1	A	517	LYS
1	A	607	VAL
1	A	629	ASP
1	A	639	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	GLN
1	A	174	ASN
1	A	185	GLN
1	A	230	GLN
1	A	245	GLN
1	A	519	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	802	1	14,14,15	0.56	0	17,19,21	0.82	0
3	NAG	A	801	1	14,14,15	0.55	0	17,19,21	1.32	1 (5%)
3	NAG	A	804	1	14,14,15	0.51	0	17,19,21	0.63	0
3	NAG	A	803	1	14,14,15	0.53	0	17,19,21	1.14	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	802	1	-	2/6/23/26	0/1/1/1
3	NAG	A	801	1	-	5/6/23/26	0/1/1/1
3	NAG	A	804	1	-	2/6/23/26	0/1/1/1
3	NAG	A	803	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	801	NAG	C1-O5-C5	4.50	118.22	112.19
3	A	803	NAG	C1-O5-C5	4.03	117.58	112.19

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	801	NAG	O5-C5-C6-O6
3	A	804	NAG	O5-C5-C6-O6
3	A	802	NAG	O5-C5-C6-O6
3	A	801	NAG	C4-C5-C6-O6
3	A	804	NAG	C4-C5-C6-O6
3	A	803	NAG	O5-C5-C6-O6
3	A	801	NAG	C8-C7-N2-C2
3	A	803	NAG	C4-C5-C6-O6
3	A	802	NAG	C4-C5-C6-O6
3	A	801	NAG	O7-C7-N2-C2
3	A	801	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	NAG	1	1

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	561/678 (82%)	0.58	29 (5%) 33 21	74, 128, 164, 194	2 (0%)
2	C	7/10 (70%)	1.65	2 (28%) 1 1	112, 114, 133, 133	0
All	All	568/688 (82%)	0.59	31 (5%) 30 19	74, 128, 164, 194	2 (0%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	460	GLY	3.5
1	A	125	LEU	3.4
1	A	672	VAL	3.3
2	C	15	ALA	3.2
1	A	402	LEU	2.9
1	A	487	LEU	2.8
1	A	251	PHE	2.7
1	A	314	HIS	2.7
1	A	607	VAL	2.7
2	C	14	ALA	2.6
1	A	262	ASN	2.6
1	A	293	ILE	2.6
1	A	130	PRO	2.6
1	A	310	THR	2.6
1	A	315	LEU	2.5
1	A	390	LEU	2.4
1	A	675	CYS	2.4
1	A	294	LEU	2.3
1	A	582	PHE	2.3
1	A	481	LEU	2.3
1	A	485	LEU	2.3
1	A	458	PHE	2.3
1	A	156	LEU	2.2
1	A	643	CYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	426	ALA	2.2
1	A	284	PHE	2.1
1	A	526	ALA	2.1
1	A	446	LYS	2.1
1	A	465	ILE	2.1
1	A	488	GLN	2.0
1	A	642	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	802	14/15	0.32	0.14	146,153,158,161	0
3	NAG	A	804	14/15	0.41	0.14	129,137,139,144	0
3	NAG	A	801	14/15	0.81	0.17	129,139,143,145	0
3	NAG	A	803	14/15	0.87	0.13	109,113,116,117	0

6.5 Other polymers [i](#)

There are no such residues in this entry.