



wwPDB EM Validation Summary Report ⓘ

Mar 29, 2026 – 03:23 AM UTC

PDB ID : 5WSG / pdb_00005wsg
EMDB ID : EMD-6684
Title : Cryo-EM structure of the Catalytic Step II spliceosome (C* complex) at 4.0 angstrom resolution
Authors : Yan, C.; Wan, R.; Bai, R.; Huang, G.; Shi, Y.
Deposited on : 2016-12-07
Resolution : 4.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	7587 (3.50 - 4.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2413	
2	C	1008	
3	J	135	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	O	451	
5	P	379	
6	Q	364	
7	R	339	
8	S	175	
9	T	157	
10	Z	577	
11	B	13	
12	N	15	
13	D	214	
14	E	112	
15	L	1175	
16	M	23	
17	c	579	
18	d	652	
19	I	215	
20	v	858	
21	n	455	
22	o	503	
22	p	503	
22	q	503	
22	r	503	
23	t	175	
24	F	196	
24	k	196	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
25	G	94	
25	i	94	
26	H	86	
26	h	86	
27	K	77	
27	j	77	
28	U	101	
28	l	101	
29	V	146	
29	m	146	
30	W	110	
30	g	110	
31	X	111	
32	Y	238	
33	b	14	
34	e	1071	
35	f	251	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
36	GTP	C	1500	-	-	X	-

2 Entry composition [i](#)

There are 38 unique types of molecules in this entry. The entry contains 76730 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-mRNA-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1931	Total	C	N	O	S	0	0
			15939	10244	2739	2898	58		

- Molecule 2 is a protein called Pre-mRNA-splicing factor SNU114.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	878	Total	C	N	O	S	0	0
			7019	4529	1166	1295	29		

- Molecule 3 is a protein called Pre-mRNA-splicing factor CWC21.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	J	27	Total	C	N	O	0	0
			190	112	38	40		

- Molecule 4 is a protein called Pre-mRNA-splicing factor PRP46.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	O	337	Total	C	N	O	S	0	0
			2646	1669	466	501	10		

- Molecule 5 is a protein called Pre-mRNA-processing protein 45.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	P	201	Total	C	N	O	S	0	0
			1583	988	290	298	7		

- Molecule 6 is a protein called Pre-mRNA-splicing factor SLT11.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Q	185	Total	C	N	O	S	0	0
			1472	930	256	271	15		

- Molecule 7 is a protein called Pre-mRNA-splicing factor CWC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	R	261	Total	C	N	O	S	0	0
			2089	1320	369	388	12		

- Molecule 8 is a protein called Pre-mRNA-splicing factor CWC15.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	S	69	Total	C	N	O	S	0	0
			560	351	112	96	1		

- Molecule 9 is a protein called Pre-mRNA-splicing factor BUD31.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	T	157	Total	C	N	O	S	0	0
			1291	808	240	232	11		

- Molecule 10 is a protein called Pre-mRNA-splicing factor CWC22.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	Z	447	Total	C	N	O	S	0	0
			3651	2343	602	688	18		

- Molecule 11 is a RNA chain called 5'-exon.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	B	13	Total	C	N	O	P	0	0
			275	124	47	91	13		

- Molecule 12 is a RNA chain called 5'-intron-lariat.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	N	15	Total	C	N	O	P	0	0
			312	140	45	112	15		

- Molecule 13 is a RNA chain called U5 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D	117	Total	C	N	O	P	0	0
			2465	1104	414	830	117		

- Molecule 14 is a RNA chain called *Saccharomyces cerevisiae* S288c SNR6 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	103	Total	C	N	O	P	0	0
			2192	982	391	716	103		

- Molecule 15 is a RNA chain called RNA (91-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	91	Total	C	N	O	P	0	0
			1909	854	309	655	91		

- Molecule 16 is a RNA chain called 3'-intron-lariat.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	23	Total	C	N	O	P	0	0
			486	219	86	158	23		

- Molecule 17 is a protein called Pre-mRNA-splicing factor CEF1,Pre-mRNA-splicing factor CEF1,Cef1,Pre-mRNA-splicing factor CEF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	c	436	Total	C	N	O	S	0	0
			2971	1841	549	573	8		

- Molecule 18 is a protein called Pre-mRNA-splicing factor CLF1,Pre-mRNA-splicing factor CLF1,Clf1.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	d	532	Total	C	N	O	S	0	0
			3506	2182	658	658	8		

- Molecule 19 is a protein called Pre-mRNA-splicing factor SYF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	I	102	Total	C	N	O	S	0	0
			822	504	152	165	1		

- Molecule 20 is a protein called Syf1,Pre-mRNA-splicing factor SYF1,Syf1,Pre-mRNA-splicing factor SYF1,Syf1,Pre-mRNA-splicing factor SYF1,Syf1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	v	593	Total	C	N	O	S	0	0
			3183	1953	603	626	1		

- Molecule 21 is a protein called Pre-mRNA-processing factor 17.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	n	296	Total	C	N	O	S	0	0
			1870	1162	337	365	6		

- Molecule 22 is a protein called Pre-mRNA-processing factor 19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	o	126	Total	C	N	O	S	0	0
			830	525	134	169	2		
22	p	128	Total	C	N	O	S	0	0
			843	532	136	173	2		
22	q	387	Total	C	N	O	S	0	0
			2345	1471	402	464	8		
22	r	125	Total	C	N	O	S	0	0
			823	521	133	167	2		

- Molecule 23 is a protein called Pre-mRNA-splicing factor SNT309.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	t	156	Total	C	N	O	S	0	0
			926	585	160	180	1		

- Molecule 24 is a protein called Small nuclear ribonucleoprotein-associated protein B.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	k	80	Total	C	N	O	S	0	0
			631	403	114	111	3		
24	F	78	Total	C	N	O	S	0	0
			610	389	110	108	3		

- Molecule 25 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	i	75	Total	C	N	O	S	0	0
			575	379	92	101	3		
25	G	75	Total	C	N	O	S	0	0
			575	379	92	101	3		

- Molecule 26 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	h	70	Total	C	N	O	S	0	0
			554	355	98	100	1		
26	H	70	Total	C	N	O	S	0	0
			554	355	98	100	1		

- Molecule 27 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	j	69	Total	C	N	O	S	0	0
			529	337	93	97	2		
27	K	69	Total	C	N	O	S	0	0
			529	337	93	97	2		

- Molecule 28 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	l	82	Total	C	N	O	S	0	0
			625	399	109	115	2		
28	U	82	Total	C	N	O	S	0	0
			625	399	109	115	2		

- Molecule 29 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	m	82	Total	C	N	O	S	0	0
			644	409	110	123	2		
29	V	82	Total	C	N	O	S	0	0
			644	409	110	123	2		

- Molecule 30 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	g	94	Total	C	N	O	S	0	0
			741	477	141	119	4		
30	W	65	Total	C	N	O	S	0	0
			528	340	102	84	2		

- Molecule 31 is a protein called U2 small nuclear ribonucleoprotein B”.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	X	81	Total	C	N	O	0	0
			513	332	89	92		

- Molecule 32 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	Y	135	Total	C	N	O	0	0
			841	538	142	161		

- Molecule 33 is a RNA chain called 3'-exon-intron.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	14	Total	C	N	O	P	0	0
			208	91	13	90	14		


- Molecule 34 is a protein called Pre-mRNA-splicing factor ATP-dependent RNA helicase PRP16.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	e	679	Total	C	N	O	0	0
			3360	2002	679	679		

- Molecule 35 is a protein called Pre-mRNA-splicing factor 18.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	148	Total	C	N	O	S	0	0
			1202	780	204	214	4		

- Molecule 36 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					AltConf
36	C	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 37 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
37	C	1	Total	Mg	0
			1	1	
37	B	1	Total	Mg	0
			1	1	
37	E	4	Total	Mg	0
			4	4	


- Molecule 38 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
38	Q	2	Total	Zn	0
			2	2	
38	R	1	Total	Zn	0
			1	1	
38	T	3	Total	Zn	0
			3	3	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pre-mRNA-splicing factor 8











• Molecule 3: Pre-mRNA-splicing factor CWC21



- Molecule 6: Pre-mRNA-splicing factor SLT11



- Molecule 7: Pre-mRNA-splicing factor CWC2



GLY	PRO	LYS
LEU	LEU	ASN
LEU	ASP	ARG
THR	TYR	LEU
LEU	SER	ASP
SER	SER	THR
ASP	ASP	PHE
GLU	GLU	PRO
ASP		ALA
		SER
		VAL
		ASN
		VAL
		LYS
		LYS
		ARG
		LEU
		LEU
		PRO
		LEU
		SER
		ASP
		ASN
		GLY
		MET
		GLU
		SER
		ASP
		ASP
		PHE
		ILE
		GLU
		LYS
		LEU
		LYS
		LYS
		VAL
		VAL
		LYS
		LYS
		ASN
		ILE
		SER
		SER
		ARG
		GLU
		ASN
		ILE
		ILE
		SER
		SER
		LYS
		PRO
		SER
		VAL
		GLY
		LYS
		GLY
		LEU
		GLY

- Molecule 8: Pre-mRNA-splicing factor CWC15

[illegible]

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

- Molecule 9: Pre-mRNA-splicing factor BUD31



E101	E102	L103	L104	C105	L106	L107	C108	N112	E113	T114	N115	G117	T119	C120	L121	R123	R126	Q128	L129	E130	E131	R134	R135	L136	G137	T138	H143	Q144	C145	C150	L151	G152	C153	A154	S155	T156	L157
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

- Molecule 10: Pre-mRNA-splicing factor CWC22




MET	SER	THR	ALA	THR	ILE	GLE	D8	E9	D10	I11	K12	F13	Q14	R15	E16	N17	W18	E19	M20	T21	R22	S23	H24	V25	S26	P27	I28	I29	S30	N31	L32	T33	K34	D35	N36	L37	Q38	E39	S40	H41	R42	D43	L44	F45	O46	V47	N48	I49	L50	T51	G52	R53	N54	T55	L56	C57	X58	N59	L60
-----	-----	-----	-----	-----	-----	-----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



V61	D62	F63	T64	L65	N66	K67	Q68	N69	G70	R71	L72	I73	P74	A75	S76	L76	S77	L77	L78	L79	R80	A81	L82	L83	R84	S85	D86	I87	P88	D89	R90	G91	E92	T93	L94	A95	K96	E97	L98	M99	L100	M101	F102	V103	Q104	Q105	F106	M107	R108	K109	D110	V111	V112	S113	C114	G115	M116	L117	L118	L119	G119
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

L121	S122	L123	L124	F125	L126	F127	L128	V129	L130	H131	E132	L133	V134	L135	L136	O137	L138	L139	L140	L141	L142	L143	E144	K145	L146	F147	L148	L149	L150	V151	L152	A153	V154	M155	K156	L157	L158	C159	L160	K161	L162	A163	L164	V165	S166	K167	L168	T169	H170	D171	L172	L173	L174	E175	K176	L177	L178	L179
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------


L181	L182	L183	L184	L185	L186	L187	L188	L189	L190	L191	L192	L193	L194	L195	L196	L197	L198	L199	R201	R202	R203	R204	R205	R206	R207	R208	R209	R210	R211	R212	R213	R214	R215	R216	R217	R218	R219	R220	R221	R222	R223	R224	R225	R226	R227	R228	R229	R230	R231	R232	R233	R234	R235	R236	R237	R238	R239	R240	R241	R242	R243	R244	R245	R246	R247	R248	R249	R250	R251	R252	R253	R254	R255	R256	R257	R258	R259	R260	R261	R262	R263	R264	R265	R266	R267	R268	R269	R270	R271	R272	R273	R274	R275	R276	R277	R278	R279	R280	R281	R282	R283	R284	R285	R286	R287	R288	R289	R290	R291	R292	R293	R294	R295	R296	R297	R298	R299	R300	R301	R302	R303	R304	R305	R306	R307	R308	R309	R310	R311	R312	R313	R314	R315	R316	R317	R318	R319	R320	R321	R322	R323	R324	R325	R326	R327	R328	R329	R330	R331	R332	R333	R334	R335	R336	R337	R338	R339	R340	R341	R342	R343	R344	R345	R346	R347	R348	R349	R350	R351	R352	R353	R354	R355	R356	R357	R358	R359	R360	R361	R362	R363	R364	R365	R366	R367	R368	R369	R370	R371	R372	R373	R374	R375	R376	R377	R378	R379	R380	R381	R382	R383	R384	R385	R386	R387	R388	R389	R390	R391	R392	R393	R394	R395	R396	R397	R398	R399	R400	R401	R402	R403	R404	R405	R406	R407	R408	R409	R410	R411	R412	R413	R414	R415	R416	R417	R418	R419	R420	R421	R422	R423	R424	R425	R426	R427	R428	R429	R430	R431	R432	R433	R434	R435	R436	R437	R438	R439	R440	R441	R442	R443	R444	R445	R446	R447	R448	R449	R450	R451	R452	R453	R454	R455	R456	R457	R458	R459	R460	R461	R462	R463	R464	R465	R466	R467	R468	R469	R470	R471	R472	R473	R474	R475	R476	R477	R478	R479	R480	R481	R482	R483	R484	R485	R486	R487	R488	R489	R490	R491	R492	R493	R494	R495	R496	R497	R498	R499	R500	R501	R502	R503	R504	R505	R506	R507	R508	R509	R510	R511	R512	R513	R514	R515	R516	R517	R518	R519	R520	R521	R522	R523	R524	R525	R526	R527	R528	R529	R530	R531	R532	R533	R534	R535	R536	R537	R538	R539	R540	R541	R542	R543	R544	R545	R546	R547	R548	R549	R550	R551	R552	R553	R554	R555	R556	R557	R558	R559	R560	R561	R562	R563	R564	R565	R566	R567	R568	R569	R570	R571	R572	R573	R574	R575	R576	R577	R578	R579	R580	R581	R582	R583	R584	R585	R586	R587	R588	R589	R590	R591	R592	R593	R594	R595	R596	R597	R598	R599	R600	R601	R602	R603	R604	R605	R606	R607	R608	R609	R610	R611	R612	R613	R614	R615	R616	R617	R618	R619	R620	R621	R622	R623	R624	R625	R626	R627	R628	R629	R630	R631	R632	R633	R634	R635	R636	R637	R638	R639	R640	R641	R642	R643	R644	R645	R646	R647	R648	R649	R650	R651	R652	R653	R654	R655	R656	R657	R658	R659	R660	R661	R662	R663	R664	R665	R666	R667	R668	R669	R670	R671	R672	R673	R674	R675	R676	R677	R678	R679	R680	R681	R682	R683	R684	R685	R686	R687	R688	R689	R690	R691	R692	R693	R694	R695	R696	R697	R698	R699	R700	R701	R702	R703	R704	R705	R706	R707	R708	R709	R710	R711	R712	R713	R714	R715	R716	R717	R718	R719	R720	R721	R722	R723	R724	R725	R726	R727	R728	R729	R730	R731	R732	R733	R734	R735	R736	R737	R738	R739	R740	R741	R742	R743	R744	R745	R746	R747	R748	R749	R750	R751	R752	R753	R754	R755	R756	R757	R758	R759	R760	R761	R762	R763	R764	R765	R766	R767	R768	R769	R770	R771	R772	R773	R774	R775	R776	R777	R778	R779	R780	R781	R782	R783	R784	R785	R786	R787	R788	R789	R790	R791	R792	R793	R794	R795	R796	R797	R798	R799	R800	R801	R802	R803	R804	R805	R806	R807	R808	R809	R810	R811	R812	R813	R814	R815	R816	R817	R818	R819	R820	R821	R822	R823	R824	R825	R826	R827	R828	R829	R830	R831	R832	R833	R834	R835	R836	R837	R838	R839	R840	R841	R842	R843	R844	R845	R846	R847	R848	R849	R850	R851	R852	R853	R854	R855	R856	R857	R858	R859	R860	R861	R862	R863	R864	R865	R866	R867	R868	R869	R870	R871	R872	R873	R874	R875	R876	R877	R878	R879	R880	R881	R882	R883	R884	R885	R886	R887	R888	R889	R890	R891	R892	R893	R894	R895	R896	R897	R898	R899	R900	R901	R902	R903	R904	R905	R906	R907	R908	R909	R910	R911	R912	R913	R914	R915	R916	R917	R918	R919	R920	R921	R922	R923	R924	R925	R926	R927	R928	R929	R930	R931	R932	R933	R934	R935	R936	R937	R938	R939	R940	R941	R942	R943	R944	R945	R946	R947	R948	R949	R950	R951	R952	R953	R954	R955	R956	R957	R958	R959	R960	R961	R962	R963	R964	R965	R966	R967	R968	R969	R970	R971	R972	R973	R974	R975	R976	R977	R978	R979	R980	R981	R982	R983	R984	R985	R986	R987	R988	R989	R990	R991	R992	R993	R994	R995	R996	R997	R998	R999	R1000
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------





• Molecule 11: 5'-exon





• Molecule 12: 5'-intron-lariat




• Molecule 13: U5 snRNA




• Molecule 14: *Saccharomyces cerevisiae* S288c SNR6 snRNA











● Molecule 15: RNA (91-MER)







• Molecule 18: Pre-mRNA-splicing factor CLF1,Pre-mRNA-splicing factor CLF1,Clf1





• Molecule 19: Pre-mRNA-splicing factor SYF2






- Molecule 20: Syf1,Pre-mRNA-splicing factor SYF1,Syf1,Pre-mRNA-splicing factor SYF1,Syf1,Pre-mRNA-splicing factor SYF1,Syf1






• Molecule 21: Pre-mRNA-processing factor 17





• Molecule 22: Pre-mRNA-processing factor 19







• Molecule 23: Pre-mRNA-splicing factor SNT309




• Molecule 24: Small nuclear ribonucleoprotein-associated protein B




- Molecule 26: Small nuclear ribonucleoprotein F




- Molecule 27: Small nuclear ribonucleoprotein G




- Molecule 27: Small nuclear ribonucleoprotein G




- Molecule 28: Small nuclear ribonucleoprotein Sm D3




- Molecule 28: Small nuclear ribonucleoprotein Sm D3







• Molecule 29: Small nuclear ribonucleoprotein Sm D1




• Molecule 29: Small nuclear ribonucleoprotein Sm D1




• Molecule 30: Small nuclear ribonucleoprotein Sm D2






• Molecule 30: Small nuclear ribonucleoprotein Sm D2








- Molecule 31: U2 small nuclear ribonucleoprotein B''




- Molecule 32: U2 small nuclear ribonucleoprotein A'



- Molecule 33: 3'-exon-intron




- Molecule 34: Pre-mRNA-splicing factor ATP-dependent RNA helicase PRP16





Chain f:



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	27558	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.191	Depositor
Minimum map value	-0.094	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.0297	Depositor
Map size ($\text{\AA}$)	522.4, 522.4, 522.4	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.3060001, 1.3060001, 1.3060001	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/16346	0.89	5/22154 (0.0%)
2	C	0.75	0/7168	0.86	3/9707 (0.0%)
3	J	0.71	0/191	0.93	1/254 (0.4%)
4	O	0.93	0/2704	1.00	4/3676 (0.1%)
5	P	0.64	0/1604	0.91	4/2160 (0.2%)
6	Q	0.63	0/1496	0.85	0/2014
7	R	0.66	0/2135	0.83	2/2871 (0.1%)
8	S	0.66	0/574	0.99	1/766 (0.1%)
9	T	0.72	0/1315	0.92	0/1759
10	Z	0.51	0/3712	0.80	2/5004 (0.0%)
11	B	0.29	0/307	0.27	0/475
12	N	0.36	0/346	0.52	0/535
13	D	0.36	0/2747	0.36	0/4267
14	E	0.35	0/2452	0.37	1/3817 (0.0%)
15	L	0.69	13/2123 (0.6%)	0.85	12/3295 (0.4%)
16	M	0.33	0/543	0.57	0/842
17	c	0.38	0/2405	0.77	0/3218
18	d	0.36	0/2107	0.63	0/2852
19	I	0.30	0/826	0.58	0/1097
20	v	0.87	9/905 (1.0%)	1.10	9/1214 (0.7%)
21	n	1.07	13/1878 (0.7%)	1.12	22/2503 (0.9%)
22	o	0.54	0/835	0.85	0/1126
22	p	0.54	0/848	0.91	0/1143
22	q	0.64	0/2342	0.93	2/3139 (0.1%)
22	r	0.53	0/828	0.86	0/1117
23	t	0.58	0/924	1.06	2/1244 (0.2%)
24	F	0.55	0/615	0.76	0/829
24	k	0.55	0/636	0.76	0/856
25	G	0.63	0/585	0.86	0/795
25	i	0.64	0/585	0.86	0/795
26	H	0.61	0/564	0.87	0/761
26	h	0.61	0/564	0.87	0/761

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	K	0.53	0/532	0.82	1/715 (0.1%)
27	j	0.53	0/532	0.82	1/715 (0.1%)
28	U	0.54	0/634	0.96	0/859
28	l	0.55	0/634	0.96	0/859
29	V	0.58	0/649	0.81	0/880
29	m	0.58	0/649	0.81	0/880
30	W	0.65	0/535	0.86	2/717 (0.3%)
30	g	0.65	0/753	0.96	2/1013 (0.2%)
31	X	1.01	2/514 (0.4%)	1.86	8/686 (1.2%)
32	Y	1.24	6/839 (0.7%)	2.35	45/1127 (4.0%)
33	b	0.40	0/227	0.86	0/346
34	e	0.86	2/3357 (0.1%)	1.70	41/4674 (0.9%)
35	f	0.36	0/1227	0.81	2/1665 (0.1%)
All	All	0.68	45/74292 (0.1%)	0.94	172/102182 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	24
2	C	0	10
4	O	0	10
5	P	0	5
6	Q	0	6
7	R	0	3
8	S	0	1
9	T	0	5
10	Z	0	2
17	c	0	2
18	d	0	1
21	n	0	4
27	K	0	1
27	j	0	1
28	U	0	2
28	l	0	2
30	W	0	2
30	g	0	2
34	e	0	32
All	All	0	115

The worst 5 of 45 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	n	399	CYS	CB-SG	-12.13	1.41	1.81
21	n	444	CYS	CB-SG	-11.50	1.43	1.81
32	Y	69	ASP	CA-CB	-10.62	1.38	1.53
21	n	454	CYS	CB-SG	-9.96	1.48	1.81
21	n	218	CYS	CB-SG	-9.77	1.49	1.81

The worst 5 of 172 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	Y	44	PRO	N-CA-CB	15.96	113.92	103.23
32	Y	81	LEU	CA-C-N	12.08	131.58	120.10
32	Y	81	LEU	C-N-CA	12.08	131.58	120.10
34	e	595	PHE	N-CA-C	10.17	123.45	108.60
34	e	373	GLY	O-C-N	9.77	135.41	122.70

There are no chirality outliers.

5 of 115 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	259	GLU	Peptide
1	A	288	GLU	Peptide
1	A	356	TYR	Peptide
1	A	460	PRO	Peptide
1	A	539	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	15939	0	15918	1408	0
2	C	7019	0	7201	562	0
3	J	190	0	186	29	0
4	O	2646	0	2639	238	0
5	P	1583	0	1608	107	0
6	Q	1472	0	1485	138	0
7	R	2089	0	2053	240	0
8	S	560	0	545	47	0
9	T	1291	0	1312	94	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	Z	3651	0	3707	284	0
11	B	275	0	138	26	0
12	N	312	0	156	56	0
13	D	2465	0	1251	129	0
14	E	2192	0	1106	187	0
15	L	1909	0	970	224	0
16	M	486	0	246	75	0
17	c	2971	0	2336	105	0
18	d	3506	0	2340	115	0
19	I	822	0	845	69	0
20	v	3183	0	1207	73	0
21	n	1870	0	1392	116	0
22	o	830	0	663	6	0
22	p	843	0	675	9	0
22	q	2345	0	1636	43	0
22	r	823	0	654	7	0
23	t	926	0	606	15	0
24	F	610	0	640	16	0
24	k	631	0	670	3	0
25	G	575	0	597	21	0
25	i	575	0	597	21	0
26	H	554	0	556	18	0
26	h	554	0	556	17	0
27	K	529	0	557	2	0
27	j	529	0	557	2	0
28	U	625	0	647	9	0
28	l	625	0	647	5	0
29	V	644	0	686	23	0
29	m	644	0	686	14	0
30	W	528	0	573	16	0
30	g	741	0	778	17	0
31	X	513	0	402	13	0
32	Y	841	0	614	17	0
33	b	208	0	106	70	0
34	e	3360	0	1483	3	0
35	f	1202	0	1248	87	0
36	C	32	0	12	11	0
37	B	1	0	0	0	0
37	C	1	0	0	0	0
37	E	4	0	0	0	0
38	Q	2	0	0	0	0
38	R	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	T	3	0	0	0	0
All	All	76730	0	65487	3976	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

The worst 5 of 3976 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:R:75:PHE:CE2	14:E:35:A:C8	1.74	1.62
1:A:1587:PHE:CE2	15:L:31:A:H5'	1.33	1.60
7:R:46:ARG:CD	12:N:110:A:H2	1.17	1.56
7:R:75:PHE:CD2	14:E:35:A:N7	1.83	1.45
21:n:230:VAL:HB	21:n:244:LEU:CG	1.41	1.43

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1925/2413 (80%)	1569 (82%)	339 (18%)	17 (1%)	14	48
2	C	872/1008 (86%)	735 (84%)	129 (15%)	8 (1%)	14	48
3	J	25/135 (18%)	21 (84%)	4 (16%)	0	100	100
4	O	335/451 (74%)	281 (84%)	49 (15%)	5 (2%)	8	38
5	P	193/379 (51%)	160 (83%)	27 (14%)	6 (3%)	3	25
6	Q	177/364 (49%)	145 (82%)	30 (17%)	2 (1%)	11	44
7	R	259/339 (76%)	218 (84%)	40 (15%)	1 (0%)	30	65
8	S	63/175 (36%)	49 (78%)	12 (19%)	2 (3%)	3	25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	T	155/157 (99%)	123 (79%)	28 (18%)	4 (3%)	4	29
10	Z	443/577 (77%)	369 (83%)	68 (15%)	6 (1%)	9	39
17	c	312/579 (54%)	273 (88%)	35 (11%)	4 (1%)	9	41
18	d	238/652 (36%)	201 (84%)	35 (15%)	2 (1%)	16	52
19	I	98/215 (46%)	85 (87%)	13 (13%)	0	100	100
20	v	121/858 (14%)	110 (91%)	7 (6%)	4 (3%)	3	24
21	n	272/455 (60%)	234 (86%)	28 (10%)	10 (4%)	2	22
22	o	120/503 (24%)	115 (96%)	4 (3%)	1 (1%)	16	52
22	p	122/503 (24%)	116 (95%)	6 (5%)	0	100	100
22	q	355/503 (71%)	327 (92%)	16 (4%)	12 (3%)	3	24
22	r	119/503 (24%)	111 (93%)	5 (4%)	3 (2%)	4	29
23	t	150/175 (86%)	134 (89%)	13 (9%)	3 (2%)	6	33
24	F	74/196 (38%)	67 (90%)	7 (10%)	0	100	100
24	k	76/196 (39%)	69 (91%)	7 (9%)	0	100	100
25	G	71/94 (76%)	65 (92%)	6 (8%)	0	100	100
25	i	71/94 (76%)	65 (92%)	6 (8%)	0	100	100
26	H	66/86 (77%)	61 (92%)	4 (6%)	1 (2%)	8	38
26	h	66/86 (77%)	61 (92%)	4 (6%)	1 (2%)	8	38
27	K	65/77 (84%)	64 (98%)	1 (2%)	0	100	100
27	j	65/77 (84%)	64 (98%)	1 (2%)	0	100	100
28	U	80/101 (79%)	70 (88%)	9 (11%)	1 (1%)	9	41
28	l	80/101 (79%)	70 (88%)	9 (11%)	1 (1%)	9	41
29	V	78/146 (53%)	74 (95%)	4 (5%)	0	100	100
29	m	78/146 (53%)	74 (95%)	4 (5%)	0	100	100
30	W	63/110 (57%)	58 (92%)	4 (6%)	1 (2%)	7	37
30	g	92/110 (84%)	85 (92%)	6 (6%)	1 (1%)	11	44
31	X	77/111 (69%)	75 (97%)	2 (3%)	0	100	100
32	Y	125/238 (52%)	111 (89%)	12 (10%)	2 (2%)	7	37
34	e	673/1071 (63%)	563 (84%)	75 (11%)	35 (5%)	1	18
35	f	144/251 (57%)	140 (97%)	4 (3%)	0	100	100
All	All	8398/14235 (59%)	7212 (86%)	1053 (12%)	133 (2%)	10	37

5 of 133 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	364	PHE
6	Q	99	VAL
10	Z	213	PHE
20	v	616	PRO
21	n	245	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1753/2182 (80%)	1740 (99%)	13 (1%)	76	79
2	C	794/910 (87%)	787 (99%)	7 (1%)	70	76
3	J	21/121 (17%)	21 (100%)	0	100	100
4	O	295/397 (74%)	294 (100%)	1 (0%)	86	85
5	P	173/328 (53%)	171 (99%)	2 (1%)	63	73
6	Q	171/332 (52%)	169 (99%)	2 (1%)	63	73
7	R	224/296 (76%)	222 (99%)	2 (1%)	70	76
8	S	56/151 (37%)	54 (96%)	2 (4%)	31	53
9	T	141/141 (100%)	140 (99%)	1 (1%)	76	79
10	Z	417/538 (78%)	416 (100%)	1 (0%)	87	87
17	c	212/308 (69%)	205 (97%)	7 (3%)	33	56
18	d	219/219 (100%)	219 (100%)	0	100	100
19	I	92/193 (48%)	92 (100%)	0	100	100
20	v	57/152 (38%)	46 (81%)	11 (19%)	1	10
21	n	122/413 (30%)	101 (83%)	21 (17%)	2	13
22	o	59/451 (13%)	53 (90%)	6 (10%)	7	25
22	p	62/451 (14%)	54 (87%)	8 (13%)	4	19
22	q	119/451 (26%)	101 (85%)	18 (15%)	3	16
22	r	60/451 (13%)	55 (92%)	5 (8%)	10	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	t	37/165 (22%)	25 (68%)	12 (32%)	0	2
24	F	67/176 (38%)	66 (98%)	1 (2%)	57	70
24	k	70/176 (40%)	69 (99%)	1 (1%)	59	71
25	G	65/83 (78%)	60 (92%)	5 (8%)	12	35
25	i	65/83 (78%)	60 (92%)	5 (8%)	12	35
26	H	61/77 (79%)	60 (98%)	1 (2%)	55	70
26	h	61/77 (79%)	60 (98%)	1 (2%)	55	70
27	K	58/66 (88%)	56 (97%)	2 (3%)	32	55
27	j	58/66 (88%)	56 (97%)	2 (3%)	32	55
28	U	69/89 (78%)	68 (99%)	1 (1%)	59	71
28	l	69/89 (78%)	68 (99%)	1 (1%)	59	71
29	V	77/129 (60%)	74 (96%)	3 (4%)	28	51
29	m	77/129 (60%)	74 (96%)	3 (4%)	28	51
30	W	59/103 (57%)	54 (92%)	5 (8%)	10	33
30	g	79/103 (77%)	73 (92%)	6 (8%)	12	36
31	X	26/100 (26%)	26 (100%)	0	100	100
32	Y	47/219 (22%)	44 (94%)	3 (6%)	16	40
35	f	134/225 (60%)	131 (98%)	3 (2%)	45	65
All	All	6226/10640 (58%)	6064 (97%)	162 (3%)	41	61

5 of 162 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
23	t	111	VAL
25	G	81	LEU
24	k	47	GLU
29	m	30	GLN
29	V	77	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 133 such sidechains are listed below:

Mol	Chain	Res	Type
24	F	8	HIS
26	H	25	HIS
35	f	149	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	143	HIS
2	C	101	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	B	12/13 (92%)	5 (41%)	0
12	N	14/15 (93%)	4 (28%)	1 (7%)
13	D	114/214 (53%)	31 (27%)	3 (2%)
14	E	102/112 (91%)	34 (33%)	6 (5%)
15	L	88/1175 (7%)	30 (34%)	8 (9%)
16	M	22/23 (95%)	13 (59%)	3 (13%)
33	b	11/14 (78%)	11 (100%)	0
All	All	363/1566 (23%)	128 (35%)	21 (5%)

5 of 128 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
11	B	88	U
11	B	89	A
11	B	90	A
11	B	93	U
11	B	94	U

5 of 21 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
15	L	41	C
15	L	1111	U
16	M	499	U
16	M	483	U
15	L	1107	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 13 ligands modelled in this entry, 12 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
36	GTP	C	1500	37	33,34,34	1.44	5 (15%)	50,54,54	1.58	10 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
36	GTP	C	1500	37	-	5/22/38/38	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	C	1500	GTP	PB-O3A	-3.34	1.55	1.59
36	C	1500	GTP	PB-O3B	-2.61	1.56	1.59
36	C	1500	GTP	C5-N7	-2.51	1.34	1.39
36	C	1500	GTP	C5-C6	-2.21	1.36	1.44
36	C	1500	GTP	O4'-C4'	-2.17	1.40	1.45

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	C	1500	GTP	C5-C4-N3	-3.90	122.18	128.39
36	C	1500	GTP	C2'-C1'-N9	-3.47	103.58	113.25
36	C	1500	GTP	O3G-PG-O3B	3.08	114.95	104.64
36	C	1500	GTP	C2-N1-C6	-3.05	119.57	125.11
36	C	1500	GTP	N9-C8-N7	-2.88	108.06	113.40

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
36	C	1500	GTP	O4'-C4'-C5'-O5'
36	C	1500	GTP	C3'-C4'-C5'-O5'
36	C	1500	GTP	C5'-O5'-PA-O3A
36	C	1500	GTP	C5'-O5'-PA-O1A
36	C	1500	GTP	C5'-O5'-PA-O2A

There are no ring outliers.

1 monomer is involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
36	C	1500	GTP	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6684. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206



Y Index: 231




Z Index: 208


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 445 nm³; this corresponds to an approximate mass of 402 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-6684 and PDB model 5WSG. Per-residue inclusion information can be found in section [3](#) on page [12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0297 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0297).

9.4 Atom inclusion [i](#)



At the recommended contour level, 50% of all backbone atoms, 47% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0297) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4730	 0.2740
A	 0.7330	 0.4410
B	 0.7390	 0.3930
C	 0.8060	 0.4510
D	 0.7220	 0.3140
E	 0.8230	 0.3420
F	 0.0020	 0.0070
G	 0.0040	 0.0080
H	 0.0000	 -0.0050
I	 0.6190	 0.3700
J	 0.7540	 0.4820
K	 0.0000	 -0.0030
L	 0.3220	 0.1470
M	 0.2550	 0.1390
N	 0.7080	 0.3270
O	 0.8350	 0.4860
P	 0.6520	 0.4210
Q	 0.6310	 0.4150
R	 0.7640	 0.4190
S	 0.6410	 0.4670
T	 0.7980	 0.4470
U	 0.0020	 -0.0170
V	 0.0020	 -0.0300
W	 0.0040	 0.0200
X	 0.0020	 0.0070
Y	 0.0000	 -0.0230
Z	 0.4450	 0.3510
b	 0.2600	 0.3130
c	 0.4110	 0.2380
d	 0.4710	 0.2350
e	 0.0370	 0.0300
f	 0.1000	 0.1370
g	 0.1550	 0.1070
h	 0.1620	 0.0520
i	 0.1910	 0.1150



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.2110	 0.1460
k	 0.2060	 0.1700
l	 0.3380	 0.2630
m	 0.1410	 0.0830
n	 0.1980	 0.0690
o	 0.0120	 0.0030
p	 0.0060	 -0.0080
q	 0.0020	 0.0120
r	 0.0280	 0.0490
t	 0.0080	 0.0200
v	 0.1270	 0.0360