



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:27 PM UTC

PDB ID : 2WTX / pdb_00002wtx
Title : Insight into the mechanism of enzymatic glycosyltransfer with retention through the synthesis and analysis of bisubstrate glycomimetics of trehalos e-6-phosphate synthase
Authors : Errey, J.C.; Lee, S.S.; Gibson, R.P.; Martinez-Fleites, C.; Barry, C.S.; Jung, P.M.J.; OSullivan, A.; Davis, B.G.; Davies, G.J.
Deposited on : 2009-09-25
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	3% 76% 16% • •
1	B	474	5% 78% 16% • •
1	C	474	19% 70% 20% • 7%
1	D	474	3% 79% 13% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	1458	-	-	X	-
2	EDO	A	1459	-	-	X	-
2	EDO	B	1459	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 15336 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE [UDP-FORMING].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	456	Total	C	N	O	S	0	3	0
			3674	2359	643	665	7			
1	B	454	Total	C	N	O	S	0	1	0
			3644	2343	633	661	7			
1	C	440	Total	C	N	O	S	0	1	0
			3545	2279	619	640	7			
1	D	457	Total	C	N	O	S	0	0	0
			3660	2349	638	666	7			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	D	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 4 is [(1R,2R,3S,4S,5S)-2,3,4-TRIHYDROXY-5-{[(1S,4R,5S,6S)-4,5,6-TRIHYDROXY-3-(HYDROXYMETHYL)CYCLOHEX-2-EN-1-YL]AMINO}CYCLOHEXYL]METHYL DIHYDROGEN PHOSPHATE (CCD ID: VDO) (formula: $C_{14}H_{26}NO_{11}P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 27	C 14	N 1	O 11	P 1	0	0
4	B	1	Total 27	C 14	N 1	O 11	P 1	0	0
4	C	1	Total 27	C 14	N 1	O 11	P 1	0	0
4	D	1	Total 27	C 14	N 1	O 11	P 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	202	Total O 202 202	0	0
5	B	152	Total O 152 152	0	0
5	C	76	Total O 76 76	0	0
5	D	155	Total O 155 155	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE [UDP-FORMING]




- Molecule 1: ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE [UDP-FORMING]



- Molecule 1: ALPHA, ALPHA-TREHALOSE-PHOSPHATE SYNTHASE [UDP-FORMING]





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.52Å 120.29Å 173.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	98.91 – 2.20 98.91 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (98.91-2.20) 99.9 (98.91-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.70 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.195 , 0.235 0.196 , 0.234	Depositor DCC
R_{free} test set	5583 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.028	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15336	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, VDO, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/3777	0.92	5/5135 (0.1%)
1	B	0.79	7/3739 (0.2%)	0.99	11/5082 (0.2%)
1	C	0.76	14/3634 (0.4%)	0.94	5/4934 (0.1%)
1	D	0.79	4/3753 (0.1%)	0.97	10/5103 (0.2%)
All	All	0.77	25/14903 (0.2%)	0.95	31/20254 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	34	ALA	CA-CB	-9.70	1.37	1.53
1	B	209	LYS	C-O	-9.67	1.11	1.24
1	D	208	ALA	N-CA	-9.30	1.28	1.46
1	C	31	LEU	N-CA	-9.30	1.33	1.46
1	D	206	ARG	N-CA	-9.26	1.34	1.46
1	C	33	ALA	CA-CB	-8.63	1.38	1.53
1	B	207	SER	CA-C	-7.76	1.46	1.53
1	C	31	LEU	CA-CB	-7.74	1.40	1.53
1	D	206	ARG	CZ-NH2	-7.24	1.24	1.33
1	B	206	ARG	N-CA	-7.17	1.37	1.46
1	C	35	GLY	N-CA	-6.92	1.39	1.44
1	C	31	LEU	CA-C	-6.79	1.43	1.52
1	C	33	ALA	C-O	-6.68	1.15	1.24
1	B	95	VAL	CA-CB	6.68	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	31	LEU	CG-CD2	-6.27	1.31	1.52
1	C	34	ALA	C-O	-6.12	1.16	1.23
1	C	31	LEU	CB-CG	-6.11	1.41	1.53
1	D	207	SER	C-O	-6.02	1.18	1.24
1	C	34	ALA	CA-C	-5.94	1.45	1.52
1	C	32	LYS	C-O	-5.93	1.16	1.24
1	B	209	LYS	CE-NZ	-5.57	1.32	1.49
1	B	206	ARG	CZ-NH2	-5.51	1.26	1.33
1	C	35	GLY	C-O	-5.24	1.13	1.23
1	C	33	ALA	N-CA	-5.09	1.39	1.46
1	B	205	THR	C-N	-5.01	1.26	1.33

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	34	ALA	N-CA-C	-11.53	92.83	108.74
1	B	207	SER	CA-C-N	-11.34	104.60	122.29
1	B	207	SER	C-N-CA	-11.34	104.60	122.29
1	A	253	ASN	N-CA-C	9.05	120.91	111.14
1	D	207	SER	CB-CA-C	8.70	128.51	116.34
1	D	48	GLU	N-CA-C	7.12	119.05	111.28
1	D	207	SER	N-CA-C	-7.11	97.48	108.00
1	D	207	SER	CA-C-O	-6.83	109.63	119.80
1	D	208	ALA	N-CA-CB	-6.74	100.29	110.40
1	C	33	ALA	N-CA-C	-6.28	105.60	113.20
1	B	159	THR	CA-C-N	6.20	127.58	119.84
1	B	159	THR	C-N-CA	6.20	127.58	119.84
1	B	206	ARG	NE-CZ-NH2	-6.00	113.80	119.20
1	D	208	ALA	CA-C-N	5.80	130.69	121.18
1	D	208	ALA	C-N-CA	5.80	130.69	121.18
1	C	159	THR	CA-C-N	5.64	125.10	119.24
1	C	159	THR	C-N-CA	5.64	125.10	119.24
1	C	31	LEU	CB-CG-CD2	-5.62	93.83	110.70
1	B	36	GLY	N-CA-C	5.60	118.63	110.63
1	B	206	ARG	NE-CZ-NH1	5.56	127.06	121.50
1	A	111	LEU	CA-CB-CG	5.51	135.59	116.30
1	B	95	VAL	N-CA-CB	5.48	117.05	110.31
1	B	208	ALA	O-C-N	5.47	128.65	122.20
1	B	35	GLY	N-CA-C	-5.36	106.29	112.29
1	D	208	ALA	CA-C-O	5.28	129.77	120.80
1	D	145	VAL	CB-CA-C	5.27	117.24	111.08
1	B	95	VAL	N-CA-C	5.16	115.75	109.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	95	VAL	N-CA-CB	5.08	118.05	110.13
1	D	454	VAL	N-CA-CB	5.05	115.64	110.23
1	A	253	ASN	CB-CA-C	-5.03	102.95	110.90
1	A	136	PHE	N-CA-C	5.01	116.82	111.36

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	208	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3674	0	3650	58	0
1	B	3644	0	3619	35	0
1	C	3545	0	3523	66	0
1	D	3660	0	3629	61	0
2	A	12	0	18	9	0
2	B	8	0	12	4	0
3	A	25	0	11	0	0
3	B	25	0	11	1	0
3	C	25	0	11	0	0
3	D	25	0	11	0	0
4	A	27	0	24	3	0
4	B	27	0	24	3	0
4	C	27	0	24	2	0
4	D	27	0	24	1	0
5	A	202	0	0	8	0
5	B	152	0	0	3	0
5	C	76	0	0	4	0
5	D	155	0	0	0	0
All	All	15336	0	14591	224	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (224) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:207:SER:CB	1:D:208:ALA:HB3	1.67	1.21
1:D:207:SER:HB2	1:D:208:ALA:HB3	1.27	1.15
1:D:207:SER:CB	1:D:208:ALA:CB	2.29	1.10
1:D:92:LEU:HD11	1:D:162:ILE:HG23	1.32	1.10
1:C:31:LEU:CD1	1:C:31:LEU:C	2.28	1.05
1:C:31:LEU:C	1:C:31:LEU:HD13	1.89	0.97
1:D:202:ARG:HG3	1:D:202:ARG:HH11	1.31	0.94
1:D:99:ARG:HH11	1:D:99:ARG:HG2	1.36	0.90
1:C:312[B]:GLN:HE21	1:C:312[B]:GLN:HA	1.37	0.88
1:D:207:SER:CA	1:D:208:ALA:CB	2.49	0.88
1:A:247:LEU:HD21	1:A:350:TYR:OH	1.75	0.87
1:D:207:SER:HB3	1:D:208:ALA:CB	2.05	0.86
1:D:244:LEU:HG	1:D:343:LEU:HD11	1.55	0.86
1:A:287[A]:HIS:CE1	1:A:326:GLN:NE2	2.45	0.84
1:C:30:ALA:HB2	1:C:443:GLN:CG	2.07	0.84
1:C:31:LEU:HD12	1:C:32:LYS:N	1.91	0.84
1:C:31:LEU:HD13	1:C:31:LEU:O	1.78	0.84
1:D:261:GLU:CD	1:D:272:ARG:HH22	1.87	0.82
4:A:1461:VDO:HAM	4:A:1461:VDO:OAO	1.80	0.82
1:C:261:GLU:OE2	1:C:272:ARG:NH2	2.14	0.80
1:C:31:LEU:CD1	1:C:32:LYS:N	2.46	0.77
1:C:9:ARG:HH21	1:C:43:GLY:HA3	1.50	0.77
1:D:261:GLU:OE2	1:D:272:ARG:NH2	2.18	0.77
1:C:2:ARG:HB2	1:C:124:ASP:OD1	1.85	0.76
1:D:75:TYR:CG	1:D:108:VAL:HG11	2.21	0.76
1:D:207:SER:CA	1:D:208:ALA:HB2	2.16	0.75
1:D:99:ARG:HH11	1:D:99:ARG:CG	1.98	0.75
1:C:272:ARG:HD2	1:C:357:THR:OG1	1.86	0.74
1:A:218:PHE:HA	2:A:1459:EDO:H21	1.69	0.74
1:C:261:GLU:CD	1:C:272:ARG:HH22	1.94	0.73
1:A:287[A]:HIS:CE1	1:A:326:GLN:HE22	2.08	0.72
1:D:207:SER:CB	1:D:208:ALA:HB2	2.19	0.72
1:D:259:SER:HB3	1:D:272:ARG:HH21	1.54	0.71
1:C:31:LEU:O	1:C:35:GLY:HA2	1.89	0.71
1:A:453:ILE:CG2	2:A:1459:EDO:H11	2.20	0.71
1:C:56:LYS:HB3	1:C:61:THR:HG22	1.73	0.71
1:D:75:TYR:CB	1:D:108:VAL:HG11	2.22	0.69
1:C:340:ASP:OD1	1:C:342:LYS:HD3	1.91	0.69
1:C:401:ASN:C	1:C:401:ASN:HD22	2.01	0.68
1:C:30:ALA:HB2	1:C:443:GLN:HG3	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:5:VAL:HG11	1:C:27:ILE:HG13	1.76	0.67
1:D:99:ARG:HG2	1:D:99:ARG:NH1	2.08	0.67
1:B:50:GLN:HG3	1:B:51:PRO:HD2	1.77	0.66
1:D:207:SER:HB3	1:D:208:ALA:HB2	1.78	0.66
1:C:46:GLY:O	1:C:47:ASN:C	2.38	0.66
1:C:60:ILE:HG13	1:C:61:THR:N	2.11	0.66
1:A:108:VAL:HA	1:A:111:LEU:HD13	1.78	0.64
1:C:148:ARG:HD3	1:C:453:ILE:O	1.96	0.64
1:B:107:ARG:NH1	5:B:2021:HOH:O	2.30	0.64
5:C:2011:HOH:O	1:D:405:ARG:HD2	1.97	0.63
1:A:272:ARG:HD3	1:A:355:LEU:HD13	1.80	0.63
1:C:148:ARG:HH21	1:C:451:LYS:HA	1.63	0.63
1:C:31:LEU:HD12	1:C:32:LYS:HG3	1.80	0.62
1:C:425:SER:O	1:C:429:GLU:HG3	1.99	0.62
1:D:75:TYR:HB2	1:D:108:VAL:HG11	1.81	0.62
1:C:219:ARG:HD3	1:C:453:ILE:HD11	1.81	0.62
1:C:401:ASN:ND2	1:C:403:TYR:H	1.98	0.62
1:A:359:LEU:HB3	2:A:1458:EDO:H11	1.81	0.61
1:D:202:ARG:HG3	1:D:202:ARG:NH1	2.02	0.61
1:B:401:ASN:C	1:B:401:ASN:HD22	2.09	0.61
1:D:401:ASN:C	1:D:401:ASN:HD22	2.09	0.60
1:A:453:ILE:HG21	2:A:1459:EDO:H11	1.83	0.60
1:C:230:LYS:O	1:C:234:LYS:HG2	2.02	0.60
1:D:31:LEU:O	1:D:35:GLY:N	2.34	0.60
1:C:225:ILE:HG21	4:C:1458:VDO:OAQ	2.02	0.59
1:A:47:ASN:O	1:A:50:GLN:HG2	2.02	0.59
1:C:357:THR:HA	1:C:385:SER:HB2	1.82	0.59
1:A:50:GLN:HB2	1:A:51:PRO:HD2	1.84	0.59
1:D:37:LEU:HD23	1:D:61:THR:HB	1.83	0.59
1:C:259:SER:HB3	1:C:272:ARG:HH21	1.67	0.59
1:D:75:TYR:HB2	1:D:108:VAL:CG1	2.32	0.59
1:C:30:ALA:HB2	1:C:443:GLN:HG2	1.84	0.59
1:A:401:ASN:C	1:A:401:ASN:HD22	2.11	0.58
1:C:31:LEU:O	1:C:34:ALA:O	2.22	0.58
1:B:222:VAL:HG12	1:B:224:PRO:HD3	1.85	0.58
1:A:247:LEU:CD2	1:A:350:TYR:OH	2.50	0.57
1:B:71:ASP:OD2	1:B:107:ARG:NH2	2.36	0.57
1:B:78:GLN:O	1:B:82:ALA:HB3	2.05	0.57
4:B:1462:VDO:HAM	4:B:1462:VDO:OAO	2.04	0.57
1:A:227:ILE:HD12	1:A:232:ILE:HD12	1.84	0.57
1:A:355:LEU:HG	1:A:412:LEU:HD21	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:405:ARG:HB3	2:B:1459:EDO:H22	1.87	0.57
2:A:1458:EDO:H21	5:A:2036:HOH:O	2.06	0.56
1:B:162:ILE:N	1:B:162:ILE:HD12	2.21	0.56
1:B:272:ARG:HD3	1:B:355:LEU:HD13	1.87	0.56
1:D:207:SER:CA	1:D:208:ALA:HB3	2.08	0.56
1:D:355:LEU:HG	1:D:412:LEU:HD21	1.88	0.56
1:D:272:ARG:HD2	1:D:357:THR:OG1	2.05	0.56
1:A:180:ASP:O	2:A:1459:EDO:H22	2.05	0.55
1:B:187:GLU:HG3	1:B:191:LEU:HD22	1.88	0.54
4:C:1458:VDO:OAO	4:C:1458:VDO:HAM	2.06	0.54
1:A:245:ALA:HA	1:A:248:LYS:HE3	1.90	0.54
1:D:148:ARG:HD3	1:D:453:ILE:O	2.07	0.54
1:A:453:ILE:HG23	2:A:1459:EDO:H11	1.88	0.54
1:A:315:ASN:HD21	1:D:315:ASN:HB2	1.73	0.53
1:A:338:HIS:HE1	5:A:2199:HOH:O	1.91	0.53
1:A:315:ASN:ND2	1:D:315:ASN:HB2	2.24	0.52
1:D:401:ASN:HD21	1:D:403:TYR:HD1	1.57	0.52
1:A:187:GLU:HG3	1:A:191:LEU:HD22	1.89	0.52
1:C:28:LEU:O	1:C:31:LEU:HD12	2.10	0.52
1:C:396:SER:HB2	1:C:430:MET:HG3	1.92	0.52
1:D:8:ASN:O	1:D:41:TRP:HB3	2.09	0.52
1:A:117:LEU:HB3	1:A:118:PRO:HD3	1.90	0.52
1:A:289:LYS:HE3	5:A:2106:HOH:O	2.09	0.52
1:A:50:GLN:HG3	1:A:66:ASN:HD22	1.74	0.51
1:A:350:TYR:CD1	1:A:350:TYR:C	2.89	0.51
1:D:92:LEU:N	1:D:92:LEU:HD12	2.25	0.51
1:A:405:ARG:HD2	5:A:2162:HOH:O	2.11	0.51
1:A:41:TRP:CD1	1:A:67:LEU:HD22	2.46	0.50
1:C:355:LEU:HG	1:C:412:LEU:HD21	1.93	0.50
1:D:269:LEU:HB3	1:D:313:LEU:HD11	1.93	0.50
1:C:371:VAL:HG22	1:C:434:ILE:HD12	1.94	0.50
1:C:281:GLU:HG2	1:C:324:TYR:OH	2.11	0.50
1:A:154:HIS:ND1	4:A:1461:VDO:HAD1	2.27	0.50
1:A:401:ASN:ND2	1:A:403:TYR:H	2.09	0.50
1:B:401:ASN:HD22	1:B:403:TYR:H	1.60	0.50
1:A:357:THR:HA	1:A:385:SER:HB2	1.94	0.50
1:D:104:GLY:O	1:D:108:VAL:HG12	2.12	0.50
1:B:430:MET:HE1	5:B:2114:HOH:O	2.11	0.49
1:C:47:ASN:O	1:C:47:ASN:OD1	2.30	0.49
1:B:28:LEU:O	1:B:32:LYS:HG3	2.13	0.49
1:B:159:THR:HB	5:B:2036:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:401:ASN:HD22	1:C:403:TYR:H	1.59	0.49
1:A:134:LEU:N	1:A:135:PRO:CD	2.76	0.49
1:D:140:LEU:O	1:D:145:VAL:HG13	2.14	0.48
1:B:401:ASN:ND2	1:B:403:TYR:H	2.11	0.48
1:A:148:ARG:HD2	1:A:455:PRO:HD3	1.95	0.48
1:B:134:LEU:HD22	1:B:176:LEU:HD21	1.96	0.48
1:D:259:SER:HB3	1:D:272:ARG:NH2	2.26	0.48
1:A:261:GLU:O	1:A:296:ALA:HA	2.14	0.48
1:A:137:ALA:HB2	1:A:179:TYR:CE1	2.49	0.48
1:A:225:ILE:HG21	4:A:1461:VDO:HAD2	1.95	0.48
1:A:245:ALA:O	1:A:248:LYS:HG2	2.14	0.48
1:B:355:LEU:HG	1:B:412:LEU:HD21	1.95	0.47
1:C:312[B]:GLN:HA	1:C:312[B]:GLN:NE2	2.17	0.47
1:B:137:ALA:HB2	1:B:179:TYR:CE1	2.50	0.47
1:A:102:TRP:CZ3	1:A:168:THR:HG21	2.49	0.47
1:D:401:ASN:ND2	1:D:403:TYR:H	2.13	0.47
1:B:225:ILE:HG21	4:B:1462:VDO:HAD1	1.97	0.46
1:C:401:ASN:C	1:C:401:ASN:ND2	2.71	0.46
1:A:241:PRO:HB3	1:A:243:LYS:HE2	1.98	0.46
1:B:258[A]:PHE:HZ	1:B:295:ILE:HD12	1.80	0.46
3:B:1461:UDP:O3B	4:B:1462:VDO:NAN	2.48	0.46
1:C:23:LEU:O	1:C:27:ILE:HG22	2.16	0.46
1:D:22:GLY:O	1:D:25:VAL:HG23	2.16	0.46
1:B:405:ARG:HB3	2:B:1459:EDO:C2	2.46	0.46
1:C:31:LEU:CD1	1:C:32:LYS:HG3	2.44	0.46
1:C:316:GLU:HG3	5:C:2030:HOH:O	2.15	0.46
1:A:251:LEU:HD21	1:A:350:TYR:CE1	2.51	0.46
1:A:261:GLU:CD	1:A:272:ARG:HH22	2.24	0.46
1:B:72:LEU:O	1:B:76:TYR:HB3	2.16	0.46
1:B:75:TYR:CD2	1:B:108:VAL:HG22	2.51	0.45
1:B:313:LEU:HD12	1:B:313:LEU:HA	1.87	0.45
1:A:102:TRP:CE3	1:A:168:THR:HG21	2.52	0.45
1:B:325:GLY:HA2	1:B:331:PRO:HD3	1.98	0.45
1:D:202:ARG:HH11	1:D:202:ARG:CG	2.15	0.45
1:A:91:ARG:HD3	2:A:1458:EDO:H22	1.98	0.45
1:B:357:THR:HA	1:B:385:SER:HB2	1.99	0.45
1:C:321:ASN:OD1	1:C:331:PRO:HD2	2.17	0.45
1:D:340:ASP:OD2	1:D:342:LYS:HG2	2.17	0.45
1:A:155:ILE:HB	1:A:156:PRO:CD	2.48	0.44
1:C:102:TRP:CE3	1:C:168:THR:HG21	2.53	0.44
1:A:261:GLU:O	1:A:297:PRO:HD2	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338:HIS:CE1	5:A:2199:HOH:O	2.69	0.44
1:B:405:ARG:HD2	2:B:1459:EDO:C1	2.48	0.44
1:D:75:TYR:CD2	1:D:108:VAL:HG13	2.52	0.44
1:B:253:ASN:OD1	1:B:253:ASN:N	2.46	0.44
1:A:134:LEU:N	1:A:135:PRO:HD3	2.33	0.44
1:C:227:ILE:O	1:C:229:PRO:HD3	2.18	0.44
5:C:2015:HOH:O	1:D:159:THR:HG21	2.18	0.44
1:D:75:TYR:CD2	1:D:108:VAL:CG1	3.01	0.44
1:D:92:LEU:HA	1:D:95:VAL:HG13	2.00	0.44
1:A:137:ALA:O	1:A:141:ARG:HG2	2.17	0.43
1:C:31:LEU:HD21	1:C:60:ILE:HD12	2.00	0.43
1:C:444:GLU:HG3	1:C:445:CYS:N	2.33	0.43
1:D:209:LYS:HB3	1:D:220:THR:O	2.18	0.43
1:C:180:ASP:HB3	1:C:453:ILE:HG21	2.00	0.43
1:D:261:GLU:CD	1:D:272:ARG:NH2	2.65	0.43
1:C:9:ARG:NH2	1:C:43:GLY:HA3	2.27	0.43
1:D:401:ASN:HA	1:D:402:PRO:HD2	1.91	0.43
1:A:9:ARG:HD3	5:A:2017:HOH:O	2.18	0.43
1:C:50:GLN:HA	1:C:51:PRO:HD3	1.85	0.43
1:C:71:ASP:O	1:C:75:TYR:HB3	2.19	0.42
1:D:173:LEU:HD21	1:D:196:CYS:HB3	2.01	0.42
1:A:311:HIS:HD2	5:A:2116:HOH:O	2.02	0.42
1:D:134:LEU:N	1:D:135:PRO:CD	2.82	0.42
1:D:244:LEU:CG	1:D:343:LEU:HD11	2.38	0.42
1:A:26:GLY:HA3	1:A:225:ILE:HD11	2.01	0.42
1:A:92:LEU:HA	1:A:95:VAL:HG13	2.01	0.42
1:C:203:VAL:HG12	1:C:213:ALA:HB2	2.01	0.42
1:C:261:GLU:O	1:C:296:ALA:HA	2.19	0.42
1:D:37:LEU:CD2	1:D:61:THR:HB	2.47	0.42
1:D:75:TYR:CG	1:D:108:VAL:CG1	2.98	0.42
1:B:48:GLU:OE2	1:B:71:ASP:OD1	2.37	0.42
1:C:3:LEU:HD23	1:C:31:LEU:HA	2.02	0.42
1:D:247:LEU:HG	1:D:251:LEU:HD22	2.02	0.42
1:C:382:LEU:HD23	1:C:397:ALA:HB2	2.01	0.41
1:C:371:VAL:CG2	1:C:434:ILE:HD12	2.49	0.41
1:C:168:THR:HG23	1:C:168:THR:O	2.20	0.41
1:C:261:GLU:CD	1:C:272:ARG:NH2	2.68	0.41
1:A:454:VAL:O	1:A:454:VAL:HG23	2.20	0.41
1:A:315:ASN:HD22	1:D:315:ASN:HD22	1.69	0.41
1:B:340:ASP:OD2	1:B:342:LYS:HB2	2.21	0.41
1:C:61:THR:HG23	5:C:2003:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:ARG:NH2	1:C:451:LYS:HA	2.32	0.41
1:B:48:GLU:HG3	1:B:68:SER:N	2.36	0.41
1:A:219[A]:ARG:HD3	1:A:453:ILE:HD11	2.03	0.41
1:B:99:ARG:N	1:B:100:PRO:CD	2.84	0.41
4:D:1459:VDO:OAO	4:D:1459:VDO:HAM	2.20	0.41
1:C:231:GLU:O	1:C:235:GLN:HG2	2.21	0.41
1:A:350:TYR:C	1:A:350:TYR:HD1	2.29	0.40
1:B:162:ILE:N	1:B:162:ILE:CD1	2.83	0.40
1:D:401:ASN:HD22	1:D:403:TYR:H	1.69	0.40
1:C:174:GLU:HA	1:C:214:TRP:CZ3	2.55	0.40
1:A:382:LEU:HD23	1:A:397:ALA:HB2	2.02	0.40
2:A:1458:EDO:C2	5:A:2036:HOH:O	2.67	0.40
1:C:141:ARG:NH2	1:C:180:ASP:OD1	2.55	0.40
1:D:137:ALA:HB2	1:D:179:TYR:CE1	2.56	0.40
1:B:50:GLN:HG3	1:B:51:PRO:CD	2.48	0.40
1:C:227:ILE:HD13	1:C:232:ILE:HD12	2.03	0.40
1:D:117:LEU:HD11	1:D:143:ARG:HB3	2.04	0.40
1:A:54:LYS:HA	1:A:62:TRP:O	2.20	0.40
1:B:405:ARG:HD2	2:B:1459:EDO:H11	2.04	0.40
1:D:2:ARG:NH2	1:D:124:ASP:OD2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	457/474 (96%)	441 (96%)	15 (3%)	1 (0%)	43	51
1	B	451/474 (95%)	429 (95%)	21 (5%)	1 (0%)	43	51
1	C	433/474 (91%)	417 (96%)	16 (4%)	0	100	100
1	D	455/474 (96%)	437 (96%)	15 (3%)	3 (1%)	18	19
All	All	1796/1896 (95%)	1724 (96%)	67 (4%)	5 (0%)	36	42

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	208	ALA
1	B	364	ASN
1	A	364	ASN
1	D	364	ASN
1	D	438	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	387/399 (97%)	341 (88%)	46 (12%)	5	4
1	B	384/399 (96%)	341 (89%)	43 (11%)	6	5
1	C	373/399 (94%)	323 (87%)	50 (13%)	4	3
1	D	385/399 (96%)	343 (89%)	42 (11%)	6	6
All	All	1529/1596 (96%)	1348 (88%)	181 (12%)	5	5

All (181) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	44	GLU
1	A	48	GLU
1	A	50	GLN
1	A	52	LEU
1	A	67	LEU
1	A	92	LEU
1	A	94	LEU
1	A	95	VAL
1	A	108	VAL
1	A	111	LEU
1	A	116	LEU
1	A	117	LEU
1	A	130	ASP
1	A	145	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	166	LEU
1	A	168	THR
1	A	172	LEU
1	A	191	LEU
1	A	194	LEU
1	A	200	LEU
1	A	203	VAL
1	A	212	THR
1	A	231	GLU
1	A	243	LYS
1	A	250	GLU
1	A	251	LEU
1	A	254	VAL
1	A	261	GLU
1	A	269	LEU
1	A	280	LEU
1	A	287[A]	HIS
1	A	287[B]	HIS
1	A	315	ASN
1	A	355	LEU
1	A	359	LEU
1	A	360	ARG
1	A	361	ASP
1	A	371	VAL
1	A	395	THR
1	A	398	LEU
1	A	401	ASN
1	A	405	ARG
1	A	435	VAL
1	A	444	GLU
1	A	456	ARG
1	B	14	ASP
1	B	19	SER
1	B	37	LEU
1	B	44	GLU
1	B	47	ASN
1	B	48	GLU
1	B	52	LEU
1	B	56	LYS
1	B	67	LEU
1	B	72	LEU
1	B	92	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	94	LEU
1	B	95	VAL
1	B	108	VAL
1	B	111	LEU
1	B	112	LEU
1	B	116	LEU
1	B	117	LEU
1	B	145	VAL
1	B	162	ILE
1	B	166	LEU
1	B	168	THR
1	B	172	LEU
1	B	173	LEU
1	B	191	LEU
1	B	194	LEU
1	B	200	LEU
1	B	203	VAL
1	B	206	ARG
1	B	244	LEU
1	B	251	LEU
1	B	261	GLU
1	B	269	LEU
1	B	280	LEU
1	B	355	LEU
1	B	359	LEU
1	B	371	VAL
1	B	384	LEU
1	B	395	THR
1	B	398	LEU
1	B	401	ASN
1	B	405	ARG
1	B	454	VAL
1	C	27	ILE
1	C	28	LEU
1	C	31	LEU
1	C	37	LEU
1	C	45	THR
1	C	52	LEU
1	C	56	LYS
1	C	60	ILE
1	C	67	LEU
1	C	92	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	94	LEU
1	C	95	VAL
1	C	98	GLN
1	C	99	ARG
1	C	108	VAL
1	C	115	LYS
1	C	116	LEU
1	C	117	LEU
1	C	130	ASP
1	C	145	VAL
1	C	166	LEU
1	C	168	THR
1	C	172	LEU
1	C	173	LEU
1	C	186	THR
1	C	191	LEU
1	C	194	LEU
1	C	195	ASP
1	C	200	LEU
1	C	230	LYS
1	C	251	LEU
1	C	253	ASN
1	C	261	GLU
1	C	269	LEU
1	C	272	ARG
1	C	280	LEU
1	C	313	LEU
1	C	342	LYS
1	C	355	LEU
1	C	359	LEU
1	C	371	VAL
1	C	384	LEU
1	C	398	LEU
1	C	401	ASN
1	C	405	ARG
1	C	435	VAL
1	C	438	ASP
1	C	440	ASN
1	C	443	GLN
1	C	456	ARG
1	D	28	LEU
1	D	37	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	48	GLU
1	D	53	LYS
1	D	67	LEU
1	D	69	GLU
1	D	94	LEU
1	D	95	VAL
1	D	99	ARG
1	D	108	VAL
1	D	111	LEU
1	D	116	LEU
1	D	123	ASP
1	D	142	LYS
1	D	145	VAL
1	D	159	THR
1	D	166	LEU
1	D	172	LEU
1	D	173	LEU
1	D	191	LEU
1	D	194	LEU
1	D	202	ARG
1	D	203	VAL
1	D	244	LEU
1	D	246	GLN
1	D	248	LYS
1	D	251	LEU
1	D	253	ASN
1	D	254	VAL
1	D	261	GLU
1	D	269	LEU
1	D	272	ARG
1	D	280	LEU
1	D	313	LEU
1	D	355	LEU
1	D	359	LEU
1	D	361	ASP
1	D	371	VAL
1	D	384	LEU
1	D	398	LEU
1	D	405	ARG
1	D	454	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	GLN
1	A	66	ASN
1	A	78	GLN
1	A	164	ASN
1	A	235	GLN
1	A	315	ASN
1	A	326	GLN
1	A	338	HIS
1	A	401	ASN
1	B	47	ASN
1	B	70	GLN
1	B	77	ASN
1	B	78	GLN
1	B	164	ASN
1	B	175	GLN
1	B	304	GLN
1	B	386	GLN
1	B	401	ASN
1	C	8	ASN
1	C	77	ASN
1	C	146	ASN
1	C	175	GLN
1	C	304	GLN
1	C	386	GLN
1	C	401	ASN
1	D	50	GLN
1	D	78	GLN
1	D	98	GLN
1	D	146	ASN
1	D	164	ASN
1	D	175	GLN
1	D	235	GLN
1	D	255	GLN
1	D	256	ASN
1	D	401	ASN
1	D	441	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	UDP	B	1461	-	25,26,26	1.08	2 (8%)	38,40,40	1.56	6 (15%)
2	EDO	B	1460	-	3,3,3	0.51	0	2,2,2	0.43	0
3	UDP	C	1457	-	25,26,26	1.05	2 (8%)	38,40,40	1.63	6 (15%)
2	EDO	A	1458	-	3,3,3	0.67	0	2,2,2	0.25	0
4	VDO	B	1462	-	28,28,28	1.69	5 (17%)	31,42,42	1.44	6 (19%)
4	VDO	D	1459	-	28,28,28	1.59	5 (17%)	31,42,42	1.14	4 (12%)
2	EDO	B	1459	-	3,3,3	0.37	0	2,2,2	0.38	0
4	VDO	A	1461	-	28,28,28	1.70	5 (17%)	31,42,42	1.29	4 (12%)
2	EDO	A	1459	-	3,3,3	0.34	0	2,2,2	0.51	0
3	UDP	A	1460	-	25,26,26	1.01	2 (8%)	38,40,40	1.48	5 (13%)
4	VDO	C	1458	-	28,28,28	1.56	6 (21%)	31,42,42	1.45	4 (12%)
3	UDP	D	1458	-	25,26,26	1.01	1 (4%)	38,40,40	1.67	6 (15%)
2	EDO	A	1457	-	3,3,3	0.63	0	2,2,2	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDP	B	1461	-	-	3/16/32/32	0/2/2/2
2	EDO	B	1460	-	-	0/1/1/1	-
3	UDP	C	1457	-	-	4/16/32/32	0/2/2/2
2	EDO	A	1458	-	-	1/1/1/1	-
4	VDO	B	1462	-	-	0/12/52/52	0/2/2/2
4	VDO	D	1459	-	-	2/12/52/52	0/2/2/2
2	EDO	B	1459	-	-	1/1/1/1	-
4	VDO	A	1461	-	-	3/12/52/52	0/2/2/2
2	EDO	A	1459	-	-	1/1/1/1	-
3	UDP	A	1460	-	-	3/16/32/32	0/2/2/2
4	VDO	C	1458	-	-	2/12/52/52	0/2/2/2
3	UDP	D	1458	-	-	3/16/32/32	0/2/2/2
2	EDO	A	1457	-	-	0/1/1/1	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1459	VDO	CAL-CAK	5.19	1.40	1.32
4	A	1461	VDO	CAL-CAK	5.05	1.40	1.32
4	B	1462	VDO	CAL-CAK	4.80	1.39	1.32
4	C	1458	VDO	CAL-CAK	4.51	1.39	1.32
4	B	1462	VDO	CAJ-CAM	4.49	1.58	1.53
4	A	1461	VDO	CAJ-CAM	3.79	1.57	1.53
4	C	1458	VDO	CAJ-CAM	3.09	1.57	1.53
4	C	1458	VDO	CAH-CAK	2.89	1.53	1.51
4	A	1461	VDO	CAM-NAN	2.89	1.52	1.47
3	C	1457	UDP	PA-O3A	2.89	1.62	1.59
4	B	1462	VDO	CAM-NAN	2.77	1.52	1.47
4	A	1461	VDO	CAA-NAN	2.70	1.52	1.47
3	B	1461	UDP	PA-O3A	2.69	1.62	1.59
4	C	1458	VDO	CAM-CAL	2.64	1.54	1.50
4	A	1461	VDO	CAH-CAK	2.60	1.53	1.51
4	D	1459	VDO	CAM-CAL	2.51	1.54	1.50
4	B	1462	VDO	CAM-CAL	2.49	1.54	1.50
4	C	1458	VDO	PBA-OAZ	2.41	1.63	1.54
3	D	1458	UDP	C6-C5	2.36	1.40	1.35
4	C	1458	VDO	CAB-CAA	2.35	1.57	1.52
4	D	1459	VDO	CAJ-CAM	2.35	1.56	1.53
3	C	1457	UDP	C6-C5	2.23	1.40	1.35
3	B	1461	UDP	C6-C5	2.20	1.40	1.35
4	B	1462	VDO	CAA-NAN	2.19	1.51	1.47
4	D	1459	VDO	PBA-OAY	2.14	1.62	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1460	UDP	PA-O3A	2.10	1.61	1.59
4	D	1459	VDO	CAB-CAA	2.03	1.56	1.52
3	A	1460	UDP	C6-C5	2.02	1.39	1.35

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1457	UDP	C4-N3-C2	-5.69	119.54	126.61
3	D	1458	UDP	C4-N3-C2	-5.31	120.02	126.61
3	B	1461	UDP	C4-N3-C2	-4.72	120.75	126.61
3	A	1460	UDP	C4-N3-C2	-4.69	120.78	126.61
3	C	1457	UDP	N3-C2-N1	4.38	120.59	114.89
3	D	1458	UDP	N3-C2-N1	4.30	120.49	114.89
3	A	1460	UDP	N3-C2-N1	4.04	120.15	114.89
4	B	1462	VDO	CAF-CAV-CAA	3.95	113.63	108.53
3	B	1461	UDP	N3-C2-N1	3.86	119.91	114.89
4	C	1458	VDO	CAL-CAM-NAN	-3.79	105.09	110.68
3	A	1460	UDP	C5-C4-N3	3.73	120.03	114.80
3	C	1457	UDP	C5-C4-N3	3.72	120.01	114.80
3	D	1458	UDP	C5-C4-N3	3.68	119.96	114.80
4	C	1458	VDO	CAF-CAV-CAA	3.50	113.05	108.53
3	B	1461	UDP	C5-C4-N3	3.49	119.69	114.80
4	A	1461	VDO	CAF-CAV-CAA	3.44	112.97	108.53
4	B	1462	VDO	CAL-CAM-NAN	-3.39	105.69	110.68
3	B	1461	UDP	O3B-PB-O3A	3.25	115.52	104.64
4	C	1458	VDO	CAC-CAB-CAA	3.22	115.73	111.02
4	B	1462	VDO	OAW-PBA-OAX	2.86	114.16	106.44
3	C	1457	UDP	O4-C4-C5	-2.84	120.26	125.16
4	A	1461	VDO	OAS-CAI-CAH	-2.84	104.02	109.64
3	D	1458	UDP	O3B-PB-O3A	2.81	114.07	104.64
4	D	1459	VDO	CAC-CAB-CAA	2.75	115.04	111.02
4	D	1459	VDO	CAJ-CAI-CAH	2.75	114.56	110.22
3	D	1458	UDP	O4-C4-C5	-2.65	120.59	125.16
3	B	1461	UDP	O4-C4-C5	-2.65	120.59	125.16
4	D	1459	VDO	OAS-CAI-CAH	-2.58	104.54	109.64
3	C	1457	UDP	O3B-PB-O3A	2.46	112.89	104.64
4	B	1462	VDO	OAS-CAI-CAH	-2.44	104.82	109.64
4	D	1459	VDO	CAL-CAM-NAN	-2.34	107.23	110.68
3	D	1458	UDP	O2-C2-N1	-2.34	119.75	122.80
3	A	1460	UDP	O4-C4-C5	-2.26	121.27	125.16
3	B	1461	UDP	O2-C2-N1	-2.13	120.03	122.80
4	B	1462	VDO	OAR-CAH-CAK	-2.12	106.70	110.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1457	UDP	O2-C2-N1	-2.10	120.06	122.80
4	B	1462	VDO	CAJ-CAI-CAH	2.08	113.51	110.22
3	A	1460	UDP	O3B-PB-O3A	2.08	111.62	104.64
4	C	1458	VDO	CAJ-CAI-CAH	2.08	113.50	110.22
4	A	1461	VDO	OAQ-CAD-CAK	-2.02	106.39	112.74
4	A	1461	VDO	OAZ-PBA-OAY	-2.00	100.29	107.80

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1457	UDP	PB-O3A-PA-O5'
3	C	1457	UDP	PA-O3A-PB-O2B
3	C	1457	UDP	PA-O3A-PB-O3B
3	D	1458	UDP	PB-O3A-PA-O5'
4	A	1461	VDO	OAQ-CAD-CAK-CAH
4	C	1458	VDO	OAQ-CAD-CAK-CAL
3	D	1458	UDP	C3'-C4'-C5'-O5'
3	D	1458	UDP	O4'-C4'-C5'-O5'
3	B	1461	UDP	O4'-C4'-C5'-O5'
2	B	1459	EDO	O1-C1-C2-O2
3	B	1461	UDP	C3'-C4'-C5'-O5'
3	A	1460	UDP	PB-O3A-PA-O5'
3	B	1461	UDP	PB-O3A-PA-O5'
4	A	1461	VDO	OAQ-CAD-CAK-CAL
4	C	1458	VDO	OAQ-CAD-CAK-CAH
3	A	1460	UDP	O4'-C4'-C5'-O5'
2	A	1458	EDO	O1-C1-C2-O2
3	A	1460	UDP	C3'-C4'-C5'-O5'
4	A	1461	VDO	CAF-CAG-OAW-PBA
4	D	1459	VDO	CAV-CAA-NAN-CAM
3	C	1457	UDP	O4'-C4'-C5'-O5'
4	D	1459	VDO	CAB-CAA-NAN-CAM
2	A	1459	EDO	O1-C1-C2-O2

There are no ring outliers.

8 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1461	UDP	1	0
2	A	1458	EDO	4	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1462	VDO	3	0
4	D	1459	VDO	1	0
2	B	1459	EDO	4	0
4	A	1461	VDO	3	0
2	A	1459	EDO	5	0
4	C	1458	VDO	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand UDP C 1457




Ligand VDO B 1462




Ligand VDO D 1459




Bond lengths



Bond angles




Torsions




Rings


Ligand VDO A 1461




Bond lengths



Bond angles




Torsions





Rings

Ligand UDP A 1460



Ligand VDO C 1458





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	456/474 (96%)	-0.20	14 (3%)	51	48	9, 19, 39, 63	3 (0%)
1	B	454/474 (95%)	0.19	22 (4%)	35	32	10, 26, 53, 65	1 (0%)
1	C	440/474 (92%)	0.99	89 (20%)	3	2	14, 37, 76, 88	1 (0%)
1	D	457/474 (96%)	0.12	16 (3%)	47	44	13, 25, 48, 62	0
All	All	1807/1896 (95%)	0.27	141 (7%)	19	16	9, 26, 62, 88	5 (0%)

All (141) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	245	ALA	7.0
1	C	251	LEU	5.2
1	C	247	LEU	5.0
1	C	41	TRP	4.6
1	C	12	PRO	4.5
1	C	239	PRO	4.3
1	D	207	SER	4.2
1	B	33	ALA	4.0
1	C	52	LEU	4.0
1	C	34	ALA	4.0
1	C	23	LEU	3.7
1	B	34	ALA	3.7
1	B	247	LEU	3.6
1	C	117	LEU	3.5
1	B	207	SER	3.5
1	C	51	PRO	3.4
1	A	246	GLN	3.4
1	C	28	LEU	3.4
1	D	208	ALA	3.4
1	B	249	ALA	3.4
1	C	249	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	206	ARG	3.3
1	C	22	GLY	3.3
1	C	65	PHE	3.3
1	A	249	ALA	3.2
1	C	30	ALA	3.2
1	C	116	LEU	3.2
1	D	245	ALA	3.2
1	C	453	ILE	3.2
1	C	4	VAL	3.2
1	C	350	TYR	3.2
1	C	31	LEU	3.2
1	C	60	ILE	3.2
1	C	64	SER	3.1
1	C	55	VAL	3.1
1	B	14	ASP	3.1
1	D	350	TYR	3.1
1	C	145	VAL	3.1
1	B	251	LEU	3.1
1	C	62	TRP	3.0
1	B	1	SER	3.0
1	C	123	ASP	3.0
1	C	11	ALA	3.0
1	A	245	ALA	3.0
1	C	253	ASN	2.9
1	C	50	GLN	2.9
1	C	2	ARG	2.9
1	A	244	LEU	2.9
1	C	25	VAL	2.9
1	C	112	LEU	2.8
1	D	46	GLY	2.8
1	A	239	PRO	2.8
1	C	58	GLY	2.8
1	C	53	LYS	2.8
1	C	215	GLY	2.7
1	C	39	PHE	2.7
1	B	73	ASP	2.7
1	B	49	ASP	2.7
1	C	47	ASN	2.7
1	C	38	TRP	2.7
1	C	24	ALA	2.6
1	D	243	LYS	2.6
1	B	11	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	27	ILE	2.6
1	C	126	ILE	2.6
1	C	434	ILE	2.6
1	A	1	SER	2.5
1	B	19	SER	2.5
1	C	248	LYS	2.5
1	C	252	LYS	2.5
1	C	454	VAL	2.5
1	C	71	ASP	2.5
1	C	1	SER	2.4
1	C	446	PHE	2.4
1	C	67	LEU	2.4
1	D	240	LEU	2.4
1	B	208	ALA	2.4
1	B	55	VAL	2.4
1	A	243	LYS	2.4
1	C	37	LEU	2.4
1	C	56	LYS	2.3
1	C	5	VAL	2.3
1	C	6	VAL	2.3
1	C	456	ARG	2.3
1	D	253	ASN	2.3
1	B	458	ALA	2.3
1	C	113	ALA	2.3
1	B	56	LYS	2.3
1	C	180	ASP	2.3
1	C	432	ASP	2.3
1	C	127	TRP	2.3
1	C	33	ALA	2.3
1	A	248	LYS	2.3
1	A	242	PRO	2.2
1	A	456	ARG	2.2
1	C	205	THR	2.2
1	C	125	ILE	2.2
1	B	244	LEU	2.2
1	C	72	LEU	2.2
1	C	302	ASP	2.2
1	C	236	ALA	2.2
1	A	350	TYR	2.2
1	C	119	LEU	2.2
1	C	59	ASN	2.2
1	C	148	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	47	ASN	2.2
1	B	12	PRO	2.2
1	C	118	PRO	2.2
1	D	246	GLN	2.2
1	B	245	ALA	2.2
1	D	33	ALA	2.2
1	C	45	THR	2.1
1	C	208	ALA	2.1
1	B	52	LEU	2.1
1	C	450	LEU	2.1
1	C	203	VAL	2.1
1	C	235	GLN	2.1
1	A	247	LEU	2.1
1	C	120	LEU	2.1
1	C	8	ASN	2.1
1	C	179	TYR	2.1
1	D	242	PRO	2.1
1	C	442	TRP	2.1
1	C	144	GLY	2.1
1	C	32	LYS	2.1
1	C	54	LYS	2.1
1	D	51	PRO	2.1
1	D	239	PRO	2.1
1	A	206	ARG	2.1
1	C	219	ARG	2.1
1	C	246	GLN	2.0
1	B	72	LEU	2.0
1	C	114	ASP	2.0
1	B	13	PRO	2.0
1	C	455	PRO	2.0
1	D	34	ALA	2.0
1	A	251	LEU	2.0
1	C	124	ASP	2.0
1	C	440	ASN	2.0
1	D	244	LEU	2.0
1	C	447	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	1458	4/4	0.78	0.30	33,40,40,43	0
2	EDO	A	1457	4/4	0.85	0.15	35,36,37,37	0
2	EDO	A	1459	4/4	0.89	0.23	23,25,25,29	0
2	EDO	B	1460	4/4	0.89	0.21	33,37,38,40	0
4	VDO	C	1458	27/27	0.90	0.10	35,40,42,44	0
2	EDO	B	1459	4/4	0.93	0.15	25,30,30,32	0
4	VDO	A	1461	27/27	0.95	0.08	13,17,20,27	0
4	VDO	B	1462	27/27	0.95	0.08	15,23,31,32	0
3	UDP	C	1457	25/25	0.95	0.07	31,37,38,39	0
4	VDO	D	1459	27/27	0.95	0.07	15,23,28,30	0
3	UDP	B	1461	25/25	0.98	0.05	16,25,28,28	0
3	UDP	D	1458	25/25	0.98	0.04	16,20,24,25	0
3	UDP	A	1460	25/25	0.99	0.04	12,15,17,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VDO C 1458:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VDO A 1461:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VDO B 1462:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP C 1457:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VDO D 1459:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP B 1461:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP D 1458:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UDP A 1460:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.