



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 09:26 PM UTC

PDB ID : 5WT5 / pdb_00005wt5
Title : L-homocysteine-bound NifS from Helicobacter pylori
Authors : Fujishiro, T.; Takahashi, Y.
Deposited on : 2016-12-09
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	401	11% 75% 15% • 9%
1	B	401	12% 72% 16% • 9%
1	C	401	14% 74% 14% • 9%
1	D	401	15% 73% 16% • 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cysteine desulfurase IscS.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	363	Total	C	N	O	P	S	0	1	0
			2826	1782	494	537	1	12			
1	B	363	Total	C	N	O	P	S	0	0	0
			2822	1780	494	535	1	12			
1	C	364	Total	C	N	O	P	S	0	0	0
			2829	1783	495	538	1	12			
1	D	365	Total	C	N	O	P	S	0	0	0
			2834	1786	496	539	1	12			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	VAL	LEU	engineered mutation	UNP O25008
A	138	ARG	LYS	engineered mutation	UNP O25008
A	388	VAL	-	expression tag	UNP O25008
A	389	ASP	-	expression tag	UNP O25008
A	390	LEU	-	expression tag	UNP O25008
A	391	VAL	-	expression tag	UNP O25008
A	392	PRO	-	expression tag	UNP O25008
A	393	ARG	-	expression tag	UNP O25008
A	394	GLY	-	expression tag	UNP O25008
A	395	SER	-	expression tag	UNP O25008
A	396	HIS	-	expression tag	UNP O25008
A	397	HIS	-	expression tag	UNP O25008
A	398	HIS	-	expression tag	UNP O25008
A	399	HIS	-	expression tag	UNP O25008
A	400	HIS	-	expression tag	UNP O25008
A	401	HIS	-	expression tag	UNP O25008
B	2	VAL	LEU	engineered mutation	UNP O25008
B	138	ARG	LYS	engineered mutation	UNP O25008
B	388	VAL	-	expression tag	UNP O25008
B	389	ASP	-	expression tag	UNP O25008
B	390	LEU	-	expression tag	UNP O25008

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	391	VAL	-	expression tag	UNP O25008
B	392	PRO	-	expression tag	UNP O25008
B	393	ARG	-	expression tag	UNP O25008
B	394	GLY	-	expression tag	UNP O25008
B	395	SER	-	expression tag	UNP O25008
B	396	HIS	-	expression tag	UNP O25008
B	397	HIS	-	expression tag	UNP O25008
B	398	HIS	-	expression tag	UNP O25008
B	399	HIS	-	expression tag	UNP O25008
B	400	HIS	-	expression tag	UNP O25008
B	401	HIS	-	expression tag	UNP O25008
C	2	VAL	LEU	engineered mutation	UNP O25008
C	138	ARG	LYS	engineered mutation	UNP O25008
C	388	VAL	-	expression tag	UNP O25008
C	389	ASP	-	expression tag	UNP O25008
C	390	LEU	-	expression tag	UNP O25008
C	391	VAL	-	expression tag	UNP O25008
C	392	PRO	-	expression tag	UNP O25008
C	393	ARG	-	expression tag	UNP O25008
C	394	GLY	-	expression tag	UNP O25008
C	395	SER	-	expression tag	UNP O25008
C	396	HIS	-	expression tag	UNP O25008
C	397	HIS	-	expression tag	UNP O25008
C	398	HIS	-	expression tag	UNP O25008
C	399	HIS	-	expression tag	UNP O25008
C	400	HIS	-	expression tag	UNP O25008
C	401	HIS	-	expression tag	UNP O25008
D	2	VAL	LEU	engineered mutation	UNP O25008
D	138	ARG	LYS	engineered mutation	UNP O25008
D	388	VAL	-	expression tag	UNP O25008
D	389	ASP	-	expression tag	UNP O25008
D	390	LEU	-	expression tag	UNP O25008
D	391	VAL	-	expression tag	UNP O25008
D	392	PRO	-	expression tag	UNP O25008
D	393	ARG	-	expression tag	UNP O25008
D	394	GLY	-	expression tag	UNP O25008
D	395	SER	-	expression tag	UNP O25008
D	396	HIS	-	expression tag	UNP O25008
D	397	HIS	-	expression tag	UNP O25008
D	398	HIS	-	expression tag	UNP O25008
D	399	HIS	-	expression tag	UNP O25008
D	400	HIS	-	expression tag	UNP O25008

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	401	HIS	-	expression tag	UNP O25008

- Molecule 2 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 3 1	0	0

- Molecule 3 is 2-AMINO-4-MERCAPTO-BUTYRIC ACID (CCD ID: HCS) (formula: $C_4H_9NO_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			8	4	1	2	1		
3	B	1	Total	C	N	O	S	0	0
			8	4	1	2	1		
3	C	1	Total	C	N	O	S	0	0
			8	4	1	2	1		
3	D	1	Total	C	N	O	S	0	0
			8	4	1	2	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	215	Total	O	0	0
			215	215		
4	B	175	Total	O	0	0
			175	175		
4	C	180	Total	O	0	0
			180	180		
4	D	199	Total	O	0	0
			199	199		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cysteine desulfurase IscS




• Molecule 1: Cysteine desulfurase IscS




• Molecule 1: Cysteine desulfurase IscS





● Molecule 1: Cysteine desulfurase IscS



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	102.44Å 102.32Å 132.05Å 90.00° 90.10° 90.00°	Depositor
Resolution (Å)	47.78 – 1.90 47.78 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.78-1.90) 99.9 (47.78-1.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	23.88 (at 1.90Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.184 , 0.209 0.185 , 0.210	Depositor DCC
R_{free} test set	10809 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	29.7	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l 0.000 for -k,-h,-l 0.146 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12116	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HCS, LLP, IPA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.95	0/2855	1.03	4/3866 (0.1%)
1	B	0.95	0/2848	1.03	1/3857 (0.0%)
1	C	0.95	1/2855 (0.0%)	1.03	3/3866 (0.1%)
1	D	0.87	0/2860	1.02	7/3873 (0.2%)
All	All	0.93	1/11418 (0.0%)	1.02	15/15462 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	354	ARG	CZ-NH1	6.44	1.41	1.32

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	144	LYS	N-CA-C	-13.42	94.30	114.16
1	B	231	GLY	N-CA-C	7.45	122.67	114.40
1	D	143	GLU	CA-C-N	6.97	132.06	120.70
1	D	143	GLU	C-N-CA	6.97	132.06	120.70
1	C	144	LYS	N-CA-C	-6.94	104.43	113.17
1	D	363	GLU	CA-CB-CG	-6.66	100.78	114.10
1	C	354	ARG	CG-CD-NE	-5.51	99.88	112.00
1	D	144	LYS	CA-C-O	5.50	124.57	118.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	282	ILE	N-CA-C	-5.24	104.15	109.02
1	D	282	ILE	CB-CA-C	-5.20	105.91	111.00
1	A	303	VAL	CA-CB-CG1	5.15	119.15	110.40
1	A	120	GLU	CA-C-N	-5.15	116.40	123.14
1	A	120	GLU	C-N-CA	-5.15	116.40	123.14
1	D	294	ARG	N-CA-C	-5.09	101.63	109.52
1	A	110	THR	OG1-CB-CG2	5.02	119.34	109.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	143	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2826	0	2830	63	0
1	B	2822	0	2825	55	0
1	C	2829	0	2830	59	0
1	D	2834	0	2835	40	0
2	A	4	0	8	0	0
3	A	8	0	8	2	0
3	B	8	0	8	0	0
3	C	8	0	9	3	0
3	D	8	0	8	0	0
4	A	215	0	0	7	0
4	B	175	0	0	6	0
4	C	180	0	0	10	0
4	D	199	0	0	7	0
All	All	12116	0	11361	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:ARG:HH11	1:B:39:GLN:HE22	0.96	0.92
1:B:148:VAL:HG11	1:B:170:CYS:SG	2.16	0.86
1:C:307:GLU:HG2	1:C:310:ALA:H	1.41	0.86
1:C:306:ILE:HD11	1:C:381:ARG:HG2	1.58	0.85
1:A:4:ARG:HH11	1:B:39:GLN:NE2	1.74	0.85
1:A:129:HIS:HD2	1:A:290:ASP:HB2	1.44	0.82
1:A:4:ARG:NH1	1:B:39:GLN:HE22	1.76	0.82
1:C:307:GLU:OE1	4:C:601:HOH:O	2.00	0.78
1:A:231:GLY:N	1:A:239:SER:OG	2.16	0.78
1:D:284:ASP:OD2	1:D:304:ARG:HB3	1.84	0.78
1:A:95:ASN:HB3	1:A:144:LYS:NZ	1.98	0.77
1:C:231:GLY:N	1:C:239:SER:OG	2.19	0.75
1:C:285:VAL:HG22	1:C:303:VAL:HG12	1.68	0.75
1:D:183:GLN:O	1:D:187:LYS:HD2	1.87	0.74
1:A:104:HIS:HE2	3:A:502:HCS:HG2	1.53	0.73
1:D:284:ASP:OD1	1:D:304:ARG:HD2	1.90	0.72
1:A:280:LEU:O	4:A:601:HOH:O	2.08	0.71
1:A:95:ASN:HB3	1:A:144:LYS:HZ1	1.55	0.70
1:A:303:VAL:CG1	1:A:306:ILE:HB	2.20	0.70
1:A:133:THR:HG22	1:A:136:GLN:HG3	1.74	0.70
1:B:381:ARG:HH21	1:B:381:ARG:HG2	1.57	0.70
1:A:164:GLU:HG2	4:A:782:HOH:O	1.91	0.69
1:A:284:ASP:HB2	1:A:304:ARG:CB	2.22	0.69
1:C:287:VAL:HG21	1:C:291:ARG:HD2	1.74	0.68
1:B:284:ASP:HB2	1:B:304:ARG:HB2	1.75	0.68
1:A:284:ASP:HB2	1:A:304:ARG:HB2	1.76	0.68
1:C:307:GLU:OE2	1:C:310:ALA:HB2	1.95	0.66
1:B:258:VAL:HG21	4:B:745:HOH:O	1.95	0.66
1:C:307:GLU:CD	1:C:310:ALA:HB2	2.20	0.66
1:D:304:ARG:HG3	1:D:306:ILE:HD12	1.78	0.66
1:D:378:VAL:O	1:D:381:ARG:HG3	1.96	0.65
1:B:285:VAL:HG22	1:B:303:VAL:HG12	1.79	0.65
1:A:275:LEU:HA	1:A:370:ILE:HD11	1.79	0.64
1:C:109:SER:HB3	1:D:230:GLY:HA2	1.80	0.63
1:A:385:SER:OG	4:A:602:HOH:O	2.16	0.63
1:A:129:HIS:HD2	1:A:290:ASP:CB	2.10	0.63
1:A:134:ALA:O	1:A:137:VAL:HG22	1.99	0.62
1:C:314:ASP:CG	1:C:379:ARG:HH21	2.07	0.62
1:C:4:ARG:HB3	1:C:319:ASN:HB3	1.82	0.62
1:D:16:ASP:HB3	1:D:19:VAL:HG23	1.83	0.61
1:D:103:GLU:HB2	1:D:108:ARG:HG3	1.81	0.61
1:B:231:GLY:N	1:B:239:SER:OG	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:VAL:HG12	1:A:200:LEU:HD13	1.83	0.60
1:B:93:GLY:O	1:B:144:LYS:HE3	2.01	0.60
1:C:134:ALA:O	1:C:137:VAL:HG22	2.00	0.60
1:B:134:ALA:O	1:B:137:VAL:HG22	2.02	0.60
1:B:162:PRO:O	1:B:164:GLU:N	2.35	0.59
1:B:284:ASP:CB	1:B:304:ARG:HB2	2.33	0.59
1:A:159:LEU:HD21	1:A:290:ASP:HB3	1.85	0.59
1:A:275:LEU:HD12	1:A:370:ILE:HD13	1.85	0.59
1:A:274:LYS:HE3	1:A:363:GLU:OE1	2.04	0.58
1:B:277:GLU:HG2	4:B:755:HOH:O	2.02	0.58
1:C:287:VAL:HG22	4:C:638:HOH:O	2.04	0.58
1:C:274:LYS:HE3	1:C:363:GLU:OE1	2.04	0.57
1:B:148:VAL:CG1	1:B:170:CYS:SG	2.92	0.57
1:B:183:GLN:O	1:B:187:LYS:HD2	2.05	0.57
1:B:378:VAL:HA	1:B:381:ARG:HG2	1.86	0.57
1:D:127:ASN:OD1	1:D:129:HIS:HB2	2.05	0.57
1:C:307:GLU:HG3	1:C:309:GLU:OE2	2.05	0.56
1:B:381:ARG:HG3	1:B:382:ASN:N	2.19	0.56
1:D:39:GLN:O	1:D:43:GLU:HB2	2.05	0.56
1:D:317:ARG:NH1	4:D:606:HOH:O	2.32	0.56
1:A:284:ASP:HB2	1:A:304:ARG:HB3	1.89	0.55
1:C:284:ASP:OD2	1:C:284:ASP:N	2.40	0.55
1:B:314:ASP:OD2	1:B:379:ARG:NH2	2.38	0.55
1:B:19:VAL:O	1:B:22:ILE:HG22	2.07	0.55
1:A:4:ARG:HB3	1:A:319:ASN:HB3	1.88	0.54
1:A:129:HIS:CD2	1:A:290:ASP:HB2	2.34	0.54
1:C:284:ASP:HB2	1:C:304:ARG:HB2	1.90	0.54
1:B:275:LEU:HD12	1:B:366:ILE:HD12	1.88	0.54
1:C:307:GLU:CG	1:C:310:ALA:H	2.17	0.54
1:D:313:TRP:CH2	1:D:317:ARG:HD2	2.43	0.53
1:A:96:HIS:HD2	1:A:120:GLU:HG2	1.74	0.53
1:B:96:HIS:NE2	1:B:122:THR:HG23	2.24	0.53
1:C:354:ARG:NH1	3:C:501:HCS:O	2.36	0.53
1:B:293:HIS:N	4:B:601:HOH:O	2.17	0.53
1:A:275:LEU:O	1:A:279:LEU:HG	2.09	0.52
1:B:307:GLU:HG3	1:B:309:GLU:OE1	2.09	0.52
1:C:17:PRO:HD2	4:C:608:HOH:O	2.09	0.52
1:C:142:THR:C	1:C:144:LYS:H	2.16	0.52
1:A:103:GLU:HB2	1:A:108:ARG:HG3	1.90	0.52
1:B:87:ASP:HA	1:B:91:LYS:HD3	1.92	0.52
1:A:275:LEU:HD12	1:A:370:ILE:CD1	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:GLU:H	1:B:307:GLU:CD	2.19	0.51
1:D:4:ARG:HB3	1:D:319:ASN:HB3	1.92	0.51
1:A:284:ASP:N	1:A:284:ASP:OD1	2.44	0.51
1:B:378:VAL:O	1:B:381:ARG:HG3	2.10	0.51
1:C:183:GLN:O	1:C:187:LYS:HD2	2.10	0.51
1:D:19:VAL:O	1:D:22:ILE:HG22	2.12	0.50
1:D:304:ARG:HG3	1:D:306:ILE:CD1	2.40	0.50
1:A:204:ALA:HB2	1:A:250:MET:SD	2.52	0.50
1:B:314:ASP:CG	1:B:379:ARG:HH22	2.19	0.50
1:D:50:GLU:HG3	4:D:720:HOH:O	2.12	0.50
1:D:60:ASN:HB2	4:D:629:HOH:O	2.11	0.50
1:D:162:PRO:O	1:D:164:GLU:N	2.45	0.50
1:C:192:VAL:HG12	1:C:200:LEU:HD13	1.94	0.49
1:D:23:MET:HG2	1:D:245:PRO:O	2.13	0.49
1:D:290:ASP:OD1	1:D:292:ILE:N	2.34	0.49
1:B:23:MET:HG2	1:B:245:PRO:O	2.11	0.49
1:D:380:LEU:HA	1:D:383:ILE:HG22	1.93	0.49
1:B:50:GLU:HG3	4:B:740:HOH:O	2.12	0.49
1:B:284:ASP:CG	1:B:304:ARG:HB2	2.38	0.49
1:B:312:LEU:HD11	1:B:324:THR:HG23	1.94	0.49
1:B:103:GLU:HB2	1:B:108:ARG:HG3	1.95	0.48
1:C:276:GLU:CD	1:C:294:ARG:HH12	2.18	0.48
1:A:285:VAL:HG22	1:A:303:VAL:HG22	1.94	0.48
1:A:133:THR:HG23	1:A:136:GLN:H	1.78	0.48
1:A:4:ARG:NH1	1:B:39:GLN:NE2	2.47	0.48
1:A:39:GLN:OE1	1:B:4:ARG:NH1	2.47	0.48
1:C:203:SER:OG	1:C:206:LLP:OP3	2.27	0.48
1:B:258:VAL:HA	1:B:261:LEU:HG	1.96	0.48
1:C:133:THR:HG21	4:C:718:HOH:O	2.13	0.48
1:B:133:THR:HG22	1:B:136:GLN:HG3	1.96	0.48
1:A:159:LEU:CD2	1:A:290:ASP:HB3	2.43	0.47
1:B:381:ARG:HG3	1:B:382:ASN:H	1.78	0.47
1:C:243:ASN:O	1:C:247:ILE:HG13	2.14	0.47
1:A:303:VAL:HG11	1:A:306:ILE:HB	1.95	0.47
1:C:287:VAL:HG21	1:C:291:ARG:CD	2.44	0.47
1:D:159:LEU:HD23	1:D:294:ARG:HB3	1.95	0.47
1:A:366:ILE:O	1:A:370:ILE:HG12	2.16	0.46
1:C:287:VAL:HG21	1:C:291:ARG:CG	2.46	0.46
1:A:38:HIS:CE1	1:A:40:PHE:HB2	2.51	0.46
1:B:133:THR:HG23	1:B:136:GLN:H	1.80	0.46
1:B:255:LYS:HE2	1:B:259:GLU:OE2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:377:ALA:O	1:C:381:ARG:HG3	2.16	0.46
1:C:91:LYS:HA	1:C:91:LYS:HD3	1.55	0.46
3:C:501:HCS:OXT	3:C:501:HCS:HG2	2.14	0.45
1:B:280:LEU:HD23	1:B:280:LEU:HA	1.85	0.45
1:C:191:ASP:OD1	1:C:194:LYS:HG3	2.16	0.45
1:C:290:ASP:OD1	1:C:291:ARG:N	2.50	0.45
1:A:303:VAL:HG12	1:A:306:ILE:O	2.17	0.45
1:C:354:ARG:HH22	3:C:501:HCS:C	2.30	0.45
1:C:126:ILE:HG22	4:C:647:HOH:O	2.16	0.45
1:C:380:LEU:O	1:C:384:SER:HB2	2.17	0.45
1:A:285:VAL:HG22	1:A:303:VAL:CG2	2.46	0.44
1:C:94:LYS:O	1:C:146:ALA:HB2	2.17	0.44
1:A:327:ALA:HB3	1:A:350:HIS:O	2.17	0.44
1:D:266:GLU:O	1:D:270:LYS:HG2	2.17	0.44
1:A:19:VAL:O	1:A:23:MET:HG3	2.18	0.44
1:B:164:GLU:HB2	4:B:602:HOH:O	2.17	0.44
1:C:142:THR:O	1:C:144:LYS:N	2.51	0.44
1:D:113:PHE:O	1:D:116:SER:OG	2.25	0.44
1:C:276:GLU:OE1	1:C:294:ARG:NH1	2.35	0.44
1:A:149:SER:HA	1:A:178:HIS:O	2.17	0.44
1:C:307:GLU:HG3	1:C:309:GLU:CD	2.41	0.44
1:A:286:MET:HE2	1:A:286:MET:HB3	1.91	0.44
1:D:378:VAL:HA	1:D:381:ARG:HG2	1.98	0.44
1:D:92:LYS:HD3	4:D:734:HOH:O	2.17	0.43
1:D:282:ILE:HG13	1:D:285:VAL:HG21	2.00	0.43
1:A:280:LEU:HD23	1:A:280:LEU:HA	1.82	0.43
1:A:376:ALA:HB2	4:A:700:HOH:O	2.18	0.43
1:C:2:VAL:N	4:C:627:HOH:O	2.51	0.43
1:A:133:THR:HG22	1:A:136:GLN:CG	2.45	0.43
1:B:380:LEU:HA	1:B:383:ILE:HG22	2.01	0.43
1:D:304:ARG:CG	1:D:306:ILE:HD12	2.47	0.43
1:A:133:THR:HG21	4:A:800:HOH:O	2.18	0.42
1:C:307:GLU:HG3	1:C:309:GLU:CG	2.49	0.42
1:A:303:VAL:HG13	1:A:306:ILE:HB	2.00	0.42
1:A:293:HIS:CE1	4:A:744:HOH:O	2.72	0.42
1:B:192:VAL:HG12	1:B:200:LEU:HD13	2.01	0.42
1:B:320:ILE:HD13	1:B:320:ILE:HG21	1.87	0.42
1:D:152:TRP:HA	1:D:163:ILE:HD11	2.02	0.42
1:D:187:LYS:NZ	4:D:623:HOH:O	2.52	0.42
1:A:295:VAL:HG21	4:A:715:HOH:O	2.19	0.42
1:B:270:LYS:HG2	4:B:605:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:16:ASP:HB3	1:C:19:VAL:HG23	2.00	0.42
1:A:206:LLP:H4'1	3:A:502:HCS:HG3	2.02	0.42
1:A:280:LEU:HD21	1:A:286:MET:HA	2.01	0.42
1:C:142:THR:N	1:C:145:THR:OG1	2.45	0.42
1:D:231:GLY:N	4:D:624:HOH:O	2.53	0.42
1:A:109[B]:SER:HB3	1:B:230:GLY:HA2	2.00	0.42
1:A:311:MET:HE3	1:A:311:MET:HB3	1.84	0.42
1:B:38:HIS:CE1	1:B:40:PHE:HB2	2.55	0.42
1:C:91:LYS:NZ	4:C:611:HOH:O	2.43	0.42
1:C:284:ASP:CB	1:C:304:ARG:HB2	2.50	0.42
1:D:244:VAL:HB	1:D:245:PRO:HD3	2.00	0.42
1:C:142:THR:C	1:C:144:LYS:N	2.76	0.41
1:C:314:ASP:O	4:C:602:HOH:O	2.22	0.41
1:C:45:HIS:HB2	1:C:46:PRO:HD3	2.02	0.41
1:C:280:LEU:HD23	1:C:280:LEU:HA	1.89	0.41
1:C:304:ARG:HG3	1:C:305:GLY:N	2.35	0.41
1:A:96:HIS:CD2	1:A:120:GLU:HG2	2.53	0.41
1:A:278:ALA:HB3	1:A:370:ILE:HD12	2.01	0.41
1:B:381:ARG:HG2	1:B:381:ARG:NH2	2.30	0.41
1:C:258:VAL:HA	1:C:261:LEU:HG	2.03	0.41
1:D:192:VAL:HG12	1:D:200:LEU:HD13	2.03	0.41
1:D:219:ARG:NH1	4:D:622:HOH:O	2.51	0.41
1:B:368:LYS:HD3	1:B:368:LYS:HA	1.76	0.41
1:D:204:ALA:HB2	1:D:250:MET:SD	2.61	0.41
1:A:292:ILE:HG22	1:A:293:HIS:N	2.36	0.41
1:C:156:GLU:HG2	4:C:696:HOH:O	2.21	0.41
1:A:109[A]:SER:HB2	1:B:230:GLY:HA2	2.02	0.41
1:C:294:ARG:HG2	4:C:605:HOH:O	2.20	0.41
1:D:96:HIS:HA	1:D:120:GLU:O	2.21	0.41
1:D:276:GLU:CD	1:D:294:ARG:HH12	2.28	0.41
1:B:357:LEU:HD12	1:B:357:LEU:N	2.36	0.41
1:D:133:THR:OG1	1:D:136:GLN:HG3	2.21	0.41
1:A:95:ASN:HB3	1:A:144:LYS:HZ3	1.82	0.41
1:C:133:THR:HG23	1:C:136:GLN:H	1.86	0.41
1:C:322:ALA:HB1	1:C:354:ARG:O	2.21	0.41
1:A:152:TRP:HA	1:A:163:ILE:HD11	2.03	0.40
1:B:149:SER:HA	1:B:178:HIS:O	2.21	0.40
1:C:163:ILE:O	1:C:164:GLU:C	2.64	0.40
1:B:148:VAL:HG13	1:B:177:PHE:HD1	1.86	0.40
1:C:228:PHE:CZ	1:D:75:GLU:HB2	2.56	0.40
1:B:381:ARG:NH2	1:B:381:ARG:CG	2.85	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:275:LEU:O	1:D:279:LEU:HG	2.20	0.40
1:C:133:THR:HG22	1:C:136:GLN:OE1	2.22	0.40
1:A:283:PRO:HB2	1:A:284:ASP:H	1.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/401 (90%)	347 (97%)	11 (3%)	1 (0%)	36	29
1	B	358/401 (89%)	346 (97%)	7 (2%)	5 (1%)	9	3
1	C	359/401 (90%)	346 (96%)	10 (3%)	3 (1%)	16	8
1	D	360/401 (90%)	347 (96%)	8 (2%)	5 (1%)	9	3
All	All	1436/1604 (90%)	1386 (96%)	36 (2%)	14 (1%)	12	5

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	283	PRO
1	B	304	ARG
1	C	304	ARG
1	D	163	ILE
1	D	304	ARG
1	B	163	ILE
1	C	283	PRO
1	D	283	PRO
1	B	284	ASP
1	C	284	ASP
1	B	72	CYS
1	D	72	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	232	GLU
1	B	305	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/336 (91%)	298 (97%)	8 (3%)	40	35
1	B	304/336 (90%)	292 (96%)	12 (4%)	28	21
1	C	306/336 (91%)	299 (98%)	7 (2%)	44	40
1	D	306/336 (91%)	290 (95%)	16 (5%)	21	13
All	All	1222/1344 (91%)	1179 (96%)	43 (4%)	32	24

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	VAL
1	A	129	HIS
1	A	143	GLU
1	A	187	LYS
1	A	203	SER
1	A	232	GLU
1	A	303	VAL
1	A	381	ARG
1	B	4	ARG
1	B	131	SER
1	B	143	GLU
1	B	144	LYS
1	B	203	SER
1	B	270	LYS
1	B	293	HIS
1	B	306	ILE
1	B	311	MET
1	B	326	SER
1	B	381	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	382	ASN
1	C	2	VAL
1	C	91	LYS
1	C	173	LYS
1	C	203	SER
1	C	309	GLU
1	C	381	ARG
1	C	386	SER
1	D	2	VAL
1	D	43	GLU
1	D	138	ARG
1	D	143	GLU
1	D	144	LYS
1	D	171	LYS
1	D	173	LYS
1	D	203	SER
1	D	277	GLU
1	D	282	ILE
1	D	303	VAL
1	D	304	ARG
1	D	307	GLU
1	D	311	MET
1	D	381	ARG
1	D	386	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	HIS
1	A	196	ASN
1	B	39	GLN
1	B	319	ASN
1	D	95	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	D	206	1	23,24,25	2.92	9 (39%)	25,32,34	1.88	8 (32%)
1	LLP	B	206	1	23,24,25	2.56	6 (26%)	25,32,34	2.25	10 (40%)
1	LLP	A	206	1	23,24,25	2.51	7 (30%)	25,32,34	1.66	7 (28%)
1	LLP	C	206	1	23,24,25	2.70	6 (26%)	25,32,34	2.38	13 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	D	206	1	-	4/16/17/19	0/1/1/1
1	LLP	B	206	1	-	3/16/17/19	0/1/1/1
1	LLP	A	206	1	-	3/16/17/19	0/1/1/1
1	LLP	C	206	1	-	3/16/17/19	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	206	LLP	C4'-NZ	8.81	1.56	1.27
1	C	206	LLP	C4'-NZ	7.97	1.53	1.27
1	D	206	LLP	C4'-NZ	7.85	1.53	1.27
1	C	206	LLP	C4-C4'	7.22	1.62	1.46
1	D	206	LLP	C4-C4'	6.83	1.61	1.46
1	A	206	LLP	C4'-NZ	5.51	1.45	1.27
1	A	206	LLP	C4-C4'	5.38	1.58	1.46
1	A	206	LLP	CB-CA	-4.71	1.46	1.53
1	D	206	LLP	C3-C2	4.70	1.45	1.41
1	B	206	LLP	C4-C4'	4.29	1.55	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	206	LLP	C3-C2	4.21	1.45	1.41
1	D	206	LLP	C2'-C2	4.09	1.56	1.50
1	C	206	LLP	P-OP4	4.06	1.73	1.60
1	B	206	LLP	P-OP3	-3.68	1.41	1.54
1	D	206	LLP	CB-CA	-3.14	1.48	1.53
1	B	206	LLP	P-OP1	2.94	1.59	1.50
1	A	206	LLP	C5'-C5	2.91	1.58	1.50
1	A	206	LLP	C2'-C2	2.83	1.54	1.50
1	B	206	LLP	C2'-C2	2.80	1.54	1.50
1	D	206	LLP	P-OP2	-2.73	1.44	1.54
1	D	206	LLP	P-OP1	2.66	1.58	1.50
1	C	206	LLP	C4-C3	-2.48	1.37	1.41
1	D	206	LLP	C5'-C5	2.43	1.57	1.50
1	C	206	LLP	P-OP2	-2.40	1.45	1.54
1	C	206	LLP	C4-C5	-2.38	1.38	1.42
1	D	206	LLP	P-OP3	-2.30	1.46	1.54
1	A	206	LLP	C6-N1	2.08	1.38	1.34
1	B	206	LLP	CB-CA	-2.08	1.50	1.53

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	206	LLP	OP3-P-OP4	-4.85	94.02	106.67
1	D	206	LLP	C3-C4-C5	-4.50	114.66	118.28
1	B	206	LLP	C4-C3-C2	-4.24	117.75	120.14
1	B	206	LLP	C5-C4-C4'	-4.16	115.05	121.47
1	C	206	LLP	CD-CE-NZ	3.94	121.25	110.83
1	C	206	LLP	C4-C4'-NZ	-3.77	106.64	124.04
1	C	206	LLP	C5-C4-C4'	3.71	127.20	121.47
1	B	206	LLP	OP4-C5'-C5	3.49	115.90	109.36
1	B	206	LLP	OP4-P-OP1	-3.44	97.13	106.44
1	D	206	LLP	OP4-C5'-C5	3.38	115.70	109.36
1	C	206	LLP	OP3-P-OP2	3.37	120.43	107.80
1	D	206	LLP	C5'-C5-C6	-3.30	113.98	119.36
1	A	206	LLP	C5'-C5-C6	-3.27	114.03	119.36
1	C	206	LLP	C2'-C2-C3	-3.15	117.11	120.80
1	D	206	LLP	C5-C4-C4'	3.08	126.22	121.47
1	B	206	LLP	C3-C4-C4'	3.04	125.90	120.40
1	B	206	LLP	OP3-P-OP4	2.93	114.31	106.67
1	A	206	LLP	C4-C3-C2	-2.91	118.50	120.14
1	B	206	LLP	CE-NZ-C4'	-2.84	109.62	118.72
1	A	206	LLP	C4-C4'-NZ	-2.72	111.48	124.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	206	LLP	C5-C6-N1	-2.69	119.46	123.83
1	C	206	LLP	C6-C5-C4	2.69	122.84	118.21
1	C	206	LLP	C5'-C5-C6	-2.68	114.99	119.36
1	C	206	LLP	OP2-P-OP4	2.66	113.61	106.67
1	D	206	LLP	C6-C5-C4	2.61	122.69	118.21
1	C	206	LLP	C3-C4-C4'	-2.50	115.88	120.40
1	A	206	LLP	OP3-P-OP2	2.36	116.65	107.80
1	B	206	LLP	C4-C4'-NZ	-2.36	113.17	124.04
1	C	206	LLP	C5-C6-N1	-2.27	120.14	123.83
1	D	206	LLP	OP3-P-OP4	-2.27	100.76	106.67
1	A	206	LLP	C5-C6-N1	-2.26	120.15	123.83
1	A	206	LLP	OP4-P-OP1	2.25	112.53	106.44
1	A	206	LLP	OP2-P-OP4	-2.12	101.14	106.67
1	B	206	LLP	O3-C3-C4	2.07	125.03	119.44
1	C	206	LLP	C3-C4-C5	-2.07	116.61	118.28
1	D	206	LLP	C4-C3-C2	2.07	121.31	120.14
1	D	206	LLP	OP3-P-OP2	2.03	115.41	107.80
1	C	206	LLP	C3-C2-N1	2.02	123.50	120.96

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	206	LLP	C-CA-CB-CG
1	D	206	LLP	C-CA-CB-CG
1	A	206	LLP	C4-C4'-NZ-CE
1	B	206	LLP	C4-C4'-NZ-CE
1	C	206	LLP	C4-C4'-NZ-CE
1	D	206	LLP	C4-C4'-NZ-CE
1	C	206	LLP	C-CA-CB-CG
1	B	206	LLP	C5'-OP4-P-OP1
1	D	206	LLP	C5'-OP4-P-OP1
1	C	206	LLP	C3-C4-C4'-NZ
1	A	206	LLP	C3-C4-C4'-NZ
1	D	206	LLP	C3-C4-C4'-NZ
1	B	206	LLP	C-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	206	LLP	1	0
1	C	206	LLP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HCS	D	501	-	6,7,7	2.27	2 (33%)	5,8,8	2.05	2 (40%)
2	IPA	A	501	-	3,3,3	0.52	0	3,3,3	0.54	0
3	HCS	C	501	-	6,7,7	1.17	1 (16%)	5,8,8	4.22	3 (60%)
3	HCS	B	501	-	6,7,7	2.29	2 (33%)	5,8,8	2.68	2 (40%)
3	HCS	A	502	-	6,7,7	1.23	1 (16%)	5,8,8	4.95	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HCS	B	501	-	-	2/7/7/7	-
3	HCS	D	501	-	-	3/7/7/7	-
3	HCS	C	501	-	-	1/7/7/7	-
3	HCS	A	502	-	-	3/7/7/7	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	501	HCS	O-C	4.84	1.36	1.22
3	B	501	HCS	O-C	4.59	1.35	1.22
3	B	501	HCS	OXT-C	-2.72	1.22	1.30
3	C	501	HCS	OXT-C	2.33	1.38	1.30
3	D	501	HCS	OXT-C	-2.32	1.23	1.30
3	A	502	HCS	CB-CG	-2.08	1.50	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	HCS	CB-CG-SD	-10.16	103.16	113.74
3	C	501	HCS	CB-CG-SD	-7.75	105.67	113.74
3	C	501	HCS	OXT-C-O	-4.59	113.66	124.08
3	B	501	HCS	OXT-C-O	-4.21	114.52	124.08
3	B	501	HCS	CB-CG-SD	-3.92	109.65	113.74
3	D	501	HCS	CB-CA-N	3.05	118.08	110.12
3	D	501	HCS	CB-CG-SD	-2.79	110.83	113.74
3	A	502	HCS	OXT-C-O	-2.56	118.27	124.08
3	A	502	HCS	CB-CA-N	2.34	116.21	110.12
3	C	501	HCS	CB-CA-N	2.19	115.82	110.12

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	501	HCS	O-C-CA-N
3	D	501	HCS	CA-CB-CG-SD
3	D	501	HCS	OXT-C-CA-N
3	A	502	HCS	OXT-C-CA-N
3	B	501	HCS	CA-CB-CG-SD
3	C	501	HCS	CA-CB-CG-SD
3	B	501	HCS	C-CA-CB-CG
3	A	502	HCS	CA-CB-CG-SD
3	A	502	HCS	O-C-CA-N

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	501	HCS	3	0
3	A	502	HCS	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	362/401 (90%)	0.83	44 (12%) 8 9	19, 36, 66, 97	1 (0%)
1	B	362/401 (90%)	0.86	50 (13%) 6 6	21, 35, 64, 79	0
1	C	363/401 (90%)	0.90	58 (15%) 5 5	19, 37, 64, 108	0
1	D	364/401 (90%)	1.02	59 (16%) 4 4	21, 39, 64, 81	0
All	All	1451/1604 (90%)	0.90	211 (14%) 6 6	19, 37, 65, 108	1 (0%)

All (211) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	386	SER	6.7
1	D	349	ALA	6.0
1	A	2	VAL	5.6
1	C	386	SER	5.6
1	C	307	GLU	5.6
1	B	349	ALA	5.5
1	B	350	HIS	5.5
1	C	305	GLY	5.4
1	B	383	ILE	5.2
1	C	313	TRP	5.0
1	A	385	SER	4.8
1	A	350	HIS	4.8
1	A	328	CYS	4.7
1	B	2	VAL	4.6
1	D	126	ILE	4.5
1	C	2	VAL	4.5
1	D	382	ASN	4.4
1	C	328	CYS	4.4
1	C	384	SER	4.4
1	A	325	GLY	4.4
1	A	381	ARG	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	327	ALA	4.4
1	C	306	ILE	4.3
1	D	325	GLY	4.3
1	C	304	ARG	4.3
1	C	282	ILE	4.2
1	B	231	GLY	4.2
1	C	381	ARG	4.2
1	A	383	ILE	4.2
1	A	306	ILE	4.1
1	D	383	ILE	4.1
1	A	382	ASN	4.1
1	A	327	ALA	4.1
1	B	293	HIS	4.1
1	A	292	ILE	4.1
1	C	378	VAL	4.1
1	D	384	SER	4.0
1	D	282	ILE	4.0
1	C	312	LEU	4.0
1	B	282	ILE	4.0
1	C	383	ILE	4.0
1	D	313	TRP	4.0
1	A	305	GLY	3.9
1	B	306	ILE	3.9
1	D	231	GLY	3.9
1	D	284	ASP	3.9
1	D	381	ARG	3.8
1	A	303	VAL	3.8
1	D	130	GLY	3.8
1	A	302	SER	3.7
1	A	380	LEU	3.7
1	D	306	ILE	3.7
1	B	304	ARG	3.6
1	C	309	GLU	3.6
1	B	382	ASN	3.6
1	D	292	ILE	3.6
1	C	380	LEU	3.6
1	A	384	SER	3.5
1	C	232	GLU	3.5
1	B	325	GLY	3.5
1	C	326	SER	3.5
1	C	382	ASN	3.5
1	D	169	ILE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	86	PHE	3.4
1	D	86	PHE	3.4
1	B	292	ILE	3.3
1	B	313	TRP	3.3
1	B	64	ILE	3.3
1	B	352	ALA	3.3
1	C	288	VAL	3.3
1	B	128	GLU	3.3
1	C	303	VAL	3.2
1	D	258	VAL	3.2
1	D	133	THR	3.2
1	B	305	GLY	3.2
1	B	312	LEU	3.2
1	D	326	SER	3.2
1	D	328	CYS	3.2
1	B	144	LYS	3.1
1	A	308	GLY	3.1
1	B	380	LEU	3.1
1	A	378	VAL	3.1
1	A	286	MET	3.1
1	B	381	ARG	3.0
1	D	168	ALA	3.0
1	A	326	SER	3.0
1	B	267	VAL	3.0
1	B	328	CYS	2.9
1	D	327	ALA	2.9
1	A	270	LYS	2.9
1	D	385	SER	2.9
1	A	373	PHE	2.9
1	A	282	ILE	2.9
1	D	283	PRO	2.8
1	D	310	ALA	2.8
1	D	312	LEU	2.8
1	A	351	THR	2.8
1	D	134	ALA	2.8
1	B	143	GLU	2.8
1	A	283	PRO	2.8
1	A	126	ILE	2.7
1	C	286	MET	2.7
1	B	285	VAL	2.7
1	D	293	HIS	2.7
1	A	317	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	131	SER	2.7
1	A	310	ALA	2.7
1	A	312	LEU	2.7
1	A	143	GLU	2.7
1	B	370	ILE	2.6
1	C	163	ILE	2.6
1	C	132	ILE	2.6
1	A	284	ASP	2.6
1	B	284	ASP	2.6
1	C	325	GLY	2.6
1	B	378	VAL	2.6
1	C	140	ALA	2.6
1	B	384	SER	2.6
1	C	385	SER	2.6
1	D	302	SER	2.6
1	D	350	HIS	2.6
1	A	313	TRP	2.6
1	D	132	ILE	2.6
1	C	287	VAL	2.6
1	D	287	VAL	2.6
1	B	290	ASP	2.5
1	D	230	GLY	2.5
1	D	192	VAL	2.5
1	B	138	ARG	2.5
1	C	292	ILE	2.5
1	D	61	ALA	2.5
1	D	266	GLU	2.5
1	D	286	MET	2.5
1	A	159	LEU	2.5
1	A	28	ARG	2.5
1	B	301	VAL	2.5
1	B	283	PRO	2.5
1	B	317	ARG	2.4
1	D	380	LEU	2.4
1	B	286	MET	2.4
1	C	126	ILE	2.4
1	D	304	ARG	2.4
1	C	127	ASN	2.4
1	D	129	HIS	2.4
1	A	279	LEU	2.4
1	C	142	THR	2.4
1	C	327	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	379	ARG	2.4
1	B	126	ILE	2.4
1	C	219	ARG	2.4
1	B	377	ALA	2.4
1	D	143	GLU	2.4
1	A	3	GLN	2.4
1	A	58	GLY	2.4
1	D	175	VAL	2.4
1	B	307	GLU	2.3
1	A	280	LEU	2.3
1	C	39	GLN	2.3
1	B	326	SER	2.3
1	D	2	VAL	2.3
1	D	378	VAL	2.3
1	D	271	LEU	2.3
1	A	125	PRO	2.3
1	C	289	GLY	2.3
1	C	284	ASP	2.3
1	D	290	ASP	2.3
1	C	376	ALA	2.2
1	C	377	ALA	2.2
1	A	64	ILE	2.2
1	C	301	VAL	2.2
1	A	129	HIS	2.2
1	D	270	LYS	2.2
1	B	133	THR	2.2
1	B	379	ARG	2.2
1	D	163	ILE	2.2
1	B	287	VAL	2.2
1	C	137	VAL	2.2
1	D	288	VAL	2.2
1	C	351	THR	2.2
1	C	283	PRO	2.2
1	D	91	LYS	2.2
1	C	372	VAL	2.2
1	C	275	LEU	2.2
1	D	300	LEU	2.2
1	D	315	LEU	2.2
1	C	262	ASP	2.1
1	B	280	LEU	2.1
1	D	173	LYS	2.1
1	C	21	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	143	GLU	2.1
1	C	134	ALA	2.1
1	B	137	VAL	2.1
1	D	138	ARG	2.1
1	D	307	GLU	2.1
1	A	377	ALA	2.1
1	C	324	THR	2.1
1	D	281	LYS	2.1
1	D	221	GLY	2.1
1	A	285	VAL	2.1
1	B	159	LEU	2.1
1	B	232	GLU	2.0
1	C	350	HIS	2.0
1	C	28	ARG	2.0
1	D	317	ARG	2.0
1	C	164	GLU	2.0
1	B	353	ILE	2.0
1	C	64	ILE	2.0
1	C	353	ILE	2.0
1	A	142	THR	2.0
1	B	289	GLY	2.0
1	C	133	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	LLP	D	206	24/25	0.96	0.09	21,26,34,41	0
1	LLP	C	206	24/25	0.97	0.08	18,24,43,45	0
1	LLP	A	206	24/25	0.98	0.06	20,24,29,33	0
1	LLP	B	206	24/25	0.98	0.06	20,25,34,35	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HCS	A	502	8/8	0.85	0.16	44,48,50,55	0
2	IPA	A	501	4/4	0.86	0.28	60,64,65,67	0
3	HCS	C	501	8/8	0.87	0.16	44,46,51,54	0
3	HCS	D	501	8/8	0.89	0.14	49,53,56,59	0
3	HCS	B	501	8/8	0.93	0.12	37,43,48,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.