



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:59 AM UTC

PDB ID : 6WTW / pdb_00006wtw
Title : Structure of LaINDY crystallized in the presence of alpha-ketoglutarate and malate
Authors : Sauer, D.B.; Cocco, N.; Marden, J.J.; Song, J.M.; Wang, D.N.; New York Consortium on Membrane Protein Structure (NYCOMPS)
Deposited on : 2020-05-04
Resolution : 2.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	8% 77% 21% .
1	B	491	8% 73% 26% .

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 7504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DASS family sodium-coupled anion symporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	489	Total	C	N	O	S	0	0	0
			3756	2514	587	630	25			
1	B	489	Total	C	N	O	S	0	0	0
			3748	2508	585	630	25			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP A0A3A9Y7Q2
A	-1	ASN	-	expression tag	UNP A0A3A9Y7Q2
A	0	ALA	-	expression tag	UNP A0A3A9Y7Q2
B	-2	SER	-	expression tag	UNP A0A3A9Y7Q2
B	-1	ASN	-	expression tag	UNP A0A3A9Y7Q2
B	0	ALA	-	expression tag	UNP A0A3A9Y7Q2


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DASS family sodium-coupled anion symporter



- Molecule 1: DASS family sodium-coupled anion symporter



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.33Å 76.61Å 96.95Å 90.00° 90.48° 90.00°	Depositor
Resolution (Å)	50.09 – 2.86 50.09 – 2.86	Depositor EDS
% Data completeness (in resolution range)	97.9 (50.09-2.86) 98.0 (50.09-2.86)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 2.86Å)	Xtriage
Refinement program	PHENIX dev_3707	Depositor
R, R_{free}	0.220 , 0.275 0.228 , 0.282	Depositor DCC
R_{free} test set	2014 reflections (6.45%)	wwPDB-VP
Wilson B-factor (Å ²)	71.5	Xtriage
Anisotropy	0.543	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.034 for h,-k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7504	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	1/3863 (0.0%)	0.53	0/5271
1	B	0.30	1/3855 (0.0%)	0.56	4/5263 (0.1%)
All	All	0.30	2/7718 (0.0%)	0.54	4/10534 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	177	SER	C-N	-8.18	1.21	1.33
1	A	54	LYS	C-O	-5.56	1.21	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	134	ARG	CB-CG-CD	-9.94	88.44	111.30
1	B	178	LYS	N-CA-CB	-7.94	95.33	110.42
1	B	134	ARG	CB-CA-C	5.65	118.17	110.94
1	B	178	LYS	CB-CA-C	5.54	118.02	109.15

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	54	LYS	Peptide
1	A	82	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3756	0	3904	78	0
1	B	3748	0	3882	89	0
All	All	7504	0	7786	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:GLU:OE2	1:A:270:ASP:OD1	1.91	0.88
1:B:386:LEU:HD13	1:B:471:MET:HE1	1.62	0.81
1:B:228:SER:O	1:B:230:VAL:N	2.20	0.73
1:A:389:PHE:HA	1:A:434:ASN:HD21	1.54	0.72
1:A:297:TRP:O	1:A:300:SER:OG	2.06	0.71
1:A:140:TYR:HA	1:A:143:THR:HG22	1.72	0.71
1:B:132:GLY:O	1:B:262:THR:OG1	2.08	0.71
1:A:225:TYR:HB2	1:A:420:LEU:HD13	1.77	0.67
1:B:159:ARG:NH2	1:B:209:GLY:O	2.28	0.66
1:A:257:PRO:O	1:A:259:VAL:N	2.29	0.65
1:B:228:SER:H	1:B:231:SER:HB3	1.61	0.65
1:B:397:SER:OG	1:B:398:GLY:N	2.29	0.65
1:A:1:MET:HE3	1:B:282:PRO:HB3	1.78	0.65
1:A:321:LEU:HD22	1:A:326:VAL:HG21	1.77	0.65
1:A:333:LEU:HG	1:B:336:THR:HB	1.79	0.64
1:B:181:ASP:OD2	1:B:183:SER:HB3	1.96	0.64
1:A:324:THR:HG23	1:A:326:VAL:H	1.61	0.64
1:B:402:MET:HE1	1:B:431:GLY:HA3	1.80	0.64
1:A:379:LEU:HA	1:A:382:VAL:HG12	1.80	0.63
1:B:343:ILE:O	1:B:347:ILE:HG13	1.99	0.61
1:B:17:ALA:O	1:B:21:VAL:HG22	2.00	0.60
1:A:82:ASN:N	1:A:86:VAL:O	2.34	0.60
1:A:290:PHE:O	1:A:294:ILE:HG12	2.03	0.59
1:A:292:LEU:HD23	1:A:296:LEU:HG	1.83	0.59
1:B:408:PRO:O	1:B:412:VAL:HG23	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:THR:HG22	1:B:350:PHE:HE1	1.68	0.58
1:A:113:GLY:O	1:A:117:THR:HG23	2.03	0.58
1:A:333:LEU:HD21	1:B:340:ASN:HB2	1.85	0.57
1:B:294:ILE:O	1:B:298:VAL:HG13	2.04	0.57
1:A:389:PHE:HA	1:A:434:ASN:ND2	2.18	0.57
1:A:330:GLU:HG2	1:A:334:HIS:NE2	2.20	0.57
1:B:124:ALA:HB2	1:B:170:SER:HB2	1.87	0.57
1:B:82:ASN:HB2	1:B:86:VAL:HB	1.86	0.57
1:B:271:ASP:OD2	1:B:275:GLU:OE2	2.22	0.57
1:A:132:GLY:O	1:A:262:THR:OG1	2.22	0.56
1:A:225:TYR:HB2	1:A:420:LEU:CD1	2.36	0.56
1:B:347:ILE:HG22	1:B:351:MET:HE3	1.88	0.56
1:A:228:SER:O	1:A:230:VAL:N	2.39	0.55
1:A:59:GLY:HA3	1:B:329:MET:HE2	1.89	0.55
1:B:320:LEU:O	1:B:324:THR:HG23	2.07	0.55
1:B:379:LEU:O	1:B:383:VAL:HG22	2.07	0.54
1:B:228:SER:HB2	1:B:231:SER:HB2	1.89	0.54
1:B:214:LEU:HD12	1:B:217:GLN:NE2	2.23	0.54
1:B:106:MET:HE3	1:B:318:VAL:HG21	1.89	0.54
1:A:339:TRP:HH2	1:B:343:ILE:HD11	1.73	0.53
1:B:144:GLY:O	1:B:148:MET:HG3	2.08	0.53
1:A:177:SER:OG	1:A:186:LYS:HB2	2.08	0.53
1:A:52:ILE:HD11	1:A:460:TRP:CE2	2.43	0.53
1:A:119:LEU:O	1:A:123:VAL:HG23	2.08	0.53
1:A:23:TRP:O	1:A:26:THR:OG1	2.23	0.53
1:B:106:MET:HB2	1:B:314:ALA:HB1	1.92	0.52
1:B:356:ILE:HD11	1:B:395:PHE:HE1	1.74	0.52
1:B:297:TRP:O	1:B:300:SER:HB3	2.09	0.52
1:A:185:LYS:O	1:A:258:GLU:HB2	2.10	0.52
1:A:123:VAL:HG12	1:A:127:MET:HE2	1.91	0.52
1:B:227:MET:HG2	1:B:425:MET:HE1	1.91	0.52
1:B:447:ILE:O	1:B:450:THR:HG22	2.10	0.52
1:B:127:MET:SD	1:B:171:ILE:HD11	2.50	0.52
1:A:285:ILE:HG21	1:A:324:THR:OG1	2.10	0.51
1:B:214:LEU:HD12	1:B:217:GLN:HE21	1.74	0.51
1:A:21:VAL:O	1:A:25:ILE:HG13	2.10	0.50
1:A:228:SER:N	1:A:231:SER:OG	2.41	0.50
1:A:216:ALA:HB2	1:A:402:MET:HE2	1.94	0.50
1:A:159:ARG:NH2	1:A:209:GLY:O	2.44	0.50
1:B:82:ASN:O	1:B:83:SER:HB3	2.11	0.50
1:A:385:ILE:HD11	1:A:426:LEU:HD13	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:VAL:O	1:B:167:VAL:HG23	2.12	0.49
1:B:145:LEU:HG	1:B:149:MET:HE2	1.94	0.49
1:A:82:ASN:HD22	1:A:82:ASN:C	2.19	0.49
1:A:273:LEU:HD23	1:A:276:MET:HE1	1.95	0.48
1:A:245:VAL:O	1:A:249:LEU:HD23	2.13	0.48
1:B:352:ALA:O	1:B:355:LEU:HB2	2.14	0.48
1:B:378:GLY:O	1:B:382:VAL:HG23	2.14	0.48
1:A:44:PHE:O	1:A:48:ILE:HG12	2.14	0.48
1:B:257:PRO:O	1:B:259:VAL:N	2.47	0.48
1:B:389:PHE:HA	1:B:434:ASN:OD1	2.14	0.47
1:A:247:ILE:HA	1:A:250:VAL:HG12	1.95	0.47
1:B:295:LEU:O	1:B:298:VAL:HG22	2.13	0.47
1:A:190:TYR:CB	1:A:257:PRO:HB3	2.45	0.47
1:B:113:GLY:O	1:B:117:THR:HG23	2.14	0.47
1:B:285:ILE:O	1:B:289:VAL:HG12	2.15	0.47
1:A:186:LYS:HA	1:A:258:GLU:HB3	1.96	0.47
1:B:334:HIS:ND1	1:B:334:HIS:O	2.48	0.46
1:A:273:LEU:HA	1:A:276:MET:HE2	1.97	0.46
1:A:483:LYS:O	1:A:483:LYS:HD3	2.15	0.46
1:B:82:ASN:N	1:B:86:VAL:O	2.46	0.46
1:B:419:PRO:HG2	1:B:422:LEU:HB3	1.96	0.46
1:A:373:HIS:O	1:A:416:MET:HE1	2.14	0.46
1:A:312:PHE:HB2	1:B:77:VAL:HG21	1.97	0.46
1:A:95:SER:O	1:A:346:SER:HB3	2.16	0.46
1:B:456:GLN:HG2	1:B:460:TRP:CD1	2.51	0.46
1:B:52:ILE:HG13	1:B:53:THR:N	2.31	0.45
1:A:216:ALA:HB2	1:A:402:MET:CE	2.46	0.45
1:A:339:TRP:CH2	1:B:343:ILE:HD11	2.52	0.45
1:A:133:LYS:O	1:A:134:ARG:HB2	2.17	0.45
1:B:123:VAL:O	1:B:127:MET:HG2	2.16	0.45
1:B:215:VAL:HG21	1:B:399:THR:HG23	1.99	0.45
1:A:129:GLU:HG2	1:A:266:LYS:HG3	1.99	0.45
1:B:176:ASP:O	1:B:186:LYS:NZ	2.49	0.45
1:B:211:ALA:N	1:B:212:PRO:HD2	2.31	0.45
1:A:116:LYS:NZ	1:B:5:GLU:OE1	2.41	0.44
1:B:127:MET:HE2	1:B:127:MET:HB3	1.61	0.44
1:A:482:MET:HG2	1:A:487:ILE:HD12	1.99	0.44
1:A:82:ASN:HB2	1:A:86:VAL:HB	2.00	0.44
1:A:483:LYS:HB2	1:A:488:TRP:CE2	2.52	0.44
1:B:207:ILE:HG13	1:B:232:TRP:CE3	2.53	0.44
1:A:211:ALA:N	1:A:212:PRO:HD2	2.32	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:ILE:HD13	1:B:68:VAL:HG12	1.99	0.43
1:B:382:VAL:O	1:B:386:LEU:HD23	2.19	0.43
1:B:29:ARG:CZ	1:B:35:VAL:HG12	2.48	0.43
1:B:271:ASP:OD2	1:B:271:ASP:C	2.61	0.43
1:B:305:ILE:HD12	1:B:307:GLN:HB2	2.00	0.43
1:B:473:ILE:O	1:B:477:VAL:HB	2.17	0.43
1:A:16:LEU:HD23	1:A:16:LEU:HA	1.73	0.43
1:B:168:VAL:HG13	1:B:191:LEU:HB3	2.01	0.43
1:B:58:ILE:O	1:B:62:THR:HG23	2.18	0.43
1:B:71:LEU:HD23	1:B:71:LEU:HA	1.78	0.43
1:B:33:LEU:HD11	1:B:360:PHE:HA	2.00	0.43
1:A:175:TYR:HE2	1:A:262:THR:HG21	1.84	0.42
1:A:14:TRP:O	1:A:18:VAL:HG23	2.19	0.42
1:A:405:LEU:C	1:A:408:PRO:HD2	2.44	0.42
1:B:175:TYR:HE1	1:B:262:THR:HG21	1.83	0.42
1:B:455:LYS:HB2	1:B:458:GLU:HG2	2.01	0.42
1:A:483:LYS:HE3	1:A:488:TRP:CG	2.54	0.42
1:B:181:ASP:CG	1:B:183:SER:HB3	2.44	0.42
1:A:41:PHE:HA	1:A:355:LEU:HD21	2.01	0.42
1:A:207:ILE:HG13	1:A:232:TRP:CE3	2.54	0.42
1:A:375:ILE:HG22	1:A:376:ASN:O	2.20	0.42
1:A:407:LEU:HD12	1:A:407:LEU:HA	1.84	0.42
1:B:83:SER:O	1:B:84:LYS:HG3	2.20	0.42
1:A:329:MET:O	1:A:333:LEU:HB2	2.19	0.42
1:A:343:ILE:HD11	1:B:339:TRP:HH2	1.84	0.42
1:B:132:GLY:C	1:B:134:ARG:N	2.77	0.41
1:A:238:VAL:O	1:A:242:VAL:HG23	2.20	0.41
1:A:485:ILE:HG13	1:A:487:ILE:HG13	2.02	0.41
1:B:333:LEU:HA	1:B:333:LEU:HD23	1.78	0.41
1:B:384:LEU:HD23	1:B:384:LEU:HA	1.87	0.41
1:B:385:ILE:HG22	1:B:471:MET:HE3	2.01	0.41
1:A:30:PRO:HD2	1:A:33:LEU:HD22	2.03	0.41
1:B:315:PHE:O	1:B:319:THR:HG23	2.21	0.41
1:A:211:ALA:O	1:A:215:VAL:HG23	2.21	0.41
1:B:129:GLU:HA	1:B:266:LYS:HA	2.02	0.41
1:B:290:PHE:CZ	1:B:294:ILE:HD11	2.55	0.41
1:A:285:ILE:HD13	1:A:324:THR:OG1	2.21	0.41
1:A:339:TRP:O	1:A:343:ILE:HG12	2.21	0.41
1:A:343:ILE:HD11	1:B:339:TRP:CH2	2.56	0.41
1:A:466:LEU:HA	1:A:466:LEU:HD23	1.88	0.41
1:A:416:MET:HE2	1:A:416:MET:HB3	1.94	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:132:GLY:C	1:B:134:ARG:H	2.28	0.40
1:B:214:LEU:HA	1:B:217:GLN:HG2	2.03	0.40
1:B:397:SER:HG	1:B:398:GLY:H	1.67	0.40
1:B:476:ILE:HG13	1:B:477:VAL:N	2.36	0.40
1:A:377:TRP:HB3	1:A:416:MET:O	2.21	0.40
1:B:303:PHE:HB2	1:B:308:LEU:HD12	2.03	0.40
1:B:487:ILE:O	1:B:488:TRP:CD1	2.74	0.40
1:A:355:LEU:HD23	1:A:355:LEU:HA	1.87	0.40
1:B:476:ILE:HG13	1:B:477:VAL:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	487/491 (99%)	459 (94%)	21 (4%)	7 (1%)	9	19
1	B	487/491 (99%)	461 (95%)	19 (4%)	7 (1%)	9	19
All	All	974/982 (99%)	920 (94%)	40 (4%)	14 (1%)	9	19

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	GLU
1	B	83	SER
1	B	229	TRP
1	B	258	GLU
1	A	84	LYS
1	A	183	SER
1	A	187	ILE
1	B	84	LYS
1	B	183	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	187	ILE
1	A	83	SER
1	A	229	TRP
1	A	257	PRO
1	B	257	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	394/397 (99%)	394 (100%)	0	100	100
1	B	392/397 (99%)	392 (100%)	0	100	100
All	All	786/794 (99%)	786 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	89	GLN
1	A	392	HIS
1	A	434	ASN
1	B	217	GLN
1	B	264	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/491 (99%)	0.50	38 (7%) 19 14	48, 68, 99, 127	0
1	B	489/491 (99%)	0.56	40 (8%) 17 13	48, 71, 105, 160	0
All	All	978/982 (99%)	0.53	78 (7%) 18 13	48, 69, 102, 160	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	110	MET	6.4
1	A	379	LEU	6.4
1	A	145	LEU	5.4
1	B	109	ILE	5.3
1	A	163	VAL	5.2
1	B	290	PHE	4.9
1	B	107	ALA	4.5
1	A	264	ASN	4.3
1	B	41	PHE	4.2
1	B	0	ALA	4.1
1	B	163	VAL	4.0
1	A	110	MET	3.9
1	A	10	LYS	3.8
1	B	23	TRP	3.7
1	B	105	ALA	3.6
1	A	144	GLY	3.6
1	A	148	MET	3.5
1	A	164	THR	3.5
1	B	291	CYS	3.4
1	B	111	ALA	3.4
1	A	162	GLY	3.3
1	B	287	ALA	3.3
1	B	38	TRP	3.3
1	B	72	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	82	ASN	3.1
1	B	486	GLY	3.1
1	B	438	THR	3.1
1	B	338	ALA	3.0
1	A	109	ILE	2.9
1	A	167	VAL	2.8
1	B	335	GLU	2.8
1	A	228	SER	2.8
1	A	107	ALA	2.7
1	A	334	HIS	2.7
1	A	13	ILE	2.7
1	A	141	ALA	2.7
1	A	339	TRP	2.7
1	B	339	TRP	2.7
1	B	145	LEU	2.7
1	A	255	TYR	2.6
1	A	32	GLY	2.6
1	A	108	PHE	2.6
1	A	254	MET	2.6
1	A	276	MET	2.6
1	B	254	MET	2.5
1	B	113	GLY	2.5
1	B	148	MET	2.5
1	A	361	ILE	2.5
1	A	0	ALA	2.5
1	A	259	VAL	2.4
1	A	111	ALA	2.4
1	B	264	ASN	2.4
1	A	53	THR	2.4
1	B	28	TRP	2.3
1	B	22	LEU	2.3
1	B	112	HIS	2.3
1	B	114	ILE	2.3
1	B	285	ILE	2.3
1	B	303	PHE	2.3
1	B	336	THR	2.3
1	A	79	ASP	2.2
1	B	289	VAL	2.2
1	A	381	LEU	2.2
1	A	146	GLU	2.2
1	B	271	ASP	2.2
1	A	127	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	397	SER	2.2
1	B	332	ALA	2.2
1	A	372	VAL	2.1
1	A	28	TRP	2.1
1	A	165	TRP	2.1
1	A	226	GLN	2.1
1	A	78	LYS	2.1
1	B	48	ILE	2.1
1	B	423	SER	2.1
1	B	106	MET	2.1
1	B	37	ALA	2.1
1	B	51	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.