



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:26 PM UTC

PDB ID : 5WU2 / pdb_00005wu2
Title : Crystal structure of human Tut1 bound with BaUTP, form I
Authors : Yamashita, S.; Tomita, K.
Deposited on : 2016-12-16
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	573	9% 68% 16% • 16%
1	B	573	8% 67% 16% • 16%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7584 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Speckle targeted PIP5K1A-regulated poly(A) polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	484	Total	C	N	O	S	0	0	0
			3761	2380	686	681	14			
1	B	484	Total	C	N	O	S	0	0	0
			3761	2380	686	681	14			

There are 366 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	140	MET	-	initiating methionine	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	CYS	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	PHE	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	372	ALA	CYS	engineered mutation	UNP Q9H6E5
A	415	ALA	CYS	engineered mutation	UNP Q9H6E5
A	501	ALA	CYS	engineered mutation	UNP Q9H6E5
A	504	SER	CYS	engineered mutation	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	ARG	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	VAL	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	ASN	deletion	UNP Q9H6E5
A	?	-	CYS	deletion	UNP Q9H6E5
A	?	-	CYS	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	CYS	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	ARG	deletion	UNP Q9H6E5
A	?	-	VAL	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	MET	deletion	UNP Q9H6E5
A	?	-	VAL	deletion	UNP Q9H6E5
A	?	-	ILE	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	VAL	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	MET	deletion	UNP Q9H6E5
A	?	-	VAL	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	TRP	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	MET	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	ASP	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	THR	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	HIS	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	?	-	HIS	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	LEU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	ARG	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	PRO	deletion	UNP Q9H6E5
A	?	-	LYS	deletion	UNP Q9H6E5
A	?	-	GLY	deletion	UNP Q9H6E5
A	?	-	HIS	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	ALA	deletion	UNP Q9H6E5
A	?	-	GLN	deletion	UNP Q9H6E5
A	?	-	GLU	deletion	UNP Q9H6E5
A	?	-	TRP	deletion	UNP Q9H6E5
A	?	-	SER	deletion	UNP Q9H6E5
A	875	LEU	-	expression tag	UNP Q9H6E5
A	876	GLU	-	expression tag	UNP Q9H6E5
A	877	HIS	-	expression tag	UNP Q9H6E5
A	878	HIS	-	expression tag	UNP Q9H6E5
A	879	HIS	-	expression tag	UNP Q9H6E5
A	880	HIS	-	expression tag	UNP Q9H6E5
A	881	HIS	-	expression tag	UNP Q9H6E5
A	882	HIS	-	expression tag	UNP Q9H6E5
B	140	MET	-	initiating methionine	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	CYS	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	PHE	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	372	ALA	CYS	conflict	UNP Q9H6E5
B	415	ALA	CYS	conflict	UNP Q9H6E5
B	501	ALA	CYS	conflict	UNP Q9H6E5
B	504	SER	CYS	conflict	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	ARG	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	VAL	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	ASN	deletion	UNP Q9H6E5
B	?	-	CYS	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	CYS	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	CYS	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	ARG	deletion	UNP Q9H6E5
B	?	-	VAL	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	MET	deletion	UNP Q9H6E5
B	?	-	VAL	deletion	UNP Q9H6E5
B	?	-	ILE	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	VAL	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	MET	deletion	UNP Q9H6E5
B	?	-	VAL	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	TRP	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	MET	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	ASP	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	THR	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	HIS	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	?	-	HIS	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	LEU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	ARG	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	PRO	deletion	UNP Q9H6E5
B	?	-	LYS	deletion	UNP Q9H6E5
B	?	-	GLY	deletion	UNP Q9H6E5
B	?	-	HIS	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	ALA	deletion	UNP Q9H6E5
B	?	-	GLN	deletion	UNP Q9H6E5
B	?	-	GLU	deletion	UNP Q9H6E5
B	?	-	TRP	deletion	UNP Q9H6E5
B	?	-	SER	deletion	UNP Q9H6E5
B	875	LEU	-	expression tag	UNP Q9H6E5
B	876	GLU	-	expression tag	UNP Q9H6E5
B	877	HIS	-	expression tag	UNP Q9H6E5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	878	HIS	-	expression tag	UNP Q9H6E5
B	879	HIS	-	expression tag	UNP Q9H6E5
B	880	HIS	-	expression tag	UNP Q9H6E5
B	881	HIS	-	expression tag	UNP Q9H6E5
B	882	HIS	-	expression tag	UNP Q9H6E5

- Molecule 2 is URIDINE 5'-TRIPHOSPHATE (CCD ID: UTP) (formula: $C_9H_{15}N_2O_{15}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			29	9	2	15	3		
2	B	1	Total	C	N	O	P	0	0
			29	9	2	15	3		

- Molecule 3 is BARIUM ION (CCD ID: BA) (formula: Ba).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ba	0	0
			1	1		
3	B	1	Total	Ba	0	0
			1	1		


- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Cl 1	0	0
4	B	1	Total 1	Cl 1	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Speckle targeted PIP5K1A-regulated poly(A) polymerase



- Molecule 1: Speckle targeted PIP5K1A-regulated poly(A) polymerase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.33Å 88.40Å 184.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.94 – 2.95 19.94 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.94-2.95) 99.6 (19.94-2.95)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.96Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.246 , 0.294 0.252 , 0.295	Depositor DCC
R_{free} test set	1372 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	59.3	Xtriage
Anisotropy	0.215	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7584	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.88 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.2651e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, UTP, BA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3844	0.80	5/5223 (0.1%)
1	B	0.32	0/3844	0.79	3/5223 (0.1%)
All	All	0.32	0/7688	0.80	8/10446 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	446	ASP	CA-C-N	-9.96	110.12	120.38
1	A	446	ASP	C-N-CA	-9.96	110.12	120.38
1	B	446	ASP	CA-C-N	-9.70	110.39	120.38
1	B	446	ASP	C-N-CA	-9.70	110.39	120.38
1	A	329	THR	CA-C-N	-6.14	112.15	118.85
1	A	329	THR	C-N-CA	-6.14	112.15	118.85
1	A	460	ALA	CB-CA-C	-5.89	109.76	116.54
1	B	460	ALA	CB-CA-C	-5.69	110.00	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3761	0	3779	47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3761	0	3779	57	0
2	A	29	0	11	1	0
2	B	29	0	11	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
All	All	7584	0	7580	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:SER:O	1:B:407:ARG:NH1	2.17	0.78
1:B:562:ARG:HE	1:B:607:THR:HB	1.47	0.78
1:A:562:ARG:HE	1:A:607:THR:HB	1.52	0.75
1:B:453:VAL:HB	1:B:515:ARG:HA	1.79	0.63
1:A:414:ARG:NH2	1:A:435:THR:OG1	2.31	0.62
1:A:453:VAL:HB	1:A:515:ARG:HA	1.81	0.60
1:B:843:LEU:HD23	1:B:866:LEU:HD13	1.82	0.60
1:A:550:ASN:HB3	1:A:553:ALA:HB2	1.84	0.60
1:A:605:SER:HB2	1:A:846:THR:HG22	1.84	0.60
1:A:209:SER:O	1:A:407:ARG:NH1	2.35	0.60
1:B:188:GLN:HE21	1:B:192:THR:HG23	1.65	0.60
1:A:582:ARG:HG2	1:A:583:SER:H	1.67	0.59
1:B:420:ARG:NH2	1:B:596:GLN:O	2.37	0.57
1:A:370:LYS:HG2	1:A:381:ASP:OD2	2.04	0.56
1:B:804:LEU:HG	1:B:873:LEU:HD21	1.87	0.56
1:B:453:VAL:HG21	1:B:544:PRO:HB3	1.88	0.56
1:B:605:SER:HB2	1:B:846:THR:HG22	1.87	0.56
1:B:558:ARG:HG2	1:B:842:MET:HE1	1.87	0.56
1:A:178:GLN:NE2	1:B:375:PRO:O	2.35	0.56
1:B:498:PHE:O	1:B:502:VAL:HG22	2.06	0.55
1:B:530:LEU:HD23	1:B:530:LEU:H	1.71	0.55
1:B:834:ALA:HB1	1:B:843:LEU:HD11	1.88	0.55
1:B:613:LEU:HG	1:B:841:ARG:HH11	1.71	0.55
1:B:628:ARG:HE	1:B:635:ILE:HG12	1.73	0.54
1:A:148:GLN:HA	1:A:151:LYS:HE2	1.88	0.54
1:B:370:LYS:HG2	1:B:381:ASP:OD2	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:613:LEU:HG	1:B:841:ARG:NH1	2.23	0.53
1:B:357:ARG:HB2	1:B:372:ALA:HB3	1.90	0.53
1:B:154:ALA:HB2	1:B:592:LEU:HD11	1.91	0.52
1:B:582:ARG:HG2	1:B:583:SER:H	1.74	0.52
1:A:507:LEU:HG	1:A:539:LEU:HD13	1.91	0.52
1:A:357:ARG:HB2	1:A:372:ALA:HB3	1.91	0.52
1:A:772:HIS:CE1	1:A:815:LYS:HD2	2.45	0.51
1:B:210:PHE:HE2	1:B:396:LEU:HB3	1.75	0.51
1:A:508:ARG:HG2	1:A:538:PRO:HA	1.91	0.51
1:A:555:VAL:HG13	1:A:559:VAL:HB	1.91	0.51
1:B:636:GLU:OE1	1:B:767:ARG:NH2	2.43	0.51
1:A:190:VAL:HG21	1:A:352:VAL:HB	1.93	0.51
1:A:834:ALA:HB1	1:A:843:LEU:HD11	1.92	0.50
1:A:204:GLY:HA2	2:A:1001:UTP:O3'	2.12	0.50
1:A:420:ARG:NH2	1:A:596:GLN:O	2.45	0.50
1:A:405:ARG:NH1	1:A:489:GLU:O	2.42	0.50
1:A:508:ARG:HE	1:A:840:ASP:HB2	1.77	0.50
1:B:507:LEU:HD13	1:B:539:LEU:HD13	1.93	0.49
1:B:550:ASN:HB3	1:B:553:ALA:HB2	1.94	0.49
1:A:387:ARG:HB3	1:A:468:VAL:HG11	1.94	0.49
1:B:511:LEU:HD11	1:B:542:GLN:HB2	1.94	0.48
1:A:511:LEU:HD11	1:A:542:GLN:HB2	1.94	0.48
1:B:431:ASN:ND2	2:B:1001:UTP:O1G	2.46	0.48
1:A:182:LEU:HD23	1:B:182:LEU:HD23	1.95	0.47
1:B:368:VAL:HG21	1:B:381:ASP:HB3	1.96	0.47
1:B:396:LEU:HD13	1:B:435:THR:HG21	1.95	0.47
1:B:630:ALA:HA	1:B:808:ALA:HA	1.97	0.47
1:A:804:LEU:HG	1:A:873:LEU:HD21	1.95	0.47
1:A:843:LEU:HD23	1:A:866:LEU:HD13	1.96	0.47
1:B:190:VAL:HG21	1:B:352:VAL:HB	1.96	0.47
1:B:209:SER:HB2	1:B:407:ARG:HH11	1.79	0.47
1:B:183:VAL:HG21	1:B:378:LEU:HD12	1.97	0.47
1:A:522:VAL:HG13	1:A:536:LEU:HD13	1.98	0.46
1:B:387:ARG:HB3	1:B:468:VAL:HG11	1.98	0.46
1:B:222:ASP:CG	1:B:387:ARG:HH22	2.23	0.46
1:A:446:ASP:HB3	1:A:447:PRO:HD3	1.97	0.46
1:B:592:LEU:HB2	1:B:593:PRO:HD3	1.97	0.46
1:A:523:ALA:HA	1:A:524:GLY:HA2	1.45	0.45
1:B:446:ASP:HB3	1:B:447:PRO:HD3	1.97	0.45
1:B:774:VAL:HA	1:B:814:LEU:HD13	1.97	0.45
1:A:187:MET:HE2	1:A:219:LEU:HD12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:VAL:HG21	1:A:544:PRO:HB3	1.96	0.45
1:B:373:HIS:CE1	1:B:375:PRO:HD2	2.52	0.45
1:B:188:GLN:NE2	1:B:192:THR:HG23	2.32	0.45
1:B:522:VAL:HG13	1:B:536:LEU:HD13	1.98	0.45
1:B:589:TRP:H	1:B:592:LEU:HD12	1.82	0.45
1:A:498:PHE:O	1:A:502:VAL:HG22	2.17	0.44
1:A:205:SER:O	1:A:211:ASP:HB3	2.16	0.44
1:B:205:SER:O	1:B:211:ASP:HB3	2.16	0.44
1:B:543:ASP:HB3	1:B:546:ASP:O	2.18	0.44
1:A:145:ASP:C	1:A:147:HIS:H	2.26	0.44
1:A:558:ARG:HG2	1:A:842:MET:HE1	2.00	0.44
1:A:582:ARG:HG2	1:A:583:SER:N	2.33	0.44
1:A:183:VAL:HG21	1:A:378:LEU:HD12	2.00	0.44
1:A:398:LEU:O	1:A:402:LEU:HG	2.18	0.43
1:B:201:HIS:HB3	1:B:390:LEU:HD11	2.01	0.43
1:B:374:ARG:HB3	1:B:375:PRO:HD3	2.01	0.43
1:B:790:LYS:NZ	1:B:790:LYS:HB2	2.32	0.43
1:A:384:LEU:HD23	1:A:384:LEU:HA	1.92	0.43
1:A:827:GLU:HA	1:A:828:PRO:HD3	1.91	0.43
1:A:402:LEU:HD21	1:A:482:LEU:HD12	2.01	0.43
1:A:543:ASP:HB3	1:A:546:ASP:O	2.20	0.42
1:B:508:ARG:HE	1:B:840:ASP:HB2	1.85	0.42
1:B:855:PHE:N	1:B:856:PRO:HD2	2.34	0.42
1:B:523:ALA:HA	1:B:524:GLY:HA2	1.49	0.42
1:A:333:GLU:HA	1:A:333:GLU:OE2	2.20	0.41
1:B:210:PHE:CE2	1:B:396:LEU:HB3	2.55	0.41
1:A:483:GLU:HA	1:A:484:PRO:HD3	1.88	0.41
1:A:855:PHE:N	1:A:856:PRO:HD2	2.35	0.41
1:A:203:PHE:HB3	1:A:390:LEU:HD12	2.02	0.41
1:A:763:SER:HB3	1:A:838:PRO:HD3	2.01	0.41
1:B:208:ASN:O	1:B:209:SER:OG	2.33	0.41
1:B:356:TYR:CD2	1:B:357:ARG:HG3	2.56	0.41
1:B:398:LEU:O	1:B:402:LEU:HG	2.21	0.41
1:B:508:ARG:HG2	1:B:538:PRO:HA	2.03	0.40
1:B:360:THR:HG22	1:B:369:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	474/573 (83%)	451 (95%)	23 (5%)	0	100	100
1	B	474/573 (83%)	451 (95%)	23 (5%)	0	100	100
All	All	948/1146 (83%)	902 (95%)	46 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	409/469 (87%)	393 (96%)	16 (4%)	28	54
1	B	409/469 (87%)	388 (95%)	21 (5%)	21	47
All	All	818/938 (87%)	781 (96%)	37 (4%)	24	50

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	HIS
1	A	333	GLU
1	A	352	VAL
1	A	356	TYR
1	A	366	ARG
1	A	368	VAL
1	A	507	LEU
1	A	529	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	534	LEU
1	A	591	LEU
1	A	607	THR
1	A	636	GLU
1	A	779	ARG
1	A	790	LYS
1	A	806	THR
1	A	854	LEU
1	B	145	ASP
1	B	146	SER
1	B	147	HIS
1	B	192	THR
1	B	205	SER
1	B	331	LYS
1	B	334	LYS
1	B	352	VAL
1	B	355	VAL
1	B	368	VAL
1	B	386	ASN
1	B	390	LEU
1	B	477	ARG
1	B	530	LEU
1	B	591	LEU
1	B	607	THR
1	B	790	LYS
1	B	806	THR
1	B	814	LEU
1	B	829	LEU
1	B	854	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	379	HIS
1	A	458	GLN
1	A	529	ASN
1	A	634	HIS
1	B	386	ASN
1	B	458	GLN
1	B	564	GLN
1	B	859	HIS
1	B	863	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	UTP	B	1001	3	29,30,30	1.00	1 (3%)	43,47,47	1.54	6 (13%)
2	UTP	A	1001	3	29,30,30	0.99	3 (10%)	43,47,47	1.52	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UTP	B	1001	3	-	6/22/38/38	0/2/2/2
2	UTP	A	1001	3	-	5/22/38/38	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	UTP	PA-O3A	2.37	1.62	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	UTP	PB-O3A	2.09	1.61	1.59
2	A	1001	UTP	PB-O3B	2.06	1.61	1.59
2	A	1001	UTP	PA-O3A	2.03	1.61	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	UTP	C4-N3-C2	-5.45	119.85	126.61
2	B	1001	UTP	C4-N3-C2	-5.33	119.99	126.61
2	B	1001	UTP	N3-C2-N1	4.01	120.11	114.89
2	A	1001	UTP	N3-C2-N1	3.84	119.89	114.89
2	A	1001	UTP	C5-C4-N3	3.76	120.07	114.80
2	B	1001	UTP	C5-C4-N3	3.54	119.75	114.80
2	B	1001	UTP	O4-C4-C5	-3.12	119.78	125.16
2	A	1001	UTP	O4-C4-C5	-3.06	119.88	125.16
2	B	1001	UTP	O2-C2-N1	-2.32	119.78	122.80
2	A	1001	UTP	O2-C2-N1	-2.30	119.81	122.80
2	B	1001	UTP	C3'-C2'-C1'	2.11	105.45	101.46
2	A	1001	UTP	C3'-C2'-C1'	2.00	105.25	101.46

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	UTP	C5'-O5'-PA-O1A
2	A	1001	UTP	C5'-O5'-PA-O2A
2	A	1001	UTP	C5'-O5'-PA-O3A
2	B	1001	UTP	C5'-O5'-PA-O1A
2	B	1001	UTP	C5'-O5'-PA-O2A
2	B	1001	UTP	C5'-O5'-PA-O3A
2	A	1001	UTP	C3'-C4'-C5'-O5'
2	B	1001	UTP	O4'-C4'-C5'-O5'
2	B	1001	UTP	C3'-C4'-C5'-O5'
2	A	1001	UTP	O4'-C4'-C5'-O5'
2	B	1001	UTP	PA-O3A-PB-O1B

There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1001	UTP	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	UTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	484/573 (84%)	0.52	51 (10%)	11 10	29, 61, 121, 178	0
1	B	484/573 (84%)	0.56	43 (8%)	15 14	30, 59, 122, 169	0
All	All	968/1146 (84%)	0.54	94 (9%)	13 12	29, 60, 122, 178	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	792	GLY	5.4
1	B	774	VAL	5.3
1	A	528	SER	5.2
1	A	792	GLY	5.0
1	B	527	PRO	4.9
1	A	804	LEU	4.8
1	B	839	ALA	4.2
1	B	528	SER	4.1
1	B	809	GLN	4.0
1	B	462	GLU	4.0
1	A	632	GLY	3.9
1	B	478	ASP	3.9
1	B	482	LEU	3.8
1	A	839	ALA	3.8
1	B	525	GLY	3.7
1	A	809	GLN	3.5
1	B	786	GLN	3.4
1	A	462	GLU	3.3
1	B	789	THR	3.3
1	A	838	PRO	3.2
1	B	384	LEU	3.1
1	B	529	ASN	3.1
1	B	630	ALA	3.0
1	B	481	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	854	LEU	3.0
1	A	525	GLY	3.0
1	A	803	TRP	3.0
1	B	805	ALA	3.0
1	A	805	ALA	2.9
1	B	598	SER	2.9
1	B	868	GLN	2.8
1	A	802	GLY	2.8
1	B	386	ASN	2.8
1	A	385	SER	2.8
1	A	786	GLN	2.8
1	B	587	ARG	2.8
1	B	526	LEU	2.8
1	A	329	THR	2.8
1	A	216	ASP	2.8
1	B	329	THR	2.7
1	B	446	ASP	2.7
1	A	532	GLU	2.7
1	B	530	LEU	2.7
1	B	777	GLY	2.7
1	A	781	ALA	2.6
1	A	826	THR	2.6
1	A	330	PRO	2.5
1	A	772	HIS	2.5
1	A	527	PRO	2.5
1	A	837	SER	2.5
1	B	840	ASP	2.4
1	A	790	LYS	2.4
1	B	802	GLY	2.4
1	A	580	GLN	2.4
1	A	776	GLN	2.4
1	B	216	ASP	2.4
1	A	815	LYS	2.4
1	B	485	SER	2.4
1	A	577	LEU	2.4
1	A	459	LYS	2.3
1	A	524	GLY	2.3
1	B	791	GLU	2.3
1	B	448	PRO	2.3
1	A	587	ARG	2.3
1	A	763	SER	2.2
1	A	808	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	461	GLY	2.2
1	A	485	SER	2.2
1	A	779	ARG	2.1
1	A	572	ASN	2.1
1	B	851	PRO	2.1
1	A	827	GLU	2.1
1	B	572	ASN	2.1
1	A	157	ALA	2.1
1	A	841	ARG	2.1
1	A	813	GLU	2.1
1	A	876	GLU	2.1
1	A	812	GLN	2.1
1	A	877	HIS	2.1
1	B	790	LYS	2.1
1	B	838	PRO	2.1
1	A	814	LEU	2.1
1	A	535	ARG	2.1
1	B	460	ALA	2.1
1	A	791	GLU	2.1
1	A	840	ASP	2.1
1	A	523	ALA	2.1
1	A	854	LEU	2.0
1	A	783	ARG	2.0
1	B	524	GLY	2.0
1	B	780	ARG	2.0
1	B	459	LYS	2.0
1	A	337	GLY	2.0
1	B	826	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CL	B	1003	1/1	0.95	0.07	67,67,67,67	0
4	CL	A	1003	1/1	0.96	0.10	70,70,70,70	0
2	UTP	A	1001	29/29	0.97	0.07	10,37,50,63	0
2	UTP	B	1001	29/29	0.97	0.07	26,37,50,73	0
3	BA	A	1002	1/1	0.99	0.02	51,51,51,51	0
3	BA	B	1002	1/1	0.99	0.10	64,64,64,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.