



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:37 AM UTC

PDB ID : 2WVV / pdb_00002wvv
Title : Crystal structure of an alpha-L-fucosidase GH29 from Bacteroides thetaio-
taomicron
Authors : Lammerts van Bueren, A.; Ardevol, A.; Fayers-Kerr, J.; Luo, B.; Zhang, Y.;
Sollogoub, M.; Bleriot, Y.; Rovira, C.; Davies, G.J.
Deposited on : 2009-10-20
Resolution : 1.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	8% 88% 9% .
1	C	450	3% 91% 7% .
1	D	450	6% 86% 11% .
2	B	450	2% 89% 9% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TRS	D	1472	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-L-FUCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	1	0
			3583	2303	606	658	16			
1	C	443	Total	C	N	O	S	0	1	0
			3620	2326	613	664	17			
1	D	437	Total	C	N	O	S	0	1	0
			3568	2295	602	655	16			

- Molecule 2 is a protein called ALPHA-L-FUCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	446	Total	C	N	O	S	0	1	0
			3639	2340	614	669	16			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	478	LEU	ILE	conflict	UNP Q8A3I4

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	278	Total O 278 278	0	0
6	B	345	Total O 345 345	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	282	Total 282	O 282	0	0
6	D	184	Total 184	O 184	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ALPHA-L-FUCOSIDASE




• Molecule 1: ALPHA-L-FUCOSIDASE



• Molecule 1: ALPHA-L-FUCOSIDASE



● Molecule 2: ALPHA-L-FUCOSIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.88Å 186.87Å 97.86Å 90.00° 94.47° 90.00°	Depositor
Resolution (Å)	97.56 – 1.73 97.56 – 1.73	Depositor EDS
% Data completeness (in resolution range)	99.7 (97.56-1.73) 99.7 (97.56-1.73)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 1.73Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.192 , 0.225 0.191 , 0.223	Depositor DCC
R_{free} test set	10463 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	20.2	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 38.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15575	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/3693	0.77	0/5006
1	C	0.62	0/3730	0.77	0/5055
1	D	0.58	0/3678	0.78	1/4987 (0.0%)
2	B	0.66	0/3749	0.78	0/5081
All	All	0.62	0/14850	0.77	1/20129 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	264	ARG	N-CA-C	5.65	118.84	109.46

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3583	0	3464	27	0
1	C	3620	0	3493	21	0
1	D	3568	0	3444	38	0
2	B	3639	0	3512	38	1
3	A	8	0	12	2	0
3	B	8	0	12	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	8	0	12	1	0
3	D	8	0	12	6	0
4	A	10	0	0	0	0
4	B	5	0	0	0	0
4	D	5	0	0	0	0
5	A	6	0	8	0	1
5	B	12	0	16	2	0
5	C	6	0	8	0	0
6	A	278	0	0	1	0
6	B	345	0	0	2	0
6	C	282	0	0	3	0
6	D	184	0	0	8	0
All	All	15575	0	13993	125	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239:ASN:HD22	1:A:241:TRP:HE1	1.07	0.98
1:C:239:ASN:HD22	1:C:241:TRP:HE1	1.22	0.87
2:B:239:ASN:HD22	2:B:241:TRP:HE1	1.17	0.85
1:C:188:ASP:OD2	1:C:204:ARG:HD2	1.81	0.81
1:C:430:LYS:HD3	6:C:2263:HOH:O	1.80	0.80
1:A:229:ASP:OD2	3:A:1473:TRS:H21	1.82	0.78
1:D:290:ARG:C	6:D:2095:HOH:O	2.26	0.77
1:A:135:HIS:CD2	1:A:136:HIS:H	2.07	0.72
1:D:239:ASN:HD22	1:D:241:TRP:HE1	1.37	0.71
1:C:276:ASN:HD22	1:C:278:ARG:HH22	1.39	0.71
2:B:66:HIS:HE1	3:B:1709:TRS:O3	1.74	0.70
2:B:158:ARG:HD2	2:B:163:GLU:OE2	1.91	0.70
2:B:119:LYS:HD3	2:B:171:GLU:OE2	1.92	0.69
1:A:239:ASN:HD22	1:A:241:TRP:NE1	1.88	0.68
1:D:145[B]:LYS:HE2	1:D:215:GLU:OE1	1.94	0.68
1:D:135:HIS:CD2	1:D:136:HIS:H	2.12	0.67
3:D:1472:TRS:H31	6:D:2184:HOH:O	1.95	0.66
1:A:136:HIS:HD2	1:A:180:SER:OG	1.82	0.63
2:B:135:HIS:CD2	2:B:136:HIS:H	2.16	0.63
1:C:276:ASN:HD22	1:C:278:ARG:NH2	1.97	0.63
2:B:239:ASN:HD22	2:B:241:TRP:NE1	1.94	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:ARG:HD2	1:A:163:GLU:OE2	1.98	0.62
1:D:135:HIS:HE1	3:D:1472:TRS:HN1	1.45	0.62
1:D:291:LEU:N	6:D:2095:HOH:O	2.32	0.62
1:D:35:GLU:HB3	6:D:2001:HOH:O	2.00	0.62
1:D:130:LYS:HE3	1:D:306:GLU:OE2	2.01	0.60
1:D:136:HIS:HE1	6:D:2184:HOH:O	1.83	0.60
2:B:176:HIS:CG	2:B:225:ASP:HB3	2.37	0.59
2:B:372:LYS:HG2	6:B:2260:HOH:O	2.01	0.59
1:D:176:HIS:CG	1:D:225:ASP:HB3	2.38	0.59
2:B:312:PRO:HG2	2:B:315:GLN:HB2	1.85	0.58
2:B:447:ARG:HH11	2:B:447:ARG:HG2	1.67	0.58
1:D:136:HIS:HD2	1:D:180:SER:OG	1.85	0.58
2:B:136:HIS:HD2	2:B:180:SER:OG	1.87	0.57
2:B:470:ARG:HG2	2:B:471:ALA:O	2.03	0.57
1:C:158:ARG:HD2	1:C:163:GLU:OE2	2.05	0.57
1:C:176:HIS:CG	1:C:225:ASP:HB3	2.40	0.56
1:D:130:LYS:HE3	1:D:306:GLU:CD	2.30	0.56
1:D:316:TRP:CD2	3:D:1472:TRS:H21	2.41	0.56
1:C:136:HIS:HD2	1:C:180:SER:OG	1.89	0.55
1:D:66:HIS:HE1	3:D:1472:TRS:N	2.04	0.55
1:A:176:HIS:CG	1:A:225:ASP:HB3	2.42	0.54
1:D:312:PRO:HG2	1:D:315:GLN:HB2	1.89	0.54
2:B:66:HIS:HD2	2:B:350:ASN:OD1	1.91	0.54
1:C:55:LYS:NZ	1:C:59:ASN:HD21	2.06	0.54
1:A:239:ASN:ND2	1:A:241:TRP:HE1	1.91	0.53
2:B:447:ARG:HH11	2:B:447:ARG:CG	2.22	0.53
1:A:132:THR:O	1:A:141:LEU:HD12	2.09	0.53
1:A:132:THR:HA	1:A:178:TYR:HB3	1.91	0.52
1:D:49:GLN:HE22	1:D:57:ARG:HH12	1.57	0.52
1:D:430:LYS:C	1:D:430:LYS:HE3	2.35	0.52
1:A:383:ALA:HB1	1:A:401:LYS:HD2	1.91	0.52
1:A:312:PRO:HG2	1:A:315:GLN:HB2	1.93	0.51
1:C:132:THR:HA	1:C:178:TYR:HB3	1.91	0.51
1:C:136:HIS:HE1	3:C:1709:TRS:O2	1.93	0.51
1:D:128:TYR:HE1	1:D:130:LYS:HE2	1.76	0.51
2:B:268:LYS:HB2	2:B:270:LYS:HD3	1.92	0.51
1:D:116:LYS:HE2	6:D:2026:HOH:O	2.11	0.51
2:B:66:HIS:CE1	3:B:1709:TRS:O3	2.61	0.50
1:D:288:GLU:O	1:D:290:ARG:HG2	2.11	0.50
1:D:289:ARG:HG2	6:D:2108:HOH:O	2.10	0.50
1:C:98:ASP:OD1	1:C:98:ASP:N	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:135:HIS:HE1	3:B:1709:TRS:O3	1.95	0.49
2:B:158:ARG:CD	2:B:163:GLU:OE2	2.59	0.49
1:D:66:HIS:HE1	3:D:1472:TRS:HN1	1.60	0.49
1:A:136:HIS:HE1	3:A:1473:TRS:O3	1.96	0.49
1:A:91:SER:O	1:A:94:LYS:HD2	2.14	0.48
1:D:270:LYS:HD2	1:D:275:SER:OG	2.13	0.48
1:D:430:LYS:HE2	1:D:468:LYS:HB2	1.95	0.48
2:B:136:HIS:HE1	3:B:1709:TRS:O2	1.97	0.48
1:A:312:PRO:HG3	1:A:322:TRP:CE2	2.49	0.48
2:B:239:ASN:ND2	2:B:241:TRP:HE1	1.99	0.48
1:D:430:LYS:HD2	1:D:432:THR:OG1	2.13	0.47
1:D:132:THR:HA	1:D:178:TYR:HB3	1.95	0.47
1:C:430:LYS:CD	6:C:2263:HOH:O	2.52	0.47
2:B:178:TYR:C	2:B:178:TYR:CD2	2.94	0.46
1:A:386:TYR:CZ	1:A:388:GLY:HA2	2.51	0.46
2:B:91:SER:O	2:B:94:LYS:HD2	2.15	0.46
1:D:178:TYR:CD2	1:D:178:TYR:C	2.93	0.46
1:A:214:LYS:HG2	1:A:253:LEU:HD11	1.98	0.46
1:D:181:VAL:O	1:D:205:PHE:HZ	1.99	0.46
1:C:239:ASN:HD22	1:C:241:TRP:NE1	2.01	0.46
1:D:316:TRP:CD1	3:D:1472:TRS:H12	2.51	0.46
2:B:277:GLY:O	5:B:1711:GOL:H32	2.16	0.45
1:A:135:HIS:HD2	6:A:2059:HOH:O	1.98	0.45
1:A:178:TYR:C	1:A:178:TYR:CD2	2.94	0.45
2:B:66:HIS:CD2	2:B:350:ASN:OD1	2.69	0.45
2:B:49:GLN:HE22	2:B:57:ARG:HH12	1.63	0.45
1:C:178:TYR:C	1:C:178:TYR:CD2	2.94	0.45
1:D:49:GLN:NE2	1:D:57:ARG:HH12	2.14	0.45
1:D:341:VAL:HG21	1:D:381:VAL:HG13	1.99	0.45
1:A:49:GLN:HE22	1:A:57:ARG:HH12	1.64	0.44
2:B:130:LYS:HG2	2:B:176:HIS:HB2	1.98	0.44
1:A:66:HIS:HD2	1:A:350:ASN:OD1	2.00	0.44
2:B:215:GLU:O	2:B:219:ARG:HB2	2.18	0.44
1:A:130:LYS:HE2	1:A:227:TRP:CD1	2.53	0.44
2:B:132:THR:HA	2:B:178:TYR:HB3	2.00	0.44
1:D:196:LYS:NZ	1:D:200:ILE:HD11	2.32	0.44
1:D:312:PRO:HG3	1:D:322:TRP:CE2	2.53	0.44
2:B:293:ASP:HA	2:B:294:PRO:HD3	1.92	0.43
2:B:379:LYS:HE2	2:B:406:TYR:OH	2.18	0.43
1:C:354:GLN:NE2	6:C:2207:HOH:O	2.51	0.43
1:D:158:ARG:HD2	1:D:163:GLU:OE2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:312:PRO:HG3	1:C:322:TRP:CE2	2.53	0.43
1:A:267:ASP:OD2	1:A:267:ASP:N	2.50	0.43
1:C:293:ASP:HA	1:C:294:PRO:HD3	1.88	0.42
1:A:268:LYS:HB2	1:A:270:LYS:HE3	2.01	0.42
1:D:63:ALA:HB2	1:D:126:THR:HG21	2.02	0.42
2:B:472:ALA:O	2:B:473:LYS:HB3	2.18	0.42
2:B:88:TRP:CE2	5:B:1710:GOL:H12	2.55	0.42
1:C:429:GLU:HG3	1:C:470:ARG:HG2	2.02	0.41
2:B:135:HIS:HD2	6:B:2053:HOH:O	2.03	0.41
1:C:63:ALA:HB2	1:C:126:THR:HG21	2.03	0.41
1:A:459:PRO:HG2	1:A:463:TYR:CG	2.56	0.41
2:B:132:THR:O	2:B:141:LEU:HD12	2.19	0.41
2:B:341:VAL:HG21	2:B:381:VAL:HG13	2.03	0.41
1:D:287:TYR:HD2	6:D:2095:HOH:O	2.03	0.41
1:C:116:LYS:HE2	1:C:116:LYS:HB3	1.83	0.41
2:B:312:PRO:HG3	2:B:322:TRP:CE2	2.56	0.40
1:A:199:SER:O	1:A:203:SER:HB2	2.22	0.40
1:D:276:ASN:HD22	1:D:278:ARG:HH22	1.68	0.40
2:B:267:ASP:OD2	2:B:267:ASP:N	2.53	0.40
1:D:48:ARG:HB2	1:D:53:MET:HG2	2.02	0.40
2:B:49:GLN:NE2	2:B:57:ARG:HH12	2.18	0.40
1:A:305:TRP:CE2	1:A:345:GLY:HA3	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:473:LYS:NZ	5:A:1476:GOL:O2[1_654]	1.94	0.26

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/450 (97%)	427 (98%)	10 (2%)	0	100	100
1	C	440/450 (98%)	429 (98%)	11 (2%)	0	100	100
1	D	436/450 (97%)	426 (98%)	10 (2%)	0	100	100
2	B	443/450 (98%)	433 (98%)	10 (2%)	0	100	100
All	All	1756/1800 (98%)	1715 (98%)	41 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/383 (97%)	367 (98%)	6 (2%)	55	35
1	C	376/383 (98%)	370 (98%)	6 (2%)	55	35
1	D	371/383 (97%)	365 (98%)	6 (2%)	55	35
2	B	377/383 (98%)	372 (99%)	5 (1%)	61	43
All	All	1497/1532 (98%)	1474 (98%)	23 (2%)	57	38

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	THR
1	A	122	LYS
1	A	197	GLU
1	A	267	ASP
1	A	270	LYS
1	A	284	GLU
2	B	267	ASP
2	B	270	LYS
2	B	447	ARG
2	B	473	LYS
2	B	478	LEU
1	C	94	LYS
1	C	98	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	123	GLU
1	C	270	LYS
1	C	429	GLU
1	C	456	LYS
1	D	98	ASP
1	D	197	GLU
1	D	284	GLU
1	D	288	GLU
1	D	430	LYS
1	D	457	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	A	54	GLN
1	A	66	HIS
1	A	135	HIS
1	A	136	HIS
1	A	239	ASN
1	A	314	ASN
1	A	448	ASN
2	B	49	GLN
2	B	54	GLN
2	B	66	HIS
2	B	135	HIS
2	B	136	HIS
2	B	239	ASN
2	B	392	GLN
1	C	49	GLN
1	C	59	ASN
1	C	136	HIS
1	C	239	ASN
1	C	276	ASN
1	C	354	GLN
1	C	392	GLN
1	D	49	GLN
1	D	54	GLN
1	D	66	HIS
1	D	78	ASN
1	D	135	HIS
1	D	136	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	239	ASN
1	D	314	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TRS	B	1709	-	7,7,7	0.30	0	9,9,9	0.48	0
3	TRS	D	1472	-	7,7,7	0.39	0	9,9,9	1.01	0
4	SO4	B	1712	-	4,4,4	0.20	0	6,6,6	0.24	0
4	SO4	A	1474	-	4,4,4	0.21	0	6,6,6	0.13	0
3	TRS	A	1473	-	7,7,7	0.20	0	9,9,9	0.53	0
5	GOL	C	1710	-	5,5,5	0.37	0	5,5,5	0.41	0
3	TRS	C	1709	-	7,7,7	0.35	0	9,9,9	0.57	0
4	SO4	D	1473	-	4,4,4	0.24	0	6,6,6	0.19	0
5	GOL	B	1710	-	5,5,5	0.34	0	5,5,5	0.53	0
4	SO4	A	1475	-	4,4,4	0.25	0	6,6,6	0.07	0
5	GOL	B	1711	-	5,5,5	0.43	0	5,5,5	0.20	0
5	GOL	A	1476	-	5,5,5	0.48	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	B	1709	-	-	3/9/9/9	-
3	TRS	D	1472	-	-	8/9/9/9	-
3	TRS	A	1473	-	-	6/9/9/9	-
5	GOL	C	1710	-	-	0/4/4/4	-
3	TRS	C	1709	-	-	2/9/9/9	-
5	GOL	B	1710	-	-	4/4/4/4	-
5	GOL	B	1711	-	-	0/4/4/4	-
5	GOL	A	1476	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1473	TRS	N-C-C1-O1
3	C	1709	TRS	N-C-C1-O1
3	D	1472	TRS	N-C-C1-O1
3	D	1472	TRS	C1-C-C2-O2
3	D	1472	TRS	C3-C-C2-O2
3	D	1472	TRS	N-C-C2-O2
5	A	1476	GOL	C1-C2-C3-O3
5	B	1710	GOL	O1-C1-C2-C3
5	B	1710	GOL	C1-C2-C3-O3
5	B	1710	GOL	O1-C1-C2-O2
5	B	1710	GOL	O2-C2-C3-O3
3	A	1473	TRS	C3-C-C1-O1
3	D	1472	TRS	C3-C-C1-O1
5	A	1476	GOL	O2-C2-C3-O3
3	A	1473	TRS	C1-C-C2-O2
3	A	1473	TRS	C3-C-C2-O2
3	B	1709	TRS	C2-C-C1-O1
3	B	1709	TRS	N-C-C1-O1
3	D	1472	TRS	C2-C-C1-O1
3	A	1473	TRS	N-C-C2-O2
3	B	1709	TRS	C3-C-C1-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1473	TRS	C2-C-C1-O1
3	C	1709	TRS	C2-C-C1-O1
3	D	1472	TRS	C2-C-C3-O3
3	D	1472	TRS	N-C-C3-O3

There are no ring outliers.

7 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1709	TRS	4	0
3	D	1472	TRS	6	0
3	A	1473	TRS	2	0
3	C	1709	TRS	1	0
5	B	1710	GOL	1	0
5	B	1711	GOL	1	0
5	A	1476	GOL	0	1

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	438/450 (97%)	0.29	38 (8%)	16 21	9, 20, 38, 48	2 (0%)
1	C	443/450 (98%)	0.13	12 (2%)	56 64	11, 19, 32, 46	2 (0%)
1	D	437/450 (97%)	0.51	27 (6%)	26 33	14, 24, 36, 51	2 (0%)
2	B	446/450 (99%)	-0.17	11 (2%)	58 66	8, 16, 27, 37	2 (0%)
All	All	1764/1800 (98%)	0.19	88 (4%)	34 42	8, 20, 34, 51	8 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	290	ARG	5.3
1	C	482	ALA	5.2
1	D	286	GLY	4.7
1	A	200	ILE	4.6
1	D	79	GLY	4.5
1	A	201	ALA	4.5
1	A	204	ARG	4.2
2	B	482	ALA	4.0
1	D	45	GLU	3.9
1	D	289	ARG	3.9
2	B	478	LEU	3.8
1	D	471	ALA	3.8
1	A	44	ASN	3.6
1	A	43	THR	3.5
1	D	287	TYR	3.4
1	D	36	ILE	3.4
1	C	479	TYR	3.2
1	C	37	PRO	3.2
1	C	483	LEU	3.2
1	D	308	CYS	3.1
1	C	278	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	44	ASN	3.0
1	A	98	ASP	3.0
1	A	197	GLU	3.0
1	C	471	ALA	2.9
1	D	46	GLY	2.9
1	D	98	ASP	2.9
1	D	191	TYR	2.8
1	C	43	THR	2.8
1	A	38	LEU	2.8
1	A	472	ALA	2.7
1	A	402	ASN	2.7
2	B	472	ALA	2.7
1	D	110	THR	2.7
1	C	98	ASP	2.7
1	A	191	TYR	2.6
1	A	42	ALA	2.6
1	A	37	PRO	2.6
1	A	278	ARG	2.6
1	A	35	GLU	2.6
2	B	43	THR	2.5
1	A	270	LYS	2.5
2	B	45	GLU	2.5
1	A	79	GLY	2.5
1	D	123	GLU	2.5
1	A	193	ILE	2.5
1	D	40	TYR	2.4
1	D	43	THR	2.4
1	A	196	LYS	2.4
1	A	290	ARG	2.4
1	C	36	ILE	2.4
1	D	288	GLU	2.3
1	D	278	ARG	2.3
1	A	287	TYR	2.3
1	A	45	GLU	2.3
2	B	479	TYR	2.3
1	A	36	ILE	2.3
1	A	195	SER	2.3
2	B	480	ARG	2.3
1	D	114	ALA	2.3
1	D	112	PHE	2.3
1	C	399	ARG	2.2
1	D	37	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	470	ARG	2.2
1	A	41	GLY	2.2
1	A	46	GLY	2.2
1	D	145[A]	LYS	2.2
1	D	430	LYS	2.2
1	D	92	TRP	2.2
1	A	194	LYS	2.2
1	C	484	THR	2.2
1	A	188	ASP	2.1
1	C	45	GLU	2.1
1	A	77	TRP	2.1
1	A	92	TRP	2.1
1	A	80	LYS	2.1
1	D	196	LYS	2.1
2	B	78	ASN	2.1
2	B	473	LYS	2.1
1	A	447	ARG	2.1
1	D	172	GLY	2.1
1	A	205	PHE	2.1
1	A	286	GLY	2.0
2	B	471	ALA	2.0
1	A	248	GLN	2.0
1	A	241	TRP	2.0
1	A	81	VAL	2.0
1	A	94	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TRS	D	1472	8/8	0.70	0.22	41,42,43,43	0
4	SO4	A	1475	5/5	0.72	0.16	77,78,78,78	0
5	GOL	B	1711	6/6	0.73	0.19	44,45,45,46	0
5	GOL	A	1476	6/6	0.75	0.21	39,41,42,43	0
3	TRS	A	1473	8/8	0.79	0.12	25,27,27,31	0
5	GOL	B	1710	6/6	0.83	0.17	40,41,42,42	0
5	GOL	C	1710	6/6	0.90	0.11	26,26,28,30	0
4	SO4	A	1474	5/5	0.91	0.11	53,53,53,53	0
3	TRS	C	1709	8/8	0.94	0.07	16,17,18,20	0
4	SO4	B	1712	5/5	0.95	0.08	38,39,40,40	0
4	SO4	D	1473	5/5	0.95	0.08	45,46,46,47	0
3	TRS	B	1709	8/8	0.97	0.05	12,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.