



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:21 PM UTC

PDB ID : 2WXD / pdb_00002wxd
Title : A MICROMOLAR O-SULFATED THIOHYDROXIMATE INHIBITOR
BOUND TO PLANT MYROSINASE
Authors : Besle, A.; Burmeister, W.P.
Deposited on : 2009-11-09
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	501	2% 84% 15% .
2	A	2	100%
2	B	2	100%
2	E	2	100%
2	F	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	5	40% 60%
4	D	7	57% 43%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	M	931	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 5238 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYROSINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	M	499	Total	C	N	O	S	0	21	0
			4082	2617	663	786	16			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	5	Total	C	N	O	0	0	0
			58	33	2	23			

- Molecule 4 is an oligosaccharide called beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	7	Total	C	N	O	0	0	0
			80	45	2	33			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is 2-(DIMETHYLAMINO)ETHYL (1Z)-2-PHENYL-N-(SULFOOXY)ETHANIMIDOTHIOATE (CCD ID: E18) (formula: $C_{12}H_{18}N_2O_4S_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	M	1	Total	C	N	O	S	0	0
			20	12	2	4	2		

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	M	1	Total	Zn	0	0
			1	1		

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	M	1	Total O S 10 8 2	0	1
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	M	1	Total C O 6 3 3	0	0
9	M	1	Total C O 7 3 4	0	1
9	M	1	Total C O 6 3 3	0	0
9	M	1	Total C O 6 3 3	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	764	Total 764	O 764	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MYROSINASE




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%


MAG1
MAG2

- Molecule 3: beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  40% 60%

MAG1
MAG2
BMA3
XYP4
FUC5

- Molecule 4: beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  57% 43%

MAG1
MAG2
BMA3
XYP4
MAN5
MAN6
FUC7

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	136.25Å 137.57Å 80.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	68.78 – 1.60 68.78 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (68.78-1.60) 99.8 (68.78-1.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.143 , 0.164 0.153 , 0.174	Depositor DCC
R_{free} test set	5075 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	13.6	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.017 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5238	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: E18, NAG, SO4, GOL, MAN, ZN, XYP, FUC, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	M	1.64	34/4284 (0.8%)	1.40	15/5824 (0.3%)

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	226	VAL	CA-CB	-6.76	1.46	1.54
1	M	191	VAL	CA-C	-6.46	1.46	1.52
1	M	455	LEU	CA-C	6.37	1.60	1.52
1	M	191	VAL	CA-CB	-6.36	1.49	1.53
1	M	238	VAL	CA-CB	-6.33	1.46	1.54
1	M	493	GLN	CD-OE1	-6.26	1.11	1.23
1	M	314	GLU	N-CA	6.19	1.53	1.46
1	M	297	GLN	CA-C	-6.09	1.44	1.52
1	M	127	GLY	N-CA	-6.09	1.38	1.45
1	M	178	SER	CB-OG	6.01	1.54	1.42
1	M	218	ASN	CA-CB	-6.00	1.43	1.52
1	M	254	PRO	CA-C	-6.00	1.47	1.53
1	M	117	GLY	CA-C	-5.92	1.45	1.52
1	M	28	ASP	CA-C	5.86	1.60	1.52
1	M	296	PRO	C-O	-5.72	1.17	1.23
1	M	150	ASP	CG-OD1	5.64	1.36	1.25
1	M	24	SER	N-CA	-5.63	1.39	1.46
1	M	135	PRO	CA-CB	-5.63	1.46	1.53
1	M	477	TYR	N-CA	-5.47	1.38	1.46
1	M	99	ALA	CA-CB	5.47	1.59	1.53
1	M	445	LYS	N-CA	5.44	1.53	1.46
1	M	219	SER	C-O	-5.34	1.17	1.24
1	M	444	ILE	CA-CB	-5.28	1.48	1.54
1	M	469	PHE	CA-C	5.26	1.60	1.52
1	M	103	ILE	CA-CB	-5.23	1.47	1.54
1	M	103	ILE	CA-C	-5.21	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	174	GLU	CA-C	-5.19	1.46	1.52
1	M	178	SER	N-CA	-5.18	1.39	1.46
1	M	306	ARG	N-CA	5.10	1.52	1.46
1	M	242	ARG	CD-NE	-5.08	1.39	1.46
1	M	214	CYS	CA-C	5.08	1.59	1.52
1	M	76	PHE	N-CA	-5.06	1.40	1.46
1	M	390	TYR	CE2-CZ	-5.01	1.26	1.38
1	M	246	THR	CB-CG2	-5.00	1.36	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	205	ARG	NE-CZ-NH2	6.26	124.83	119.20
1	M	130	LYS	CB-CG-CD	6.15	125.44	111.30
1	M	109	ARG	O-C-N	5.77	128.23	122.12
1	M	422	GLN	N-CA-C	-5.75	104.92	111.07
1	M	190	SER	N-CA-C	5.62	117.21	111.14
1	M	340	ASN	O-C-N	5.34	126.28	121.04
1	M	242	ARG	NE-CZ-NH2	-5.33	114.40	119.20
1	M	467	LYS	CA-C-O	5.31	124.74	118.90
1	M	214	CYS	N-CA-CB	5.28	117.80	109.83
1	M	236	LYS	N-CA-C	-5.26	105.63	111.36
1	M	191	VAL	N-CA-CB	5.23	113.80	110.50
1	M	19	ALA	N-CA-C	-5.20	106.62	113.12
1	M	210	VAL	N-CA-C	5.20	115.41	110.53
1	M	345	THR	N-CA-C	-5.18	106.06	112.38
1	M	275	THR	CA-C-O	5.13	125.85	120.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	4082	0	3830	52	0
2	A	28	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	28	0	25	0	0
2	E	28	0	26	2	0
2	F	28	0	25	0	0
3	C	58	0	43	4	0
4	D	80	0	60	3	0
5	M	56	0	52	18	0
6	M	20	0	18	2	0
7	M	1	0	0	0	0
8	M	40	0	0	0	0
9	M	25	0	30	4	0
10	M	764	0	0	26	5
All	All	5238	0	4135	69	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:346:ASN:HD21	5:M:971:NAG:C1	0.99	1.61
1:M:244:ASN:HD21	5:M:931:NAG:C1	0.92	1.57
1:M:373:LYS:NZ	10:M:3539:HOH:O	1.81	1.14
1:M:130:LYS:HB3	10:M:3254:HOH:O	1.49	1.12
1:M:493:GLN:NE2	10:M:3675:HOH:O	1.92	1.00
6:M:1501:E18:H11C	10:M:3641:HOH:O	1.60	1.00
9:M:2511:GOL:H11	10:M:3756:HOH:O	1.61	0.99
1:M:346:ASN:HD21	5:M:971:NAG:C2	1.80	0.95
1:M:246:THR:HG22	10:M:3377:HOH:O	1.67	0.93
1:M:165:LYS:NZ	5:M:931:NAG:H82	1.82	0.92
1:M:165:LYS:HZ1	5:M:931:NAG:H82	1.39	0.88
3:C:2:NAG:C4	3:C:3:BMA:C1	2.52	0.86
1:M:482:ASN:CG	5:M:991:NAG:C1	2.48	0.86
10:M:3708:HOH:O	4:D:1:NAG:H83	1.74	0.85
1:M:126[B]:SER:OG	10:M:3244:HOH:O	1.93	0.85
2:E:1:NAG:C4	2:E:2:NAG:C1	2.55	0.84
2:A:1:NAG:C4	2:A:2:NAG:C1	2.58	0.80
4:D:3:BMA:C6	4:D:6:MAN:C1	2.60	0.80
3:C:3:BMA:C2	3:C:4:XYP:C1	2.59	0.79
1:M:346:ASN:CG	5:M:971:NAG:C1	2.57	0.76
1:M:88[A]:GLU:OE2	10:M:3168:HOH:O	2.07	0.71
1:M:240:LEU:HD13	5:M:931:NAG:H83	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:244:ASN:CG	5:M:931:NAG:C1	2.61	0.70
1:M:177:ASP:OD1	10:M:3324:HOH:O	2.08	0.70
1:M:482:ASN:ND2	5:M:991:NAG:C2	2.54	0.68
9:M:2511:GOL:H32	10:M:3700:HOH:O	1.93	0.67
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CD1	2.22	0.66
1:M:462:ASN:ND2	10:M:3639:HOH:O	2.29	0.66
1:M:165:LYS:NZ	5:M:931:NAG:C8	2.57	0.65
1:M:244:ASN:ND2	5:M:931:NAG:O5	2.28	0.65
1:M:116:LYS:HG2	10:M:3224:HOH:O	1.95	0.65
1:M:88[B]:GLU:CD	10:M:3167:HOH:O	2.38	0.65
2:E:1:NAG:O4	2:E:2:NAG:O5	2.16	0.63
1:M:4:ILE:HD11	1:M:445:LYS:HD2	1.81	0.62
1:M:165:LYS:HZ2	5:M:931:NAG:H82	1.65	0.61
1:M:108:LYS:HD2	10:M:3304:HOH:O	2.01	0.60
1:M:165:LYS:HZ2	5:M:931:NAG:C8	2.15	0.59
4:D:3:BMA:O6	4:D:6:MAN:C2	2.49	0.58
1:M:159:GLN:NE2	10:M:3296:HOH:O	2.37	0.57
2:A:1:NAG:O4	2:A:2:NAG:C2	2.49	0.55
6:M:1501:E18:C1	10:M:3641:HOH:O	2.32	0.55
1:M:365:HIS:HD2	10:M:3247:HOH:O	1.89	0.54
1:M:240:LEU:CD1	5:M:931:NAG:H83	2.35	0.54
1:M:118[B]:ILE:HD12	1:M:174:GLU:HG3	1.90	0.53
1:M:130:LYS:CB	10:M:3254:HOH:O	2.27	0.53
1:M:365:HIS:HE1	10:M:3532:HOH:O	1.91	0.52
1:M:249:GLY:HA3	9:M:2513:GOL:H12	1.92	0.51
1:M:360[A]:ILE:HD11	1:M:364:GLY:HA2	1.92	0.51
3:C:2:NAG:O4	3:C:3:BMA:C2	2.50	0.51
1:M:443:VAL:HG13	1:M:449[B]:VAL:HG21	1.92	0.50
1:M:465:PHE:O	1:M:466[A]:ASN:HB2	2.12	0.49
1:M:122:HIS:HE1	1:M:174:GLU:O	1.97	0.48
1:M:482:ASN:ND2	5:M:991:NAG:O5	2.38	0.47
1:M:397:LYS:HB2	1:M:449[B]:VAL:HG12	1.97	0.47
1:M:368:GLY:HA3	1:M:384:TYR:O	2.16	0.46
9:M:2511:GOL:H2	10:M:3409:HOH:O	2.16	0.46
5:M:931:NAG:H81	10:M:3366:HOH:O	2.15	0.46
1:M:375:LYS:N	10:M:3543:HOH:O	2.37	0.45
1:M:81:LYS:NZ	10:M:3150:HOH:O	2.51	0.44
1:M:465:PHE:O	1:M:466[A]:ASN:CB	2.66	0.43
1:M:130:LYS:HB3	10:M:3094:HOH:O	2.17	0.43
1:M:482:ASN:OD1	5:M:991:NAG:C1	2.67	0.43
1:M:95:ARG:HB2	1:M:455:LEU:HD13	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:389:ILE:O	1:M:393:MET:HG2	2.19	0.42
1:M:88[A]:GLU:CG	10:M:3168:HOH:O	2.68	0.41
1:M:95:ARG:HA	1:M:136:PHE:O	2.21	0.40
3:C:3:BMA:H2	3:C:4:XYP:C1	2.49	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:M:3250:HOH:O	10:M:3250:HOH:O[4_576]	1.49	0.71
10:M:3285:HOH:O	10:M:3285:HOH:O[3_656]	1.66	0.54
10:M:3198:HOH:O	10:M:3741:HOH:O[3_656]	2.12	0.08
10:M:3255:HOH:O	10:M:3715:HOH:O[6_565]	2.18	0.02
10:M:3285:HOH:O	10:M:3743:HOH:O[3_656]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	M	518/501 (103%)	504 (97%)	13 (2%)	1 (0%)	43 24

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	M	187	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	454/437 (104%)	453 (100%)	1 (0%)	87	81

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	130	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	M	122	HIS
1	M	230	GLN
1	M	244	ASN
1	M	297	GLN
1	M	343	ASN
1	M	346	ASN
1	M	365	HIS
1	M	402	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

20 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	1	1,2	14,14,15	1.43	2 (14%)	17,19,21	1.62	3 (17%)
2	NAG	A	2	2	14,14,15	0.91	0	17,19,21	1.52	4 (23%)
2	NAG	B	1	1,2	14,14,15	1.92	5 (35%)	17,19,21	1.87	4 (23%)
2	NAG	B	2	2	14,14,15	0.74	0	17,19,21	2.76	9 (52%)
3	NAG	C	1	1,3	14,14,15	1.45	2 (14%)	17,19,21	2.02	6 (35%)
3	NAG	C	2	3	14,14,15	1.09	2 (14%)	17,19,21	1.79	7 (41%)
3	BMA	C	3	3	11,11,12	1.00	1 (9%)	15,15,17	2.51	4 (26%)
3	XYP	C	4	3	9,9,10	1.14	1 (11%)	10,12,14	2.20	5 (50%)
3	FUC	C	5	3	10,10,11	0.67	0	14,14,16	1.50	4 (28%)
4	NAG	D	1	1,4	14,14,15	2.03	5 (35%)	17,19,21	2.07	4 (23%)
4	NAG	D	2	4	14,14,15	2.12	5 (35%)	17,19,21	2.66	10 (58%)
4	BMA	D	3	4	11,11,12	1.46	1 (9%)	15,15,17	2.24	5 (33%)
4	XYP	D	4	4	9,9,10	0.45	0	10,12,14	2.10	3 (30%)
4	MAN	D	5	4	11,11,12	0.82	0	15,15,17	1.68	2 (13%)
4	MAN	D	6	4	11,11,12	1.14	0	15,15,17	1.23	1 (6%)
4	FUC	D	7	4	10,10,11	1.21	1 (10%)	14,14,16	2.09	5 (35%)
2	NAG	E	1	1,2	14,14,15	0.82	0	17,19,21	1.76	4 (23%)
2	NAG	E	2	2	14,14,15	0.54	0	17,19,21	1.39	2 (11%)
2	NAG	F	1	1,2	14,14,15	1.83	5 (35%)	17,19,21	1.74	5 (29%)
2	NAG	F	2	2	14,14,15	1.28	2 (14%)	17,19,21	2.14	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	2	2	-	0/6/23/26	0/1/1/1
2	NAG	B	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1
3	XYP	C	4	3	-	-	0/1/1/1
3	FUC	C	5	3	-	-	0/1/1/1
4	NAG	D	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	D	3	4	-	0/2/19/22	0/1/1/1
4	XYP	D	4	4	-	-	0/1/1/1
4	MAN	D	5	4	-	0/2/19/22	0/1/1/1
4	MAN	D	6	4	-	0/2/19/22	0/1/1/1
4	FUC	D	7	4	-	-	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	2	NAG	C1-C2	5.22	1.59	1.52
4	D	1	NAG	O5-C1	-4.81	1.35	1.43
2	B	1	NAG	C2-N2	-4.40	1.39	1.46
2	F	1	NAG	O5-C1	-4.20	1.36	1.43
3	C	1	NAG	O4-C4	3.85	1.52	1.43
2	A	1	NAG	O5-C1	-3.46	1.37	1.43
4	D	3	BMA	O4-C4	3.38	1.51	1.43
4	D	1	NAG	O5-C5	3.32	1.49	1.43
2	B	1	NAG	O5-C1	-3.14	1.38	1.43
2	F	1	NAG	C2-N2	-3.11	1.41	1.46
4	D	2	NAG	C4-C5	2.96	1.59	1.53
3	C	1	NAG	C1-C2	2.92	1.56	1.52
4	D	2	NAG	O7-C7	2.78	1.29	1.23
2	B	1	NAG	C3-C2	2.76	1.58	1.52
2	F	2	NAG	C8-C7	2.52	1.55	1.50
3	C	4	XYP	C4-C3	2.52	1.56	1.52
4	D	2	NAG	O4-C4	-2.50	1.36	1.43
4	D	1	NAG	O7-C7	2.36	1.28	1.23
3	C	2	NAG	C1-C2	2.29	1.55	1.52
2	B	1	NAG	O4-C4	2.27	1.48	1.43
4	D	1	NAG	C1-C2	2.27	1.55	1.52
2	F	1	NAG	C1-C2	2.23	1.55	1.52
2	F	2	NAG	C1-C2	2.23	1.55	1.52
3	C	2	NAG	O5-C1	-2.14	1.40	1.43
2	A	1	NAG	O5-C5	2.12	1.47	1.43
4	D	2	NAG	O5-C5	-2.10	1.39	1.43
3	C	3	BMA	O5-C5	2.10	1.47	1.43
4	D	7	FUC	C2-C3	-2.08	1.49	1.52
2	F	1	NAG	C4-C5	2.05	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	NAG	C3-C2	2.04	1.56	1.52
2	B	1	NAG	C4-C3	-2.02	1.47	1.52
2	F	1	NAG	O4-C4	2.00	1.47	1.43

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C1-O5-C5	-6.50	103.47	112.19
3	C	3	BMA	C1-O5-C5	-6.47	103.52	112.19
4	D	2	NAG	O3-C3-C2	-6.34	96.23	109.40
4	D	3	BMA	O3-C3-C4	-4.99	98.62	110.38
4	D	1	NAG	C1-O5-C5	-4.81	105.73	112.19
3	C	4	XYP	O3-C3-C2	-4.67	100.53	110.05
4	D	2	NAG	C8-C7-N2	-4.64	108.42	116.12
4	D	4	XYP	C1-C2-C3	-4.52	103.07	109.64
2	E	2	NAG	C1-O5-C5	-4.34	106.37	112.19
2	F	2	NAG	C1-O5-C5	-4.21	106.54	112.19
4	D	3	BMA	C1-O5-C5	-4.14	106.63	112.19
4	D	7	FUC	O3-C3-C2	-4.10	101.69	110.05
2	F	2	NAG	O5-C1-C2	-4.09	104.96	111.29
2	B	2	NAG	O7-C7-C8	-4.05	114.84	122.05
4	D	1	NAG	O3-C3-C2	4.04	117.80	109.40
3	C	3	BMA	C2-C3-C4	-4.03	103.77	110.86
2	B	1	NAG	O5-C1-C2	-3.97	105.14	111.29
4	D	1	NAG	O5-C5-C6	-3.95	99.97	107.66
4	D	5	MAN	O3-C3-C4	3.90	119.58	110.38
3	C	3	BMA	O3-C3-C4	3.89	119.55	110.38
2	A	2	NAG	C2-N2-C7	3.79	127.97	122.90
3	C	1	NAG	C8-C7-N2	-3.78	109.84	116.12
2	E	1	NAG	C3-C4-C5	3.68	116.91	110.23
4	D	7	FUC	O5-C5-C6	3.63	115.27	107.40
3	C	5	FUC	O2-C2-C3	-3.41	103.08	110.15
3	C	2	NAG	O7-C7-C8	-3.33	116.12	122.05
4	D	2	NAG	O5-C1-C2	-3.31	106.18	111.29
4	D	5	MAN	O3-C3-C2	-3.29	103.34	110.05
2	B	1	NAG	C1-O5-C5	-3.29	107.78	112.19
4	D	2	NAG	C4-C3-C2	-3.26	106.24	111.02
2	B	2	NAG	C1-C2-N2	3.23	115.52	110.43
2	E	1	NAG	O4-C4-C5	-3.19	101.47	109.32
2	F	1	NAG	C2-N2-C7	3.15	127.13	122.90
2	B	2	NAG	C3-C4-C5	3.10	115.86	110.23
2	B	2	NAG	O4-C4-C3	-3.09	103.10	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C4-C3-C2	3.09	115.54	111.02
3	C	1	NAG	O5-C1-C2	-3.02	106.62	111.29
4	D	7	FUC	C1-O5-C5	3.01	120.06	112.97
2	B	2	NAG	C8-C7-N2	3.00	121.10	116.12
4	D	7	FUC	C6-C5-C4	-3.00	107.59	113.08
3	C	1	NAG	O4-C4-C5	-2.99	101.95	109.32
2	F	2	NAG	O4-C4-C3	-2.98	103.36	110.38
2	F	1	NAG	C4-C3-C2	2.90	115.28	111.02
4	D	3	BMA	C3-C4-C5	-2.90	104.98	110.23
2	A	2	NAG	C1-O5-C5	-2.89	108.31	112.19
3	C	2	NAG	O4-C4-C3	-2.88	103.59	110.38
3	C	1	NAG	O5-C5-C4	-2.86	103.87	110.83
2	E	1	NAG	O5-C1-C2	-2.85	106.88	111.29
4	D	4	XYP	C5-C4-C3	2.81	113.74	109.64
2	B	1	NAG	O7-C7-C8	2.81	127.06	122.05
2	E	1	NAG	C1-C2-N2	-2.80	106.02	110.43
2	F	2	NAG	C4-C3-C2	-2.77	106.96	111.02
4	D	7	FUC	O2-C2-C3	2.77	115.88	110.15
2	A	1	NAG	O6-C6-C5	2.76	120.75	111.33
2	B	1	NAG	O7-C7-N2	-2.74	117.13	121.98
4	D	3	BMA	O2-C2-C1	-2.72	102.99	109.22
2	A	1	NAG	C4-C3-C2	-2.71	107.05	111.02
3	C	2	NAG	O3-C3-C2	-2.69	103.81	109.40
2	F	1	NAG	C3-C4-C5	-2.66	105.41	110.23
3	C	4	XYP	O3-C3-C4	2.64	115.44	110.05
2	F	2	NAG	C1-C2-N2	-2.62	106.31	110.43
2	F	2	NAG	O7-C7-N2	2.60	126.58	121.98
4	D	4	XYP	C5-O5-C1	-2.58	107.25	111.42
3	C	2	NAG	O5-C5-C4	-2.57	104.56	110.83
2	A	1	NAG	O5-C5-C6	2.55	112.64	107.66
4	D	3	BMA	C2-C3-C4	2.55	115.35	110.86
3	C	4	XYP	C4-C3-C2	-2.49	107.96	110.92
2	B	2	NAG	O5-C1-C2	2.45	115.09	111.29
3	C	1	NAG	C1-C2-N2	-2.43	106.61	110.43
3	C	3	BMA	O2-C2-C1	-2.41	103.70	109.22
4	D	6	MAN	O2-C2-C1	-2.39	103.76	109.22
2	F	1	NAG	C1-C2-N2	2.36	114.15	110.43
3	C	2	NAG	C1-O5-C5	2.36	115.34	112.19
3	C	1	NAG	O4-C4-C3	-2.36	104.82	110.38
2	A	2	NAG	O4-C4-C3	-2.35	104.84	110.38
2	F	1	NAG	O4-C4-C5	-2.31	103.63	109.32
4	D	2	NAG	O5-C5-C6	2.30	112.13	107.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	2	NAG	C3-C4-C5	2.27	114.36	110.23
2	A	2	NAG	C4-C3-C2	2.23	114.28	111.02
3	C	5	FUC	O5-C5-C4	2.21	113.53	109.55
3	C	2	NAG	O7-C7-N2	2.20	125.86	121.98
4	D	2	NAG	O7-C7-C8	2.18	125.94	122.05
2	B	2	NAG	O3-C3-C4	-2.14	105.32	110.38
4	D	2	NAG	C1-O5-C5	-2.14	109.32	112.19
4	D	2	NAG	C1-C2-N2	-2.11	107.11	110.43
3	C	5	FUC	O4-C4-C5	-2.10	105.10	109.74
3	C	2	NAG	O6-C6-C5	-2.10	104.18	111.33
3	C	4	XYP	O4-C4-C3	2.09	114.47	110.15
3	C	4	XYP	C5-C4-C3	2.08	112.67	109.64
2	F	2	NAG	O6-C6-C5	-2.06	104.30	111.33
3	C	5	FUC	O5-C5-C6	-2.06	102.94	107.40
2	E	2	NAG	O4-C4-C3	2.03	115.16	110.38
4	D	2	NAG	O7-C7-N2	2.03	125.56	121.98
4	D	1	NAG	C4-C3-C2	-2.02	108.06	111.02

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


10 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	2	NAG	2	0
2	A	1	NAG	2	0
3	C	4	XYP	2	0
4	D	6	MAN	2	0
2	A	2	NAG	2	0
3	C	2	NAG	2	0
4	D	1	NAG	1	0
2	E	1	NAG	2	0
3	C	3	BMA	4	0
4	D	3	BMA	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 1 is monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	SO4	M	1509	-	4,4,4	0.40	0	6,6,6	0.26	0
6	E18	M	1501	-	17,20,20	1.43	2 (11%)	19,26,26	1.62	3 (15%)
5	NAG	M	901	1	14,14,15	1.12	1 (7%)	17,19,21	2.15	6 (35%)
8	SO4	M	1503[B]	-	4,4,4	0.31	0	6,6,6	1.41	2 (33%)
8	SO4	M	1508	-	4,4,4	0.66	0	6,6,6	1.74	2 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	GOL	M	2512[A]	-	5,5,5	0.95	0	5,5,5	2.66	1 (20%)
9	GOL	M	2513	-	5,5,5	0.55	0	5,5,5	0.87	0
9	GOL	M	2514	-	5,5,5	0.49	0	5,5,5	1.20	1 (20%)
8	SO4	M	1507	-	4,4,4	0.61	0	6,6,6	1.03	0
8	SO4	M	1505	-	4,4,4	0.47	0	6,6,6	1.05	0
8	SO4	M	1504	-	4,4,4	0.67	0	6,6,6	1.01	0
5	NAG	M	931	1	14,14,15	0.88	0	17,19,21	2.44	6 (35%)
5	NAG	M	991	1	14,14,15	1.15	1 (7%)	17,19,21	1.63	3 (17%)
8	SO4	M	1506	-	4,4,4	0.37	0	6,6,6	0.69	0
9	GOL	M	2512[B]	-	5,5,5	0.96	0	5,5,5	2.65	1 (20%)
8	SO4	M	1503[A]	-	4,4,4	0.60	0	6,6,6	0.74	0
5	NAG	M	971	1	14,14,15	0.59	0	17,19,21	1.39	3 (17%)
9	GOL	M	2511	-	5,5,5	0.54	0	5,5,5	1.13	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	E18	M	1501	-	-	4/9/16/16	0/1/1/1
5	NAG	M	901	1	-	0/6/23/26	0/1/1/1
9	GOL	M	2514	-	-	2/4/4/4	-
9	GOL	M	2512[A]	-	-	1/4/4/4	-
9	GOL	M	2513	-	-	0/4/4/4	-
5	NAG	M	931	1	-	3/6/23/26	0/1/1/1
5	NAG	M	991	1	-	0/6/23/26	0/1/1/1
9	GOL	M	2512[B]	-	-	2/4/4/4	-
5	NAG	M	971	1	-	0/6/23/26	0/1/1/1
9	GOL	M	2511	-	-	2/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	1501	E18	O18-N17	-4.50	1.36	1.45
5	M	901	NAG	O5-C1	-2.96	1.38	1.43
5	M	991	NAG	C1-C2	2.82	1.56	1.52
6	M	1501	E18	CB-C13	2.03	1.54	1.50

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	901	NAG	C8-C7-N2	5.80	125.73	116.12
9	M	2512[A]	GOL	O2-C2-C3	5.62	132.46	109.18
9	M	2512[B]	GOL	O2-C2-C3	5.62	132.46	109.18
5	M	931	NAG	C2-N2-C7	5.18	129.85	122.90
6	M	1501	E18	O18-S19-O20	4.40	116.67	102.61
5	M	931	NAG	O7-C7-C8	-4.25	114.48	122.05
5	M	931	NAG	C1-O5-C5	-4.21	106.54	112.19
5	M	991	NAG	C1-O5-C5	-4.03	106.78	112.19
5	M	931	NAG	C1-C2-N2	-3.15	105.47	110.43
5	M	931	NAG	C8-C7-N2	3.03	121.15	116.12
5	M	901	NAG	O7-C7-C8	-2.98	116.74	122.05
6	M	1501	E18	CB-CG-CD1	-2.93	116.58	120.89
8	M	1508	SO4	O4-S-O1	2.70	123.68	109.56
8	M	1508	SO4	O3-S-O1	-2.70	95.44	109.56
5	M	901	NAG	O4-C4-C3	2.62	116.56	110.38
8	M	1503[B]	SO4	O4-S-O2	-2.56	96.17	109.56
5	M	901	NAG	O7-C7-N2	-2.52	117.52	121.98
5	M	991	NAG	O5-C5-C6	2.46	112.45	107.66
5	M	931	NAG	O5-C5-C4	-2.42	104.93	110.83
5	M	991	NAG	C8-C7-N2	2.42	120.13	116.12
5	M	971	NAG	C1-O5-C5	-2.33	109.06	112.19
5	M	901	NAG	C1-C2-N2	2.29	114.04	110.43
9	M	2514	GOL	O3-C3-C2	2.27	120.61	110.38
6	M	1501	E18	CE1-CD1-CG	-2.24	117.46	120.61
8	M	1503[B]	SO4	O4-S-O3	2.24	120.88	108.54
5	M	971	NAG	O4-C4-C3	-2.16	105.29	110.38
5	M	901	NAG	O3-C3-C4	2.13	115.41	110.38
9	M	2511	GOL	O2-C2-C1	2.07	117.75	109.18
5	M	971	NAG	C4-C3-C2	-2.07	107.98	111.02

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	M	1501	E18	CB-C13-S1-C1
6	M	1501	E18	C2-C1-S1-C13
9	M	2511	GOL	C1-C2-C3-O3
9	M	2512[B]	GOL	C1-C2-C3-O3
9	M	2514	GOL	O1-C1-C2-C3
5	M	931	NAG	C8-C7-N2-C2
5	M	931	NAG	O7-C7-N2-C2
9	M	2512[B]	GOL	O2-C2-C3-O3
6	M	1501	E18	S1-C1-C2-N18

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	M	2511	GOL	O2-C2-C3-O3
9	M	2514	GOL	O1-C1-C2-O2
5	M	931	NAG	C4-C5-C6-O6
9	M	2512[A]	GOL	C1-C2-C3-O3
6	M	1501	E18	C13-CB-CG-CD2

There are no ring outliers.

6 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	M	1501	E18	2	0
9	M	2513	GOL	1	0
5	M	931	NAG	11	0
5	M	991	NAG	4	0
5	M	971	NAG	3	0
9	M	2511	GOL	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	M	499/501 (99%)	-0.50	9 (1%) 67 71	6, 11, 24, 51	21 (4%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	376	ALA	4.3
1	M	18	ASP	2.5
1	M	27	SER	2.3
1	M	3	GLU	2.3
1	M	380	ASP	2.3
1	M	19	ALA	2.2
1	M	5	THR	2.2
1	M	177	ASP	2.2
1	M	130	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	A	1	14/15	-	-	19,27,31,33	0
2	NAG	A	2	14/15	-	-	37,42,47,48	0
3	NAG	C	2	14/15	0.71	0.17	20,27,32,39	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BMA	D	3	11/12	0.71	0.15	22,26,30,33	0
2	NAG	F	1	14/15	0.72	0.17	11,14,18,19	0
2	NAG	B	2	14/15	0.75	0.15	38,45,54,57	0
2	NAG	F	2	14/15	0.78	0.15	22,37,46,48	0
4	XYP	D	4	9/10	0.81	0.14	30,38,43,47	0
2	NAG	E	2	14/15	0.88	0.12	40,46,52,53	0
2	NAG	B	1	14/15	0.93	0.09	14,24,28,35	0
3	BMA	C	3	11/12	-	-	37,39,46,47	0
3	XYP	C	4	9/10	-	-	37,41,43,45	0
3	FUC	C	5	10/11	-	-	22,31,36,42	0
4	NAG	D	2	14/15	0.93	0.09	19,23,30,33	0
2	NAG	E	1	14/15	0.95	0.07	39,46,61,63	0
3	NAG	C	1	14/15	0.95	0.08	12,15,18,18	0
4	NAG	D	1	14/15	0.96	0.06	16,19,25,27	0
4	MAN	D	5	11/12	-	-	36,42,48,52	0
4	MAN	D	6	11/12	-	-	35,43,44,45	0
4	FUC	D	7	10/11	-	-	22,25,30,31	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	M	931	14/15	0.73	0.17	37,54,64,90	0
8	SO4	M	1509	5/5	0.75	0.18	36,39,42,42	5
9	GOL	M	2514	6/6	0.75	0.23	37,45,45,46	6
5	NAG	M	971	14/15	0.77	0.15	57,60,62,62	0
5	NAG	M	991	14/15	0.78	0.15	30,39,49,53	0
8	SO4	M	1503[A]	5/5	0.79	0.18	24,29,44,45	5
8	SO4	M	1503[B]	5/5	0.79	0.18	18,26,32,32	5
9	GOL	M	2511	6/6	0.81	0.23	34,36,36,40	6
8	SO4	M	1508	5/5	0.85	0.14	18,29,40,41	5
8	SO4	M	1507	5/5	0.85	0.13	25,36,41,43	5
5	NAG	M	901	14/15	0.88	0.12	24,36,41,46	0
6	E18	M	1501	20/20	0.91	0.16	16,23,39,40	20
9	GOL	M	2512[B]	6/6	0.95	0.11	14,16,22,23	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	GOL	M	2513	6/6	0.95	0.10	14,27,30,37	6
9	GOL	M	2512[A]	6/6	0.95	0.11	8,16,22,23	1
8	SO4	M	1504	5/5	0.96	0.10	20,22,31,31	5
8	SO4	M	1505	5/5	0.97	0.07	19,25,31,32	5
8	SO4	M	1506	5/5	0.98	0.05	19,19,23,27	0
7	ZN	M	1502	1/1	1.00	0.02	8,8,8,8	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.