



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:48 PM UTC

PDB ID : 2WXZ / pdb_00002wxz
Title : Crystal structure of rat angiotensinogen in C2 space group
Authors : Zhou, A.; Wei, Z.; Carrell, R.W.; Read, R.J.
Deposited on : 2009-11-11
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	11% 70% 22% 7%
2	C	453	13% 70% 20% 9%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6473 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANGIOTENSINOGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	422	3266	2097	551	608	10	0	1	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	80	VAL	MET	conflict	UNP P01015


- Molecule 2 is a protein called ANGIOTENSINOGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	413	3207	2062	540	594	11	0	2	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ANGIOTENSINOGEN



• Molecule 2: ANGIOTENSINOGEN





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	130.50Å 49.54Å 150.28Å 90.00° 90.84° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 50.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.2 (50.00-2.80) 98.1 (50.00-2.80)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.5.0099	Depositor
R, R_{free}	0.282 , 0.310 (Not available) , 0.280	Depositor DCC
R_{free} test set	1212 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	56.2	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.035 for -h,-k,l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6473	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/3341	0.71	0/4547
2	C	0.41	0/3283	0.70	0/4466
All	All	0.43	0/6624	0.70	0/9013

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3266	0	3292	78	0
2	C	3207	0	3241	74	0
All	All	6473	0	6533	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:234:LEU:HD13	2:C:237:VAL:HG21	1.36	1.08
1:A:416:SER:O	1:A:419:VAL:HG23	1.54	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:ALA:HB2	1:A:234:LEU:HD22	1.39	1.04
2:C:99:VAL:HG21	2:C:353:ILE:HG21	1.46	0.94
1:A:99:VAL:HG21	1:A:353:ILE:HG21	1.47	0.94
2:C:99:VAL:HG21	2:C:353:ILE:CG2	1.99	0.92
1:A:99:VAL:CG2	1:A:353:ILE:HG21	2.00	0.91
1:A:99:VAL:HG21	1:A:353:ILE:CG2	2.01	0.91
2:C:99:VAL:CG2	2:C:353:ILE:HG21	2.00	0.89
1:A:215:ALA:HB2	1:A:234:LEU:CD2	2.09	0.82
2:C:234:LEU:HD13	2:C:237:VAL:CG2	2.09	0.81
1:A:130:VAL:HG21	1:A:141:LEU:HD21	1.65	0.79
1:A:215:ALA:CB	1:A:234:LEU:HD22	2.13	0.77
1:A:351:LEU:HD12	1:A:399:LEU:HD13	1.66	0.77
2:C:351:LEU:HD12	2:C:399:LEU:HD13	1.67	0.77
2:C:130:VAL:HG21	2:C:141:LEU:HD21	1.68	0.76
1:A:234:LEU:HD23	1:A:237:VAL:HG21	1.68	0.75
2:C:420:LEU:HD22	2:C:420:LEU:O	1.87	0.74
1:A:416:SER:O	1:A:419:VAL:CG2	2.34	0.74
2:C:234:LEU:CD1	2:C:237:VAL:HG21	2.16	0.73
1:A:123:GLN:HE21	2:C:334:THR:HG21	1.56	0.70
2:C:157:LEU:HD22	2:C:441:HIS:CG	2.29	0.68
1:A:157:LEU:HD22	1:A:441:HIS:CG	2.29	0.67
2:C:99:VAL:CG2	2:C:353:ILE:CG2	2.68	0.64
1:A:99:VAL:CG2	1:A:353:ILE:CG2	2.68	0.63
2:C:255:MET:HE2	2:C:258:PHE:CD2	2.34	0.62
1:A:123:GLN:NE2	2:C:334:THR:HG21	2.14	0.62
2:C:205:LEU:HD21	2:C:207:LEU:HD21	1.82	0.62
2:C:99:VAL:HG21	2:C:353:ILE:HG22	1.81	0.61
1:A:205:LEU:HD21	1:A:207:LEU:HD21	1.82	0.61
2:C:6:HIS:N	2:C:7:PRO:CD	2.64	0.61
2:C:351:LEU:CD1	2:C:399:LEU:HD13	2.31	0.60
1:A:6:HIS:N	1:A:7:PRO:CD	2.64	0.60
1:A:99:VAL:HG21	1:A:353:ILE:HG22	1.84	0.59
1:A:105:LEU:HD21	1:A:359:LEU:HD13	1.84	0.59
1:A:255:MET:HE2	1:A:258:PHE:CD2	2.38	0.59
2:C:105:LEU:HD21	2:C:359:LEU:HD13	1.84	0.58
1:A:309:LEU:HD22	1:A:399:LEU:HD21	1.86	0.58
1:A:179:THR:HG22	1:A:243:LEU:HD23	1.85	0.58
1:A:351:LEU:CD1	1:A:399:LEU:HD13	2.32	0.57
2:C:105:LEU:HD21	2:C:359:LEU:CD1	2.35	0.57
2:C:179:THR:HG22	2:C:243:LEU:HD23	1.87	0.56
2:C:309:LEU:HD22	2:C:399:LEU:HD21	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:LEU:HD21	1:A:359:LEU:CD1	2.38	0.54
2:C:236:GLY:O	2:C:237:VAL:HG23	2.08	0.54
2:C:255:MET:HE2	2:C:258:PHE:CG	2.43	0.54
2:C:80:MET:CE	2:C:109:LEU:CD1	2.86	0.54
1:A:10:LEU:HB3	1:A:69:ARG:HG3	1.89	0.54
1:A:178:PHE:CZ	1:A:218:ILE:HG23	2.43	0.53
2:C:55:LEU:O	2:C:59:THR:HG23	2.09	0.53
2:C:157:LEU:HD22	2:C:441:HIS:ND1	2.23	0.53
2:C:420:LEU:H	2:C:420:LEU:HD13	1.74	0.53
1:A:157:LEU:HD22	1:A:441:HIS:ND1	2.24	0.53
2:C:10:LEU:HB3	2:C:69:ARG:HG3	1.90	0.52
1:A:255:MET:HE2	1:A:258:PHE:CG	2.43	0.52
1:A:108:THR:HG23	1:A:245:PHE:CE2	2.44	0.52
1:A:280:LEU:CD2	1:A:348:LEU:HD21	2.40	0.52
2:C:158:VAL:O	2:C:158:VAL:HG23	2.09	0.52
1:A:343:ALA:HB3	1:A:418:GLU:O	2.10	0.51
2:C:237:VAL:HG12	2:C:238:SER:O	2.10	0.51
2:C:80:MET:HE2	2:C:109:LEU:HD13	1.92	0.51
1:A:237:VAL:HG12	1:A:238:SER:O	2.10	0.51
1:A:55:LEU:O	1:A:59:THR:HG23	2.11	0.51
1:A:153:VAL:HG12	1:A:441:HIS:CE1	2.46	0.50
1:A:231:ASN:C	1:A:232:LEU:HD13	2.36	0.50
2:C:178:PHE:CZ	2:C:218:ILE:HG23	2.46	0.50
2:C:108:THR:HG23	2:C:245:PHE:CE2	2.46	0.50
1:A:180:ALA:HB2	1:A:242:THR:HA	1.94	0.49
1:A:236:GLY:O	1:A:237:VAL:HG23	2.13	0.49
1:A:215:ALA:CB	1:A:234:LEU:CD2	2.82	0.49
2:C:174:VAL:HG22	2:C:248:TYR:HB2	1.94	0.48
1:A:280:LEU:CD2	1:A:348:LEU:CD2	2.91	0.48
1:A:264:LEU:HD22	1:A:278:PRO:HD3	1.95	0.48
1:A:333:LEU:HB3	1:A:336:ILE:HD12	1.96	0.48
2:C:8:PHE:HB3	2:C:11:LEU:HD12	1.96	0.48
2:C:6:HIS:N	2:C:7:PRO:HD3	2.28	0.48
2:C:80:MET:HE2	2:C:109:LEU:CD1	2.43	0.48
1:A:168:PRO:O	1:A:169:LEU:HD12	2.13	0.48
2:C:153:VAL:HG12	2:C:441:HIS:CE1	2.49	0.47
2:C:232:LEU:HD22	2:C:356:SER:HB2	1.96	0.47
1:A:177:LEU:O	1:A:202:PRO:HA	2.15	0.47
2:C:177:LEU:O	2:C:202:PRO:HA	2.15	0.47
1:A:10:LEU:CB	1:A:69:ARG:HG3	2.44	0.47
1:A:6:HIS:N	1:A:7:PRO:HD3	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:180:ALA:HB2	2:C:242:THR:HA	1.95	0.47
2:C:80:MET:HE3	2:C:109:LEU:HD11	1.97	0.47
1:A:158:VAL:HG23	1:A:158:VAL:O	2.15	0.46
2:C:62:LEU:HD22	2:C:66:ASP:HB3	1.97	0.46
2:C:323:VAL:O	2:C:327:VAL:HG22	2.16	0.46
1:A:136:ASP:OD1	1:A:138:THR:HG23	2.15	0.46
1:A:8:PHE:HB3	1:A:11:LEU:HD12	1.98	0.46
1:A:174:VAL:HG22	1:A:248:TYR:HB2	1.97	0.46
1:A:82:PHE:CD2	1:A:331:ASP:HA	2.52	0.45
1:A:443:LEU:C	1:A:443:LEU:HD12	2.40	0.45
2:C:279:MET:HE3	2:C:347:THR:HG22	1.97	0.45
2:C:10:LEU:CB	2:C:69:ARG:HG3	2.45	0.45
1:A:173:THR:HG22	1:A:249:VAL:HG22	1.98	0.45
2:C:243:LEU:C	2:C:243:LEU:HD13	2.41	0.45
2:C:117:LEU:HD21	2:C:380:LYS:HG3	1.98	0.45
2:C:264:LEU:HD22	2:C:278:PRO:HD3	1.98	0.45
2:C:443:LEU:HD12	2:C:443:LEU:C	2.41	0.45
1:A:158:VAL:HG11	1:A:171:GLN:HB3	1.99	0.45
2:C:82:PHE:CD2	2:C:331:ASP:HA	2.51	0.45
1:A:243:LEU:C	1:A:243:LEU:HD13	2.41	0.45
1:A:279:MET:HE3	1:A:347:THR:HG22	1.98	0.45
1:A:309:LEU:HD22	1:A:399:LEU:CD2	2.47	0.45
1:A:62:LEU:HD22	1:A:66:ASP:HB3	1.99	0.45
1:A:230:MET:CE	1:A:394:SER:HB3	2.47	0.45
2:C:333:LEU:HB3	2:C:336:ILE:HD12	1.99	0.45
2:C:158:VAL:HG11	2:C:171:GLN:HB3	1.99	0.44
2:C:354:ARG:CG	2:C:396:LEU:HD13	2.48	0.44
2:C:80:MET:HE1	2:C:127:LEU:HD11	1.99	0.43
1:A:48:GLU:HA	1:A:51:LEU:HD12	1.99	0.43
1:A:234:LEU:HD23	1:A:237:VAL:CG2	2.43	0.43
1:A:80:VAL:HG13	1:A:81:GLY:N	2.33	0.43
2:C:168:PRO:O	2:C:169:LEU:HD12	2.18	0.43
2:C:80:MET:HE3	2:C:109:LEU:CD1	2.48	0.43
2:C:173:THR:HG22	2:C:249:VAL:HG22	2.00	0.43
2:C:309:LEU:HD22	2:C:399:LEU:CD2	2.49	0.42
2:C:230:MET:CE	2:C:394:SER:HB3	2.49	0.42
2:C:10:LEU:HD12	2:C:72:GLN:NE2	2.34	0.42
1:A:327:VAL:HG23	1:A:328:PHE:N	2.34	0.42
1:A:142:ASP:O	1:A:146:VAL:HG23	2.20	0.42
2:C:136:ASP:OD1	2:C:138:THR:HG23	2.19	0.42
1:A:323:VAL:O	1:A:327:VAL:HG22	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:344:ILE:HG12	2:C:420:LEU:CD2	2.49	0.42
1:A:230:MET:HB3	1:A:232:LEU:HD11	2.01	0.42
1:A:354:ARG:CG	1:A:396:LEU:HD13	2.49	0.42
2:C:187:GLN:N	2:C:188:PRO:CD	2.83	0.42
1:A:218:ILE:O	1:A:222:VAL:HG23	2.20	0.41
2:C:178:PHE:O	2:C:243:LEU:HD22	2.21	0.41
1:A:117:LEU:HD21	1:A:380:LYS:HG3	2.02	0.41
1:A:59:THR:HG22	1:A:155:GLY:HA3	2.03	0.41
2:C:312:ILE:HD12	2:C:312:ILE:N	2.36	0.41
1:A:10:LEU:HD12	1:A:72:GLN:NE2	2.36	0.41
2:C:48:GLU:HA	2:C:51:LEU:HD12	2.02	0.41
1:A:82:PHE:CD1	1:A:328:PHE:O	2.74	0.41
1:A:187:GLN:N	1:A:188:PRO:CD	2.84	0.41
2:C:70:ALA:HA	2:C:73:VAL:HG12	2.03	0.41
1:A:70:ALA:HA	1:A:73:VAL:HG12	2.03	0.41
1:A:280:LEU:HD21	1:A:348:LEU:HD21	2.03	0.41
1:A:397:LEU:CD2	1:A:399:LEU:HD12	2.51	0.41
2:C:327:VAL:HG23	2:C:328:PHE:N	2.36	0.41
1:A:178:PHE:O	1:A:243:LEU:HD22	2.21	0.41
2:C:397:LEU:CD2	2:C:399:LEU:HD12	2.51	0.40
2:C:215:ALA:HB2	2:C:234:LEU:HD12	2.03	0.40
2:C:397:LEU:CD2	2:C:399:LEU:CD1	2.99	0.40
1:A:15:LYS:O	1:A:19:ALA:HB2	2.21	0.40
1:A:312:ILE:HD12	1:A:312:ILE:N	2.35	0.40
2:C:80:MET:CE	2:C:109:LEU:HD13	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/453 (91%)	391 (95%)	22 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	405/453 (89%)	383 (95%)	22 (5%)	0	100	100
All	All	818/906 (90%)	774 (95%)	44 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	364/391 (93%)	347 (95%)	17 (5%)	23	57
2	C	358/391 (92%)	343 (96%)	15 (4%)	26	61
All	All	722/782 (92%)	690 (96%)	32 (4%)	24	59

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	A	18	CYS
1	A	137	CYS
1	A	138	THR
1	A	169	LEU
1	A	174	VAL
1	A	216	GLN
1	A	223	GLN
1	A	228	TRP
1	A	232	LEU
1	A	280	LEU
1	A	308	THR
1	A	332	PHE
1	A	392	LEU
1	A	403	GLU
1	A	419	VAL
1	A	420	LEU
2	C	6	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	18	CYS
2	C	137	CYS
2	C	138	THR
2	C	169	LEU
2	C	174	VAL
2	C	216	GLN
2	C	223	GLN
2	C	228	TRP
2	C	308	THR
2	C	332	PHE
2	C	365	GLN
2	C	392	LEU
2	C	419	VAL
2	C	420	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	287	GLN
1	A	365	GLN
2	C	72	GLN
2	C	187	GLN
2	C	219	ASN
2	C	287	GLN
2	C	295	ASN
2	C	365	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/453 (93%)	0.95	52 (12%) 8 6	25, 55, 93, 117	8 (1%)
2	C	413/453 (91%)	1.03	60 (14%) 6 4	36, 62, 93, 117	8 (1%)
All	All	835/906 (92%)	0.99	112 (13%) 7 5	25, 59, 93, 117	16 (1%)

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	387	ARG	9.8
1	A	67	ARG	4.7
2	C	79[A]	PHE	4.7
1	A	329	GLN	4.6
1	A	17	THR	4.4
1	A	294	ASN	3.8
2	C	237	VAL	3.6
2	C	30	PRO	3.6
1	A	134	GLU	3.6
1	A	419	VAL	3.6
2	C	339	PRO	3.5
1	A	52	ARG	3.5
2	C	435	ARG	3.5
2	C	335	TRP	3.4
2	C	420	LEU	3.4
2	C	281	SER	3.4
2	C	29	LEU	3.4
2	C	168	PRO	3.3
2	C	95	ALA	3.2
2	C	419	VAL	3.2
2	C	94	VAL	3.2
1	A	95	ALA	3.2
1	A	293	GLN	3.1
2	C	283	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	7	PRO	3.1
1	A	94	VAL	3.1
2	C	118	ASP	3.0
1	A	233	PRO	3.0
1	A	317	ALA	3.0
2	C	372	LEU	3.0
2	C	138	THR	3.0
2	C	329	GLN	3.0
1	A	285	ASN	2.9
1	A	262	THR	2.9
1	A	234	LEU	2.9
2	C	270	ASP	2.9
1	A	118	ASP	2.9
2	C	268	TRP	2.8
2	C	296	PHE	2.8
2	C	256	ARG	2.8
2	C	236	GLY	2.8
2	C	334	THR	2.8
2	C	305	GLU	2.7
2	C	231	ASN	2.7
1	A	340	PRO	2.7
2	C	208	SER	2.7
2	C	345	ARG	2.7
2	C	267	PHE	2.7
1	A	333	LEU	2.7
1	A	344	ILE	2.6
1	A	66	ASP	2.6
1	A	365	GLN	2.6
2	C	6	HIS	2.6
2	C	338	ASN	2.6
2	C	337	LYS	2.6
2	C	243	LEU	2.6
1	A	237	VAL	2.6
1	A	231	ASN	2.6
2	C	401	ALA	2.6
1	A	6	HIS	2.5
1	A	335	TRP	2.5
1	A	256	ARG	2.5
2	C	7	PRO	2.5
1	A	132	VAL	2.5
1	A	345	ARG	2.5
2	C	18	CYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	13	TYR	2.5
2	C	340	PRO	2.4
1	A	229	LYS	2.4
1	A	89	SER	2.4
1	A	376	ALA	2.4
1	A	117	LEU	2.4
1	A	421	ASP	2.4
1	A	62	LEU	2.4
1	A	274	SER	2.3
1	A	9	HIS	2.3
2	C	137	CYS	2.3
1	A	417	PRO	2.3
1	A	158	VAL	2.3
2	C	134	GLU	2.3
1	A	236	GLY	2.3
2	C	374	ALA	2.3
1	A	281	SER	2.3
2	C	135	GLY	2.3
2	C	65	GLU	2.2
2	C	51	LEU	2.2
2	C	280	LEU	2.2
2	C	342	ARG	2.2
1	A	29	LEU	2.2
2	C	336	ILE	2.2
2	C	343	ALA	2.2
2	C	285	ASN	2.2
2	C	67	ARG	2.1
1	A	182	GLY	2.1
1	A	79[A]	PHE	2.1
2	C	141	LEU	2.1
2	C	426	SER	2.1
1	A	266	GLU	2.1
1	A	350	GLN	2.1
2	C	233	PRO	2.1
1	A	264	LEU	2.1
2	C	232	LEU	2.1
2	C	15	LYS	2.1
1	A	270	ASP	2.1
2	C	207	LEU	2.1
1	A	280	LEU	2.1
2	C	234	LEU	2.1
2	C	17	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	268	TRP	2.1
1	A	288	HIS	2.0
2	C	341	PRO	2.0
2	C	152	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.