



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 01:32 AM UTC

PDB ID : 5WX3 / pdb_00005wx3
Title : Alkyldiketide-CoA synthase from Evodia rutaecarpa
Authors : Matsui, T.; Kodama, T.; Tadakoshi, T.; Morita, H.
Deposited on : 2017-01-06
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	2% 87% 7% 5%
1	B	396	6% 82% 9% 8%
1	C	396	6% 76% 13% 11%
1	D	396	7% 81% 12% 7%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12075 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkyldiketide-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	375	Total	C	N	O	S	0	0	0
			2920	1859	496	539	26			
1	B	363	Total	C	N	O	S	0	1	0
			2845	1815	484	520	26			
1	C	353	Total	C	N	O	S	0	1	0
			2761	1764	466	507	24			
1	D	370	Total	C	N	O	S	0	0	0
			2883	1837	491	529	26			

- Molecule 2 is COENZYME A (CCD ID: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P S	0	0
			48	21	7	16	3 1		
2	B	1	Total	C	N	O	P S	0	0
			48	21	7	16	3 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	140	Total	O	0	0
			140	140		
4	B	122	Total	O	0	0
			122	122		
4	C	130	Total	O	0	0
			130	130		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	62	Total	O	0	0
			62	62		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alkyldiketide-CoA synthase





- Molecule 1: Alkyldiketide-CoA synthase



- Molecule 1: Alkyldiketide-CoA synthase



- Molecule 1: Alkyldiketide-CoA synthase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	164.59Å 84.12Å 138.67Å 90.00° 124.74° 90.00°	Depositor
Resolution (Å)	39.74 – 1.80 39.74 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (39.74-1.80) 99.4 (39.74-1.80)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 1.81Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.192 , 0.226 0.191 , 0.227	Depositor DCC
R_{free} test set	7147 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	22.5	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.040 for h,-k,-h-l	Depositor
Outliers	1 of 142922 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12075	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2983	0.54	0/4040
1	B	0.34	0/2906	0.52	0/3929
1	C	0.36	0/2820	0.51	0/3815
1	D	0.31	0/2945	0.47	0/3985
All	All	0.35	0/11654	0.51	0/15769

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2920	0	2923	15	0
1	B	2845	0	2844	24	0
1	C	2761	0	2774	34	0
1	D	2883	0	2886	31	0
2	A	48	0	32	2	0
2	B	48	0	32	2	0
2	C	48	0	32	2	0
2	D	48	0	32	2	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	140	0	0	1	0
4	B	122	0	0	0	0
4	C	130	0	0	0	0
4	D	62	0	0	0	0
All	All	12075	0	11555	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:401:COA:O4B	2:A:401:COA:C1B	1.67	1.28
2:B:401:COA:O4B	2:B:401:COA:C1B	1.67	1.27
2:D:401:COA:O4B	2:D:401:COA:C1B	1.66	1.14
2:C:401:COA:C1B	2:C:401:COA:O4B	1.66	1.13
1:D:360:GLU:OE2	1:D:379:ARG:NH1	2.21	0.73
1:B:360:GLU:OE2	1:B:379:ARG:NH1	2.25	0.70
1:D:110:TRP:NE1	1:D:227:GLU:OE1	2.25	0.69
1:D:331:MET:HE1	1:D:338:PHE:CZ	2.30	0.67
1:A:360:GLU:OE1	1:A:379:ARG:NH1	2.27	0.67
1:C:303:VAL:HG11	1:C:367:PHE:HZ	1.60	0.66
1:C:226:THR:HG23	1:C:227:GLU:HG3	1.78	0.65
1:B:250:GLY:HA3	1:D:130:MET:HE2	1.79	0.64
1:D:212:GLY:HA3	1:D:331:MET:HE3	1.79	0.64
1:B:295:ILE:HD11	1:B:343:MET:HE1	1.80	0.64
1:C:52:MET:HE1	1:C:203:LEU:HG	1.80	0.63
1:C:104:LEU:O	1:C:108:LYS:HG2	1.98	0.63
1:C:202:LEU:HD23	1:C:259[A]:TYR:O	1.99	0.62
1:D:234:VAL:HG21	1:D:361:TRP:HZ3	1.64	0.61
1:D:51:ARG:O	1:D:55:LYS:HG2	2.03	0.58
1:B:109:GLU:OE2	1:B:228:ARG:NH2	2.32	0.57
1:C:202:LEU:O	1:C:259[A]:TYR:OH	2.09	0.57
1:B:186:GLU:HG3	1:B:332:TRP:HB2	1.85	0.57
1:A:176:GLY:HA2	1:A:221:ASP:HB2	1.86	0.56
1:C:176:GLY:HA2	1:C:221:ASP:HB2	1.88	0.56
1:D:212:GLY:HA3	1:D:331:MET:CE	2.36	0.56
1:C:157:CYS:HB2	1:C:367:PHE:O	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:205:GLY:HA3	1:C:259[A]:TYR:CE1	2.42	0.55
1:D:199:TYR:HB3	1:D:202:LEU:HD12	1.88	0.54
1:D:186:GLU:HG3	1:D:332:TRP:HB2	1.89	0.54
1:C:186:GLU:HG3	1:C:332:TRP:HB2	1.92	0.52
1:D:107:ILE:HD13	1:D:114:LEU:HD21	1.91	0.51
1:B:298:PRO:HD3	1:B:339:ILE:HD11	1.93	0.51
1:D:157:CYS:HB2	1:D:367:PHE:O	2.10	0.51
1:C:191:CYS:HB2	1:C:259[A]:TYR:HD2	1.77	0.50
1:D:191:CYS:O	1:D:259:TYR:HE2	1.95	0.50
1:A:157:CYS:HB2	1:A:367:PHE:O	2.12	0.50
1:C:209:PHE:HE2	1:C:259[A]:TYR:CD1	2.30	0.49
1:D:100:LYS:HG3	1:D:141:MET:HG2	1.94	0.49
1:B:281:PHE:CZ	1:B:363:VAL:HB	2.47	0.49
1:C:49:PHE:HD2	1:C:52:MET:HE3	1.76	0.49
1:B:157:CYS:HB2	1:B:367:PHE:O	2.12	0.49
1:B:308:GLU:HG2	1:B:318:MET:HG3	1.95	0.49
1:C:308:GLU:HG2	1:C:318:MET:HG3	1.94	0.49
1:C:308:GLU:CG	1:C:318:MET:HG3	2.42	0.49
1:C:49:PHE:CD2	1:C:52:MET:HE3	2.49	0.48
1:D:202:LEU:O	1:D:206:ASN:ND2	2.46	0.48
1:B:278:ARG:HA	1:B:289:TRP:HH2	1.78	0.48
1:C:132:SER:HB2	1:C:134:ASP:OD1	2.13	0.48
1:B:110:TRP:NE1	1:B:227:GLU:OE2	2.40	0.48
1:B:234:VAL:HG21	1:B:361:TRP:HZ3	1.79	0.48
1:A:209:PHE:CE2	1:A:259:TYR:HD2	2.33	0.47
1:C:49:PHE:HD2	1:C:52:MET:CE	2.29	0.46
1:A:157:CYS:SG	4:A:502:HOH:O	2.34	0.46
1:B:274:VAL:HG21	1:B:310:LYS:HB2	1.97	0.46
1:A:107:ILE:HD13	1:A:114:LEU:HD23	1.96	0.46
1:D:328:TYR:HB3	1:D:331:MET:SD	2.56	0.46
1:B:231:PHE:CZ	1:B:343:MET:HE3	2.51	0.46
1:C:107:ILE:HD13	1:C:114:LEU:CD2	2.46	0.46
1:D:317:ARG:HA	1:D:317:ARG:NE	2.31	0.46
1:D:282:THR:OG1	1:D:283:PRO:HD3	2.16	0.45
1:B:204:VAL:HG13	2:B:401:COA:H133	1.96	0.45
1:C:303:VAL:HG11	1:C:367:PHE:CZ	2.46	0.45
1:C:317:ARG:NE	1:C:317:ARG:HA	2.31	0.45
1:A:186:GLU:HG3	1:A:332:TRP:HB2	1.98	0.45
1:D:228:ARG:NH1	1:D:229:PRO:HD2	2.32	0.45
1:B:201:ASP:OD2	1:B:201:ASP:N	2.48	0.45
1:A:271:ASN:OD1	1:A:306:MET:HE1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:205:GLY:HA3	1:D:259:TYR:CE1	2.52	0.44
1:C:248:ILE:HD11	2:C:401:COA:H22	2.00	0.44
1:A:208:ILE:HD13	2:A:401:COA:H71	2.00	0.44
1:C:258:LYS:HE2	1:C:260:TYR:OH	2.17	0.44
1:A:306:MET:HE2	1:A:306:MET:HB3	1.88	0.44
1:A:139:LYS:NZ	1:C:245:GLU:OE2	2.31	0.44
1:C:61:ARG:HD2	1:C:210:SER:HB3	2.00	0.44
1:D:17:THR:HB	1:D:338:PHE:CZ	2.52	0.44
1:B:295:ILE:HD11	1:B:343:MET:CE	2.48	0.43
1:A:258:LYS:HE2	1:A:260:TYR:OH	2.18	0.43
1:B:304:LEU:O	1:B:308:GLU:HG3	2.18	0.43
1:C:100:LYS:HG3	1:C:141:MET:HG2	2.00	0.43
1:D:306:MET:HE2	1:D:306:MET:HB3	1.69	0.43
1:D:26:GLN:HG3	1:D:53:CYS:HB3	2.00	0.43
1:D:193:GLN:HG3	1:D:202:LEU:HD22	2.00	0.43
1:C:201:ASP:OD2	1:C:201:ASP:N	2.50	0.42
1:B:240:THR:OG1	1:D:149:ARG:NH2	2.43	0.42
1:D:202:LEU:HD23	1:D:259:TYR:CE2	2.55	0.42
1:D:79:LEU:HD22	1:D:196:SER:HB2	2.02	0.42
1:B:176:GLY:O	1:B:179:ARG:NH1	2.52	0.42
1:D:261:LEU:O	2:D:401:COA:N6A	2.51	0.42
1:B:231:PHE:CE2	1:B:340:LEU:HD22	2.55	0.42
1:B:228:ARG:O	1:B:228:ARG:HD3	2.20	0.42
1:A:231:PHE:CE1	1:A:340:LEU:HD22	2.55	0.41
1:C:311:LEU:HB2	1:C:313:LEU:HG	2.03	0.41
1:B:295:ILE:HG23	1:B:339:ILE:HB	2.02	0.41
1:C:49:PHE:HA	1:C:52:MET:CE	2.51	0.41
1:B:315:LYS:HG2	1:B:316:GLU:N	2.35	0.41
1:C:182:ILE:O	1:C:215:ALA:HA	2.20	0.41
1:C:331:MET:O	1:C:334:PRO:HD2	2.21	0.41
1:C:295:ILE:O	1:C:364:MET:HA	2.21	0.41
1:A:49:PHE:HD1	1:A:203:LEU:HG	1.85	0.40
1:D:228:ARG:CZ	1:D:229:PRO:HD2	2.51	0.40
1:C:168:LYS:HD2	1:C:233:ILE:HG22	2.03	0.40
1:C:49:PHE:HA	1:C:52:MET:HE2	2.04	0.40
1:D:64:TYR:HB2	1:D:187:LEU:HD22	2.02	0.40
1:A:281:PHE:HD1	1:A:286:ILE:HD13	1.87	0.40
1:D:114:LEU:HD13	1:D:143:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	373/396 (94%)	363 (97%)	10 (3%)	0	100	100
1	B	358/396 (90%)	351 (98%)	7 (2%)	0	100	100
1	C	350/396 (88%)	341 (97%)	9 (3%)	0	100	100
1	D	366/396 (92%)	357 (98%)	9 (2%)	0	100	100
All	All	1447/1584 (91%)	1412 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	317/335 (95%)	309 (98%)	8 (2%)	42	30
1	B	307/335 (92%)	303 (99%)	4 (1%)	61	54
1	C	298/335 (89%)	290 (97%)	8 (3%)	39	27
1	D	312/335 (93%)	308 (99%)	4 (1%)	61	54
All	All	1234/1340 (92%)	1210 (98%)	24 (2%)	50	41

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	162	THR
1	A	202	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	228	ARG
1	A	262	SER
1	A	277	CYS
1	A	286	ILE
1	A	306	MET
1	A	340	LEU
1	B	162	THR
1	B	277	CYS
1	B	315	LYS
1	B	340	LEU
1	C	154	GLN
1	C	162	THR
1	C	228	ARG
1	C	261	LEU
1	C	264	THR
1	C	306	MET
1	C	307	MET
1	C	340	LEU
1	D	162	THR
1	D	203	LEU
1	D	264	THR
1	D	340	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	173	ASN
1	B	232	ASN
1	C	22	ASN
1	C	237	ASN
1	C	323	HIS
1	D	19	ASN
1	D	323	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	402	-	4,4,4	0.29	0	6,6,6	0.08	0
2	COA	C	401	-	47,50,50	3.80	16 (34%)	69,75,75	1.85	13 (18%)
3	SO4	C	402	-	4,4,4	0.29	0	6,6,6	0.17	0
3	SO4	B	402	-	4,4,4	0.28	0	6,6,6	0.18	0
2	COA	D	401	-	47,50,50	3.72	16 (34%)	69,75,75	1.85	15 (21%)
3	SO4	D	402	-	4,4,4	0.25	0	6,6,6	0.19	0
2	COA	B	401	-	47,50,50	3.77	17 (36%)	69,75,75	1.75	15 (21%)
2	COA	A	401	-	47,50,50	3.73	14 (29%)	69,75,75	1.84	16 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	B	401	-	-	18/48/64/64	0/3/3/3
2	COA	A	401	-	-	6/48/64/64	0/3/3/3
2	COA	C	401	-	-	5/48/64/64	0/3/3/3
2	COA	D	401	-	-	8/48/64/64	0/3/3/3

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	COA	P2A-O3A	11.97	1.72	1.59
2	D	401	COA	P2A-O3A	11.72	1.72	1.59
2	A	401	COA	P2A-O3A	11.68	1.72	1.59
2	B	401	COA	P2A-O3A	11.62	1.72	1.59
2	B	401	COA	O4B-C1B	10.90	1.67	1.42
2	A	401	COA	O4B-C1B	10.89	1.67	1.42
2	C	401	COA	O4B-C1B	10.79	1.66	1.42
2	C	401	COA	P1A-O3A	10.73	1.71	1.59
2	D	401	COA	O4B-C1B	10.65	1.66	1.42
2	D	401	COA	P1A-O3A	9.98	1.70	1.59
2	B	401	COA	P1A-O3A	9.92	1.70	1.59
2	A	401	COA	P1A-O3A	9.92	1.70	1.59
2	B	401	COA	C6A-N6A	7.09	1.52	1.34
2	D	401	COA	C6A-N6A	6.87	1.51	1.34
2	C	401	COA	C6A-N6A	6.78	1.51	1.34
2	A	401	COA	C6A-N6A	6.74	1.51	1.34
2	D	401	COA	C2B-C1B	-6.55	1.32	1.53
2	B	401	COA	C9P-N8P	6.48	1.48	1.33
2	B	401	COA	C5P-N4P	6.45	1.48	1.33
2	B	401	COA	C2B-C1B	-6.43	1.33	1.53
2	C	401	COA	O4B-C4B	-6.31	1.31	1.45
2	B	401	COA	O4B-C4B	-6.29	1.31	1.45
2	C	401	COA	C5P-N4P	6.26	1.48	1.33
2	A	401	COA	C9P-N8P	6.26	1.48	1.33
2	A	401	COA	C2B-C1B	-6.24	1.33	1.53
2	D	401	COA	C5P-N4P	6.24	1.48	1.33
2	C	401	COA	C2B-C1B	-6.19	1.34	1.53
2	D	401	COA	C9P-N8P	6.18	1.48	1.33
2	C	401	COA	C9P-N8P	6.10	1.47	1.33
2	A	401	COA	O4B-C4B	-6.09	1.31	1.45
2	A	401	COA	C5P-N4P	6.06	1.47	1.33
2	D	401	COA	O4B-C4B	-6.01	1.31	1.45
2	A	401	COA	P3B-O3B	5.45	1.69	1.59
2	C	401	COA	P3B-O3B	5.21	1.68	1.59
2	D	401	COA	P3B-O3B	4.37	1.67	1.59
2	B	401	COA	P3B-O3B	4.32	1.67	1.59
2	C	401	COA	C8A-N7A	2.89	1.37	1.31
2	D	401	COA	O3B-C3B	-2.85	1.34	1.44
2	B	401	COA	O3B-C3B	-2.79	1.34	1.44
2	A	401	COA	C3B-C4B	2.71	1.59	1.52
2	A	401	COA	P2A-O6A	2.66	1.69	1.59
2	D	401	COA	C8A-N7A	2.63	1.36	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	COA	O9P-C9P	-2.62	1.18	1.23
2	B	401	COA	C3B-C4B	2.58	1.59	1.52
2	A	401	COA	C8A-N7A	2.54	1.36	1.31
2	D	401	COA	P2A-O6A	2.54	1.69	1.59
2	C	401	COA	P2A-O6A	2.52	1.69	1.59
2	B	401	COA	P2A-O6A	2.51	1.69	1.59
2	B	401	COA	C8A-N7A	2.51	1.36	1.31
2	A	401	COA	O3B-C3B	-2.50	1.35	1.44
2	D	401	COA	C3B-C4B	2.50	1.59	1.52
2	C	401	COA	O3B-C3B	-2.49	1.35	1.44
2	C	401	COA	C3B-C4B	2.46	1.59	1.52
2	B	401	COA	C2A-N1A	2.43	1.38	1.33
2	A	401	COA	C2A-N1A	2.31	1.38	1.33
2	B	401	COA	CCP-CBP	2.29	1.56	1.52
2	B	401	COA	O9P-C9P	-2.20	1.19	1.23
2	C	401	COA	C2A-N1A	2.20	1.37	1.33
2	D	401	COA	C2A-N1A	2.20	1.37	1.33
2	C	401	COA	CCP-CBP	2.18	1.56	1.52
2	D	401	COA	O9P-C9P	-2.14	1.19	1.23
2	D	401	COA	CCP-CBP	2.10	1.56	1.52
2	B	401	COA	P1A-O5B	2.05	1.67	1.59

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	COA	N3A-C2A-N1A	-5.66	120.02	128.58
2	C	401	COA	N3A-C2A-N1A	-5.47	120.30	128.58
2	A	401	COA	N3A-C2A-N1A	-5.45	120.33	128.58
2	C	401	COA	N6A-C6A-N1A	-5.38	106.39	118.38
2	B	401	COA	N6A-C6A-N1A	-5.33	106.50	118.38
2	D	401	COA	N6A-C6A-N1A	-5.32	106.52	118.38
2	A	401	COA	C5A-C4A-N3A	-5.16	119.61	126.72
2	D	401	COA	C5A-C4A-N3A	-5.07	119.73	126.72
2	C	401	COA	C5A-C4A-N3A	-5.05	119.76	126.72
2	B	401	COA	N3A-C2A-N1A	-4.98	121.05	128.58
2	A	401	COA	N6A-C6A-N1A	-4.81	107.65	118.38
2	B	401	COA	C5A-C4A-N3A	-4.71	120.22	126.72
2	C	401	COA	C7P-C6P-C5P	-4.51	104.88	112.39
2	B	401	COA	C5A-C6A-N6A	4.25	133.81	123.29
2	B	401	COA	N9A-C8A-N7A	-4.24	107.92	113.94
2	A	401	COA	N9A-C8A-N7A	-4.24	107.93	113.94
2	D	401	COA	N9A-C8A-N7A	-4.19	108.00	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	COA	C5A-C6A-N6A	4.16	133.58	123.29
2	D	401	COA	C5A-C6A-N6A	4.05	133.32	123.29
2	C	401	COA	N9A-C8A-N7A	-3.94	108.35	113.94
2	A	401	COA	C5A-C6A-N6A	3.68	132.39	123.29
2	A	401	COA	C7P-C6P-C5P	-3.59	106.41	112.39
2	D	401	COA	C2A-N3A-C4A	3.51	120.40	111.83
2	C	401	COA	C2A-N3A-C4A	3.42	120.19	111.83
2	A	401	COA	C2A-N3A-C4A	3.35	120.02	111.83
2	A	401	COA	N3A-C4A-N9A	3.33	132.83	127.17
2	A	401	COA	CDP-CBP-CAP	3.30	114.39	108.77
2	B	401	COA	C2A-N3A-C4A	3.19	119.62	111.83
2	A	401	COA	C5A-N7A-C8A	3.15	108.40	103.45
2	B	401	COA	C5A-N7A-C8A	3.07	108.27	103.45
2	D	401	COA	C7P-C6P-C5P	-3.06	107.30	112.39
2	D	401	COA	C5A-N7A-C8A	3.04	108.23	103.45
2	D	401	COA	N3A-C4A-N9A	3.00	132.26	127.17
2	C	401	COA	C5A-N7A-C8A	2.92	108.04	103.45
2	A	401	COA	O6A-CCP-CBP	-2.91	105.86	110.55
2	C	401	COA	C7P-N8P-C9P	-2.82	117.48	122.55
2	C	401	COA	N3A-C4A-N9A	2.76	131.87	127.17
2	B	401	COA	C4A-C5A-N7A	-2.72	107.47	110.58
2	B	401	COA	N3A-C4A-N9A	2.61	131.60	127.17
2	D	401	COA	C2P-C3P-N4P	-2.58	106.45	112.31
2	D	401	COA	C4A-C5A-N7A	-2.54	107.68	110.58
2	C	401	COA	C4A-C5A-N7A	-2.49	107.73	110.58
2	B	401	COA	O6A-CCP-CBP	-2.40	106.69	110.55
2	C	401	COA	C5A-C4A-N9A	2.34	108.36	105.81
2	D	401	COA	C7P-N8P-C9P	-2.33	118.36	122.55
2	B	401	COA	C4A-N9A-C8A	2.30	108.16	105.74
2	B	401	COA	CDP-CBP-CCP	2.28	111.99	108.22
2	A	401	COA	C2P-C3P-N4P	-2.27	107.15	112.31
2	A	401	COA	C6A-C5A-C4A	2.26	120.26	117.18
2	A	401	COA	C4A-N9A-C8A	2.24	108.09	105.74
2	D	401	COA	C4A-N9A-C8A	2.24	108.08	105.74
2	A	401	COA	C4A-C5A-N7A	-2.23	108.03	110.58
2	B	401	COA	C5A-C4A-N9A	2.17	108.17	105.81
2	A	401	COA	C7P-N8P-C9P	-2.08	118.80	122.55
2	C	401	COA	P3B-O3B-C3B	-2.06	117.93	123.43
2	D	401	COA	C6P-C7P-N8P	-2.04	107.65	112.00
2	B	401	COA	C6A-C5A-C4A	2.03	119.95	117.18
2	D	401	COA	C5A-C4A-N9A	2.01	108.00	105.81
2	B	401	COA	C6P-C7P-N8P	-2.01	107.72	112.00

There are no chirality outliers.

All (37) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	COA	C5P-C6P-C7P-N8P
2	A	401	COA	S1P-C2P-C3P-N4P
2	B	401	COA	CCP-O6A-P2A-O3A
2	B	401	COA	CDP-CBP-CCP-O6A
2	B	401	COA	CEP-CBP-CCP-O6A
2	B	401	COA	CAP-CBP-CCP-O6A
2	B	401	COA	O9P-C9P-CAP-CBP
2	B	401	COA	N8P-C9P-CAP-CBP
2	B	401	COA	N8P-C9P-CAP-OAP
2	C	401	COA	N8P-C9P-CAP-OAP
2	D	401	COA	C5B-O5B-P1A-O1A
2	D	401	COA	C5B-O5B-P1A-O2A
2	D	401	COA	C5B-O5B-P1A-O3A
2	D	401	COA	S1P-C2P-C3P-N4P
2	C	401	COA	O9P-C9P-CAP-OAP
2	B	401	COA	OAP-CAP-CBP-CDP
2	B	401	COA	OAP-CAP-CBP-CEP
2	B	401	COA	P2A-O3A-P1A-O5B
2	B	401	COA	C5P-C6P-C7P-N8P
2	B	401	COA	C9P-CAP-CBP-CDP
2	A	401	COA	P1A-O3A-P2A-O4A
2	A	401	COA	CCP-O6A-P2A-O5A
2	B	401	COA	CCP-O6A-P2A-O4A
2	B	401	COA	OAP-CAP-CBP-CCP
2	C	401	COA	C5P-C6P-C7P-N8P
2	D	401	COA	P1A-O3A-P2A-O4A
2	A	401	COA	C3B-O3B-P3B-O9A
2	B	401	COA	P1A-O3A-P2A-O4A
2	B	401	COA	C9P-CAP-CBP-CEP
2	C	401	COA	CBP-CCP-O6A-P2A
2	D	401	COA	CBP-CCP-O6A-P2A
2	B	401	COA	C9P-CAP-CBP-CCP
2	D	401	COA	C5P-C6P-C7P-N8P
2	B	401	COA	S1P-C2P-C3P-N4P
2	C	401	COA	S1P-C2P-C3P-N4P
2	A	401	COA	P1A-O3A-P2A-O5A
2	D	401	COA	P1A-O3A-P2A-O5A



There are no ring outliers.


4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	COA	2	0
2	D	401	COA	2	0
2	B	401	COA	2	0
2	A	401	COA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	375/396 (94%)	-0.24	8 (2%) 63 64	14, 22, 40, 68	0
1	B	363/396 (91%)	-0.01	22 (6%) 27 25	15, 24, 50, 70	1 (0%)
1	C	353/396 (89%)	-0.01	24 (6%) 23 22	13, 23, 52, 82	1 (0%)
1	D	370/396 (93%)	0.58	26 (7%) 22 21	17, 37, 60, 80	0
All	All	1461/1584 (92%)	0.08	80 (5%) 30 29	13, 25, 52, 82	2 (0%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	259[A]	TYR	9.4
1	D	259	TYR	7.1
1	D	202	LEU	6.3
1	C	259[A]	TYR	6.2
1	D	199	TYR	5.3
1	A	202	LEU	5.2
1	B	199	TYR	5.1
1	D	176	GLY	4.5
1	B	202	LEU	4.4
1	D	175	GLY	4.1
1	A	176	GLY	4.0
1	D	383	ILE	4.0
1	A	383	ILE	3.7
1	C	176	GLY	3.6
1	C	311	LEU	3.6
1	A	199	TYR	3.6
1	B	177	HIS	3.6
1	D	201	ASP	3.5
1	B	383	ILE	3.4
1	C	312	GLY	3.4
1	D	282	THR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	177	HIS	3.3
1	C	269	ILE	3.2
1	C	226	THR	3.2
1	C	315	LYS	3.2
1	D	284	LEU	3.2
1	C	383	ILE	3.1
1	D	221	ASP	3.1
1	B	176	GLY	3.1
1	B	289	TRP	3.0
1	D	283	PRO	3.0
1	C	307	MET	2.9
1	D	361	TRP	2.9
1	C	306	MET	2.9
1	B	263	ARG	2.9
1	C	175	GLY	2.9
1	B	221	ASP	2.8
1	A	259	TYR	2.7
1	C	292	MET	2.7
1	C	268	VAL	2.7
1	B	175	GLY	2.6
1	B	280	THR	2.6
1	B	261	LEU	2.6
1	D	198	THR	2.6
1	C	264	THR	2.6
1	D	113	PRO	2.5
1	D	286	ILE	2.5
1	C	225	THR	2.5
1	C	310	LYS	2.5
1	B	315	LYS	2.5
1	B	228	ARG	2.4
1	A	221	ASP	2.4
1	B	201	ASP	2.4
1	C	262	SER	2.4
1	D	228	ARG	2.4
1	D	44	GLN	2.4
1	D	289	TRP	2.3
1	C	222	LEU	2.3
1	C	267	GLN	2.3
1	D	203	LEU	2.3
1	C	177	HIS	2.3
1	B	260	TYR	2.3
1	C	221	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	316	GLU	2.2
1	D	316	GLU	2.2
1	D	287	ASN	2.2
1	C	224	THR	2.2
1	B	281	PHE	2.2
1	C	367	PHE	2.2
1	A	177	HIS	2.2
1	B	267	GLN	2.2
1	B	274	VAL	2.2
1	A	225	THR	2.2
1	B	203	LEU	2.2
1	C	314	SER	2.1
1	B	204	VAL	2.1
1	D	281	PHE	2.1
1	D	200	LEU	2.1
1	D	319	ARG	2.1
1	D	264	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	COA	B	401	48/48	0.80	0.16	46,64,76,79	0
2	COA	D	401	48/48	0.81	0.16	59,73,75,76	0
2	COA	C	401	48/48	0.87	0.14	37,50,57,72	0
3	SO4	B	402	5/5	0.89	0.12	56,58,62,64	0
2	COA	A	401	48/48	0.90	0.11	21,43,56,61	0
3	SO4	C	402	5/5	0.90	0.11	51,55,57,58	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	D	402	5/5	0.90	0.11	50,57,59,61	0
3	SO4	A	402	5/5	0.95	0.08	40,48,50,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around COA D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around COA C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.