



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:32 AM UTC

PDB ID : 3WYJ / pdb_00003wyj
Title : Structure of E. coli undecaprenyl diphosphate synthase in complex with BPH-789
Authors : Gao, J.; Ko, T.P.; Huang, C.H.; Oldfield, E.; Guo, R.T.
Deposited on : 2014-08-29
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	253	5% 69% 17% • 12%
1	B	253	2% 70% 15% • 13%

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ditrans, polycis-undecaprenyl-diphosphate synthase ((2E,6E)-farnesyl-diphosphate specific).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	222	Total 1759	C 1105	N 327	O 321	S 6	0	0	0
1	B	219	Total 1744	C 1096	N 327	O 315	S 6	0	0	0

- Molecule 2 is [1-oxidanyl-2-[3-[3-[[3-[3-(2-oxidanyl-2,2-diphosphono-ethyl)phenyl]phenyl]sulfamoyl]phenyl]sulfonylamino]phenyl]phenyl]-1-phosphono-ethyl]phosphonic acid (CCD ID: H78) (formula: $\text{C}_{34}\text{H}_{36}\text{N}_2\text{O}_{18}\text{P}_4\text{S}_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			60	34	2	18	4	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	193	Total 193	O 193	0	0
3	B	232	Total 232	O 232	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ditrans, polycis-undecaprenyl-diphosphate synthase ((2E,6E)-farnesyl-diphosphate specific)



- Molecule 1: Ditrans, polycis-undecaprenyl-diphosphate synthase ((2E,6E)-farnesyl-diphosphate specific)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.71Å 69.00Å 108.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.10 25.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-2.10) 97.8 (25.00-2.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.90 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.200 , 0.241 0.198 , 0.243	Depositor DCC
R_{free} test set	1361 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtriage
Anisotropy	0.159	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 66.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3988	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: H78

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/1794	0.86	2/2421 (0.1%)
1	B	0.38	0/1777	0.84	3/2395 (0.1%)
All	All	0.37	0/3571	0.85	5/4816 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	97	VAL	N-CA-C	6.19	116.94	110.62
1	A	204	PHE	N-CA-C	-5.72	98.61	110.80
1	B	23	ILE	N-CA-C	5.18	115.59	108.12
1	B	204	PHE	N-CA-C	-5.12	99.89	110.80
1	A	87	GLU	N-CA-C	-5.04	105.70	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1759	0	1726	44	0
1	B	1744	0	1717	36	0
2	A	60	0	30	0	0
3	A	193	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	232	0	0	4	0
All	All	3988	0	3473	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:MET:HE1	1:B:117:ASN:H	1.14	1.04
1:B:86:MET:HE1	1:B:117:ASN:N	1.92	0.85
1:A:116:PHE:HB3	1:A:120:LEU:HD11	1.63	0.79
1:A:123:ARG:HH11	1:A:123:ARG:HA	1.51	0.76
1:A:83:SER:O	1:A:87:GLU:HG2	1.89	0.72
1:A:93:LEU:HD11	1:A:107:LEU:HD21	1.72	0.71
1:A:93:LEU:O	1:A:97:VAL:HG23	1.92	0.69
1:B:156:ARG:O	1:B:160:GLU:HG3	1.93	0.67
1:A:161:LYS:HA	1:A:164:GLN:HG2	1.77	0.66
1:A:213:GLU:OE2	1:B:199:HIS:HB2	1.99	0.63
1:B:150:ASP:O	1:B:153:GLN:HG3	1.99	0.63
1:A:124:ILE:O	1:A:128:GLU:HG3	1.99	0.62
1:A:156:ARG:O	1:A:160:GLU:HG2	1.99	0.61
1:A:120:LEU:HD12	1:A:120:LEU:C	2.26	0.60
1:A:200:ARG:HH21	1:B:213:GLU:HB2	1.67	0.59
1:B:86:MET:CE	1:B:117:ASN:H	2.03	0.58
1:A:164:GLN:HG3	1:A:166:ASN:ND2	2.17	0.58
1:B:239:ARG:O	1:B:242:ARG:O	2.21	0.58
1:A:173:ASP:HB2	3:A:1131:HOH:O	2.03	0.58
1:B:82:VAL:HG12	1:B:85:LEU:HD23	1.86	0.57
1:A:80:GLN:H	1:A:80:GLN:NE2	2.03	0.56
1:B:213:GLU:OE2	1:B:239:ARG:HD3	2.06	0.56
1:A:48:LYS:HD3	1:A:48:LYS:C	2.31	0.56
1:B:44:LYS:HE3	1:B:48:LYS:HZ3	1.70	0.56
1:B:168:GLN:O	1:B:171:GLN:HB3	2.06	0.56
1:B:113:THR:HG22	1:B:116:PHE:CE2	2.41	0.56
1:A:168:GLN:HB2	1:A:171:GLN:HG3	1.90	0.54
1:A:175:GLU:O	1:A:179:GLN:HG3	2.08	0.54
1:A:93:LEU:HD11	1:A:107:LEU:CD2	2.38	0.54
1:A:164:GLN:HE21	1:A:166:ASN:HD21	1.55	0.54
1:B:44:LYS:HE3	1:B:48:LYS:NZ	2.22	0.54
1:B:98:LYS:HD2	3:B:368:HOH:O	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:126:LYS:HD3	3:B:477:HOH:O	2.07	0.53
1:B:242:ARG:C	1:B:244:GLY:H	2.17	0.52
1:A:116:PHE:HB3	1:A:120:LEU:CD1	2.38	0.52
1:A:119:ARG:HH11	1:A:119:ARG:HG2	1.75	0.51
1:A:198:GLU:OE1	1:A:200:ARG:HD2	2.11	0.51
1:A:164:GLN:HG3	1:A:166:ASN:HD21	1.75	0.51
1:A:90:VAL:HG21	1:A:120:LEU:HB2	1.93	0.50
1:A:123:ARG:HH11	1:A:123:ARG:CA	2.24	0.50
1:A:82:VAL:HG23	1:A:83:SER:N	2.27	0.50
1:A:19:ARG:NH2	1:A:187:ALA:HB2	2.28	0.48
1:A:68:TYR:HB2	1:A:204:PHE:CE1	2.48	0.48
1:A:116:PHE:O	1:A:121:GLN:NE2	2.47	0.47
1:B:242:ARG:O	1:B:244:GLY:N	2.45	0.47
1:A:96:GLU:HG2	3:A:1015:HOH:O	2.13	0.47
1:B:85:LEU:HD12	1:B:85:LEU:C	2.39	0.47
1:B:209:ILE:C	1:B:209:ILE:HD12	2.39	0.47
1:B:84:ALA:HB3	3:B:531:HOH:O	2.14	0.47
1:B:39:ARG:HH21	1:B:43:HIS:HE1	1.63	0.46
1:B:110:ILE:HG13	1:B:142:ALA:HA	1.97	0.45
1:B:198:GLU:CD	1:B:200:ARG:HH21	2.25	0.45
1:B:142:ALA:HB1	1:B:145:TYR:HB3	1.99	0.45
1:B:198:GLU:CD	1:B:200:ARG:NH2	2.75	0.45
1:B:41:PHE:HB2	3:B:491:HOH:O	2.17	0.45
1:B:157:GLN:OE1	1:B:180:HIS:HD2	2.01	0.44
1:A:161:LYS:HA	1:A:164:GLN:CG	2.45	0.44
1:B:85:LEU:HG	1:B:86:MET:N	2.33	0.44
1:B:238:ASN:OD1	1:B:241:ARG:NH2	2.49	0.43
1:A:121:GLN:HG3	3:A:1174:HOH:O	2.18	0.43
1:A:164:GLN:NE2	1:A:166:ASN:HD21	2.14	0.43
1:B:185:GLU:H	1:B:185:GLU:CD	2.26	0.43
1:A:39:ARG:CG	1:A:40:ALA:N	2.82	0.43
1:A:164:GLN:HE21	1:A:166:ASN:ND2	2.16	0.43
1:B:145:TYR:CD1	1:B:145:TYR:C	2.97	0.43
1:A:158:LEU:O	1:A:162:VAL:HG23	2.18	0.42
1:B:86:MET:HE1	1:B:116:PHE:HA	2.01	0.42
1:B:86:MET:CE	1:B:116:PHE:HA	2.49	0.41
1:A:112:ASP:HB3	1:A:144:ASN:ND2	2.35	0.41
1:A:150:ASP:O	1:A:153:GLN:HG3	2.20	0.41
1:A:119:ARG:C	1:A:121:GLN:N	2.78	0.41
1:A:164:GLN:CG	1:A:166:ASN:HD21	2.33	0.41
1:A:119:ARG:HG2	1:A:119:ARG:NH1	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ILE:O	1:A:155:VAL:HG23	2.21	0.41
1:A:204:PHE:CG	1:A:205:LEU:N	2.82	0.41
1:B:68:TYR:HB2	1:B:204:PHE:CE1	2.56	0.41
1:A:80:GLN:H	1:A:80:GLN:CD	2.29	0.40
1:B:39:ARG:HE	1:B:43:HIS:CE1	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	218/253 (86%)	209 (96%)	9 (4%)	0	100	100
1	B	215/253 (85%)	209 (97%)	5 (2%)	1 (0%)	24	22
All	All	433/506 (86%)	418 (96%)	14 (3%)	1 (0%)	43	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	243	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/206 (87%)	176 (98%)	4 (2%)	45	53
1	B	178/206 (86%)	175 (98%)	3 (2%)	53	62
All	All	358/412 (87%)	351 (98%)	7 (2%)	48	56

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	GLN
1	A	91	TRP
1	A	166	ASN
1	A	240	GLU
1	B	82	VAL
1	B	85	LEU
1	B	87	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	80	GLN
1	A	121	GLN
1	A	140	ASN
1	A	144	ASN
1	A	164	GLN
1	A	166	ASN
1	A	168	GLN
1	A	238	ASN
1	B	43	HIS
1	B	157	GLN
1	B	180	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	H78	A	900	-	64,64,64	6.94	56 (87%)	102,102,102	3.84	36 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	H78	A	900	-	-	6/76/76/76	0/5/5/5

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	H78	CBN-CCB	-42.63	1.10	1.55
2	A	900	H78	SCG-NBO	10.21	1.79	1.63
2	A	900	H78	OAQ-SCH	9.64	1.54	1.43
2	A	900	H78	PCE-CCB	-9.37	1.78	1.85
2	A	900	H78	CBM-CCA	-9.31	1.45	1.55
2	A	900	H78	PCF-CCB	-8.70	1.79	1.85
2	A	900	H78	OAR-SCH	8.45	1.53	1.43
2	A	900	H78	CBZ-SCH	-7.31	1.65	1.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	H78	PCD-CCA	-7.14	1.80	1.85
2	A	900	H78	PCC-OAC	6.95	1.61	1.50
2	A	900	H78	PCE-OAJ	6.21	1.60	1.50
2	A	900	H78	CBT-NBP	-6.09	1.34	1.43
2	A	900	H78	CBM-CBQ	-5.97	1.41	1.51
2	A	900	H78	CBN-CBR	-5.74	1.42	1.51
2	A	900	H78	PCD-OAG	5.48	1.59	1.50
2	A	900	H78	CBV-CBX	-5.45	1.36	1.49
2	A	900	H78	PCF-OAM	5.38	1.59	1.50
2	A	900	H78	CBW-CBU	-4.63	1.38	1.49
2	A	900	H78	CBS-NBO	-3.93	1.37	1.43
2	A	900	H78	CBH-CBU	3.77	1.46	1.39
2	A	900	H78	CBL-CBY	3.48	1.45	1.39
2	A	900	H78	CAV-CBA	3.40	1.44	1.38
2	A	900	H78	CBL-CBZ	3.38	1.45	1.39
2	A	900	H78	CBC-CBV	3.28	1.45	1.39
2	A	900	H78	CBG-CBZ	3.27	1.44	1.38
2	A	900	H78	CAU-CAZ	3.20	1.44	1.38
2	A	900	H78	CBD-CBW	3.18	1.45	1.39
2	A	900	H78	CAT-CBC	3.14	1.44	1.38
2	A	900	H78	CAZ-CBS	3.13	1.44	1.39
2	A	900	H78	CAX-CBQ	3.10	1.45	1.38
2	A	900	H78	CBF-CBY	3.05	1.43	1.38
2	A	900	H78	CAW-CBG	3.05	1.44	1.38
2	A	900	H78	CAT-CAY	3.02	1.44	1.38
2	A	900	H78	CBA-CBT	3.01	1.44	1.39
2	A	900	H78	CBI-CBR	3.01	1.44	1.39
2	A	900	H78	CAS-CAX	2.99	1.44	1.38
2	A	900	H78	CAU-CBD	2.96	1.44	1.38
2	A	900	H78	CBJ-CBS	2.92	1.44	1.39
2	A	900	H78	CBE-CBX	2.85	1.45	1.39
2	A	900	H78	CAY-CBR	2.72	1.44	1.38
2	A	900	H78	OAD-SCG	-2.72	1.40	1.43
2	A	900	H78	CBH-CBQ	2.72	1.43	1.39
2	A	900	H78	CBB-CBU	2.71	1.44	1.39
2	A	900	H78	PCC-OAD	2.59	1.61	1.54
2	A	900	H78	CBI-CBV	2.55	1.44	1.39
2	A	900	H78	CBJ-CBW	2.52	1.44	1.39
2	A	900	H78	CAS-CBB	2.50	1.43	1.38
2	A	900	H78	CAV-CBE	2.47	1.43	1.38
2	A	900	H78	PCC-CCA	-2.46	1.83	1.85
2	A	900	H78	PCF-OAL	2.44	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	H78	PCD-OAH	2.39	1.61	1.54
2	A	900	H78	PCF-OAN	2.33	1.61	1.54
2	A	900	H78	CBK-CBT	2.20	1.43	1.39
2	A	900	H78	CAW-CBF	2.18	1.42	1.38
2	A	900	H78	CBK-CBX	2.13	1.43	1.39
2	A	900	H78	PCD-OAF	2.11	1.60	1.54

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	H78	PCF-CCB-PCE	-15.75	84.51	112.72
2	A	900	H78	CCB-CBN-CBR	15.51	141.69	116.21
2	A	900	H78	PCD-CCA-PCC	-11.36	92.37	112.72
2	A	900	H78	OAP-SCG-OAO	-11.08	106.07	119.52
2	A	900	H78	OAN-PCF-CCB	10.63	129.58	106.19
2	A	900	H78	OAD-PCC-CCA	9.42	126.93	106.19
2	A	900	H78	OAR-SCH-OAQ	-7.55	110.35	119.52
2	A	900	H78	CBD-CBW-CBU	-6.70	109.69	121.25
2	A	900	H78	CBY-SCG-NBO	6.35	114.75	106.88
2	A	900	H78	PCF-CCB-CBN	5.93	124.94	109.36
2	A	900	H78	CBJ-CBW-CBU	5.91	130.75	120.84
2	A	900	H78	OAP-SCG-CBY	5.63	115.08	107.98
2	A	900	H78	PCD-CCA-CBM	5.38	123.49	109.36
2	A	900	H78	OAE-PCC-CCA	-5.10	94.95	106.19
2	A	900	H78	OAN-PCF-OAM	-4.47	102.01	112.96
2	A	900	H78	CBK-CBX-CBV	-4.41	113.45	120.84
2	A	900	H78	CBL-CBY-SCG	4.00	123.16	119.06
2	A	900	H78	OAL-PCF-OAM	-3.72	103.86	112.96
2	A	900	H78	OAJ-PCE-CCB	3.56	118.95	109.82
2	A	900	H78	CBT-NBP-SCH	3.54	133.93	122.94
2	A	900	H78	OAE-PCC-OAC	-3.47	104.45	112.96
2	A	900	H78	PCE-CCB-CBN	3.45	118.42	109.36
2	A	900	H78	CBE-CBX-CBV	3.10	126.61	121.25
2	A	900	H78	OAH-PCD-CCA	3.00	112.78	106.19
2	A	900	H78	CBF-CBY-SCG	-2.84	116.64	119.76
2	A	900	H78	CAW-CBG-CBZ	2.53	121.53	118.95
2	A	900	H78	OAI-PCE-OAJ	-2.48	106.89	112.96
2	A	900	H78	CAZ-CBS-NBO	2.38	125.03	120.02
2	A	900	H78	OAF-PCD-OAG	-2.34	107.23	112.96
2	A	900	H78	CAW-CBF-CBY	2.27	121.27	118.95
2	A	900	H78	CBB-CBU-CBW	-2.17	117.51	121.25
2	A	900	H78	OAM-PCF-CCB	-2.11	104.41	109.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	H78	CBG-CBZ-SCH	2.10	122.07	119.76
2	A	900	H78	OAB-CCB-CBN	-2.06	105.67	110.56
2	A	900	H78	OAQ-SCH-NBP	2.03	111.69	106.74
2	A	900	H78	OAQ-SCH-CBZ	2.01	110.52	107.98

There are no chirality outliers.


All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	900	H78	CBS-NBO-SCG-OAO
2	A	900	H78	CBN-CCB-PCF-OAL
2	A	900	H78	PCE-CCB-PCF-OAL
2	A	900	H78	CBS-NBO-SCG-CBY
2	A	900	H78	CBF-CBY-SCG-OAP
2	A	900	H78	CBL-CBY-SCG-OAP

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/253 (87%)	0.32	13 (5%) 28 30	18, 35, 70, 101	0
1	B	219/253 (86%)	0.02	5 (2%) 61 64	17, 30, 59, 75	0
All	All	441/506 (87%)	0.17	18 (4%) 41 43	17, 32, 64, 101	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	244	GLY	4.4
1	A	91	TRP	4.3
1	A	90	VAL	4.2
1	A	132	ALA	3.8
1	A	78	PRO	2.8
1	A	240	GLU	2.6
1	A	118	SER	2.6
1	B	242	ARG	2.6
1	A	94	ASP	2.5
1	A	120	LEU	2.4
1	A	164	GLN	2.4
1	B	243	PHE	2.3
1	B	82	VAL	2.3
1	A	86	MET	2.2
1	B	85	LEU	2.2
1	A	84	ALA	2.1
1	A	14	PRO	2.1
1	A	116	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	H78	A	900	60/60	0.87	0.11	32,61,68,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around H78 A 900:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.