



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:57 PM UTC

PDB ID : 1X1B / pdb_00001x1b
Title : Crystal structure of BchU complexed with S-adenosyl-L-homocysteine
Authors : Yamaguchi, H.; Wada, K.; Fukuyama, K.
Deposited on : 2005-04-03
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	2431	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CrtF-related protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2655	1698	440	499	18			

There are 21 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP Q8KGE0
A	-19	GLY	-	expression tag	UNP Q8KGE0
A	-18	SER	-	expression tag	UNP Q8KGE0
A	-17	SER	-	expression tag	UNP Q8KGE0
A	-16	HIS	-	expression tag	UNP Q8KGE0
A	-15	HIS	-	expression tag	UNP Q8KGE0
A	-14	HIS	-	expression tag	UNP Q8KGE0
A	-13	HIS	-	expression tag	UNP Q8KGE0
A	-12	HIS	-	expression tag	UNP Q8KGE0
A	-11	HIS	-	expression tag	UNP Q8KGE0
A	-10	SER	-	expression tag	UNP Q8KGE0
A	-9	SER	-	expression tag	UNP Q8KGE0
A	-8	GLY	-	expression tag	UNP Q8KGE0
A	-7	LEU	-	expression tag	UNP Q8KGE0
A	-6	VAL	-	expression tag	UNP Q8KGE0
A	-5	PRO	-	expression tag	UNP Q8KGE0
A	-4	ARG	-	expression tag	UNP Q8KGE0
A	-3	GLY	-	expression tag	UNP Q8KGE0
A	-2	SER	-	expression tag	UNP Q8KGE0
A	-1	HIS	-	expression tag	UNP Q8KGE0
A	0	MET	-	expression tag	UNP Q8KGE0

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: $C_{14}H_{20}N_6O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	52	Total	O	0	0
			52	52		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CrtF-related protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	81.21Å 81.21Å 251.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.83 – 2.60 46.83 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.7 (46.83-2.60) 95.7 (46.83-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.42 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.232 , 0.287 0.231 , 0.283	Depositor DCC
R_{free} test set	1599 reflections (10.06%)	wwPDB-VP
Wilson B-factor (Å ²)	51.4	Xtriage
Anisotropy	0.725	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 71.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2744	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/2710	1.21	30/3660 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	72	VAL	N-CA-C	-8.97	103.99	112.96
1	A	267	GLY	N-CA-C	-7.77	104.36	114.85
1	A	3	ASN	N-CA-C	-7.68	103.64	113.16
1	A	259	LYS	N-CA-C	-7.55	103.05	111.28
1	A	4	ASN	N-CA-C	-7.32	104.50	113.50
1	A	70	MET	N-CA-C	-7.20	104.23	113.16
1	A	136	PRO	CA-C-N	6.87	126.86	119.78
1	A	136	PRO	C-N-CA	6.87	126.86	119.78
1	A	250	GLU	N-CA-C	6.69	118.45	111.03
1	A	17	VAL	N-CA-C	6.59	120.27	111.44
1	A	176	VAL	N-CA-C	6.40	116.69	108.12
1	A	274	ASP	CA-CB-CG	6.34	118.94	112.60
1	A	231	GLU	N-CA-C	6.26	118.63	110.43
1	A	5	ASP	N-CA-C	-5.90	104.93	111.36
1	A	205	ILE	N-CA-C	5.90	116.55	110.36
1	A	157	ALA	N-CA-C	-5.89	104.94	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	SER	N-CA-C	5.89	118.12	108.52
1	A	57	PRO	N-CA-C	5.87	117.86	110.70
1	A	98	ASN	N-CA-C	5.68	119.52	112.59
1	A	116	TYR	N-CA-C	5.61	117.39	111.28
1	A	198	ILE	N-CA-C	5.50	116.65	108.23
1	A	247	SER	CA-C-N	5.37	129.37	120.94
1	A	247	SER	C-N-CA	5.37	129.37	120.94
1	A	95	LYS	N-CA-C	-5.36	105.88	112.90
1	A	34	ASP	N-CA-C	-5.33	106.73	113.23
1	A	286	ASP	N-CA-C	-5.16	105.08	111.33
1	A	177	GLY	N-CA-C	-5.13	103.89	114.16
1	A	255	ILE	N-CA-C	-5.10	104.71	111.09
1	A	297	MET	CA-C-N	5.04	125.06	119.32
1	A	297	MET	C-N-CA	5.04	125.06	119.32

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	247	SER	Mainchain
1	A	274	ASP	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2655	0	2649	153	0
2	A	5	0	0	1	0
3	A	26	0	19	2	0
4	A	6	0	4	0	0
5	A	52	0	0	3	0
All	All	2744	0	2672	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ALA:HB1	1:A:252:LEU:HD22	1.43	0.97
1:A:200:ASN:HD22	1:A:201:LEU:H	1.02	0.96
1:A:159:GLN:HE21	1:A:159:GLN:HA	1.30	0.95
1:A:320:LYS:HE2	1:A:338:PRO:HA	1.47	0.93
1:A:252:LEU:C	1:A:252:LEU:HD23	1.95	0.91
1:A:248:ALA:CB	1:A:252:LEU:HD22	2.00	0.90
1:A:56:VAL:HG21	1:A:59:ARG:HD2	1.56	0.87
1:A:101:GLN:HE21	1:A:101:GLN:HA	1.40	0.85
1:A:265:ARG:HG3	1:A:266:SER:H	1.42	0.83
1:A:159:GLN:HA	1:A:159:GLN:NE2	1.92	0.83
1:A:183:ILE:HD13	5:A:4414:HOH:O	1.79	0.82
1:A:229:TYR:O	1:A:259:LYS:HE3	1.79	0.82
1:A:56:VAL:CG2	1:A:59:ARG:HD2	2.11	0.81
1:A:252:LEU:O	1:A:255:ILE:HG22	1.82	0.79
1:A:96:GLU:HG2	5:A:4441:HOH:O	1.82	0.79
1:A:200:ASN:ND2	1:A:201:LEU:H	1.79	0.78
1:A:200:ASN:HD22	1:A:201:LEU:N	1.80	0.78
1:A:248:ALA:HB1	1:A:252:LEU:CD2	2.15	0.76
1:A:176:VAL:O	1:A:244:ILE:HD11	1.86	0.76
1:A:67:LEU:HD12	1:A:70:MET:HE2	1.68	0.75
1:A:235:GLU:H	1:A:235:GLU:CD	1.93	0.75
1:A:252:LEU:HD23	1:A:253:SER:N	2.03	0.74
1:A:137:PRO:HB2	1:A:143:ASN:ND2	2.05	0.72
1:A:176:VAL:O	1:A:244:ILE:CD1	2.38	0.72
1:A:65:GLU:OE1	1:A:68:ARG:NH2	2.24	0.71
1:A:178:GLY:HA3	1:A:198:ILE:HG23	1.72	0.70
1:A:312:GLU:O	1:A:316:SER:HB3	1.91	0.70
1:A:101:GLN:HE21	1:A:101:GLN:CA	1.96	0.69
1:A:101:GLN:HA	1:A:101:GLN:NE2	2.08	0.68
1:A:265:ARG:HG3	1:A:266:SER:N	2.09	0.68
1:A:68:ARG:HG3	1:A:80:TRP:HZ3	1.57	0.67
1:A:248:ALA:CB	1:A:252:LEU:CD2	2.71	0.67
1:A:241:PHE:CD1	1:A:245:LEU:CD1	2.78	0.66
1:A:275:MET:HG2	1:A:330:HIS:CE1	2.29	0.66
1:A:255:ILE:O	1:A:259:LYS:HG3	1.96	0.66
1:A:56:VAL:CG2	1:A:59:ARG:HB2	2.25	0.66
1:A:56:VAL:HG23	1:A:59:ARG:HB2	1.78	0.66
1:A:250:GLU:O	1:A:254:THR:N	2.28	0.66
1:A:137:PRO:HG3	1:A:146:PHE:CD2	2.30	0.65
1:A:248:ALA:HB1	1:A:252:LEU:HD13	1.79	0.64
1:A:254:THR:O	1:A:258:LYS:HB2	1.97	0.64
1:A:241:PHE:CA	1:A:244:ILE:HD12	2.28	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:VAL:HG23	1:A:329:ASP:O	1.99	0.63
1:A:139:THR:HG22	1:A:141:GLU:N	2.14	0.63
1:A:139:THR:HG22	1:A:142:ASP:H	1.63	0.63
1:A:171:LYS:HG3	1:A:172:LYS:HG3	1.81	0.62
1:A:241:PHE:CD1	1:A:245:LEU:HD13	2.34	0.62
1:A:254:THR:HG23	1:A:317:LEU:HD21	1.82	0.62
1:A:137:PRO:HG3	1:A:146:PHE:CE2	2.34	0.61
1:A:241:PHE:C	1:A:244:ILE:HD12	2.25	0.61
1:A:313:ILE:O	1:A:317:LEU:HD13	2.00	0.61
1:A:129:PHE:CD1	1:A:297:MET:HE3	2.37	0.60
1:A:320:LYS:CE	1:A:338:PRO:HA	2.27	0.60
1:A:301:VAL:HG23	1:A:302:LEU:HD23	1.84	0.60
1:A:67:LEU:HD12	1:A:70:MET:CE	2.31	0.60
1:A:307:GLN:O	1:A:310:TYR:CD2	2.55	0.60
1:A:38:HIS:CD2	1:A:52:ASP:HB3	2.37	0.59
1:A:290:HIS:O	1:A:293:LEU:HB2	2.02	0.58
1:A:183:ILE:HD12	1:A:183:ILE:N	2.18	0.58
1:A:311:LYS:HG3	1:A:312:GLU:OE1	2.04	0.57
1:A:167:LEU:HD13	1:A:194:LEU:HD22	1.87	0.57
1:A:241:PHE:CD1	1:A:245:LEU:HD11	2.39	0.57
1:A:42:GLY:O	1:A:44:LYS:HG3	2.04	0.56
1:A:67:LEU:HA	1:A:70:MET:HE2	1.87	0.56
1:A:278:ASP:O	1:A:280:PRO:HD3	2.05	0.56
1:A:241:PHE:HA	1:A:244:ILE:HD12	1.88	0.56
1:A:276:VAL:HG23	1:A:329:ASP:C	2.31	0.55
1:A:254:THR:O	1:A:258:LYS:CB	2.54	0.55
1:A:84:GLU:HG3	2:A:4396:SO4:O3	2.07	0.54
1:A:252:LEU:C	1:A:252:LEU:CD2	2.71	0.54
1:A:248:ALA:HB3	1:A:252:LEU:HD22	1.85	0.54
1:A:270:LEU:C	1:A:270:LEU:HD13	2.33	0.54
1:A:314:LEU:HB3	1:A:319:TYR:HB2	1.91	0.53
1:A:91:SER:HB2	1:A:92:PRO:HD2	1.91	0.53
1:A:265:ARG:HA	1:A:265:ARG:HE	1.74	0.52
1:A:29:ALA:O	1:A:33:LEU:HD22	2.10	0.52
1:A:67:LEU:HB3	1:A:73:ILE:HG12	1.90	0.52
1:A:166:LYS:NZ	5:A:4429:HOH:O	2.43	0.51
1:A:56:VAL:HG21	1:A:59:ARG:CD	2.36	0.51
1:A:243:ARG:HE	3:A:4261:SAH:C	2.23	0.51
1:A:319:TYR:O	1:A:322:VAL:HG23	2.11	0.51
1:A:173:MET:HB2	1:A:194:LEU:HD11	1.93	0.50
1:A:241:PHE:HA	1:A:244:ILE:CD1	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ALA:HB1	1:A:252:LEU:CD1	2.41	0.50
1:A:43:PRO:HG3	1:A:81:SER:HB3	1.95	0.48
1:A:242:CYS:N	1:A:244:ILE:HD12	2.29	0.48
1:A:252:LEU:CD2	1:A:253:SER:N	2.75	0.48
1:A:43:PRO:HA	1:A:80:TRP:O	2.13	0.48
1:A:174:ILE:CD1	1:A:234:PRO:O	2.62	0.47
1:A:242:CYS:O	1:A:244:ILE:HG13	2.14	0.47
1:A:42:GLY:O	1:A:43:PRO:C	2.56	0.47
1:A:265:ARG:O	1:A:337:LYS:NZ	2.46	0.47
1:A:66:THR:O	1:A:70:MET:HG3	2.14	0.47
1:A:161:LEU:HG	1:A:273:LEU:HD23	1.95	0.47
1:A:279:ASP:OD2	1:A:282:ASN:ND2	2.47	0.47
1:A:324:MET:HG2	1:A:333:VAL:HB	1.97	0.47
1:A:336:VAL:HG12	1:A:337:LYS:N	2.28	0.47
1:A:318:GLY:O	1:A:338:PRO:CD	2.63	0.47
1:A:176:VAL:O	1:A:244:ILE:HD13	2.14	0.46
1:A:265:ARG:CG	1:A:266:SER:H	2.20	0.46
1:A:271:LEU:HD12	1:A:271:LEU:N	2.29	0.46
1:A:254:THR:HG23	1:A:317:LEU:HD11	1.97	0.46
1:A:241:PHE:HB3	1:A:245:LEU:HD13	1.98	0.46
1:A:56:VAL:CG2	1:A:59:ARG:CD	2.88	0.45
1:A:65:GLU:OE2	1:A:69:GLN:NE2	2.50	0.45
1:A:254:THR:O	1:A:258:LYS:N	2.50	0.45
1:A:27:MET:O	1:A:31:ILE:HG12	2.16	0.45
1:A:252:LEU:O	1:A:256:MET:HG2	2.17	0.45
1:A:129:PHE:HD1	1:A:297:MET:HE3	1.79	0.45
1:A:327:LYS:HE2	1:A:328:TYR:CE2	2.51	0.45
1:A:137:PRO:CG	1:A:146:PHE:CD2	2.98	0.44
1:A:275:MET:HG2	1:A:330:HIS:HE1	1.78	0.44
1:A:56:VAL:HG23	1:A:59:ARG:CB	2.46	0.44
1:A:184:SER:O	1:A:188:LEU:HD22	2.18	0.44
1:A:264:MET:HE1	1:A:270:LEU:HB2	1.98	0.44
1:A:28:LYS:HE2	1:A:109:ALA:O	2.18	0.44
1:A:68:ARG:HG3	1:A:80:TRP:CZ3	2.46	0.44
1:A:183:ILE:N	1:A:183:ILE:CD1	2.79	0.44
1:A:185:ALA:O	1:A:189:LYS:HD3	2.18	0.44
1:A:252:LEU:O	1:A:255:ILE:CG2	2.60	0.44
1:A:337:LYS:O	1:A:338:PRO:O	2.36	0.44
1:A:273:LEU:CD1	1:A:273:LEU:C	2.91	0.43
1:A:314:LEU:HD13	1:A:335:ALA:HB2	2.00	0.43
1:A:137:PRO:CG	1:A:146:PHE:HD2	2.32	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ARG:CG	1:A:266:SER:N	2.81	0.43
1:A:326:ARG:O	1:A:327:LYS:HB2	2.18	0.43
1:A:139:THR:HG22	1:A:141:GLU:H	1.81	0.42
1:A:89:MET:HE1	1:A:99:LEU:HG	2.02	0.42
1:A:26:CYS:HB3	1:A:67:LEU:HD13	2.00	0.42
1:A:150:HIS:CE1	3:A:4261:SAH:SD	3.12	0.42
1:A:82:LEU:HD13	1:A:87:ASP:HA	2.02	0.42
1:A:23:GLU:HG2	1:A:70:MET:SD	2.60	0.42
1:A:315:GLU:C	1:A:317:LEU:H	2.28	0.42
1:A:337:LYS:HG3	1:A:338:PRO:HD2	2.01	0.42
1:A:318:GLY:O	1:A:338:PRO:HD3	2.19	0.42
1:A:286:ASP:OD1	1:A:286:ASP:C	2.63	0.42
1:A:153:ASN:O	1:A:153:ASN:CG	2.63	0.41
1:A:264:MET:O	1:A:265:ARG:HB3	2.19	0.41
1:A:319:TYR:HB3	1:A:335:ALA:HB1	2.01	0.41
1:A:233:TYR:N	1:A:233:TYR:CD1	2.87	0.41
1:A:44:LYS:HD3	1:A:48:THR:HG22	2.02	0.41
1:A:144:LEU:O	1:A:148:GLU:HB2	2.21	0.41
1:A:7:LEU:O	1:A:11:HIS:CD2	2.74	0.41
1:A:174:ILE:HD13	1:A:234:PRO:HD2	2.02	0.41
1:A:136:PRO:HA	1:A:137:PRO:HD3	1.71	0.41
1:A:23:GLU:HA	1:A:70:MET:SD	2.61	0.41
1:A:35:LEU:HD22	1:A:39:MET:SD	2.61	0.40
1:A:277:ILE:O	1:A:304:PHE:HZ	2.03	0.40
1:A:45:ASP:OD1	1:A:45:ASP:C	2.65	0.40
1:A:137:PRO:HB3	1:A:142:ASP:HB3	2.02	0.40
1:A:327:LYS:HD3	1:A:328:TYR:CE1	2.56	0.40
1:A:176:VAL:HG13	1:A:228:ILE:HG22	2.04	0.40
1:A:45:ASP:O	1:A:46:LEU:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	335/359 (93%)	308 (92%)	26 (8%)	1 (0%)	36 58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	245	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	285/304 (94%)	251 (88%)	34 (12%)	5 10

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	5	ASP
1	A	16	LEU
1	A	33	LEU
1	A	35	LEU
1	A	46	LEU
1	A	55	SER
1	A	64	LEU
1	A	67	LEU
1	A	68	ARG
1	A	75	LEU
1	A	101	GLN
1	A	132	GLN
1	A	133	VAL
1	A	144	LEU
1	A	159	GLN
1	A	168	ASP
1	A	188	LEU
1	A	189	LYS
1	A	199	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	243	ARG
1	A	247	SER
1	A	252	LEU
1	A	265	ARG
1	A	270	LEU
1	A	273	LEU
1	A	286	ASP
1	A	288	LEU
1	A	293	LEU
1	A	299	PHE
1	A	316	SER
1	A	323	THR
1	A	325	VAL
1	A	333	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	HIS
1	A	14	ASN
1	A	38	HIS
1	A	74	ASN
1	A	101	GLN
1	A	121	GLN
1	A	126	GLN
1	A	128	ASN
1	A	132	GLN
1	A	150	HIS
1	A	159	GLN
1	A	200	ASN
1	A	251	GLN
1	A	330	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	GOL	A	2431	-	5,5,5	4.66	5 (100%)	5,5,5	6.07	3 (60%)
3	SAH	A	4261	-	27,28,28	1.52	5 (18%)	36,40,40	1.72	8 (22%)
2	SO4	A	4396	-	4,4,4	1.90	2 (50%)	6,6,6	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	2431	-	-	2/4/4/4	-
3	SAH	A	4261	-	-	1/15/31/31	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	2431	GOL	C3-C2	-7.68	1.22	1.51
4	A	2431	GOL	O1-C1	4.61	1.61	1.42
3	A	4261	SAH	C1'-N9	-4.56	1.33	1.46
4	A	2431	GOL	O3-C3	3.44	1.56	1.42
2	A	4396	SO4	O1-S	3.05	1.63	1.44
4	A	2431	GOL	C1-C2	-2.96	1.40	1.51
4	A	2431	GOL	O2-C2	-2.78	1.35	1.43
3	A	4261	SAH	CB-CA	-2.40	1.48	1.53
2	A	4396	SO4	O3-S	-2.19	1.30	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	4261	SAH	C4-N9	2.14	1.42	1.37
3	A	4261	SAH	C5'-C4'	2.11	1.60	1.52
3	A	4261	SAH	C2-N3	2.05	1.37	1.33

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	2431	GOL	O3-C3-C2	10.95	159.66	110.38
4	A	2431	GOL	O2-C2-C3	7.37	139.69	109.18
3	A	4261	SAH	CB-CG-SD	-4.26	103.94	113.45
3	A	4261	SAH	O4'-C1'-C2'	-4.17	97.70	106.62
3	A	4261	SAH	O4'-C4'-C5'	-3.93	98.70	108.83
3	A	4261	SAH	N3-C2-N1	-3.43	123.39	128.58
4	A	2431	GOL	O1-C1-C2	3.16	124.62	110.38
3	A	4261	SAH	CB-CA-N	2.92	117.72	110.12
3	A	4261	SAH	C2-N1-C6	2.62	123.03	118.73
3	A	4261	SAH	C2'-C1'-N9	2.20	118.77	113.30
3	A	4261	SAH	CB-CA-C	-2.11	104.84	110.45

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	4261	SAH	C4'-C5'-SD-CG
4	A	2431	GOL	C1-C2-C3-O3
4	A	2431	GOL	O1-C1-C2-O2


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	4261	SAH	2	0
2	A	4396	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/359 (93%)	0.26	20 (5%) 28 23	31, 56, 105, 127	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	251	GLN	5.1
1	A	301	VAL	4.9
1	A	254	THR	3.8
1	A	247	SER	3.4
1	A	261	PHE	3.0
1	A	245	LEU	2.9
1	A	174	ILE	2.7
1	A	250	GLU	2.7
1	A	302	LEU	2.6
1	A	249	ASN	2.6
1	A	255	ILE	2.6
1	A	135	TYR	2.5
1	A	298	PRO	2.5
1	A	304	PHE	2.5
1	A	2	SER	2.4
1	A	299	PHE	2.2
1	A	263	ALA	2.1
1	A	265	ARG	2.1
1	A	319	TYR	2.1
1	A	314	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	2431	6/6	0.80	0.12	66,69,75,76	0
3	SAH	A	4261	26/26	0.92	0.11	52,66,74,77	0
2	SO4	A	4396	5/5	0.94	0.10	66,72,76,81	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.