



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:16 PM UTC

PDB ID : 2X20 / pdb_00002x20
Title : Structure of Peridinin-Chlorophyll-Protein reconstituted with Chl-b
Authors : Schulte, T.; Hiller, R.G.; Hofmann, E.
Deposited on : 2010-01-09
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	151	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CHL	M	601[A]	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CHL	M	601[B]	X	-	-	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 1689 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PERIDININ-CHLOROPHYLL A-BINDING PROTEIN, CHLOROPLASTIC.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	M	151	Total	C	N	O	S	0	4	0
			1149	726	192	225	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	87	SER	ASN	conflict	UNP P80484
M	128	ASN	SER	conflict	UNP P80484


- Molecule 2 is CHLOROPHYLL B (CCD ID: CHL) (formula: $C_{55}H_{70}MgN_4O_6$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	M	1	Total	C	O	0	0
			46	39	7		
3	M	1	Total	C	O	0	1
			51	42	9		
3	M	1	Total	C	O	0	0
			46	39	7		
3	M	1	Total	C	O	0	0
			46	39	7		

- Molecule 4 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (CCD ID: DGD) (formula: C₅₁H₉₆O₁₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	M	1	Total	C	O	0	0
			66	51	15		

- Molecule 5 is CADMIUM ION (CCD ID: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	M	6	Total	Cd	0	2
			8	8		

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	M	3	Total	Cl	0	0
			3	3		

- Molecule 7 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	M	1	Total	K	0	0
			1	1		

- Molecule 8 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Na	0	0
			1	1		

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	C	O	0	0
			7	4	3		

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	196	Total	O	0	0
			196	196		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PERIDININ-CHLOROPHYLL A-BINDING PROTEIN, CHLOROPLASTIC

Chain M:  88% 11% .



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	68.57Å 82.00Å 75.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.15 – 1.95 43.15 – 1.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (43.15-1.95) 99.3 (43.15-1.95)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.41 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.155 , 0.196 0.155 , 0.194	Depositor DCC
R_{free} test set	787 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	12.3	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 55.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	1689	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, DGD, CHL, NA, CD, CL, PID, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	M	1.44	4/1169 (0.3%)	1.00	0/1578

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	119	VAL	CA-CB	11.89	1.60	1.54
1	M	83	ALA	CA-CB	8.62	1.66	1.53
1	M	69	ALA	CA-CB	7.54	1.65	1.53
1	M	80	THR	CA-CB	5.26	1.61	1.53

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	1149	0	1151	16	0
2	M	69	0	6	3	0
3	M	189	0	166	2	0
4	M	66	0	96	11	0
5	M	8	0	0	0	0
6	M	3	0	0	0	0
7	M	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	M	1	0	0	0	0
9	M	7	0	10	1	0
10	M	196	0	0	8	0
All	All	1689	0	1429	27	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (27) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:M:1162:PEG:H21	10:M:2192:HOH:O	1.34	1.21
1:M:68:LYS:HE3	10:M:2119:HOH:O	1.80	0.82
4:M:615:DGD:HBN1	4:M:615:DGD:HAW1	1.65	0.78
1:M:105[B]:MET:SD	10:M:2070:HOH:O	2.43	0.76
1:M:133:GLU:HG2	4:M:615:DGD:O5E	1.86	0.75
1:M:105[B]:MET:CE	10:M:2070:HOH:O	2.36	0.73
4:M:615:DGD:HAW1	4:M:615:DGD:CFB	2.19	0.72
1:M:137:GLU:OE2	4:M:615:DGD:HE61	1.99	0.62
4:M:615:DGD:HBW2	4:M:615:DGD:HBS1	1.81	0.62
1:M:39:GLU:HG2	1:M:113:LYS:HZ2	1.65	0.61
1:M:111:VAL:HG21	4:M:615:DGD:HBH2	1.83	0.59
4:M:615:DGD:HBN1	4:M:615:DGD:CCA	2.33	0.58
1:M:39:GLU:HG2	1:M:113:LYS:NZ	2.19	0.58
4:M:615:DGD:HBS1	4:M:615:DGD:CCB	2.34	0.57
1:M:68:LYS:NZ	10:M:2104:HOH:O	2.19	0.57
1:M:60:LYS:O	1:M:64[A]:GLU:HG3	2.06	0.55
1:M:32:PRO:HG3	4:M:615:DGD:HA92	1.89	0.53
1:M:105[B]:MET:HE3	10:M:2070:HOH:O	2.04	0.52
3:M:611:PID:H11	4:M:615:DGD:O1A	2.13	0.47
1:M:60:LYS:NZ	10:M:2093:HOH:O	2.45	0.47
1:M:76:PRO:O	10:M:2112:HOH:O	2.21	0.43
3:M:613:PID:H22	4:M:615:DGD:HGB3	2.00	0.43
1:M:35:LEU:HD12	1:M:37:PRO:HD3	2.00	0.42
1:M:113:LYS:HZ2	1:M:113:LYS:HG2	1.76	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	153/151 (101%)	152 (99%)	1 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	118/114 (104%)	116 (98%)	2 (2%)	53	49

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	35	LEU
1	M	143	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	M	102	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 13 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
9	PEG	M	1162	-	6,6,6	0.64	0	5,5,5	0.50	0
3	PID	M	613	-	43,49,49	1.35	5 (11%)	52,76,76	4.34	19 (36%)
3	PID	M	614	-	43,49,49	1.42	6 (13%)	52,76,76	3.90	18 (34%)
3	PID	M	612[A]	-	43,49,49	1.60	9 (20%)	52,76,76	4.22	23 (44%)
2	CHL	M	601[A]	-	60,74,74	2.29	15 (25%)	58,114,114	2.01	11 (18%)
4	DGD	M	615	-	67,67,67	0.94	3 (4%)	81,81,81	1.48	13 (16%)
3	PID	M	611	-	43,49,49	1.54	5 (11%)	52,76,76	3.86	22 (42%)
3	PID	M	612[B]	-	43,49,49	1.60	9 (20%)	52,76,76	4.23	26 (50%)
2	CHL	M	601[B]	-	60,74,74	2.29	15 (25%)	58,114,114	2.01	11 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	PEG	M	1162	-	-	2/4/4/4	-
3	PID	M	613	-	-	0/24/93/93	0/4/4/4
3	PID	M	614	-	-	0/24/93/93	0/4/4/4
3	PID	M	612[A]	-	-	0/24/93/93	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CHL	M	601[A]	-	3/3/20/26	2/39/137/137	-
4	DGD	M	615	-	-	20/55/95/95	0/2/2/2
3	PID	M	611	-	-	0/24/93/93	0/4/4/4
3	PID	M	612[B]	-	-	0/24/93/93	0/4/4/4
2	CHL	M	601[B]	-	3/3/20/26	2/39/137/137	-

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	601[A]	CHL	CHB-C1B	6.22	1.49	1.39
2	M	601[B]	CHL	CHB-C1B	6.22	1.49	1.39
2	M	601[A]	CHL	C1A-CHA	5.58	1.46	1.40
2	M	601[B]	CHL	C1A-CHA	5.58	1.46	1.40
2	M	601[A]	CHL	CHD-C4C	5.24	1.49	1.39
2	M	601[B]	CHL	CHD-C4C	5.24	1.49	1.39
2	M	601[A]	CHL	CHC-C1C	5.21	1.49	1.39
2	M	601[B]	CHL	CHC-C1C	5.21	1.49	1.39
2	M	601[A]	CHL	OBD-CAD	5.04	1.28	1.22
2	M	601[B]	CHL	OBD-CAD	5.04	1.28	1.22
2	M	601[A]	CHL	CHA-CBD	-4.89	1.45	1.51
2	M	601[B]	CHL	CHA-CBD	-4.89	1.45	1.51
3	M	612[A]	PID	C13-C12	4.83	1.49	1.36
3	M	612[B]	PID	C13-C12	4.83	1.49	1.36
2	M	601[A]	CHL	CHC-C4B	4.55	1.47	1.39
2	M	601[B]	CHL	CHC-C4B	4.55	1.47	1.39
4	M	615	DGD	O2G-C1B	4.52	1.47	1.34
3	M	613	PID	C13-C12	4.37	1.48	1.36
2	M	601[A]	CHL	C3D-C4D	-4.31	1.34	1.41
2	M	601[B]	CHL	C3D-C4D	-4.31	1.34	1.41
3	M	611	PID	C13-C12	4.29	1.48	1.36
2	M	601[A]	CHL	O2D-CGD	3.95	1.42	1.33
2	M	601[B]	CHL	O2D-CGD	3.95	1.42	1.33
3	M	612[A]	PID	O3-C10	3.80	1.29	1.21
3	M	612[B]	PID	O3-C10	3.80	1.29	1.21
3	M	612[A]	PID	O6-C30	3.77	1.43	1.35
2	M	601[A]	CHL	CHD-C1D	3.74	1.45	1.39
2	M	601[B]	CHL	CHD-C1D	3.74	1.45	1.39
2	M	601[A]	CHL	O2A-CGA	3.72	1.44	1.33
2	M	601[B]	CHL	O2A-CGA	3.72	1.44	1.33
3	M	611	PID	O6-C30	3.65	1.43	1.35
3	M	612[B]	PID	O6-C30	3.56	1.43	1.35
3	M	614	PID	C13-C12	3.50	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	601[A]	CHL	C3B-C4B	-3.12	1.38	1.41
2	M	601[B]	CHL	C3B-C2B	-3.06	1.36	1.40
3	M	611	PID	O3-C10	3.04	1.27	1.21
3	M	614	PID	O6-C30	2.95	1.41	1.35
2	M	601[A]	CHL	C2C-C3C	2.92	1.39	1.36
2	M	601[B]	CHL	C2C-C3C	2.92	1.39	1.36
4	M	615	DGD	O1G-C1A	2.90	1.41	1.33
2	M	601[A]	CHL	CMC-C2C	2.72	1.50	1.44
2	M	601[B]	CHL	CMC-C2C	2.72	1.50	1.44
3	M	611	PID	C25-C24	2.72	1.59	1.54
3	M	613	PID	O6-C30	2.70	1.41	1.35
3	M	612[A]	PID	C23-C24	-2.64	1.27	1.30
3	M	612[B]	PID	C23-C24	-2.64	1.27	1.30
3	M	611	PID	CM1-C1	2.56	1.55	1.51
4	M	615	DGD	O5D-C1E	2.54	1.44	1.40
3	M	614	PID	CM1-C1	-2.51	1.48	1.51
3	M	613	PID	C23-C24	-2.50	1.27	1.30
3	M	612[A]	PID	C13-C14	2.39	1.50	1.45
3	M	612[B]	PID	C13-C14	2.39	1.50	1.45
3	M	614	PID	C2-C1	2.35	1.55	1.52
3	M	612[A]	PID	CM4-C14	2.34	1.55	1.50
3	M	612[B]	PID	CM4-C14	2.34	1.55	1.50
3	M	612[A]	PID	CM1-C1	2.33	1.55	1.51
3	M	612[B]	PID	CM1-C1	2.33	1.55	1.51
2	M	601[A]	CHL	C1D-C2D	2.24	1.42	1.39
2	M	601[B]	CHL	C1D-C2D	2.24	1.42	1.39
3	M	612[A]	PID	C6-C7	2.22	1.54	1.50
3	M	612[B]	PID	C6-C7	2.22	1.54	1.50
3	M	614	PID	C19-C20	2.17	1.49	1.43
3	M	613	PID	C18-C17	2.16	1.51	1.44
3	M	614	PID	C23-C22	-2.16	1.28	1.31
3	M	612[A]	PID	C23-C22	-2.11	1.28	1.31
3	M	612[B]	PID	C23-C22	-2.11	1.28	1.31
3	M	613	PID	O1-C1	-2.02	1.43	1.46

All (143) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	613	PID	O4-C12-C11	20.41	118.98	107.39
3	M	614	PID	O4-C12-C11	18.34	117.81	107.39
3	M	612[A]	PID	O4-C12-C11	17.69	117.43	107.39
3	M	612[B]	PID	O4-C12-C11	17.69	117.43	107.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	611	PID	O4-C12-C11	16.79	116.93	107.39
3	M	613	PID	C12-O4-C10	-16.11	99.86	107.68
3	M	612[A]	PID	O1-C1-CM1	14.26	130.99	115.05
3	M	612[B]	PID	O1-C1-CM1	14.26	130.99	115.05
3	M	614	PID	C12-O4-C10	-13.32	101.21	107.68
3	M	611	PID	C12-O4-C10	-11.98	101.86	107.68
3	M	612[A]	PID	C12-O4-C10	-8.56	103.52	107.68
3	M	612[B]	PID	C12-O4-C10	-8.56	103.52	107.68
2	M	601[A]	CHL	O2D-CGD-CBD	8.30	120.07	110.95
2	M	601[B]	CHL	O2D-CGD-CBD	8.30	120.07	110.95
3	M	611	PID	O1-C1-CM1	7.54	123.47	115.05
3	M	614	PID	C7-C8-C9	-7.37	116.77	126.06
3	M	612[A]	PID	CM1-C1-C6	-7.35	110.20	122.30
3	M	612[B]	PID	CM1-C1-C6	-7.35	110.20	122.30
3	M	612[A]	PID	C7-C8-C9	-7.18	117.01	126.06
3	M	612[B]	PID	C7-C8-C9	-7.18	117.01	126.06
3	M	611	PID	O1-C1-C2	6.52	119.61	113.49
3	M	613	PID	O3-C10-C9	-6.35	124.44	131.04
3	M	613	PID	C6-C7-C8	-6.22	112.85	125.99
3	M	613	PID	C9-C11-C12	-5.69	101.44	108.75
3	M	612[A]	PID	C9-C11-C12	-5.68	101.45	108.75
3	M	612[B]	PID	C9-C11-C12	-5.68	101.45	108.75
2	M	601[A]	CHL	CHA-C1A-C2A	-4.98	121.62	133.31
2	M	601[B]	CHL	CHA-C1A-C2A	-4.98	121.62	133.31
3	M	613	PID	O1-C1-C2	4.95	118.13	113.49
3	M	614	PID	C9-C11-C12	-4.94	102.41	108.75
3	M	611	PID	C22-C23-C24	-4.87	171.91	177.66
3	M	614	PID	CM1-C1-C2	4.86	119.70	114.24
3	M	611	PID	C9-C11-C12	-4.74	102.66	108.75
3	M	612[A]	PID	C17-C16-C15	-4.70	113.90	123.52
3	M	612[B]	PID	C17-C16-C15	-4.70	113.90	123.52
3	M	614	PID	O3-C10-C9	-4.68	126.17	131.04
3	M	612[B]	PID	O6-C27-C28	-4.47	96.20	107.64
3	M	612[A]	PID	O6-C30-C31	4.44	119.00	111.09
3	M	614	PID	CM1-C1-C6	-4.35	115.14	122.30
2	M	601[A]	CHL	C4-C3-C5	4.33	122.74	115.23
2	M	601[B]	CHL	C4-C3-C5	4.33	122.74	115.23
4	M	615	DGD	O1G-C1A-O1A	-4.31	112.86	123.63
3	M	613	PID	C7-C8-C9	-4.30	120.63	126.06
3	M	614	PID	C8-C9-C10	4.21	131.84	123.60
3	M	611	PID	O6-C30-C31	4.17	118.52	111.09
3	M	611	PID	C6-C7-C8	-4.16	117.19	125.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	611	PID	C7-C8-C9	-4.16	120.82	126.06
2	M	601[A]	CHL	OMC-CMC-C2C	-4.15	117.91	125.12
2	M	601[B]	CHL	OMC-CMC-C2C	-4.15	117.91	125.12
3	M	611	PID	C18-C17-C16	-3.99	115.49	124.72
3	M	613	PID	O6-C30-C31	3.85	117.96	111.09
2	M	601[A]	CHL	O2D-CGD-O1D	-3.79	116.47	123.85
2	M	601[B]	CHL	O2D-CGD-O1D	-3.79	116.47	123.85
3	M	611	PID	C8-C9-C10	3.74	130.93	123.60
3	M	613	PID	CM7-C25-C24	3.73	113.81	110.47
3	M	612[A]	PID	O3-C10-C9	-3.72	127.17	131.04
3	M	612[B]	PID	O3-C10-C9	-3.72	127.17	131.04
4	M	615	DGD	O6E-C5E-C6E	3.67	115.54	106.44
3	M	612[A]	PID	O6-C30-O7	-3.51	116.21	122.99
2	M	601[A]	CHL	C3D-C4D-CHA	3.45	113.78	108.54
2	M	601[B]	CHL	C3D-C4D-CHA	3.45	113.78	108.54
3	M	613	PID	C27-O6-C30	3.40	123.84	117.85
3	M	611	PID	O3-C10-C9	-3.39	127.51	131.04
3	M	611	PID	CM1-C1-C2	-3.39	110.44	114.24
3	M	612[A]	PID	O1-C1-C6	-3.35	56.28	58.93
3	M	612[B]	PID	O1-C1-C6	-3.35	56.28	58.93
3	M	611	PID	C11-C12-C13	-3.33	120.97	128.34
4	M	615	DGD	CAB-C9B-C8B	-3.32	97.60	114.37
3	M	614	PID	O6-C30-O7	-3.30	116.62	122.99
3	M	614	PID	C18-C17-C16	-3.24	117.23	124.72
3	M	613	PID	CM1-C1-C6	-3.24	116.98	122.30
3	M	613	PID	O5-C29-CM8	-3.23	103.07	109.22
3	M	612[A]	PID	C8-C9-C10	3.20	129.87	123.60
3	M	612[B]	PID	C8-C9-C10	3.20	129.87	123.60
3	M	613	PID	C8-C9-C10	3.17	129.81	123.60
3	M	613	PID	C11-C12-C13	-3.16	121.34	128.34
3	M	614	PID	C11-C12-C13	-3.14	121.39	128.34
2	M	601[A]	CHL	C1B-CHB-C4A	3.12	123.33	121.32
2	M	601[B]	CHL	C1B-CHB-C4A	3.12	123.33	121.32
3	M	614	PID	O6-C30-C31	3.07	116.56	111.09
3	M	613	PID	O6-C30-O7	-3.04	117.11	122.99
3	M	612[A]	PID	C19-C20-C21	-2.98	123.09	127.28
3	M	612[B]	PID	C19-C20-C21	-2.98	123.09	127.28
3	M	612[A]	PID	CM6-C25-C24	2.98	113.14	110.47
3	M	612[B]	PID	CM6-C25-C24	2.98	113.14	110.47
4	M	615	DGD	O3G-C3G-C2G	-2.97	103.60	110.82
3	M	611	PID	O6-C30-O7	-2.95	117.31	122.99
4	M	615	DGD	O6D-C1D-C2D	2.93	116.40	110.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	613	PID	CM1-C1-C2	2.92	117.52	114.24
3	M	614	PID	C8-C9-C11	-2.91	121.59	127.28
3	M	612[A]	PID	C8-C9-C11	-2.90	121.62	127.28
3	M	612[B]	PID	C8-C9-C11	-2.90	121.62	127.28
3	M	612[A]	PID	O1-C1-C2	-2.85	110.82	113.49
3	M	612[B]	PID	O1-C1-C2	-2.85	110.82	113.49
3	M	612[B]	PID	C27-O6-C30	-2.84	112.83	117.85
3	M	611	PID	C8-C9-C11	-2.82	121.78	127.28
3	M	612[A]	PID	O2-C3-C2	-2.80	104.02	109.75
3	M	612[B]	PID	O2-C3-C2	-2.80	104.02	109.75
4	M	615	DGD	O6D-C5D-C6D	2.77	112.19	106.69
4	M	615	DGD	O1G-C1A-C2A	2.72	120.13	111.83
3	M	614	PID	O1-C1-C2	2.71	116.03	113.49
3	M	613	PID	C19-C20-C21	-2.68	123.51	127.28
3	M	611	PID	C17-C18-C19	-2.65	118.59	124.72
3	M	614	PID	C18-C19-C20	-2.61	118.17	123.52
3	M	611	PID	CM6-C25-C24	2.61	112.81	110.47
3	M	611	PID	O1-C1-C6	-2.60	56.87	58.93
4	M	615	DGD	O5D-C1E-C2E	-2.60	104.32	108.27
3	M	612[A]	PID	CM7-C25-C24	2.56	112.76	110.47
3	M	612[B]	PID	CM7-C25-C24	2.56	112.76	110.47
4	M	615	DGD	C3B-C2B-C1B	-2.56	104.32	113.69
2	M	601[A]	CHL	C1C-CHC-C4B	2.53	125.13	116.07
2	M	601[B]	CHL	C1C-CHC-C4B	2.53	125.13	116.07
3	M	613	PID	O1-C1-C6	-2.52	56.93	58.93
3	M	612[B]	PID	O6-C27-C26	2.52	114.08	107.64
3	M	614	PID	CM7-C25-C24	2.50	112.71	110.47
3	M	612[A]	PID	C29-C24-C25	-2.50	117.22	119.70
3	M	612[B]	PID	C29-C24-C25	-2.50	117.22	119.70
3	M	614	PID	CM3-C5-CM2	-2.47	103.78	107.37
4	M	615	DGD	O3G-C1D-C2D	2.46	112.01	108.27
2	M	601[A]	CHL	C1-O2A-CGA	2.41	122.50	116.65
2	M	601[B]	CHL	C1-O2A-CGA	2.41	122.50	116.65
3	M	612[A]	PID	C6-C7-C8	-2.38	120.97	125.99
3	M	612[B]	PID	C6-C7-C8	-2.38	120.97	125.99
3	M	612[B]	PID	O6-C30-O7	-2.38	118.41	122.99
3	M	614	PID	CM6-C25-C24	2.33	112.56	110.47
3	M	611	PID	CM3-C5-C6	-2.31	103.80	110.05
3	M	612[B]	PID	O6-C30-C31	2.30	115.19	111.09
3	M	612[A]	PID	C11-C12-C13	-2.30	123.25	128.34
3	M	612[B]	PID	C11-C12-C13	-2.30	123.25	128.34
3	M	612[A]	PID	CM3-C5-CM2	2.29	110.70	107.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	612[B]	PID	CM3-C5-CM2	2.29	110.70	107.37
4	M	615	DGD	CCB-CBB-CAB	-2.22	103.16	114.37
3	M	611	PID	C18-C19-C20	-2.16	119.09	123.52
2	M	601[A]	CHL	C4-C3-C2	-2.16	118.08	123.63
2	M	601[B]	CHL	C4-C3-C2	-2.16	118.08	123.63
3	M	611	PID	C26-C25-C24	2.14	111.29	109.21
3	M	612[A]	PID	O1-C6-C7	-2.04	111.04	116.88
3	M	612[B]	PID	O1-C6-C7	-2.04	111.04	116.88
2	M	601[A]	CHL	C7-C6-C5	-2.04	107.83	113.26
2	M	601[B]	CHL	C7-C6-C5	-2.04	107.83	113.26
4	M	615	DGD	C9B-C8B-C7B	-2.02	104.14	114.37
4	M	615	DGD	O6D-C1D-O3G	-2.02	105.28	110.04
3	M	613	PID	CM7-C25-CM6	-2.00	102.90	108.63

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	M	601[A]	CHL	NC
2	M	601[A]	CHL	NA
2	M	601[A]	CHL	ND
2	M	601[B]	CHL	NC
2	M	601[B]	CHL	NA
2	M	601[B]	CHL	ND

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	M	601[A]	CHL	C1C-C2C-CMC-OMC
2	M	601[B]	CHL	C1C-C2C-CMC-OMC
4	M	615	DGD	O6E-C5E-C6E-O5E
4	M	615	DGD	C4E-C5E-C6E-O5E
4	M	615	DGD	CBA-CCA-CDA-CEA
4	M	615	DGD	C5A-C6A-C7A-C8A
4	M	615	DGD	CDB-CEB-CFB-CGB
4	M	615	DGD	C2A-C3A-C4A-C5A
4	M	615	DGD	C1A-C2A-C3A-C4A
4	M	615	DGD	CCB-CDB-CEB-CFB
4	M	615	DGD	CAB-CBB-CCB-CDB
4	M	615	DGD	C8A-C9A-CAA-CBA
4	M	615	DGD	C6B-C7B-C8B-C9B
4	M	615	DGD	C8B-C9B-CAB-CBB
4	M	615	DGD	C3B-C4B-C5B-C6B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	M	601[A]	CHL	C3C-C2C-CMC-OMC
2	M	601[B]	CHL	C3C-C2C-CMC-OMC
4	M	615	DGD	C9B-CAB-CBB-CCB
9	M	1162	PEG	O1-C1-C2-O2
4	M	615	DGD	C6A-C7A-C8A-C9A
4	M	615	DGD	CBB-CCB-CDB-CEB
4	M	615	DGD	CEB-CFB-CGB-CHB
4	M	615	DGD	C9A-CAA-CBA-CCA
4	M	615	DGD	CEA-CFA-CGA-CHA
9	M	1162	PEG	C1-C2-O2-C3
4	M	615	DGD	C4A-C5A-C6A-C7A


There are no ring outliers.

6 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	M	1162	PEG	1	0
3	M	613	PID	1	0
2	M	601[A]	CHL	1	0
4	M	615	DGD	11	0
3	M	611	PID	1	0
2	M	601[B]	CHL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand PID M 613





Ligand PID M 614



Ligand PID M 612 (A)







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	M	151/151 (100%)	-0.63	0 100 100	3, 9, 20, 27	4 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	PEG	M	1162	7/7	0.80	0.15	42,44,44,45	0
8	NA	M	1161	1/1	0.88	0.09	27,27,27,27	0
4	DGD	M	615	66/66	0.92	0.10	15,27,37,44	0
6	CL	M	1158	1/1	0.92	0.08	34,34,34,34	0
7	K	M	1160	1/1	0.93	0.07	38,38,38,38	0
3	PID	M	612[A]	46/46	0.96	0.07	5,9,30,38	5
3	PID	M	612[B]	46/46	0.96	0.07	5,9,30,38	5
3	PID	M	613	46/46	0.96	0.05	4,8,14,23	0
3	PID	M	611	46/46	0.96	0.05	2,7,13,22	0

Continued on next page...

Continued from previous page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CHL	M	601[B]	66/66	0.97	0.05	2,6,12,13	3
2	CHL	M	601[A]	66/66	0.97	0.05	2,6,12,13	3
6	CL	M	1159	1/1	0.98	0.08	8,8,8,8	1
3	PID	M	614	46/46	0.98	0.04	2,6,9,14	0
6	CL	M	1157	1/1	0.99	0.03	9,9,9,9	0
5	CD	M	1151[A]	1/1	0.99	0.03	13,13,13,13	1
5	CD	M	1151[B]	1/1	0.99	0.03	19,19,19,19	1
5	CD	M	1153	1/1	0.99	0.05	14,14,14,14	1
5	CD	M	1155	1/1	0.99	0.03	16,16,16,16	1
5	CD	M	1156	1/1	0.99	0.03	32,32,32,32	1
5	CD	M	1154[B]	1/1	1.00	0.04	10,10,10,10	1
5	CD	M	1152	1/1	1.00	0.02	9,9,9,9	0
5	CD	M	1154[A]	1/1	1.00	0.04	6,6,6,6	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PID M 612 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PID M 612 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PID M 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PID M 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CHL M 601 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CHL M 601 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.