



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 03:54 PM UTC

PDB ID : 3X2F / pdb_00003x2f
Title : A Thermophilic S-Adenosylhomocysteine Hydrolase
Authors : Zheng, Y.; Ko, T.P.; Huang, C.H.
Deposited on : 2014-12-21
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	411	3% 78% 18% ..
1	B	411	4% 78% 18% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NO3	A	514	-	-	X	-
4	NO3	B	506	-	-	X	-
4	NO3	B	516	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	406	Total	C	N	O	S	0	0	0
			3170	2004	552	600	14			
1	B	404	Total	C	N	O	S	0	0	0
			3145	1989	544	598	14			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP O51933
A	2	ALA	-	expression tag	UNP O51933
A	406	HIS	-	expression tag	UNP O51933
A	407	HIS	-	expression tag	UNP O51933
A	408	HIS	-	expression tag	UNP O51933
A	409	HIS	-	expression tag	UNP O51933
A	410	HIS	-	expression tag	UNP O51933
A	411	HIS	-	expression tag	UNP O51933
B	1	MET	-	expression tag	UNP O51933
B	2	ALA	-	expression tag	UNP O51933
B	406	HIS	-	expression tag	UNP O51933
B	407	HIS	-	expression tag	UNP O51933
B	408	HIS	-	expression tag	UNP O51933
B	409	HIS	-	expression tag	UNP O51933
B	410	HIS	-	expression tag	UNP O51933
B	411	HIS	-	expression tag	UNP O51933

- Molecule 2 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Na	0	0
			2	2		
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is NITRATE ION (CCD ID: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total 4	N 1	O 3	0	0
4	B	1	Total 4	N 1	O 3	0	0
4	B	1	Total 4	N 1	O 3	0	0
4	B	1	Total 4	N 1	O 3	0	0
4	B	1	Total 4	N 1	O 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	338	Total 338	O 338	0	0
5	B	338	Total 338	O 338	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Adenosylhomocysteinase



• Molecule 1: Adenosylhomocysteinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	148.60Å 148.60Å 84.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 2.04 25.00 – 2.04	Depositor EDS
% Data completeness (in resolution range)	96.8 (25.00-2.04) 96.9 (25.00-2.04)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.92 (at 2.04Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.188 , 0.230 0.188 , 0.230	Depositor DCC
R_{free} test set	3346 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.230	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7242	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, NAI, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3220	0.99	21/4354 (0.5%)
1	B	0.56	0/3192	0.98	15/4316 (0.3%)
All	All	0.53	0/6412	0.99	36/8670 (0.4%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	170	LYS	N-CA-C	-10.32	100.30	113.72
1	A	170	LYS	N-CA-C	-9.24	101.26	112.54
1	B	329	VAL	N-CA-C	8.94	119.74	110.62
1	A	254	ASP	N-CA-C	-8.38	103.18	113.41
1	A	329	VAL	N-CA-C	7.82	118.60	110.62
1	A	290	ILE	N-CA-C	-7.56	99.31	107.77
1	B	285	HIS	N-CA-C	7.23	119.79	111.11
1	B	60	LYS	N-CA-C	-7.09	97.69	108.96
1	A	140	GLU	N-CA-C	6.75	120.00	111.69
1	B	113	ILE	N-CA-C	-6.39	97.91	107.37
1	B	254	ASP	N-CA-C	-6.33	105.69	113.41
1	B	228	VAL	N-CA-C	-6.28	107.13	113.47
1	A	141	THR	N-CA-C	6.26	120.13	110.42
1	A	369	MET	N-CA-C	-6.22	102.15	110.55
1	A	223	VAL	N-CA-C	6.19	117.49	108.58
1	A	297	GLU	N-CA-C	6.10	117.93	111.28
1	A	285	HIS	N-CA-C	6.07	117.89	111.28
1	A	42	HIS	N-CA-C	-6.04	100.00	109.25
1	A	63	ILE	N-CA-C	5.82	117.81	108.85
1	B	290	ILE	N-CA-C	-5.75	101.33	107.77
1	A	50	LEU	N-CA-C	-5.74	104.93	111.07
1	A	60	LYS	N-CA-C	-5.61	99.39	108.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	169	MET	N-CA-C	5.59	119.41	112.59
1	B	223	VAL	N-CA-C	5.56	116.59	108.58
1	A	228	VAL	N-CA-C	-5.54	107.88	113.47
1	A	359	ASN	N-CA-C	5.54	121.27	113.02
1	A	253	ALA	N-CA-C	5.35	118.19	110.28
1	A	261	GLY	N-CA-C	-5.32	107.90	115.30
1	A	113	ILE	N-CA-C	-5.23	99.63	107.37
1	B	206	GLY	N-CA-C	-5.19	103.42	112.55
1	B	141	THR	N-CA-C	5.17	118.50	110.17
1	B	314	LEU	N-CA-C	5.09	117.86	110.17
1	B	45	ALA	N-CA-C	5.06	116.79	111.28
1	A	43	LEU	N-CA-C	5.05	116.99	108.96
1	B	118	ASP	N-CA-C	5.05	116.47	111.07
1	B	29	GLU	N-CA-C	5.00	116.73	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3170	0	3229	65	0
1	B	3145	0	3213	60	0
2	A	44	0	27	2	0
2	B	44	0	27	1	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	72	0	0	6	0
4	B	88	0	0	7	0
5	A	338	0	0	3	0
5	B	338	0	0	7	0
All	All	7242	0	6496	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:ASP:HB3	1:A:369:MET:HE2	1.52	0.89
1:B:91:THR:HG22	1:B:93:ASP:H	1.39	0.88
1:B:68:PRO:HG2	1:B:97:TYR:HB2	1.57	0.84
1:B:67:ASN:ND2	1:B:69:LEU:HB2	1.99	0.77
1:A:328:LEU:HD23	1:A:331:LEU:HD22	1.68	0.75
1:A:199:ASN:ND2	1:A:252:ILE:HG22	2.04	0.73
1:B:41:ILE:HD12	1:B:47:THR:HB	1.71	0.73
1:B:373:GLU:HG3	5:B:701:HOH:O	1.91	0.71
1:B:68:PRO:O	1:B:90:ARG:HA	1.91	0.70
1:B:67:ASN:HD21	1:B:69:LEU:HB2	1.56	0.70
1:A:152:GLU:OE2	1:A:366:LYS:HB2	1.91	0.70
1:A:24:GLU:HG3	4:A:520:NO3:O3	1.92	0.69
1:B:91:THR:HG22	1:B:93:ASP:N	2.05	0.69
1:B:12:VAL:HG13	1:B:16:MET:SD	2.32	0.69
1:A:94:GLU:O	1:A:98:ARG:HG3	1.94	0.68
1:A:362:LYS:HG3	4:A:516:NO3:O2	1.94	0.67
1:A:354:LEU:O	1:A:358:GLU:HG3	1.96	0.66
1:A:251:LYS:C	1:A:252:ILE:HD12	2.22	0.65
1:B:192:ASN:ND2	4:B:511:NO3:O3	2.31	0.63
1:B:91:THR:CG2	1:B:93:ASP:H	2.11	0.63
1:A:165:ASN:O	1:A:170:LYS:HB2	1.99	0.63
1:A:108:ARG:HE	1:A:130:VAL:HG22	1.65	0.62
1:A:252:ILE:HG23	4:A:514:NO3:N	2.14	0.61
1:B:39:MET:HE2	1:B:41:ILE:HD13	1.83	0.61
1:B:14:ARG:HD3	1:B:15:TYR:CE2	2.36	0.60
1:A:199:ASN:ND2	1:A:252:ILE:CG2	2.65	0.60
1:B:68:PRO:CG	1:B:97:TYR:HB2	2.30	0.60
1:A:252:ILE:HD12	1:A:252:ILE:N	2.17	0.60
1:B:181:GLN:OE1	1:B:215:ARG:HD3	2.02	0.58
1:A:252:ILE:HG22	1:A:252:ILE:O	2.03	0.58
1:B:362:LYS:HG3	4:B:506:NO3:O3	2.02	0.58
1:B:42:HIS:CD2	1:B:70:SER:HB3	2.40	0.57
1:A:3:ASN:OD1	1:A:6:GLU:HB3	2.05	0.56
1:A:262:ASN:O	1:A:289:GLU:HG2	2.06	0.56
1:B:68:PRO:HB2	1:B:91:THR:O	2.06	0.56
1:A:331:LEU:HD12	1:A:336:GLY:HA2	1.87	0.55
1:A:171:TYR:HD1	1:A:172:LEU:HD23	1.70	0.55
1:A:223:VAL:HB	1:A:241:PHE:CD1	2.42	0.55
1:A:369:MET:HG2	5:A:767:HOH:O	2.05	0.55
1:B:169:MET:HE3	1:B:348:LEU:HD21	1.89	0.54
1:A:199:ASN:HD22	1:A:252:ILE:HG22	1.71	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:ARG:CG	1:B:28:ARG:HH11	2.22	0.53
1:A:41:ILE:HD12	1:A:47:THR:HB	1.91	0.53
1:A:176:ARG:HH11	1:A:176:ARG:HG2	1.74	0.53
1:B:170:LYS:HE3	5:B:610:HOH:O	2.10	0.52
1:B:296:GLU:OE1	1:B:302:LYS:HE3	2.10	0.52
1:A:181:GLN:OE1	1:A:215:ARG:CD	2.58	0.52
1:B:41:ILE:HD11	1:B:63:ILE:HD11	1.91	0.52
1:A:165:ASN:O	1:A:170:LYS:HD3	2.10	0.52
1:A:14:ARG:NE	4:A:519:NO3:O3	2.36	0.51
1:B:41:ILE:HD11	1:B:63:ILE:CD1	2.41	0.51
1:A:284:GLY:O	1:A:328:LEU:HD13	2.11	0.50
1:B:98:ARG:NH2	1:B:126:GLU:OE1	2.45	0.50
1:A:5:GLY:HA3	1:A:74:ASP:CB	2.42	0.50
1:A:301:GLU:HA	5:A:831:HOH:O	2.12	0.50
1:B:28:ARG:HG3	1:B:29:GLU:N	2.26	0.50
1:B:291:PRO:HB2	1:B:294:VAL:CG2	2.42	0.49
1:A:108:ARG:HG3	1:A:108:ARG:HH11	1.77	0.49
1:A:108:ARG:NE	1:A:130:VAL:HG22	2.27	0.49
1:A:125:THR:C	1:A:126:GLU:HG2	2.36	0.49
1:A:181:GLN:OE1	1:A:215:ARG:HD3	2.12	0.49
1:A:185:ASP:HB3	5:B:847:HOH:O	2.12	0.49
1:B:14:ARG:NE	4:B:516:NO3:O3	2.42	0.49
1:A:5:GLY:HA3	1:A:74:ASP:HB2	1.95	0.49
1:A:171:TYR:CD1	1:A:171:TYR:C	2.90	0.48
1:B:293:ARG:HB2	4:B:503:NO3:N	2.28	0.48
1:A:93:ASP:OD1	1:A:95:SER:HB3	2.15	0.47
1:B:14:ARG:HB2	1:B:14:ARG:NH1	2.29	0.47
1:B:170:LYS:NZ	1:B:170:LYS:HB3	2.28	0.47
1:B:262:ASN:O	1:B:289:GLU:HG2	2.14	0.47
1:A:98:ARG:HE	1:A:98:ARG:HB2	1.52	0.47
1:B:25:GLU:OE2	1:B:377:ARG:NH2	2.44	0.47
1:B:68:PRO:HD3	1:B:97:TYR:CD1	2.50	0.47
1:A:251:LYS:HB2	1:A:252:ILE:HD12	1.97	0.47
1:A:114:ASP:HB3	1:A:139:GLU:OE1	2.16	0.46
1:A:102:MET:HE2	1:A:122:ILE:HD11	1.97	0.46
1:B:12:VAL:O	1:B:16:MET:HG3	2.15	0.46
1:B:170:LYS:HE2	1:B:207:TRP:CG	2.50	0.46
1:A:108:ARG:HE	1:A:130:VAL:CG2	2.27	0.46
1:A:293:ARG:HH11	1:A:293:ARG:HG3	1.79	0.46
1:B:362:LYS:HE2	4:B:506:NO3:O3	2.15	0.46
1:B:292:VAL:O	1:B:296:GLU:HG2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:ASP:OD1	2:A:501:NAI:H5N	2.17	0.45
1:A:252:ILE:HG23	4:A:514:NO3:O2	2.17	0.45
1:B:21:LYS:HG3	5:B:748:HOH:O	2.17	0.44
1:A:42:HIS:HD2	5:A:648:HOH:O	1.98	0.44
1:A:140:GLU:HG2	1:A:349:GLN:NE2	2.33	0.44
1:A:327:ARG:O	1:A:328:LEU:C	2.60	0.44
1:A:307:PRO:O	1:A:308:ASN:HB2	2.18	0.44
1:B:175:ASN:HD22	1:B:175:ASN:HA	1.63	0.44
1:B:222:ARG:HD3	1:B:222:ARG:C	2.43	0.44
1:A:154:THR:OG1	1:A:156:LYS:HD2	2.18	0.44
1:A:252:ILE:CG2	1:A:252:ILE:O	2.64	0.44
1:B:152:GLU:CD	1:B:152:GLU:C	2.85	0.44
1:B:14:ARG:NE	4:B:516:NO3:O2	2.51	0.43
1:A:3:ASN:CG	1:A:6:GLU:HB3	2.42	0.43
1:A:124:HIS:HA	1:A:131:LEU:HD11	2.00	0.43
1:A:129:GLU:CD	1:A:129:GLU:H	2.25	0.43
1:B:315:GLU:HG3	5:B:645:HOH:O	2.18	0.43
1:B:328:LEU:HG	1:B:331:LEU:HD13	2.01	0.43
1:B:404:TRP:O	1:B:405:GLN:HB3	2.19	0.43
1:A:328:LEU:CD2	1:A:331:LEU:HD22	2.44	0.43
1:B:166:ASP:HB3	1:B:369:MET:SD	2.59	0.43
1:A:108:ARG:HD3	1:A:130:VAL:HG22	2.00	0.43
1:A:169:MET:C	1:A:171:TYR:N	2.77	0.42
1:A:206:GLY:HA3	2:A:501:NAI:O5B	2.19	0.42
1:A:384:ASP:HB3	4:A:512:NO3:O2	2.19	0.42
1:B:170:LYS:HG2	1:B:174:ASP:OD2	2.19	0.42
1:B:146:ARG:HD3	5:B:906:HOH:O	2.19	0.42
1:B:172:LEU:O	1:B:175:ASN:HB2	2.19	0.42
1:A:64:THR:OG1	1:A:100:ASN:HB3	2.20	0.41
1:B:11:TRP:O	1:B:14:ARG:HG3	2.20	0.41
1:A:63:ILE:HG22	1:A:64:THR:N	2.35	0.41
1:A:292:VAL:O	1:A:296:GLU:HG2	2.21	0.41
1:B:61:VAL:N	4:B:512:NO3:O2	2.50	0.41
1:B:40:SER:C	1:B:41:ILE:HG23	2.46	0.41
1:B:207:TRP:H	1:B:207:TRP:CD1	2.39	0.41
1:B:327:ARG:O	1:B:328:LEU:C	2.63	0.41
1:B:18:LEU:CD1	1:B:344:LEU:HD23	2.51	0.40
1:B:206:GLY:HA3	2:B:501:NAI:O5B	2.21	0.40
1:B:284:GLY:HA3	1:B:289:GLU:OE2	2.21	0.40
1:B:366:LYS:HE2	1:B:368:TYR:CZ	2.55	0.40
1:A:64:THR:O	1:A:64:THR:HG23	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:MET:HE3	1:A:369:MET:HA	2.03	0.40
1:B:215:ARG:NH1	5:B:751:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	404/411 (98%)	393 (97%)	10 (2%)	1 (0%)	43	37
1	B	402/411 (98%)	388 (96%)	12 (3%)	2 (0%)	24	16
All	All	806/822 (98%)	781 (97%)	22 (3%)	3 (0%)	30	22

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	328	LEU
1	B	165	ASN
1	B	328	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/347 (99%)	337 (98%)	6 (2%)	53	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	340/347 (98%)	330 (97%)	10 (3%)	37	33
All	All	683/694 (98%)	667 (98%)	16 (2%)	44	42

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	GLU
1	A	129	GLU
1	A	171	TYR
1	A	369	MET
1	A	406	HIS
1	A	407	HIS
1	B	12	VAL
1	B	14	ARG
1	B	28	ARG
1	B	44	GLU
1	B	89	ARG
1	B	94	GLU
1	B	128	GLU
1	B	170	LYS
1	B	171	TYR
1	B	175	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	92	HIS
1	A	190	ASN
1	A	199	ASN
1	A	308	ASN
1	B	42	HIS
1	B	67	ASN
1	B	175	ASN
1	B	308	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 3 are monoatomic - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NO3	A	510	-	1,3,3	0.59	0	0,3,3	-	-
4	NO3	B	521	-	1,3,3	0.64	0	0,3,3	-	-
4	NO3	A	504	-	1,3,3	0.65	0	0,3,3	-	-
4	NO3	B	512	-	1,3,3	0.60	0	0,3,3	-	-
4	NO3	B	510	-	1,3,3	0.66	0	0,3,3	-	-
4	NO3	A	516	-	1,3,3	0.65	0	0,3,3	-	-
4	NO3	B	524	-	1,3,3	0.65	0	0,3,3	-	-
4	NO3	B	513	-	1,3,3	0.53	0	0,3,3	-	-
4	NO3	B	517	-	1,3,3	0.46	0	0,3,3	-	-
4	NO3	A	517	-	1,3,3	0.58	0	0,3,3	-	-
4	NO3	A	511	-	1,3,3	0.46	0	0,3,3	-	-
4	NO3	B	519	-	1,3,3	0.60	0	0,3,3	-	-
4	NO3	B	516	-	1,3,3	0.64	0	0,3,3	-	-
4	NO3	A	506	-	1,3,3	0.50	0	0,3,3	-	-
4	NO3	B	522	-	1,3,3	0.53	0	0,3,3	-	-
4	NO3	A	520	-	1,3,3	0.58	0	0,3,3	-	-
4	NO3	B	514	-	1,3,3	0.51	0	0,3,3	-	-
4	NO3	A	514	-	1,3,3	0.52	0	0,3,3	-	-
4	NO3	A	518	-	1,3,3	0.65	0	0,3,3	-	-
4	NO3	A	515	-	1,3,3	0.51	0	0,3,3	-	-
4	NO3	B	508	-	1,3,3	0.58	0	0,3,3	-	-
4	NO3	B	520	-	1,3,3	0.56	0	0,3,3	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NO3	A	507	-	1,3,3	0.52	0	0,3,3	-	-
4	NO3	B	506	-	1,3,3	0.50	0	0,3,3	-	-
4	NO3	B	518	-	1,3,3	0.60	0	0,3,3	-	-
4	NO3	B	515	-	1,3,3	0.46	0	0,3,3	-	-
4	NO3	A	512	-	1,3,3	0.61	0	0,3,3	-	-
4	NO3	B	504	-	1,3,3	0.54	0	0,3,3	-	-
4	NO3	B	507	-	1,3,3	0.49	0	0,3,3	-	-
4	NO3	B	503	-	1,3,3	0.59	0	0,3,3	-	-
4	NO3	A	513	-	1,3,3	0.58	0	0,3,3	-	-
4	NO3	B	511	-	1,3,3	0.53	0	0,3,3	-	-
2	NAI	B	501	-	47,48,48	1.31	6 (12%)	64,73,73	1.57	10 (15%)
2	NAI	A	501	-	47,48,48	1.14	4 (8%)	64,73,73	1.61	8 (12%)
4	NO3	B	505	-	1,3,3	0.53	0	0,3,3	-	-
4	NO3	A	505	-	1,3,3	0.51	0	0,3,3	-	-
4	NO3	A	519	-	1,3,3	0.67	0	0,3,3	-	-
4	NO3	A	521	-	1,3,3	0.61	0	0,3,3	-	-
4	NO3	B	523	3	1,3,3	0.48	0	0,3,3	-	-
4	NO3	A	508	-	1,3,3	0.55	0	0,3,3	-	-
4	NO3	B	509	-	1,3,3	0.70	0	0,3,3	-	-
4	NO3	A	509	-	1,3,3	0.57	0	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAI	A	501	-	-	7/29/72/72	0/5/5/5
2	NAI	B	501	-	-	6/29/72/72	0/5/5/5

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	NAI	PN-O3	4.52	1.64	1.59
2	A	501	NAI	PN-O3	3.63	1.63	1.59
2	B	501	NAI	PA-O3	3.01	1.62	1.59
2	B	501	NAI	O4D-C1D	2.92	1.48	1.42
2	A	501	NAI	C6N-N1N	2.31	1.42	1.37
2	B	501	NAI	C7N-C3N	-2.29	1.43	1.48
2	B	501	NAI	C4N-C3N	2.12	1.54	1.50
2	B	501	NAI	C6N-N1N	2.09	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NAI	C7N-C3N	-2.07	1.44	1.48
2	A	501	NAI	C5A-N7A	-2.03	1.35	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NAI	C5A-C4A-N3A	-5.10	119.70	126.72
2	B	501	NAI	C5A-C4A-N3A	-4.90	119.98	126.72
2	A	501	NAI	N3A-C2A-N1A	-4.86	121.23	128.58
2	B	501	NAI	N3A-C2A-N1A	-4.55	121.69	128.58
2	A	501	NAI	N3A-C4A-N9A	4.24	134.38	127.17
2	B	501	NAI	N3A-C4A-N9A	4.22	134.35	127.17
2	A	501	NAI	C2A-N3A-C4A	3.82	121.15	111.83
2	A	501	NAI	C5A-N7A-C8A	3.77	109.37	103.45
2	B	501	NAI	C2A-N3A-C4A	3.49	120.35	111.83
2	B	501	NAI	C5A-N7A-C8A	3.36	108.73	103.45
2	A	501	NAI	N9A-C8A-N7A	-2.87	109.86	113.94
2	A	501	NAI	C4A-C5A-N7A	-2.77	107.42	110.58
2	B	501	NAI	N9A-C8A-N7A	-2.76	110.02	113.94
2	B	501	NAI	C4A-C5A-N7A	-2.61	107.60	110.58
2	B	501	NAI	C1D-N1N-C2N	-2.38	117.21	121.14
2	B	501	NAI	C4A-N9A-C8A	2.13	107.97	105.74
2	A	501	NAI	PN-O5D-C5D	-2.09	109.40	121.35
2	B	501	NAI	PN-O5D-C5D	-2.04	109.65	121.35

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAI	C5D-O5D-PN-O2N
2	B	501	NAI	C5D-O5D-PN-O2N
2	A	501	NAI	O4B-C4B-C5B-O5B
2	A	501	NAI	C2D-C1D-N1N-C2N
2	A	501	NAI	C2D-C1D-N1N-C6N
2	B	501	NAI	C2D-C1D-N1N-C2N
2	A	501	NAI	C3B-C4B-C5B-O5B
2	B	501	NAI	C2D-C1D-N1N-C6N
2	A	501	NAI	O4D-C1D-N1N-C2N
2	B	501	NAI	O4D-C1D-N1N-C2N
2	B	501	NAI	O4D-C1D-N1N-C6N
2	A	501	NAI	O4D-C1D-N1N-C6N
2	B	501	NAI	O4B-C4B-C5B-O5B


There are no ring outliers.


12 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	512	NO3	1	0
4	A	516	NO3	1	0
4	B	516	NO3	2	0
4	A	520	NO3	1	0
4	A	514	NO3	2	0
4	B	506	NO3	2	0
4	A	512	NO3	1	0
4	B	503	NO3	1	0
4	B	511	NO3	1	0
2	B	501	NAI	1	0
2	A	501	NAI	2	0
4	A	519	NO3	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand NAI B 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	406/411 (98%)	0.06	12 (2%) 52 53	21, 34, 55, 74	0
1	B	404/411 (98%)	-0.04	17 (4%) 40 40	19, 30, 55, 79	0
All	All	810/822 (98%)	0.01	29 (3%) 46 46	19, 32, 55, 79	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	THR	5.6
1	B	171	TYR	5.1
1	A	5	GLY	4.4
1	B	207	TRP	3.7
1	B	68	PRO	3.6
1	A	171	TYR	3.6
1	B	166	ASP	3.4
1	B	91	THR	3.3
1	B	96	ILE	3.3
1	B	167	SER	3.1
1	A	165	ASN	3.0
1	A	407	HIS	3.0
1	A	169	MET	3.0
1	B	165	ASN	2.9
1	A	207	TRP	2.9
1	A	3	ASN	2.9
1	B	70	SER	2.9
1	A	408	HIS	2.9
1	B	169	MET	2.8
1	B	173	PHE	2.7
1	A	166	ASP	2.7
1	A	168	LYS	2.6
1	B	384	ASP	2.5
1	B	66	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	170	LYS	2.3
1	A	98	ARG	2.3
1	B	168	LYS	2.3
1	B	92	HIS	2.3
1	B	94	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NO3	A	506	4/4	0.72	0.15	78,78,78,79	0
4	NO3	A	519	4/4	0.72	0.16	58,59,59,59	0
4	NO3	A	517	4/4	0.75	0.19	64,65,65,66	0
4	NO3	A	520	4/4	0.76	0.11	81,81,82,82	0
4	NO3	B	516	4/4	0.76	0.13	57,57,58,58	0
4	NO3	B	508	4/4	0.77	0.31	64,66,66,67	0
4	NO3	B	518	4/4	0.78	0.11	77,77,77,77	0
4	NO3	B	507	4/4	0.79	0.23	71,71,72,73	0
4	NO3	A	512	4/4	0.80	0.19	56,56,56,56	0
4	NO3	A	521	4/4	0.81	0.09	83,83,84,84	0
4	NO3	B	517	4/4	0.82	0.12	66,68,68,68	0
4	NO3	A	518	4/4	0.84	0.19	51,51,51,53	0
4	NO3	B	519	4/4	0.84	0.16	62,62,63,63	0
4	NO3	B	520	4/4	0.85	0.12	65,65,65,67	0
4	NO3	A	514	4/4	0.86	0.16	60,61,61,61	0
4	NO3	B	521	4/4	0.86	0.15	54,54,54,55	0
4	NO3	B	522	4/4	0.86	0.21	73,73,73,74	0
4	NO3	B	524	4/4	0.87	0.13	74,74,74,75	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NO3	B	514	4/4	0.88	0.20	50,50,51,52	0
4	NO3	A	513	4/4	0.89	0.15	50,50,51,51	0
4	NO3	B	512	4/4	0.89	0.14	50,51,51,52	0
4	NO3	A	505	4/4	0.89	0.18	47,48,49,49	0
4	NO3	B	515	4/4	0.89	0.10	49,50,51,52	0
4	NO3	B	505	4/4	0.90	0.16	53,53,54,56	0
4	NO3	B	509	4/4	0.90	0.17	48,49,49,50	0
4	NO3	B	510	4/4	0.90	0.16	51,52,53,53	0
4	NO3	A	515	4/4	0.90	0.10	62,63,63,63	0
4	NO3	B	513	4/4	0.90	0.19	38,39,40,42	0
4	NO3	A	516	4/4	0.91	0.12	42,43,44,45	0
3	NA	A	503	1/1	0.92	0.10	39,39,39,39	0
4	NO3	B	503	4/4	0.93	0.10	58,58,59,59	0
4	NO3	A	507	4/4	0.93	0.17	44,45,45,46	0
4	NO3	A	508	4/4	0.93	0.17	53,54,54,54	0
4	NO3	A	504	4/4	0.94	0.14	51,52,53,53	0
4	NO3	B	506	4/4	0.94	0.07	35,35,35,35	0
4	NO3	B	504	4/4	0.94	0.07	46,47,47,48	0
4	NO3	B	511	4/4	0.94	0.15	60,61,61,62	0
4	NO3	A	510	4/4	0.95	0.11	48,48,49,50	0
4	NO3	A	511	4/4	0.95	0.11	32,33,33,33	0
3	NA	A	502	1/1	0.95	0.27	14,14,14,14	1
4	NO3	A	509	4/4	0.96	0.07	37,38,39,40	0
4	NO3	B	523	4/4	0.96	0.10	37,38,38,38	0
2	NAI	A	501	44/44	0.96	0.06	26,30,34,38	0
2	NAI	B	501	44/44	0.97	0.05	20,25,30,33	0
3	NA	B	502	1/1	0.98	0.04	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAI A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAI B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.