



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 01:56 AM UTC

PDB ID : 5X2P / pdb_00005x2p
Title : Crystal structure of the medaka fish taste receptor T1r2a-T1r3 ligand binding domains in complex with L-glutamate
Authors : Nuemket, N.; Yasui, N.; Atsumi, N.; Yamashita, A.
Deposited on : 2017-02-02
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	461	2% 84% 8% 7%
1	C	461	83% 10% 7%
2	B	478	81% 13% 5%
2	D	478	2% 69% 15% 13%
3	H	225	86% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	225	 84% 12% . .
4	K	217	 85% 14%
4	L	217	 89% 11%
5	E	3	 67% 33%
6	F	2	 50% 50%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 21069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Taste receptor, type 1, member 2a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	427	Total	C	N	O	S	0	0	0
			3387	2189	561	621	16			
1	C	430	Total	C	N	O	S	0	1	0
			3407	2198	565	626	18			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	475	SER	-	expression tag	UNP A0A173M0G2
A	476	GLY	-	expression tag	UNP A0A173M0G2
A	477	ILE	-	expression tag	UNP A0A173M0G2
A	478	GLU	-	expression tag	UNP A0A173M0G2
A	479	GLY	-	expression tag	UNP A0A173M0G2
A	480	ARG	-	expression tag	UNP A0A173M0G2
C	475	SER	-	expression tag	UNP A0A173M0G2
C	476	GLY	-	expression tag	UNP A0A173M0G2
C	477	ILE	-	expression tag	UNP A0A173M0G2
C	478	GLU	-	expression tag	UNP A0A173M0G2
C	479	GLY	-	expression tag	UNP A0A173M0G2
C	480	ARG	-	expression tag	UNP A0A173M0G2

- Molecule 2 is a protein called Taste receptor, type 1, member 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	453	Total	C	N	O	S	0	0	0
			3551	2282	571	683	15			
2	D	414	Total	C	N	O	S	0	0	0
			3211	2060	520	618	13			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	492	SER	-	expression tag	UNP A0A173M094
B	493	GLY	-	expression tag	UNP A0A173M094
B	494	ILE	-	expression tag	UNP A0A173M094
B	495	GLU	-	expression tag	UNP A0A173M094
B	496	GLY	-	expression tag	UNP A0A173M094
B	497	ARG	-	expression tag	UNP A0A173M094
D	492	SER	-	expression tag	UNP A0A173M094
D	493	GLY	-	expression tag	UNP A0A173M094
D	494	ILE	-	expression tag	UNP A0A173M094
D	495	GLU	-	expression tag	UNP A0A173M094
D	496	GLY	-	expression tag	UNP A0A173M094
D	497	ARG	-	expression tag	UNP A0A173M094


- Molecule 3 is a protein called Fab16A Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	219	Total	C	N	O	S	0	0	0
			1662	1056	274	324	8			
3	J	218	Total	C	N	O	S	0	0	0
			1651	1050	272	321	8			

- Molecule 4 is a protein called Fab16A Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	L	217	Total	C	N	O	S	0	0	0
			1679	1040	288	345	6			
4	K	216	Total	C	N	O	S	0	0	0
			1670	1035	287	342	6			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	3	Total	C	N	O		0	0	0
			39	22	2	15				

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		
7	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is GLUTAMIC ACID (CCD ID: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			10	5	1	4		
8	B	1	Total	C	N	O	0	0
			10	5	1	4		
8	C	1	Total	C	N	O	0	0
			10	5	1	4		
8	D	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 9 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Na	0	0
			1	1		
9	C	1	Total	Na	0	0
			1	1		

- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	Cl	0	0
			1	1		
10	D	1	Total	Cl	0	0
			1	1		

- Molecule 11 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	K	1	Total	Ca	0	0
			1	1		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	81	Total	O	0	0
			81	81		
12	B	56	Total	O	0	0
			56	56		
12	C	83	Total	O	0	0
			83	83		
12	D	33	Total	O	0	0
			33	33		
12	H	42	Total	O	0	0
			42	42		
12	L	46	Total	O	0	0
			46	46		
12	J	21	Total	O	0	0
			21	21		
12	K	55	Total	O	0	0
			55	55		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Taste receptor, type 1, member 2a




- Molecule 1: Taste receptor, type 1, member 2a




- Molecule 2: Taste receptor, type 1, member 3




- Molecule 2: Taste receptor, type 1, member 3




• Molecule 3: Fab16A Heavy chain




• Molecule 3: Fab16A Heavy chain



• Molecule 4: Fab16A Light chain



• Molecule 4: Fab16A Light chain



• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  67% 33%

MAG1
MAG2
BGL3

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	99.63Å 116.06Å 129.59Å 90.00° 91.56° 90.00°	Depositor
Resolution (Å)	50.00 – 2.61 50.00 – 2.61	Depositor EDS
% Data completeness (in resolution range)	95.7 (50.00-2.61) 95.7 (50.00-2.61)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.153 , 0.228 0.155 , 0.227	Depositor DCC
R_{free} test set	4297 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	38.3	Xtriage
Anisotropy	0.501	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21069	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NA, BMA, CL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/3475	0.86	3/4720 (0.1%)
1	C	0.54	0/3497	0.85	3/4749 (0.1%)
2	B	0.53	0/3633	0.86	6/4941 (0.1%)
2	D	0.55	1/3281 (0.0%)	0.91	13/4456 (0.3%)
3	H	0.53	0/1706	0.83	0/2331
3	J	0.48	0/1695	0.86	2/2315 (0.1%)
4	K	0.54	0/1707	0.85	1/2320 (0.0%)
4	L	0.56	0/1716	0.86	1/2332 (0.0%)
All	All	0.54	1/20710 (0.0%)	0.87	29/28164 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
2	D	0	2
3	J	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	258	THR	CA-C	5.35	1.60	1.52

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	251	ASP	CA-C-N	6.78	128.31	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	251	ASP	C-N-CA	6.78	128.31	119.84
1	A	121	ARG	CA-C-N	6.63	127.16	119.47
1	A	121	ARG	C-N-CA	6.63	127.16	119.47
2	D	256	ILE	N-CA-C	6.56	117.31	110.62
2	D	183	TYR	CA-C-N	6.54	126.48	119.28
2	D	183	TYR	C-N-CA	6.54	126.48	119.28
2	B	269	LYS	CA-CB-CG	-6.54	101.03	114.10
2	D	292	LEU	N-CA-C	6.01	119.70	110.20
2	D	253	LYS	CA-C-N	-5.90	112.84	118.97
2	D	253	LYS	C-N-CA	-5.90	112.84	118.97
1	A	263	ALA	N-CA-C	5.89	113.52	108.22
1	C	121	ARG	CA-C-N	5.56	125.92	119.47
1	C	121	ARG	C-N-CA	5.56	125.92	119.47
2	B	183	TYR	CA-C-N	5.37	125.70	119.47
2	B	183	TYR	C-N-CA	5.37	125.70	119.47
4	K	65	ARG	N-CA-C	-5.32	106.30	112.89
2	B	278	SER	CA-C-N	-5.30	113.17	119.05
2	B	278	SER	C-N-CA	-5.30	113.17	119.05
2	D	258	THR	N-CA-C	-5.25	106.65	113.16
3	J	210	HIS	CA-C-N	5.18	126.31	119.84
3	J	210	HIS	C-N-CA	5.18	126.31	119.84
2	D	291	ASN	N-CA-C	5.11	121.69	110.80
2	D	316	SER	N-CA-C	-5.08	105.87	111.71
2	B	96	VAL	N-CA-C	5.07	115.27	108.17
1	C	263	ALA	N-CA-C	5.03	112.75	108.22
2	D	278	SER	CA-C-N	-5.02	114.62	120.04
2	D	278	SER	C-N-CA	-5.02	114.62	120.04
4	L	47	PRO	O-C-N	5.01	123.50	121.15

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	451	GLN	Peptide
2	D	257	GLN	Peptide
2	D	315	ASP	Peptide
3	J	42	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3387	0	3308	24	0
1	C	3407	0	3331	27	0
2	B	3551	0	3504	35	0
2	D	3211	0	3143	48	0
3	H	1662	0	1642	12	0
3	J	1651	0	1632	16	0
4	K	1670	0	1596	15	0
4	L	1679	0	1602	10	0
5	E	39	0	34	0	0
6	F	28	0	25	1	0
7	A	98	0	91	2	0
7	B	84	0	78	1	0
7	C	98	0	91	2	0
7	D	42	0	39	0	0
8	A	10	0	5	0	0
8	B	10	0	5	1	0
8	C	10	0	5	0	0
8	D	10	0	5	0	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	B	1	0	0	0	0
10	D	1	0	0	0	0
11	K	1	0	0	0	0
12	A	81	0	0	2	0
12	B	56	0	0	0	0
12	C	83	0	0	1	0
12	D	33	0	0	1	0
12	H	42	0	0	0	0
12	J	21	0	0	0	0
12	K	55	0	0	2	0
12	L	46	0	0	0	0
All	All	21069	0	20136	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:393:LYS:HD2	1:C:394:ASN:H	1.15	1.04
2:D:257:GLN:HE21	2:D:261:ASN:H	1.06	0.94
2:D:257:GLN:HA	2:D:259:ILE:H	1.30	0.94
2:D:257:GLN:NE2	2:D:261:ASN:H	1.75	0.84
2:B:92:LEU:O	2:B:398:HIS:ND1	2.12	0.81
1:C:393:LYS:HD2	1:C:394:ASN:N	1.96	0.80
2:D:326:GLU:OE1	2:D:468:ARG:NH1	2.23	0.70
4:K:189:GLU:OE1	12:K:401:HOH:O	2.09	0.70
4:K:215:ARG:O	4:K:216:ASN:ND2	2.22	0.70
4:K:199:GLU:HG2	4:K:210:VAL:HG22	1.74	0.69
3:J:167:SER:H	3:J:207:ASN:HD21	1.41	0.68
1:C:80:GLU:OE2	12:C:1001:HOH:O	2.12	0.67
2:D:465:GLY:HA3	2:D:474:ILE:HG22	1.76	0.66
2:B:269:LYS:HE2	2:B:270:VAL:HG23	1.80	0.63
2:D:37:ASP:HB3	2:D:410:TRP:CZ2	2.34	0.63
3:J:41:HIS:HA	3:J:43:LYS:NZ	2.13	0.63
2:D:342:LYS:O	2:D:346:GLU:HG3	1.99	0.62
3:H:18:MET:HE1	3:H:83:LEU:HD12	1.81	0.61
2:D:218:GLU:HG2	2:D:247:PRO:HA	1.84	0.60
1:A:219:GLU:OE1	12:A:1001:HOH:O	2.17	0.59
2:D:282:SER:HA	2:D:285:GLU:HG3	1.83	0.58
2:D:133:ASN:HD22	6:F:1:NAG:H83	1.68	0.58
2:D:252:PRO:O	2:D:256:ILE:N	2.35	0.58
2:B:453:GLN:NE2	2:B:480:LYS:O	2.36	0.58
2:B:445:PRO:HB2	2:B:447:ILE:HG12	1.86	0.56
4:K:41:GLN:HG3	4:K:90:TYR:CE2	2.40	0.56
1:A:100:HIS:ND1	1:A:106:SER:HB2	2.20	0.56
2:B:66:ASP:OD1	2:B:66:ASP:N	2.37	0.56
2:B:38:ILE:HD12	2:B:96:VAL:HG11	1.88	0.55
4:L:153:LYS:HE3	4:L:199:GLU:OE1	2.06	0.55
2:B:260:ILE:HG23	2:B:292:LEU:HD11	1.88	0.55
2:D:90:SER:O	2:D:94:PRO:HB3	2.07	0.55
2:B:188:ARG:HD2	2:B:190:VAL:O	2.07	0.55
2:D:171:GLY:O	2:D:173:THR:HG23	2.06	0.55
3:H:51:ILE:HD13	3:H:72:VAL:HG13	1.89	0.55
2:D:449:TYR:HB2	2:D:467:TYR:HB3	1.89	0.54
1:C:365:PHE:C	1:C:368:PRO:HD2	2.33	0.53
4:L:154:ILE:HD11	4:L:183:LEU:HD21	1.90	0.53
1:A:38:GLY:HA3	1:A:97:MET:HG2	1.91	0.53
2:D:362:GLU:OE1	2:D:362:GLU:N	2.41	0.52
2:D:455:ILE:HD11	2:D:458:ASN:OD1	2.10	0.52
1:A:422:GLU:H	1:A:422:GLU:CD	2.17	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:431:ASN:HB3	12:D:607:HOH:O	2.09	0.52
2:B:214:VAL:HG22	2:B:226:VAL:HG22	1.91	0.52
2:B:216:GLY:HA2	2:B:274:PHE:O	2.09	0.52
2:B:186:PHE:CE2	2:B:188:ARG:HG3	2.45	0.52
3:J:83:LEU:HB3	3:J:86:LEU:HD21	1.91	0.52
1:A:40:PHE:CE1	1:A:97:MET:HE3	2.45	0.52
1:C:116:VAL:HG12	1:C:117:ASN:OD1	2.09	0.51
2:B:48:GLU:OE2	2:B:107:ARG:NH1	2.43	0.51
2:D:457:GLU:N	2:D:457:GLU:OE1	2.43	0.51
2:D:257:GLN:HE21	2:D:260:ILE:N	2.08	0.51
2:D:315:ASP:HB2	2:D:456:TRP:CE2	2.44	0.51
4:K:153:LYS:HB2	4:K:197:THR:HB	1.92	0.51
1:C:42:ILE:HG12	1:C:99:ASP:CG	2.35	0.51
1:A:116:VAL:HG12	1:A:117:ASN:OD1	2.11	0.51
1:A:279:ASN:O	1:A:279:ASN:ND2	2.44	0.51
2:D:452:ILE:HD13	2:D:461:LEU:HD13	1.93	0.51
4:K:27:GLU:OE2	12:K:402:HOH:O	2.19	0.50
3:J:12:VAL:HG11	3:J:86:LEU:HD12	1.93	0.50
3:H:203:THR:HG22	3:H:220:LYS:HE3	1.94	0.50
4:K:126:SER:O	4:K:130:THR:HG23	2.11	0.50
2:B:219:GLU:OE2	2:B:221:TYR:HB3	2.12	0.50
2:B:275:SER:O	2:B:301:SER:OG	2.26	0.49
1:C:129:GLY:O	1:C:398:HIS:HD2	1.95	0.49
2:D:218:GLU:O	2:D:218:GLU:HG3	2.13	0.49
4:K:21:ILE:HG12	4:K:106:THR:HG21	1.95	0.49
2:B:172:ALA:O	2:B:188:ARG:HD3	2.13	0.48
2:B:284:PHE:HA	2:B:287:VAL:HB	1.95	0.48
2:D:288:ILE:HG13	2:D:289:LYS:N	2.27	0.48
2:D:257:GLN:HB2	2:D:260:ILE:H	1.79	0.48
4:L:95:THR:HG22	4:L:100:ARG:HG2	1.95	0.48
1:A:68:TYR:O	1:A:71:PHE:HB3	2.14	0.48
1:A:188:VAL:O	1:A:192:ILE:HG13	2.13	0.48
2:D:398:HIS:CD2	2:D:403:CYS:HB2	2.49	0.48
4:K:117:PRO:HG2	4:K:209:ILE:HD12	1.96	0.47
1:A:393:LYS:HE3	7:A:902:NAG:O6	2.15	0.47
2:B:186:PHE:HE2	2:B:188:ARG:HG3	1.80	0.47
3:J:146:MET:HE3	3:J:193:THR:HG22	1.96	0.47
2:D:334:SER:HB2	2:D:335:PRO:HD3	1.96	0.47
2:D:216:GLY:HA2	2:D:274:PHE:O	2.15	0.47
2:D:295:VAL:HA	2:D:319:THR:HG23	1.98	0.46
2:B:250:ASP:OD1	2:B:251:ASP:N	2.38	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:L:16:GLY:HA2	4:L:81:PRO:HB2	1.98	0.46
1:A:208:TYR:CE1	1:A:218:LEU:HD22	2.51	0.45
1:C:164[A]:CYS:SG	1:C:169:PHE:CE2	3.09	0.45
1:C:225:ILE:O	3:J:101:ARG:NH1	2.48	0.45
1:C:261:VAL:HB	1:C:291:TRP:HZ2	1.81	0.45
2:D:24:PHE:O	2:D:27:ILE:HG12	2.15	0.45
4:L:87:PHE:HE1	4:L:172:SER:HA	1.81	0.45
1:C:216:ASP:O	1:C:220:GLN:HG2	2.16	0.45
2:D:257:GLN:HA	2:D:259:ILE:N	2.13	0.45
1:A:359:LEU:HD23	1:A:359:LEU:HA	1.77	0.45
4:L:151:LYS:HE3	4:L:151:LYS:HB3	1.72	0.45
3:J:43:LYS:HD3	3:J:43:LYS:HA	1.65	0.45
1:A:83:ASN:HD22	7:A:901:NAG:H83	1.81	0.45
4:K:50:LEU:HG	4:K:59:GLU:HG3	1.98	0.45
4:K:125:SER:HB2	4:K:127:GLU:OE1	2.17	0.45
1:A:111:PHE:O	1:A:115:SER:HB3	2.17	0.45
2:D:257:GLN:HE21	2:D:261:ASN:N	1.90	0.45
2:D:376:GLU:HG3	2:D:377:GLU:N	2.32	0.44
2:B:326:GLU:OE2	2:B:468:ARG:NH2	2.49	0.44
1:C:61:LYS:HD3	1:C:61:LYS:HA	1.69	0.44
3:H:108:THR:HA	4:L:95:THR:O	2.17	0.44
3:J:18:MET:HB2	3:J:18:MET:HE2	1.76	0.44
1:A:71:PHE:CD1	1:A:97:MET:HE2	2.52	0.44
2:B:37:ASP:HB3	2:B:410:TRP:CZ2	2.53	0.44
2:D:109:SER:O	2:D:113:VAL:HG23	2.18	0.44
4:L:126:SER:O	4:L:130:THR:HG23	2.18	0.44
2:D:253:LYS:HA	2:D:256:ILE:CB	2.47	0.44
2:D:338:GLU:O	2:D:342:LYS:HB2	2.18	0.44
3:H:42:GLY:O	3:H:43:LYS:HB2	2.18	0.44
1:A:393:LYS:NZ	12:A:1015:HOH:O	2.50	0.44
2:D:427:GLU:OE2	2:D:441:GLN:HA	2.18	0.44
3:J:199:TRP:HD1	3:J:204:VAL:HG23	1.83	0.43
1:C:230:ILE:O	3:J:101:ARG:NH1	2.51	0.43
3:J:38:LYS:HB2	3:J:48:ILE:HD11	2.00	0.43
2:B:216:GLY:O	2:B:245:LEU:HA	2.18	0.43
2:B:34:MET:HB3	2:B:34:MET:HE2	1.62	0.43
2:D:103:TYR:CD2	2:D:115:PRO:HB3	2.53	0.43
3:J:164:THR:OG1	3:J:207:ASN:ND2	2.50	0.43
4:K:14:SER:HB2	4:K:17:GLN:HG3	2.00	0.43
1:C:71:PHE:CD1	1:C:97:MET:HE2	2.53	0.43
1:C:347:LYS:NZ	7:C:904:NAG:H81	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:455:ILE:HG13	7:B:906:NAG:H83	2.00	0.43
4:L:146:LYS:HD2	4:L:177:TYR:CE1	2.54	0.43
2:B:269:LYS:HG3	2:B:270:VAL:HG23	2.00	0.43
2:B:419:TRP:CH2	2:B:420:LYS:HE2	2.54	0.43
1:C:417:THR:HG22	1:C:419:GLN:HG3	2.00	0.43
2:D:326:GLU:CD	2:D:468:ARG:HH12	2.27	0.43
3:H:173:GLY:O	3:H:192:VAL:HA	2.18	0.43
3:H:149:LEU:HD13	3:H:221:ILE:HG21	2.00	0.43
3:J:17:SER:HB2	3:J:84:LEU:HD23	2.01	0.43
2:B:233:ALA:HB1	2:B:238:VAL:HB	2.00	0.43
1:C:31:ARG:HE	1:C:31:ARG:HB2	1.56	0.43
2:D:287:VAL:HG12	2:D:292:LEU:HD12	2.01	0.43
1:A:96:GLN:NE2	1:A:346:GLN:HE22	2.16	0.42
1:C:433:VAL:HG21	1:C:456:LEU:HD11	2.01	0.42
2:B:150:SER:OG	8:B:951:GLU:O	2.25	0.42
2:B:330:LEU:HD12	2:B:383:ALA:HB1	2.01	0.42
1:C:365:PHE:HA	1:C:368:PRO:HG2	2.02	0.42
2:D:21:PRO:HD2	2:D:24:PHE:CE2	2.54	0.42
3:J:210:HIS:HB3	3:J:215:THR:HB	2.01	0.42
2:B:229:PHE:CZ	2:B:272:VAL:HG21	2.54	0.42
2:B:260:ILE:O	2:B:264:GLN:HG3	2.18	0.42
1:A:118:ASP:O	1:A:118:ASP:OD1	2.38	0.42
1:C:263:ALA:HB1	1:C:267:TYR:HB2	2.02	0.42
2:D:49:GLN:HG2	2:D:64:SER:O	2.19	0.42
2:B:165:MET:HE3	2:B:165:MET:HB2	1.91	0.42
1:C:354:SER:HB3	1:C:357:SER:OG	2.19	0.42
1:C:449:HIS:C	1:C:451:GLN:H	2.28	0.42
2:D:296:TRP:HD1	2:D:319:THR:O	2.03	0.42
3:H:135:LEU:HB2	3:H:150:GLY:C	2.45	0.42
1:C:281:THR:HG22	1:C:305:ASN:O	2.20	0.42
1:C:353:LEU:HD23	1:C:353:LEU:HA	1.80	0.41
2:D:114:ARG:HB2	2:D:115:PRO:HD3	2.02	0.41
3:J:108:THR:HA	4:K:95:THR:O	2.20	0.41
2:D:454:ARG:HG2	2:D:456:TRP:CZ3	2.55	0.41
1:A:208:TYR:CZ	1:A:218:LEU:HD22	2.55	0.41
2:D:34:MET:HE2	2:D:34:MET:HB3	1.78	0.41
2:B:315:ASP:N	2:B:315:ASP:OD1	2.54	0.41
3:H:222:VAL:HA	3:H:223:PRO:HD3	1.92	0.41
3:H:83:LEU:HB3	3:H:86:LEU:HD21	2.03	0.41
1:C:326:ILE:O	1:C:330:ILE:HG12	2.21	0.41
1:A:100:HIS:CG	1:A:106:SER:HB2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:ILE:HG23	1:A:152:PHE:CZ	2.56	0.41
2:B:338:GLU:HG3	2:B:371:VAL:HG21	2.03	0.41
2:B:489:PRO:O	2:B:490:GLU:HB2	2.20	0.41
1:C:79:GLU:HG2	7:C:901:NAG:HN2	1.86	0.40
2:D:397:LEU:HD23	2:D:397:LEU:HA	1.89	0.40
1:A:192:ILE:HG23	1:A:286:ILE:HG21	2.03	0.40
1:A:398:HIS:HD2	1:A:401:MET:HE3	1.86	0.40
1:C:285:TRP:CE2	1:C:306:ILE:HD12	2.55	0.40
2:D:251:ASP:HA	2:D:252:PRO:HD2	1.86	0.40
2:D:358:ASN:HA	2:D:359:PRO:HD2	1.86	0.40
3:H:18:MET:HG2	3:H:19:LYS:N	2.35	0.40
4:K:47:PRO:HA	4:K:48:PRO:HD3	1.92	0.40
3:H:199:TRP:CG	3:H:200:PRO:HA	2.56	0.40
2:B:200:MET:O	2:B:204:ILE:HG13	2.21	0.40
4:L:30:ASP:HA	4:L:34:ASN:O	2.21	0.40
1:A:71:PHE:CE1	1:A:97:MET:HE2	2.55	0.40
3:J:224:ARG:NH1	4:K:125:SER:HA	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	421/461 (91%)	400 (95%)	20 (5%)	1 (0%)	43	66
1	C	425/461 (92%)	409 (96%)	14 (3%)	2 (0%)	24	46
2	B	447/478 (94%)	434 (97%)	12 (3%)	1 (0%)	43	66
2	D	402/478 (84%)	376 (94%)	23 (6%)	3 (1%)	18	38
3	H	215/225 (96%)	208 (97%)	7 (3%)	0	100	100
3	J	214/225 (95%)	205 (96%)	6 (3%)	3 (1%)	9	19
4	K	214/217 (99%)	207 (97%)	6 (3%)	1 (0%)	24	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	L	215/217 (99%)	206 (96%)	8 (4%)	1 (0%)	24	46
All	All	2553/2762 (92%)	2445 (96%)	96 (4%)	12 (0%)	24	46

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	394	ASN
2	D	347	ALA
3	J	137	PRO
3	J	201	SER
1	A	163	GLY
2	D	250	ASP
4	L	72	ARG
2	B	171	GLY
1	C	163	GLY
3	J	43	LYS
4	K	72	ARG
2	D	171	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/407 (93%)	372 (98%)	8 (2%)	47	73
1	C	383/407 (94%)	378 (99%)	5 (1%)	61	82
2	B	405/428 (95%)	395 (98%)	10 (2%)	42	69
2	D	362/428 (85%)	347 (96%)	15 (4%)	27	54
3	H	189/192 (98%)	184 (97%)	5 (3%)	40	68
3	J	187/192 (97%)	181 (97%)	6 (3%)	34	62
4	K	190/191 (100%)	185 (97%)	5 (3%)	40	68
4	L	191/191 (100%)	187 (98%)	4 (2%)	47	73
All	All	2287/2436 (94%)	2229 (98%)	58 (2%)	42	69

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ILE
1	A	130	LEU
1	A	240	VAL
1	A	253	GLU
1	A	319	ILE
1	A	355	VAL
1	A	356	LYS
1	A	422	GLU
2	B	63	VAL
2	B	67	SER
2	B	70	LYS
2	B	212	VAL
2	B	214	VAL
2	B	265	THR
2	B	338	GLU
2	B	342	LYS
2	B	461	LEU
2	B	463	SER
1	C	141	THR
1	C	238	ILE
1	C	257	LYS
1	C	304	GLN
1	C	439	SER
2	D	22	ASN
2	D	90	SER
2	D	168	ILE
2	D	188	ARG
2	D	205	LYS
2	D	245	LEU
2	D	248	ILE
2	D	253	LYS
2	D	277	VAL
2	D	315	ASP
2	D	319	THR
2	D	338	GLU
2	D	376	GLU
2	D	377	GLU
2	D	441	GLN
3	H	1	GLU
3	H	50	LEU
3	H	143	THR
3	H	188	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	H	192	VAL
4	L	107	LYS
4	L	147	ASP
4	L	160	GLN
4	L	210	VAL
3	J	1	GLU
3	J	7	SER
3	J	161	VAL
3	J	216	LYS
3	J	222	VAL
3	J	224	ARG
4	K	131	SER
4	K	147	ASP
4	K	179	MET
4	K	206	THR
4	K	216	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	346	GLN
1	A	360	ASN
1	A	378	HIS
1	A	398	HIS
1	A	441	ASN
2	B	125	ASN
2	B	208	ASN
2	B	471	ASN
1	C	155	ASN
1	C	183	HIS
1	C	250	GLN
1	C	282	ASN
1	C	304	GLN
1	C	345	ASN
1	C	352	ASN
1	C	378	HIS
1	C	423	ASN
1	C	441	ASN
2	D	26	ASN
2	D	49	GLN
2	D	148	GLN
2	D	257	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	358	ASN
3	H	5	GLN
3	H	175	HIS
4	L	149	ASN
4	L	194	ASN
3	J	39	GLN
3	J	62	GLN
3	J	207	ASN
4	K	42	GLN
4	K	149	ASN
4	K	165	ASN
4	K	214	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	E	1	5,2	14,14,15	0.58	0	17,19,21	0.88	0
5	NAG	E	2	5	14,14,15	0.56	0	17,19,21	1.74	5 (29%)
5	BMA	E	3	5	11,11,12	0.62	0	15,15,17	0.59	0
6	NAG	F	1	6,2	14,14,15	0.54	0	17,19,21	1.01	1 (5%)
6	NAG	F	2	6	14,14,15	0.40	0	17,19,21	1.49	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	4/6/23/26	0/1/1/1
5	BMA	E	3	5	-	0/2/19/22	0/1/1/1
6	NAG	F	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	2	NAG	C1-O5-C5	4.28	117.92	112.19
5	E	2	NAG	C1-O5-C5	3.29	116.60	112.19
5	E	2	NAG	C2-N2-C7	-2.99	118.89	122.90
5	E	2	NAG	C3-C4-C5	2.97	115.62	110.23
6	F	1	NAG	C1-O5-C5	2.92	116.10	112.19
5	E	2	NAG	O5-C5-C4	2.60	117.16	110.83
6	F	2	NAG	C6-C5-C4	-2.43	107.06	113.02
5	E	2	NAG	O5-C1-C2	-2.22	107.85	111.29

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	E	1	NAG	C8-C7-N2-C2
5	E	1	NAG	O7-C7-N2-C2
5	E	2	NAG	C8-C7-N2-C2
5	E	2	NAG	O7-C7-N2-C2
6	F	1	NAG	C8-C7-N2-C2
6	F	1	NAG	O7-C7-N2-C2
6	F	2	NAG	C8-C7-N2-C2
6	F	2	NAG	O7-C7-N2-C2
5	E	2	NAG	C4-C5-C6-O6
6	F	2	NAG	O5-C5-C6-O6
5	E	2	NAG	O5-C5-C6-O6
6	F	2	NAG	C4-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 5 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	A	904	1	14,14,15	0.57	0	17,19,21	1.54	3 (17%)
7	NAG	D	905	2	14,14,15	0.52	0	17,19,21	1.46	2 (11%)
7	NAG	A	905	1	14,14,15	0.48	0	17,19,21	1.46	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	GLU	D	951	-	8,9,9	1.06	1 (12%)	8,11,11	1.26	1 (12%)
7	NAG	C	903	1	14,14,15	0.49	0	17,19,21	1.24	2 (11%)
7	NAG	C	902	1	14,14,15	0.48	0	17,19,21	1.09	2 (11%)
7	NAG	B	909	2	14,14,15	0.73	1 (7%)	17,19,21	1.70	3 (17%)
7	NAG	B	907	2	14,14,15	0.45	0	17,19,21	0.86	0
7	NAG	A	902	1	14,14,15	0.58	0	17,19,21	0.84	0
7	NAG	B	908	2	14,14,15	0.53	0	17,19,21	0.55	0
7	NAG	B	901	2	14,14,15	0.67	0	17,19,21	1.08	1 (5%)
7	NAG	C	901	1	14,14,15	0.50	0	17,19,21	0.89	1 (5%)
7	NAG	A	906	1	14,14,15	0.60	0	17,19,21	1.14	2 (11%)
7	NAG	B	905	2	14,14,15	0.51	0	17,19,21	1.12	2 (11%)
8	GLU	B	951	-	8,9,9	1.11	1 (12%)	8,11,11	1.17	1 (12%)
8	GLU	C	951	-	8,9,9	1.10	1 (12%)	8,11,11	0.91	0
7	NAG	C	905	1	14,14,15	0.95	2 (14%)	17,19,21	1.83	5 (29%)
7	NAG	A	903	1	14,14,15	0.55	0	17,19,21	1.12	2 (11%)
7	NAG	A	907	1	14,14,15	0.53	0	17,19,21	1.20	1 (5%)
7	NAG	B	906	2	14,14,15	0.36	0	17,19,21	1.96	3 (17%)
7	NAG	A	901	1	14,14,15	0.65	0	17,19,21	0.95	1 (5%)
7	NAG	D	904	2	14,14,15	0.46	0	17,19,21	2.03	4 (23%)
7	NAG	C	906	1	14,14,15	0.49	0	17,19,21	1.55	2 (11%)
7	NAG	C	904	1	14,14,15	0.53	0	17,19,21	1.23	2 (11%)
7	NAG	D	903	2	14,14,15	0.47	0	17,19,21	1.84	2 (11%)
7	NAG	C	907	1	14,14,15	0.65	0	17,19,21	0.99	1 (5%)
8	GLU	A	951	-	8,9,9	1.05	0	8,11,11	1.42	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	904	1	-	2/6/23/26	0/1/1/1
7	NAG	D	905	2	-	4/6/23/26	0/1/1/1
7	NAG	A	905	1	-	3/6/23/26	0/1/1/1
8	GLU	D	951	-	-	3/9/9/9	-
7	NAG	C	903	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	C	902	1	-	3/6/23/26	0/1/1/1
7	NAG	B	909	2	-	4/6/23/26	0/1/1/1
7	NAG	B	907	2	-	4/6/23/26	0/1/1/1
7	NAG	A	902	1	-	3/6/23/26	0/1/1/1
7	NAG	B	908	2	-	2/6/23/26	0/1/1/1
7	NAG	B	901	2	-	2/6/23/26	0/1/1/1
7	NAG	C	901	1	-	2/6/23/26	0/1/1/1
7	NAG	A	906	1	-	3/6/23/26	0/1/1/1
7	NAG	B	905	2	-	4/6/23/26	0/1/1/1
8	GLU	B	951	-	-	0/9/9/9	-
8	GLU	C	951	-	-	2/9/9/9	-
7	NAG	C	905	1	-	2/6/23/26	0/1/1/1
7	NAG	A	903	1	-	4/6/23/26	0/1/1/1
7	NAG	A	907	1	-	2/6/23/26	0/1/1/1
7	NAG	B	906	2	-	4/6/23/26	0/1/1/1
7	NAG	A	901	1	-	2/6/23/26	0/1/1/1
7	NAG	D	904	2	-	3/6/23/26	0/1/1/1
7	NAG	C	906	1	-	2/6/23/26	0/1/1/1
7	NAG	C	904	1	-	2/6/23/26	0/1/1/1
7	NAG	D	903	2	-	2/6/23/26	0/1/1/1
7	NAG	C	907	1	-	2/6/23/26	0/1/1/1
8	GLU	A	951	-	-	2/9/9/9	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	951	GLU	OXT-C	-2.24	1.23	1.30
8	D	951	GLU	OXT-C	-2.17	1.23	1.30
7	C	905	NAG	C2-N2	-2.08	1.42	1.46
7	B	909	NAG	O5-C1	-2.07	1.40	1.43
8	C	951	GLU	OXT-C	-2.05	1.24	1.30
7	C	905	NAG	O5-C5	-2.00	1.39	1.43

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	904	NAG	C1-O5-C5	6.66	121.12	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	903	NAG	C1-O5-C5	6.22	120.53	112.19
7	B	906	NAG	C1-O5-C5	5.91	120.11	112.19
7	C	906	NAG	C1-O5-C5	4.76	118.56	112.19
7	A	905	NAG	C1-O5-C5	4.59	118.33	112.19
7	A	904	NAG	C1-O5-C5	4.49	118.21	112.19
7	D	905	NAG	C1-O5-C5	-4.41	106.28	112.19
7	B	909	NAG	C3-C4-C5	4.10	117.67	110.23
7	A	907	NAG	C1-O5-C5	4.01	117.55	112.19
7	C	905	NAG	C1-C2-N2	3.80	116.42	110.43
7	C	905	NAG	O5-C1-C2	-3.71	105.55	111.29
7	C	903	NAG	C1-O5-C5	3.54	116.93	112.19
8	A	951	GLU	OXT-C-O	-3.43	116.31	124.08
7	C	904	NAG	C1-O5-C5	3.20	116.48	112.19
7	D	904	NAG	O5-C1-C2	3.16	116.17	111.29
7	B	906	NAG	O5-C5-C6	3.11	113.72	107.66
7	B	909	NAG	O5-C1-C2	-2.96	106.71	111.29
7	B	909	NAG	C4-C3-C2	2.93	115.31	111.02
7	D	905	NAG	O5-C5-C6	2.87	113.25	107.66
8	D	951	GLU	OXT-C-O	-2.86	117.59	124.08
7	A	903	NAG	C8-C7-N2	2.72	120.64	116.12
7	B	905	NAG	C1-O5-C5	2.64	115.72	112.19
7	A	904	NAG	C4-C3-C2	-2.64	107.16	111.02
7	C	906	NAG	C6-C5-C4	-2.57	106.71	113.02
8	B	951	GLU	OXT-C-O	-2.54	118.31	124.08
7	A	906	NAG	C1-C2-N2	-2.51	106.47	110.43
7	C	905	NAG	C4-C3-C2	2.50	114.68	111.02
7	A	904	NAG	C2-N2-C7	-2.48	119.58	122.90
7	A	901	NAG	C1-O5-C5	2.41	115.42	112.19
7	B	906	NAG	O5-C1-C2	2.31	114.87	111.29
7	C	905	NAG	O5-C5-C6	-2.30	103.18	107.66
7	B	901	NAG	O5-C1-C2	2.28	114.81	111.29
7	C	902	NAG	C1-O5-C5	2.28	115.24	112.19
7	A	906	NAG	O5-C1-C2	-2.16	107.94	111.29
7	C	905	NAG	O3-C3-C2	2.11	113.79	109.40
7	C	901	NAG	C1-O5-C5	2.09	114.99	112.19
7	C	904	NAG	C2-N2-C7	-2.07	120.13	122.90
7	D	904	NAG	C6-C5-C4	-2.07	107.94	113.02
7	C	902	NAG	C3-C4-C5	2.07	113.98	110.23
7	C	907	NAG	C2-N2-C7	2.06	125.66	122.90
7	B	905	NAG	O5-C5-C6	2.05	111.65	107.66
7	D	903	NAG	C6-C5-C4	-2.03	108.03	113.02
7	C	903	NAG	O5-C1-C2	2.02	114.41	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	903	NAG	O7-C7-C8	-2.01	118.48	122.05
7	D	904	NAG	C4-C3-C2	-2.00	108.09	111.02

There are no chirality outliers.

All (70) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	905	NAG	O5-C5-C6-O6
7	B	907	NAG	O5-C5-C6-O6
7	B	905	NAG	C4-C5-C6-O6
7	B	906	NAG	O5-C5-C6-O6
7	D	905	NAG	O5-C5-C6-O6
7	A	903	NAG	O5-C5-C6-O6
7	A	903	NAG	C4-C5-C6-O6
7	D	905	NAG	C4-C5-C6-O6
7	A	901	NAG	C8-C7-N2-C2
7	A	901	NAG	O7-C7-N2-C2
7	A	902	NAG	C8-C7-N2-C2
7	A	902	NAG	O7-C7-N2-C2
7	A	903	NAG	C8-C7-N2-C2
7	A	903	NAG	O7-C7-N2-C2
7	A	904	NAG	C8-C7-N2-C2
7	A	904	NAG	O7-C7-N2-C2
7	A	905	NAG	C8-C7-N2-C2
7	A	905	NAG	O7-C7-N2-C2
7	A	906	NAG	C8-C7-N2-C2
7	A	906	NAG	O7-C7-N2-C2
7	A	907	NAG	C8-C7-N2-C2
7	A	907	NAG	O7-C7-N2-C2
7	B	901	NAG	C8-C7-N2-C2
7	B	901	NAG	O7-C7-N2-C2
7	B	905	NAG	C8-C7-N2-C2
7	B	905	NAG	O7-C7-N2-C2
7	B	906	NAG	C8-C7-N2-C2
7	B	906	NAG	O7-C7-N2-C2
7	B	907	NAG	C8-C7-N2-C2
7	B	907	NAG	O7-C7-N2-C2
7	B	908	NAG	C8-C7-N2-C2
7	B	908	NAG	O7-C7-N2-C2
7	B	909	NAG	C8-C7-N2-C2
7	B	909	NAG	O7-C7-N2-C2
7	C	901	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	C	901	NAG	O7-C7-N2-C2
7	C	902	NAG	C8-C7-N2-C2
7	C	902	NAG	O7-C7-N2-C2
7	C	903	NAG	C8-C7-N2-C2
7	C	903	NAG	O7-C7-N2-C2
7	C	904	NAG	C8-C7-N2-C2
7	C	904	NAG	O7-C7-N2-C2
7	C	905	NAG	C8-C7-N2-C2
7	C	905	NAG	O7-C7-N2-C2
7	C	906	NAG	C8-C7-N2-C2
7	C	906	NAG	O7-C7-N2-C2
7	C	907	NAG	C8-C7-N2-C2
7	C	907	NAG	O7-C7-N2-C2
7	D	903	NAG	C8-C7-N2-C2
7	D	903	NAG	O7-C7-N2-C2
7	D	904	NAG	C8-C7-N2-C2
7	D	904	NAG	O7-C7-N2-C2
7	D	905	NAG	C8-C7-N2-C2
7	D	905	NAG	O7-C7-N2-C2
7	B	907	NAG	C4-C5-C6-O6
7	B	906	NAG	C4-C5-C6-O6
7	A	905	NAG	O5-C5-C6-O6
7	B	909	NAG	C4-C5-C6-O6
7	C	902	NAG	O5-C5-C6-O6
8	D	951	GLU	O-C-CA-CB
7	A	902	NAG	C4-C5-C6-O6
8	D	951	GLU	OXT-C-CA-CB
8	C	951	GLU	OE1-CD-CG-CB
8	C	951	GLU	OE2-CD-CG-CB
8	A	951	GLU	OE2-CD-CG-CB
8	A	951	GLU	OE1-CD-CG-CB
7	B	909	NAG	O5-C5-C6-O6
7	A	906	NAG	C4-C5-C6-O6
8	D	951	GLU	CA-CB-CG-CD
7	D	904	NAG	O5-C5-C6-O6

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	902	NAG	1	0
7	C	901	NAG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	951	GLU	1	0
7	B	906	NAG	1	0
7	A	901	NAG	1	0
7	C	904	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	427/461 (92%)	-0.63	3 (0%) 84 82	20, 35, 64, 80	0
1	C	430/461 (93%)	-0.58	2 (0%) 87 85	17, 35, 65, 83	1 (0%)
2	B	453/478 (94%)	-0.54	1 (0%) 91 90	22, 43, 72, 89	0
2	D	414/478 (86%)	-0.06	10 (2%) 59 54	25, 58, 107, 137	0
3	H	219/225 (97%)	-0.62	0 100 100	18, 39, 69, 85	0
3	J	218/225 (96%)	-0.47	1 (0%) 87 85	22, 42, 71, 82	0
4	K	216/217 (99%)	-0.73	0 100 100	19, 34, 56, 73	0
4	L	217/217 (100%)	-0.76	0 100 100	17, 33, 57, 74	0
All	All	2594/2762 (93%)	-0.52	17 (0%) 84 82	17, 39, 76, 137	1 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	357	TYR	3.4
2	D	291	ASN	3.4
2	D	260	ILE	3.3
1	A	466	PHE	3.2
2	D	240	VAL	3.1
2	D	261	ASN	2.9
1	C	395	ILE	2.8
1	A	240	VAL	2.7
1	A	395	ILE	2.7
1	C	394	ASN	2.6
3	J	138	GLY	2.6
2	D	295	VAL	2.4
2	D	348	SER	2.2
2	D	456	TRP	2.1
2	D	205	LYS	2.1
2	D	262	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	284	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	E	1	14/15	-	-	39,54,62,63	0
5	NAG	E	2	14/15	-	-	44,64,72,75	0
5	BMA	E	3	11/12	-	-	68,84,93,96	0
6	NAG	F	1	14/15	-	-	44,52,59,64	0
6	NAG	F	2	14/15	-	-	62,73,84,93	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	B	907	14/15	0.48	0.16	83,92,98,98	0
7	NAG	A	903	14/15	0.58	0.16	62,78,84,89	0
7	NAG	B	908	14/15	0.59	0.14	59,85,97,98	0
7	NAG	A	907	14/15	0.60	0.14	68,83,87,94	0
7	NAG	C	902	14/15	0.60	0.14	70,76,86,97	0
7	NAG	A	902	14/15	0.63	0.15	74,81,86,92	0
7	NAG	D	905	14/15	0.68	0.17	81,91,98,101	0
7	NAG	B	906	14/15	0.70	0.18	99,109,111,116	0
7	NAG	D	904	14/15	0.77	0.17	92,101,121,127	0
7	NAG	C	903	14/15	0.80	0.13	60,69,82,87	0
7	NAG	B	909	14/15	0.80	0.11	68,75,84,91	0
7	NAG	B	901	14/15	0.80	0.13	82,95,106,109	0
7	NAG	A	905	14/15	0.82	0.13	53,68,77,79	0
7	NAG	C	905	14/15	0.83	0.13	40,57,71,72	0
7	NAG	B	905	14/15	0.86	0.10	66,75,92,92	0
7	NAG	A	906	14/15	0.88	0.08	42,53,61,68	0
7	NAG	C	904	14/15	0.89	0.09	55,63,76,80	0
7	NAG	C	906	14/15	0.89	0.09	40,48,55,57	0
10	CL	D	971	1/1	0.89	0.34	107,107,107,107	0
11	CA	K	301	1/1	0.89	0.24	86,86,86,86	0
8	GLU	D	951	10/10	0.90	0.12	52,61,88,96	0
7	NAG	A	904	14/15	0.91	0.08	48,55,77,78	0
7	NAG	D	903	14/15	0.92	0.09	46,55,74,87	0
7	NAG	C	907	14/15	0.92	0.08	41,52,63,72	0
10	CL	B	971	1/1	0.93	0.32	105,105,105,105	0
8	GLU	C	951	10/10	0.94	0.10	42,46,70,84	0
7	NAG	C	901	14/15	0.96	0.07	29,36,48,49	0
8	GLU	B	951	10/10	0.96	0.08	25,44,64,67	0
9	NA	A	961	1/1	0.96	0.05	39,39,39,39	0
8	GLU	A	951	10/10	0.97	0.07	25,34,61,65	0
7	NAG	A	901	14/15	0.97	0.06	33,37,46,58	0
9	NA	C	961	1/1	0.99	0.04	26,26,26,26	0

6.5 Other polymers ⓘ

There are no such residues in this entry.