



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:14 PM UTC

PDB ID : 2X6G / pdb_00002x6g
Title : X-ray Structure of Macrophage Inflammatory Protein-1 alpha (D27A)
Authors : Guo, Q.; Ren, M.; Tang, W.
Deposited on : 2010-02-17
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	70	6% 73% 19% 6%
1	B	70	7% 70% 20% 7%
1	C	70	7% 76% 16% 7%
1	D	70	7% 81% 10% 7%
1	E	70	6% 71% 19% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	70	 74%19%6%
1	G	70	 63%24%10%
1	H	70	 73%14%7%
1	I	70	 83%13%4%
1	J	70	 74%16%7%
1	K	70	 10%59%27%13%
1	L	70	 3%60%23%6%11%
1	M	70	 3%66%21%11%
1	N	70	 69%24%7%
1	O	70	 63%26%7%
1	P	70	 61%27%9%
1	Q	70	 4%63%27%10%
1	R	70	 64%21%10%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9591 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-C MOTIF CHEMOKINE 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	66	Total	C	N	O	S	0	0	0
			518	326	85	103	4			
1	B	65	Total	C	N	O	S	0	0	0
			512	323	84	101	4			
1	C	65	Total	C	N	O	S	0	0	0
			513	323	84	102	4			
1	D	65	Total	C	N	O	S	0	0	0
			513	323	84	102	4			
1	E	66	Total	C	N	O	S	0	0	0
			517	326	85	102	4			
1	F	66	Total	C	N	O	S	0	0	0
			518	326	85	103	4			
1	G	63	Total	C	N	O	S	0	0	0
			502	317	82	99	4			
1	H	65	Total	C	N	O	S	0	0	0
			512	323	84	101	4			
1	I	67	Total	C	N	O	S	0	0	0
			523	329	86	104	4			
1	J	65	Total	C	N	O	S	0	0	0
			513	323	84	102	4			
1	K	61	Total	C	N	O	S	0	0	0
			485	306	80	95	4			
1	L	62	Total	C	N	O	S	0	0	0
			493	312	81	96	4			
1	M	62	Total	C	N	O	S	0	0	0
			494	313	81	96	4			
1	N	65	Total	C	N	O	S	0	0	0
			513	323	84	102	4			
1	O	65	Total	C	N	O	S	0	0	0
			512	323	84	101	4			
1	P	64	Total	C	N	O	S	0	0	0
			508	320	83	101	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	63	Total	C	N	O	S	0	0	0
			494	313	79	98	4			
1	R	63	Total	C	N	O	S	0	0	0
			502	317	82	99	4			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	ALA	ASP	SEE REMARK 999	UNP P10147
B	27	ALA	ASP	SEE REMARK 999	UNP P10147
C	27	ALA	ASP	SEE REMARK 999	UNP P10147
D	27	ALA	ASP	SEE REMARK 999	UNP P10147
E	27	ALA	ASP	SEE REMARK 999	UNP P10147
F	27	ALA	ASP	SEE REMARK 999	UNP P10147
G	27	ALA	ASP	SEE REMARK 999	UNP P10147
H	27	ALA	ASP	SEE REMARK 999	UNP P10147
I	27	ALA	ASP	SEE REMARK 999	UNP P10147
J	27	ALA	ASP	SEE REMARK 999	UNP P10147
K	27	ALA	ASP	SEE REMARK 999	UNP P10147
L	27	ALA	ASP	SEE REMARK 999	UNP P10147
M	27	ALA	ASP	SEE REMARK 999	UNP P10147
N	27	ALA	ASP	SEE REMARK 999	UNP P10147
O	27	ALA	ASP	SEE REMARK 999	UNP P10147
P	27	ALA	ASP	SEE REMARK 999	UNP P10147
Q	27	ALA	ASP	SEE REMARK 999	UNP P10147
R	27	ALA	ASP	SEE REMARK 999	UNP P10147

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	44	Total	O	0	0
			44	44		
2	B	30	Total	O	0	0
			30	30		
2	C	34	Total	O	0	0
			34	34		
2	D	34	Total	O	0	0
			34	34		
2	E	44	Total	O	0	0
			44	44		
2	F	28	Total	O	0	0
			28	28		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	28	Total 28	O 28	0	0
2	H	26	Total 26	O 26	0	0
2	I	37	Total 37	O 37	0	0
2	J	18	Total 18	O 18	0	0
2	K	9	Total 9	O 9	0	0
2	L	10	Total 10	O 10	0	0
2	M	16	Total 16	O 16	0	0
2	N	19	Total 19	O 19	0	0
2	O	25	Total 25	O 25	0	0
2	P	20	Total 20	O 20	0	0
2	Q	11	Total 11	O 11	0	0
2	R	16	Total 16	O 16	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: C-C MOTIF CHEMOKINE 3





- Molecule 1: C-C MOTIF CHEMOKINE 3




- Molecule 1: C-C MOTIF CHEMOKINE 3



- Molecule 1: C-C MOTIF CHEMOKINE 3




- Molecule 1: C-C MOTIF CHEMOKINE 3



- Molecule 1: C-C MOTIF CHEMOKINE 3

Chain F:  74% 19% 6%




• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain G:  63% 24% 10%



• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain H:  73% 14% 7%



• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain I:  83% 13% 0%




• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain J:  74% 16% 7%



• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain K:  59% 27% 13%



• Molecule 1: C-C MOTIF CHEMOKINE 3

Chain L:  60% 23% 6% 11%




• Molecule 1: C-C MOTIF CHEMOKINE 3



• Molecule 1: C-C MOTIF CHEMOKINE 3



• Molecule 1: C-C MOTIF CHEMOKINE 3



• Molecule 1: C-C MOTIF CHEMOKINE 3



• Molecule 1: C-C MOTIF CHEMOKINE 3



• Molecule 1: C-C MOTIF CHEMOKINE 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.21Å 113.53Å 173.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.01 – 2.18 49.01 – 2.18	Depositor EDS
% Data completeness (in resolution range)	95.7 (49.01-2.18) 97.3 (49.01-2.18)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.08 (at 2.14Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.210 , 0.286 0.206 , 0.278	Depositor DCC
R_{free} test set	3120 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.455	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 30.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9591	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/530	0.91	0/720
1	B	0.53	0/524	0.93	3/712 (0.4%)
1	C	0.59	0/525	0.91	1/713 (0.1%)
1	D	0.54	0/525	0.85	0/713
1	E	0.54	0/529	0.90	0/719
1	F	0.57	0/530	0.81	0/720
1	G	0.54	0/513	0.86	1/695 (0.1%)
1	H	0.53	0/524	0.93	0/712
1	I	0.54	0/535	0.84	0/727
1	J	0.51	0/525	0.85	0/713
1	K	0.38	0/497	0.76	0/675
1	L	0.45	0/505	0.83	2/684 (0.3%)
1	M	0.42	0/506	0.81	0/687
1	N	0.46	0/525	0.82	0/713
1	O	0.48	0/524	0.93	0/712
1	P	0.49	0/520	0.88	0/706
1	Q	0.39	0/505	0.75	0/685
1	R	0.41	0/514	0.87	2/698 (0.3%)
All	All	0.50	0/9356	0.86	9/12704 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	53	ASP	CA-C-N	6.23	125.92	119.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	53	ASP	C-N-CA	6.23	125.92	119.82
1	C	17	SER	N-CA-C	-5.55	105.63	112.90
1	B	20	ILE	CB-CA-C	-5.35	104.65	110.37
1	L	53	ASP	CA-C-N	5.34	125.67	119.47
1	L	53	ASP	C-N-CA	5.34	125.67	119.47
1	G	25	ILE	N-CA-C	5.12	115.67	108.36
1	B	7	THR	CA-C-N	-5.05	115.03	120.03
1	B	7	THR	C-N-CA	-5.05	115.03	120.03

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	67	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	518	0	491	15	0
1	B	512	0	483	7	0
1	C	513	0	486	10	0
1	D	513	0	486	6	0
1	E	517	0	488	19	0
1	F	518	0	491	13	0
1	G	502	0	475	13	0
1	H	512	0	486	13	0
1	I	523	0	493	9	0
1	J	513	0	486	13	0
1	K	485	0	459	24	0
1	L	493	0	471	17	0
1	M	494	0	472	15	0
1	N	513	0	486	18	0
1	O	512	0	483	17	0
1	P	508	0	481	21	0
1	Q	494	0	465	17	0
1	R	502	0	476	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	44	0	0	0	0
2	B	30	0	0	0	0
2	C	34	0	0	0	0
2	D	34	0	0	2	0
2	E	44	0	0	0	0
2	F	28	0	0	1	0
2	G	28	0	0	3	0
2	H	26	0	0	0	0
2	I	37	0	0	1	0
2	J	18	0	0	0	0
2	K	9	0	0	1	0
2	L	10	0	0	0	0
2	M	16	0	0	1	0
2	N	19	0	0	0	0
2	O	25	0	0	0	0
2	P	20	0	0	1	0
2	Q	11	0	0	1	0
2	R	16	0	0	3	0
All	All	9591	0	8658	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:18:ARG:HH21	1:J:18:ARG:HG3	1.17	1.02
1:P:30:GLU:HG3	1:R:18:ARG:CZ	1.92	0.98
1:H:67:GLU:HB2	1:J:24:PHE:HE2	1.28	0.96
1:R:53:ASP:HB3	1:R:56:GLU:HG3	1.49	0.94
1:H:67:GLU:HB2	1:J:24:PHE:CE2	2.06	0.90
1:L:30:GLU:HB3	1:N:48:ARG:NH1	1.90	0.85
1:J:18:ARG:HG3	1:J:18:ARG:NH2	1.91	0.83
1:L:33:SER:HB2	1:N:14:SER:HB2	1.62	0.80
1:F:54:PRO:HA	1:F:59:VAL:HG21	1.63	0.78
1:M:53:ASP:HB3	1:M:56:GLU:HG3	1.68	0.76
1:B:20:ILE:HD11	1:B:50:VAL:HG11	1.68	0.76
1:K:48:ARG:NH1	1:M:30:GLU:HB2	2.02	0.74
1:L:30:GLU:HB3	1:N:48:ARG:HH12	1.54	0.73
1:J:57:GLU:H	1:J:57:GLU:CD	1.97	0.71
1:B:20:ILE:CD1	1:B:50:VAL:HG11	2.21	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:18:ARG:O	1:R:18:ARG:HD2	1.90	0.70
1:E:13:PHE:HD2	1:F:9:THR:HG21	1.55	0.70
1:K:19:GLN:HG3	1:K:58:TRP:CD2	2.26	0.70
1:L:20:ILE:HD12	1:L:20:ILE:H	1.58	0.69
1:N:66:LEU:O	1:P:46:ARG:HD2	1.94	0.68
1:L:29:PHE:CZ	1:L:41:ILE:HD12	2.30	0.67
1:K:23:ASN:O	1:K:45:LYS:HD2	1.95	0.67
1:K:19:GLN:HG3	1:K:58:TRP:CG	2.31	0.66
1:N:29:PHE:HB2	1:P:48:ARG:HH11	1.61	0.66
1:A:45:LYS:HE3	1:O:60:GLN:HE22	1.61	0.65
1:A:54:PRO:HA	1:A:59:VAL:HG21	1.78	0.65
1:E:25:ILE:HD12	1:E:62:TYR:CD1	2.32	0.65
1:K:59:VAL:O	1:K:63:VAL:HG23	1.96	0.65
1:Q:57:GLU:O	1:Q:61:LYS:HD3	1.97	0.65
1:M:57:GLU:HG3	1:M:58:TRP:N	2.12	0.64
1:F:56:GLU:O	1:F:59:VAL:HG22	1.98	0.64
1:K:22:GLN:HE22	1:K:61:LYS:NZ	1.94	0.64
1:P:56:GLU:O	1:P:60:GLN:HG3	1.98	0.64
1:K:22:GLN:HA	1:K:25:ILE:HD13	1.80	0.62
1:M:22:GLN:HE22	1:M:61:LYS:NZ	1.98	0.61
1:N:43:LEU:HD11	1:N:47:SER:HA	1.80	0.61
1:L:23:ASN:O	1:L:45:LYS:HE2	2.00	0.61
1:J:22:GLN:HG2	1:J:62:TYR:CZ	2.36	0.61
1:E:24:PHE:CZ	1:G:64:SER:HA	2.37	0.60
2:F:2016:HOH:O	1:H:46:ARG:HG2	2.01	0.60
1:B:38:PRO:HB2	1:B:54:PRO:HG2	1.84	0.60
1:O:53:ASP:HB3	1:O:56:GLU:HG3	1.84	0.60
1:F:21:PRO:HG2	1:F:24:PHE:CE1	2.37	0.60
1:K:48:ARG:NH2	1:M:30:GLU:H	1.98	0.60
1:E:22:GLN:HB2	1:E:62:TYR:CZ	2.37	0.60
2:D:2033:HOH:O	1:F:48:ARG:HB2	2.02	0.59
1:D:32:SER:N	1:E:5:ALA:HB1	2.17	0.59
1:M:57:GLU:HG3	1:M:58:TRP:H	1.68	0.58
1:K:28:TYR:CE2	1:K:63:VAL:HG13	2.39	0.58
1:E:13:PHE:HD2	1:F:9:THR:CG2	2.17	0.58
1:Q:9:THR:HG23	2:R:2004:HOH:O	2.03	0.57
1:I:20:ILE:HD12	1:I:20:ILE:N	2.20	0.57
1:O:59:VAL:O	1:O:63:VAL:HG12	2.04	0.57
1:G:23:ASN:HD22	1:I:68:LEU:HD11	1.69	0.57
1:L:33:SER:HB3	1:N:15:TYR:O	2.05	0.56
1:Q:28:TYR:CZ	1:Q:63:VAL:HG23	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:58:TRP:CE2	1:L:59:VAL:HG12	2.41	0.56
1:O:13:PHE:HE2	1:P:9:THR:HG1	1.54	0.56
2:D:2006:HOH:O	1:E:5:ALA:HB2	2.05	0.55
1:P:53:ASP:HB3	1:P:56:GLU:HG3	1.88	0.55
1:N:19:GLN:HG3	1:N:58:TRP:CD2	2.42	0.55
1:F:54:PRO:HA	1:F:59:VAL:CG2	2.34	0.54
1:M:20:ILE:HD11	1:M:50:VAL:HG11	1.89	0.54
1:I:20:ILE:HD12	1:I:20:ILE:H	1.73	0.54
1:P:67:GLU:O	1:P:68:LEU:HG	2.07	0.54
1:C:56:GLU:HG2	1:C:58:TRP:CD1	2.43	0.54
1:L:38:PRO:HB2	1:L:54:PRO:HG2	1.89	0.54
1:H:67:GLU:HA	1:H:67:GLU:OE1	2.08	0.53
1:P:22:GLN:HG3	1:P:62:TYR:CE1	2.44	0.53
1:Q:49:GLN:O	1:R:7:THR:HG22	2.08	0.53
1:K:58:TRP:O	1:K:61:LYS:HB3	2.09	0.53
1:C:13:PHE:HA	1:C:37:LYS:HE2	1.91	0.53
1:A:43:LEU:HB2	1:O:68:LEU:HG	1.91	0.52
1:O:5:ALA:O	1:O:6:ASP:HB2	2.08	0.52
1:A:54:PRO:HA	1:A:59:VAL:CG2	2.38	0.52
1:I:18:ARG:HG3	2:I:2009:HOH:O	2.10	0.52
1:J:46:ARG:O	1:J:47:SER:HB2	2.09	0.52
1:G:38:PRO:HA	2:G:2015:HOH:O	2.10	0.52
1:B:5:ALA:HB3	1:B:7:THR:HG23	1.92	0.51
1:B:53:ASP:HB3	1:B:56:GLU:HG2	1.92	0.51
1:E:40:VAL:HG23	1:E:54:PRO:HG3	1.92	0.51
1:A:45:LYS:HE3	1:O:60:GLN:NE2	2.24	0.51
1:B:28:TYR:CZ	1:B:63:VAL:HG13	2.45	0.51
1:C:41:ILE:HD13	1:D:8:PRO:CG	2.41	0.51
1:K:22:GLN:HE22	1:K:61:LYS:HZ2	1.59	0.51
1:K:28:TYR:O	1:K:29:PHE:CG	2.64	0.50
1:P:30:GLU:HG3	1:R:18:ARG:NH1	2.25	0.50
1:K:24:PHE:O	1:K:45:LYS:HG3	2.11	0.50
1:O:18:ARG:HH21	1:Q:38:PRO:HB3	1.76	0.50
1:D:5:ALA:HB3	1:D:7:THR:HG23	1.92	0.50
1:K:48:ARG:HH12	1:M:30:GLU:HB2	1.76	0.50
1:I:68:LEU:O	1:I:69:SER:CB	2.59	0.50
1:N:32:SER:HB2	1:O:5:ALA:HA	1.94	0.49
1:A:38:PRO:HB2	1:A:54:PRO:CG	2.42	0.49
1:K:52:ALA:O	1:K:54:PRO:HD3	2.12	0.49
1:G:26:ALA:HB2	1:G:45:LYS:HD3	1.94	0.49
1:L:20:ILE:HD12	1:L:20:ILE:N	2.26	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:29:PHE:HB2	1:P:48:ARG:NH1	2.26	0.49
1:O:7:THR:CG2	1:O:8:PRO:HD2	2.42	0.49
1:R:22:GLN:HE22	1:R:61:LYS:HZ1	1.59	0.49
1:G:18:ARG:NH1	2:G:2007:HOH:O	2.23	0.49
1:O:21:PRO:HG2	1:O:24:PHE:CE1	2.48	0.49
1:N:43:LEU:HD11	1:N:47:SER:CA	2.43	0.48
2:K:2007:HOH:O	1:L:8:PRO:HD3	2.13	0.48
1:P:30:GLU:HG3	1:R:18:ARG:NH2	2.28	0.48
1:G:41:ILE:HD13	1:H:8:PRO:CG	2.44	0.48
1:L:20:ILE:O	1:L:62:TYR:OH	2.24	0.48
1:G:61:LYS:NZ	1:G:65:ASP:OD2	2.46	0.48
1:H:57:GLU:H	1:H:57:GLU:CD	2.21	0.48
1:A:29:PHE:HD2	1:O:68:LEU:HD13	1.78	0.47
1:B:21:PRO:HG2	1:B:24:PHE:CE1	2.49	0.47
1:Q:53:ASP:HB3	1:Q:56:GLU:HG3	1.95	0.47
1:R:22:GLN:HB2	1:R:62:TYR:CZ	2.48	0.47
1:Q:63:VAL:HG13	2:Q:2008:HOH:O	2.14	0.47
1:L:45:LYS:C	1:L:47:SER:H	2.22	0.47
1:A:20:ILE:CD1	1:A:50:VAL:HG21	2.45	0.47
1:E:9:THR:HG21	1:F:13:PHE:HD2	1.80	0.47
1:O:8:PRO:HG3	1:P:41:ILE:HG12	1.96	0.47
1:L:53:ASP:HB3	1:L:56:GLU:OE1	2.14	0.47
1:H:42:PHE:HE1	1:H:62:TYR:CD2	2.33	0.46
1:R:25:ILE:HD12	1:R:62:TYR:CD1	2.50	0.46
1:E:25:ILE:HD12	1:E:62:TYR:HD1	1.79	0.46
1:G:7:THR:CG2	1:G:8:PRO:HD2	2.46	0.46
1:A:46:ARG:HD2	1:C:66:LEU:O	2.16	0.46
1:E:9:THR:CG2	1:F:13:PHE:HD2	2.28	0.46
1:E:13:PHE:CD2	1:F:9:THR:CG2	2.99	0.46
1:P:30:GLU:CD	1:R:18:ARG:HG2	2.40	0.46
1:Q:46:ARG:HB3	1:Q:46:ARG:NH1	2.30	0.46
1:R:7:THR:HB	1:R:8:PRO:HD2	1.98	0.46
1:P:68:LEU:O	1:P:69:SER:C	2.58	0.46
1:M:22:GLN:HE22	1:M:61:LYS:HZ3	1.64	0.46
1:G:40:VAL:HG23	1:G:54:PRO:HB3	1.97	0.45
1:K:20:ILE:O	1:K:21:PRO:C	2.57	0.45
1:J:53:ASP:O	1:J:59:VAL:HG21	2.17	0.45
1:R:20:ILE:O	1:R:21:PRO:C	2.59	0.45
1:K:25:ILE:N	1:K:25:ILE:HD12	2.30	0.45
1:C:23:ASN:OD1	1:C:23:ASN:N	2.41	0.45
1:R:9:THR:HG22	2:R:2001:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:22:GLN:HG3	1:H:62:TYR:HD1	1.81	0.45
1:K:23:ASN:ND2	1:M:68:LEU:HD11	2.32	0.45
1:M:7:THR:N	2:M:2001:HOH:O	2.50	0.45
1:Q:21:PRO:HG2	1:Q:24:PHE:HE1	1.82	0.45
1:A:29:PHE:CZ	1:A:41:ILE:HD12	2.51	0.44
1:M:22:GLN:HE22	1:M:61:LYS:HZ2	1.65	0.44
1:A:18:ARG:NH1	1:A:19:GLN:H	2.15	0.44
1:R:22:GLN:HE22	1:R:61:LYS:NZ	2.14	0.44
1:J:18:ARG:HH21	1:J:18:ARG:CG	2.03	0.44
1:O:7:THR:HG23	1:O:8:PRO:HD2	2.00	0.44
1:K:28:TYR:O	1:K:29:PHE:CD2	2.70	0.44
1:M:21:PRO:HG2	1:M:24:PHE:CE1	2.53	0.44
1:A:46:ARG:HD2	1:C:66:LEU:C	2.42	0.44
1:C:46:ARG:O	1:C:47:SER:HB2	2.17	0.44
1:P:53:ASP:HB3	1:P:56:GLU:CG	2.48	0.44
1:Q:9:THR:HG1	1:R:13:PHE:HE2	1.63	0.44
1:L:61:LYS:HE2	1:L:61:LYS:HB3	1.76	0.44
1:E:25:ILE:CD1	1:E:62:TYR:HD1	2.31	0.44
2:G:2005:HOH:O	1:H:9:THR:HG23	2.18	0.44
1:L:24:PHE:HA	1:L:45:LYS:HE2	1.99	0.44
1:F:53:ASP:O	1:F:59:VAL:HG21	2.17	0.43
1:F:28:TYR:CZ	1:F:63:VAL:HG13	2.54	0.43
1:J:22:GLN:CG	1:J:62:TYR:CZ	3.00	0.43
1:K:8:PRO:HG3	1:L:41:ILE:HD13	1.99	0.43
1:H:61:LYS:HZ3	1:H:61:LYS:HB2	1.84	0.43
1:K:19:GLN:O	1:K:21:PRO:HD3	2.19	0.43
1:O:48:ARG:NH2	1:Q:30:GLU:HG3	2.33	0.43
1:E:24:PHE:CE2	1:G:64:SER:HA	2.53	0.43
1:K:22:GLN:HE22	1:K:61:LYS:HZ1	1.61	0.43
1:P:9:THR:HB	2:P:2004:HOH:O	2.18	0.43
1:R:43:LEU:HD11	1:R:47:SER:HA	2.01	0.43
1:I:18:ARG:HG3	1:I:18:ARG:HH11	1.84	0.43
1:O:53:ASP:HA	1:O:54:PRO:HD3	1.89	0.43
1:N:24:PHE:N	1:N:24:PHE:CD2	2.87	0.42
1:C:13:PHE:HD2	1:D:9:THR:CG2	2.33	0.42
1:C:41:ILE:HD13	1:D:8:PRO:HG3	2.01	0.42
1:F:28:TYR:CD1	1:F:28:TYR:C	2.97	0.42
1:J:18:ARG:NH2	1:J:18:ARG:CG	2.67	0.42
1:J:57:GLU:CD	1:J:57:GLU:N	2.74	0.42
1:P:57:GLU:HA	1:P:60:GLN:HE21	1.83	0.42
1:Q:21:PRO:HB2	1:Q:24:PHE:CD1	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:41:ILE:HD13	1:R:8:PRO:HG3	2.01	0.42
1:C:46:ARG:NH1	1:E:66:LEU:O	2.53	0.42
1:R:43:LEU:HD21	2:R:2011:HOH:O	2.19	0.42
1:Q:45:LYS:C	1:Q:47:SER:H	2.25	0.42
1:I:8:PRO:HG3	1:J:41:ILE:HG12	2.02	0.42
1:H:57:GLU:CD	1:H:57:GLU:N	2.78	0.42
1:A:50:VAL:O	1:A:50:VAL:HG23	2.20	0.41
1:G:7:THR:HG22	1:G:8:PRO:HD2	2.02	0.41
1:G:25:ILE:HD12	1:G:62:TYR:CD1	2.55	0.41
1:H:59:VAL:O	1:H:63:VAL:HG23	2.20	0.41
1:P:40:VAL:HG23	1:P:54:PRO:HG3	2.02	0.41
1:Q:46:ARG:HB3	1:Q:46:ARG:HH11	1.84	0.41
1:H:20:ILE:O	1:H:21:PRO:C	2.62	0.41
1:A:38:PRO:HB2	1:A:54:PRO:HG3	2.02	0.41
1:E:29:PHE:CE2	1:E:41:ILE:HD12	2.55	0.41
1:G:24:PHE:CD1	1:I:67:GLU:HG3	2.56	0.41
1:N:29:PHE:CZ	1:N:41:ILE:HD12	2.55	0.41
1:N:30:GLU:OE2	1:P:18:ARG:HD2	2.21	0.41
1:N:20:ILE:HD11	1:N:50:VAL:HG11	2.03	0.41
1:N:43:LEU:HD12	1:N:48:ARG:O	2.21	0.41
1:Q:21:PRO:HG2	1:Q:24:PHE:CE1	2.56	0.41
1:E:61:LYS:HE3	1:E:61:LYS:HB3	1.69	0.41
1:I:20:ILE:HG22	1:I:21:PRO:O	2.20	0.41
1:K:58:TRP:CE2	1:K:59:VAL:HG23	2.56	0.41
1:A:18:ARG:HA	1:A:18:ARG:HH11	1.85	0.41
1:E:43:LEU:HD11	1:E:47:SER:HA	2.03	0.41
1:N:18:ARG:HD2	1:N:18:ARG:HA	1.47	0.40
1:R:53:ASP:HA	1:R:54:PRO:HD3	1.90	0.40
1:N:43:LEU:HD11	1:N:47:SER:C	2.46	0.40
1:K:48:ARG:CZ	1:M:30:GLU:HB2	2.52	0.40
1:P:46:ARG:O	1:P:47:SER:HB2	2.21	0.40
1:R:62:TYR:O	1:R:66:LEU:HD22	2.20	0.40
1:D:19:GLN:HG3	1:D:58:TRP:CE3	2.56	0.40
1:M:32:SER:OG	1:M:34:GLN:HB2	2.21	0.40
1:P:25:ILE:HD13	1:P:42:PHE:CD1	2.56	0.40
1:E:22:GLN:HB2	1:E:62:TYR:CE2	2.57	0.40
1:O:18:ARG:NH2	1:Q:38:PRO:HB3	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	64/70 (91%)	64 (100%)	0	0	100	100
1	B	63/70 (90%)	62 (98%)	1 (2%)	0	100	100
1	C	63/70 (90%)	62 (98%)	1 (2%)	0	100	100
1	D	63/70 (90%)	61 (97%)	2 (3%)	0	100	100
1	E	64/70 (91%)	60 (94%)	4 (6%)	0	100	100
1	F	64/70 (91%)	64 (100%)	0	0	100	100
1	G	59/70 (84%)	59 (100%)	0	0	100	100
1	H	63/70 (90%)	63 (100%)	0	0	100	100
1	I	65/70 (93%)	64 (98%)	1 (2%)	0	100	100
1	J	63/70 (90%)	63 (100%)	0	0	100	100
1	K	59/70 (84%)	51 (86%)	7 (12%)	1 (2%)	7	4
1	L	60/70 (86%)	59 (98%)	1 (2%)	0	100	100
1	M	60/70 (86%)	60 (100%)	0	0	100	100
1	N	63/70 (90%)	62 (98%)	1 (2%)	0	100	100
1	O	63/70 (90%)	62 (98%)	1 (2%)	0	100	100
1	P	62/70 (89%)	59 (95%)	3 (5%)	0	100	100
1	Q	59/70 (84%)	56 (95%)	2 (3%)	1 (2%)	7	4
1	R	61/70 (87%)	56 (92%)	4 (7%)	1 (2%)	7	5
All	All	1118/1260 (89%)	1087 (97%)	28 (2%)	3 (0%)	36	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Q	35	CYS
1	R	32	SER
1	K	21	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	59/61 (97%)	54 (92%)	5 (8%)	10	9
1	B	58/61 (95%)	54 (93%)	4 (7%)	14	14
1	C	59/61 (97%)	56 (95%)	3 (5%)	21	24
1	D	59/61 (97%)	57 (97%)	2 (3%)	32	41
1	E	58/61 (95%)	54 (93%)	4 (7%)	14	14
1	F	59/61 (97%)	55 (93%)	4 (7%)	14	15
1	G	58/61 (95%)	54 (93%)	4 (7%)	14	14
1	H	58/61 (95%)	53 (91%)	5 (9%)	10	9
1	I	59/61 (97%)	57 (97%)	2 (3%)	32	41
1	J	59/61 (97%)	54 (92%)	5 (8%)	10	9
1	K	56/61 (92%)	54 (96%)	2 (4%)	31	39
1	L	57/61 (93%)	52 (91%)	5 (9%)	9	9
1	M	57/61 (93%)	55 (96%)	2 (4%)	32	40
1	N	59/61 (97%)	58 (98%)	1 (2%)	53	66
1	O	58/61 (95%)	50 (86%)	8 (14%)	3	2
1	P	59/61 (97%)	56 (95%)	3 (5%)	21	24
1	Q	56/61 (92%)	54 (96%)	2 (4%)	31	39
1	R	58/61 (95%)	56 (97%)	2 (3%)	32	41
All	All	1046/1098 (95%)	983 (94%)	63 (6%)	17	19

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	THR
1	A	16	THR
1	A	40	VAL
1	A	46	ARG
1	A	59	VAL
1	B	9	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	18	ARG
1	B	57	GLU
1	B	66	LEU
1	C	9	THR
1	C	16	THR
1	C	56	GLU
1	D	9	THR
1	D	46	ARG
1	E	7	THR
1	E	9	THR
1	E	29	PHE
1	E	66	LEU
1	F	7	THR
1	F	9	THR
1	F	25	ILE
1	F	61	LYS
1	G	23	ASN
1	G	46	ARG
1	G	48	ARG
1	G	66	LEU
1	H	9	THR
1	H	46	ARG
1	H	61	LYS
1	H	67	GLU
1	H	68	LEU
1	I	9	THR
1	I	46	ARG
1	J	9	THR
1	J	18	ARG
1	J	57	GLU
1	J	61	LYS
1	J	66	LEU
1	K	9	THR
1	K	36	SER
1	L	9	THR
1	L	33	SER
1	L	34	GLN
1	L	56	GLU
1	L	59	VAL
1	M	7	THR
1	M	66	LEU
1	N	61	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	9	THR
1	O	18	ARG
1	O	36	SER
1	O	45	LYS
1	O	46	ARG
1	O	57	GLU
1	O	63	VAL
1	O	68	LEU
1	P	9	THR
1	P	44	THR
1	P	46	ARG
1	Q	23	ASN
1	Q	48	ARG
1	R	9	THR
1	R	66	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	49	GLN
1	B	60	GLN
1	C	19	GLN
1	C	60	GLN
1	D	22	GLN
1	D	60	GLN
1	E	22	GLN
1	E	60	GLN
1	F	19	GLN
1	G	22	GLN
1	G	23	ASN
1	G	49	GLN
1	H	19	GLN
1	H	22	GLN
1	H	60	GLN
1	J	49	GLN
1	J	60	GLN
1	K	22	GLN
1	L	19	GLN
1	L	34	GLN
1	L	49	GLN
1	M	22	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	M	34	GLN
1	M	49	GLN
1	M	60	GLN
1	N	60	GLN
1	O	19	GLN
1	O	22	GLN
1	O	49	GLN
1	O	60	GLN
1	P	19	GLN
1	P	49	GLN
1	P	60	GLN
1	Q	23	ASN
1	Q	60	GLN
1	R	22	GLN
1	R	23	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	66/70 (94%)	-0.06	1 (1%) 72 71	23, 30, 37, 45	0
1	B	65/70 (92%)	0.17	1 (1%) 72 71	26, 34, 44, 49	0
1	C	65/70 (92%)	0.06	1 (1%) 72 71	25, 34, 42, 48	0
1	D	65/70 (92%)	-0.02	1 (1%) 72 71	24, 34, 43, 50	0
1	E	66/70 (94%)	0.26	4 (6%) 27 26	28, 34, 45, 49	0
1	F	66/70 (94%)	-0.09	0 100 100	25, 33, 40, 43	0
1	G	63/70 (90%)	0.09	0 100 100	27, 35, 42, 45	0
1	H	65/70 (92%)	0.09	1 (1%) 72 71	27, 33, 47, 53	0
1	I	67/70 (95%)	-0.08	1 (1%) 72 71	24, 31, 46, 60	0
1	J	65/70 (92%)	0.32	1 (1%) 72 71	27, 38, 48, 53	0
1	K	61/70 (87%)	1.03	7 (11%) 9 8	44, 56, 64, 72	0
1	L	62/70 (88%)	0.60	2 (3%) 50 49	36, 47, 57, 61	0
1	M	62/70 (88%)	0.27	2 (3%) 50 49	32, 42, 54, 57	0
1	N	65/70 (92%)	0.18	0 100 100	30, 38, 48, 53	0
1	O	65/70 (92%)	0.02	0 100 100	29, 34, 45, 55	0
1	P	64/70 (91%)	0.19	1 (1%) 70 70	28, 39, 49, 58	0
1	Q	63/70 (90%)	0.69	3 (4%) 35 35	36, 53, 65, 72	0
1	R	63/70 (90%)	0.60	1 (1%) 70 70	38, 46, 60, 69	0
All	All	1158/1260 (91%)	0.23	27 (2%) 61 60	23, 37, 57, 72	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	4	ALA	4.5
1	E	6	ASP	4.3
1	Q	29	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	3	LEU	3.1
1	E	5	ALA	3.1
1	M	7	THR	2.9
1	J	5	ALA	2.9
1	Q	52	ALA	2.9
1	K	13	PHE	2.8
1	K	43	LEU	2.8
1	K	66	LEU	2.8
1	Q	24	PHE	2.7
1	D	5	ALA	2.6
1	C	5	ALA	2.5
1	R	68	LEU	2.5
1	K	14	SER	2.4
1	B	5	ALA	2.4
1	E	29	PHE	2.3
1	K	29	PHE	2.3
1	M	29	PHE	2.2
1	L	44	THR	2.2
1	K	6	ASP	2.1
1	L	8	PRO	2.1
1	K	20	ILE	2.1
1	A	5	ALA	2.1
1	P	68	LEU	2.0
1	H	68	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.