



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:29 PM UTC

PDB ID : 7X6G / pdb_00007x6g
Title : Outer membrane lipoprotein QseG of Escherichia coli O157:H7
Authors : Matsumoto, K.; Fukuda, Y.; Inoue, T.
Deposited on : 2022-03-07
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	175	2% 72% 9% 19%
1	B	175	3% 83% 14%
1	C	175	3% 71% 11% 18%
1	D	175	5% 83% 13%
1	E	175	9% 78% 8% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	175	19% 77% 5% 17%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7442 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Quorum-sensing regulator protein G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	142	Total	C	N	O	S	0	0	0
			1171	725	218	224	4			
1	B	151	Total	C	N	O	S	0	0	0
			1245	770	231	240	4			
1	C	144	Total	C	N	O	S	0	1	0
			1194	740	221	228	5			
1	D	152	Total	C	N	O	S	0	0	0
			1252	774	232	242	4			
1	E	151	Total	C	N	O	S	0	0	0
			1245	770	231	240	4			
1	F	146	Total	C	N	O	S	0	0	0
			1202	745	222	231	4			

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	35	MET	-	initiating methionine	UNP P0AD45
A	36	GLY	-	expression tag	UNP P0AD45
A	37	SER	-	expression tag	UNP P0AD45
A	38	SER	-	expression tag	UNP P0AD45
A	39	HIS	-	expression tag	UNP P0AD45
A	40	HIS	-	expression tag	UNP P0AD45
A	41	HIS	-	expression tag	UNP P0AD45
A	42	HIS	-	expression tag	UNP P0AD45
A	43	HIS	-	expression tag	UNP P0AD45
A	44	HIS	-	expression tag	UNP P0AD45
A	45	GLY	-	expression tag	UNP P0AD45
A	46	GLY	-	expression tag	UNP P0AD45
A	47	GLY	-	expression tag	UNP P0AD45
A	48	SER	-	expression tag	UNP P0AD45
A	49	GLU	-	expression tag	UNP P0AD45
A	50	ASN	-	expression tag	UNP P0AD45
A	51	LEU	-	expression tag	UNP P0AD45

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	52	TYR	-	expression tag	UNP P0AD45
A	53	PHE	-	expression tag	UNP P0AD45
A	54	GLN	-	expression tag	UNP P0AD45
A	55	GLY	-	expression tag	UNP P0AD45
B	35	MET	-	initiating methionine	UNP P0AD45
B	36	GLY	-	expression tag	UNP P0AD45
B	37	SER	-	expression tag	UNP P0AD45
B	38	SER	-	expression tag	UNP P0AD45
B	39	HIS	-	expression tag	UNP P0AD45
B	40	HIS	-	expression tag	UNP P0AD45
B	41	HIS	-	expression tag	UNP P0AD45
B	42	HIS	-	expression tag	UNP P0AD45
B	43	HIS	-	expression tag	UNP P0AD45
B	44	HIS	-	expression tag	UNP P0AD45
B	45	GLY	-	expression tag	UNP P0AD45
B	46	GLY	-	expression tag	UNP P0AD45
B	47	GLY	-	expression tag	UNP P0AD45
B	48	SER	-	expression tag	UNP P0AD45
B	49	GLU	-	expression tag	UNP P0AD45
B	50	ASN	-	expression tag	UNP P0AD45
B	51	LEU	-	expression tag	UNP P0AD45
B	52	TYR	-	expression tag	UNP P0AD45
B	53	PHE	-	expression tag	UNP P0AD45
B	54	GLN	-	expression tag	UNP P0AD45
B	55	GLY	-	expression tag	UNP P0AD45
C	35	MET	-	initiating methionine	UNP P0AD45
C	36	GLY	-	expression tag	UNP P0AD45
C	37	SER	-	expression tag	UNP P0AD45
C	38	SER	-	expression tag	UNP P0AD45
C	39	HIS	-	expression tag	UNP P0AD45
C	40	HIS	-	expression tag	UNP P0AD45
C	41	HIS	-	expression tag	UNP P0AD45
C	42	HIS	-	expression tag	UNP P0AD45
C	43	HIS	-	expression tag	UNP P0AD45
C	44	HIS	-	expression tag	UNP P0AD45
C	45	GLY	-	expression tag	UNP P0AD45
C	46	GLY	-	expression tag	UNP P0AD45
C	47	GLY	-	expression tag	UNP P0AD45
C	48	SER	-	expression tag	UNP P0AD45
C	49	GLU	-	expression tag	UNP P0AD45
C	50	ASN	-	expression tag	UNP P0AD45
C	51	LEU	-	expression tag	UNP P0AD45

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	52	TYR	-	expression tag	UNP P0AD45
C	53	PHE	-	expression tag	UNP P0AD45
C	54	GLN	-	expression tag	UNP P0AD45
C	55	GLY	-	expression tag	UNP P0AD45
D	35	MET	-	initiating methionine	UNP P0AD45
D	36	GLY	-	expression tag	UNP P0AD45
D	37	SER	-	expression tag	UNP P0AD45
D	38	SER	-	expression tag	UNP P0AD45
D	39	HIS	-	expression tag	UNP P0AD45
D	40	HIS	-	expression tag	UNP P0AD45
D	41	HIS	-	expression tag	UNP P0AD45
D	42	HIS	-	expression tag	UNP P0AD45
D	43	HIS	-	expression tag	UNP P0AD45
D	44	HIS	-	expression tag	UNP P0AD45
D	45	GLY	-	expression tag	UNP P0AD45
D	46	GLY	-	expression tag	UNP P0AD45
D	47	GLY	-	expression tag	UNP P0AD45
D	48	SER	-	expression tag	UNP P0AD45
D	49	GLU	-	expression tag	UNP P0AD45
D	50	ASN	-	expression tag	UNP P0AD45
D	51	LEU	-	expression tag	UNP P0AD45
D	52	TYR	-	expression tag	UNP P0AD45
D	53	PHE	-	expression tag	UNP P0AD45
D	54	GLN	-	expression tag	UNP P0AD45
D	55	GLY	-	expression tag	UNP P0AD45
E	35	MET	-	initiating methionine	UNP P0AD45
E	36	GLY	-	expression tag	UNP P0AD45
E	37	SER	-	expression tag	UNP P0AD45
E	38	SER	-	expression tag	UNP P0AD45
E	39	HIS	-	expression tag	UNP P0AD45
E	40	HIS	-	expression tag	UNP P0AD45
E	41	HIS	-	expression tag	UNP P0AD45
E	42	HIS	-	expression tag	UNP P0AD45
E	43	HIS	-	expression tag	UNP P0AD45
E	44	HIS	-	expression tag	UNP P0AD45
E	45	GLY	-	expression tag	UNP P0AD45
E	46	GLY	-	expression tag	UNP P0AD45
E	47	GLY	-	expression tag	UNP P0AD45
E	48	SER	-	expression tag	UNP P0AD45
E	49	GLU	-	expression tag	UNP P0AD45
E	50	ASN	-	expression tag	UNP P0AD45
E	51	LEU	-	expression tag	UNP P0AD45

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	52	TYR	-	expression tag	UNP P0AD45
E	53	PHE	-	expression tag	UNP P0AD45
E	54	GLN	-	expression tag	UNP P0AD45
E	55	GLY	-	expression tag	UNP P0AD45
F	35	MET	-	initiating methionine	UNP P0AD45
F	36	GLY	-	expression tag	UNP P0AD45
F	37	SER	-	expression tag	UNP P0AD45
F	38	SER	-	expression tag	UNP P0AD45
F	39	HIS	-	expression tag	UNP P0AD45
F	40	HIS	-	expression tag	UNP P0AD45
F	41	HIS	-	expression tag	UNP P0AD45
F	42	HIS	-	expression tag	UNP P0AD45
F	43	HIS	-	expression tag	UNP P0AD45
F	44	HIS	-	expression tag	UNP P0AD45
F	45	GLY	-	expression tag	UNP P0AD45
F	46	GLY	-	expression tag	UNP P0AD45
F	47	GLY	-	expression tag	UNP P0AD45
F	48	SER	-	expression tag	UNP P0AD45
F	49	GLU	-	expression tag	UNP P0AD45
F	50	ASN	-	expression tag	UNP P0AD45
F	51	LEU	-	expression tag	UNP P0AD45
F	52	TYR	-	expression tag	UNP P0AD45
F	53	PHE	-	expression tag	UNP P0AD45
F	54	GLN	-	expression tag	UNP P0AD45
F	55	GLY	-	expression tag	UNP P0AD45


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	31	Total O 31 31	0	0
2	B	28	Total O 28 28	0	0
2	C	36	Total O 36 36	0	1
2	D	29	Total O 29 29	0	0
2	E	4	Total O 4 4	0	0
2	F	5	Total O 5 5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Quorum-sensing regulator protein G




- Molecule 1: Quorum-sensing regulator protein G




- Molecule 1: Quorum-sensing regulator protein G




- Molecule 1: Quorum-sensing regulator protein G



- Molecule 1: Quorum-sensing regulator protein G





Chain F: 19% 77% 5% 17%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	43.38Å 149.93Å 88.14Å 90.00° 95.63° 90.00°	Depositor
Resolution (Å)	37.85 – 2.35 37.85 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.2 (37.85-2.35) 98.2 (37.85-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.8.0267, PHENIX 1.19.2	Depositor
R, R_{free}	0.245 , 0.296 0.245 , 0.296	Depositor DCC
R_{free} test set	2367 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtriage
Anisotropy	0.096	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 26.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7442	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1191	0.98	0/1611
1	B	0.40	0/1265	0.97	0/1711
1	C	0.41	0/1214	0.97	0/1643
1	D	0.40	0/1272	0.97	0/1721
1	E	0.40	0/1265	0.99	0/1711
1	F	0.40	0/1222	1.01	0/1654
All	All	0.40	0/7429	0.98	0/10051

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1171	0	1153	11	0
1	B	1245	0	1229	4	0
1	C	1194	0	1180	9	0
1	D	1252	0	1236	4	0
1	E	1245	0	1229	7	0
1	F	1202	0	1186	9	0
2	A	31	0	0	0	0
2	B	28	0	0	0	0
2	C	36	0	0	0	0
2	D	29	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	4	0	0	0	0
2	F	5	0	0	0	0
All	All	7442	0	7213	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:MET:HE1	1:B:145:LEU:HD11	1.24	1.12
1:A:78:MET:CE	1:B:145:LEU:HD11	1.92	1.00
1:F:111:LEU:HB3	1:F:124:LEU:HD21	1.60	0.83
1:F:111:LEU:HD23	1:F:124:LEU:HD11	1.69	0.75
1:C:108:GLY:HA2	1:C:124:LEU:HD11	1.69	0.74
1:A:175:ASP:O	1:A:179:GLN:HG2	1.95	0.67
1:E:56:CYS:HA	1:E:59:ILE:HD12	1.76	0.67
1:A:78:MET:HE3	1:A:146:TRP:CD1	2.31	0.65
1:E:138:GLN:HE21	1:E:138:GLN:H	1.45	0.65
1:A:78:MET:HE3	1:A:146:TRP:HD1	1.65	0.60
1:C:140:ARG:HB3	1:C:141:PRO:HD3	1.88	0.56
1:C:161:GLN:HG3	1:C:165:LYS:HE2	1.86	0.56
1:C:142:LEU:HB2	1:D:75:LEU:HD21	1.89	0.55
1:F:56:CYS:HA	1:F:59:ILE:HD13	1.89	0.54
1:F:167:GLN:O	1:F:171:ASP:HB2	2.09	0.53
1:C:129:GLU:HG2	1:C:147:ARG:HD2	1.94	0.49
1:F:140:ARG:HB3	1:F:141:PRO:HD3	1.94	0.49
1:D:79:ASP:O	1:D:83:ARG:HG3	2.13	0.48
1:A:108:GLY:HA2	1:A:124:LEU:HD11	1.96	0.47
1:E:140:ARG:HB3	1:E:141:PRO:HD3	1.96	0.47
1:C:60:TRP:HB3	1:C:96:TYR:OH	2.15	0.47
1:A:78:MET:HE2	1:B:145:LEU:HD11	1.92	0.47
1:E:60:TRP:HB3	1:E:96:TYR:OH	2.16	0.46
1:C:121:ARG:O	1:C:125:VAL:HG23	2.16	0.46
1:A:68:GLU:CD	1:A:102:GLN:HE21	2.24	0.45
1:E:90:ARG:O	1:E:94:ARG:HG3	2.17	0.44
1:C:96:TYR:HD1	1:C:103:ASN:ND2	2.15	0.44
1:F:174:LEU:HB3	1:F:178:ARG:NH2	2.32	0.44
1:D:198:LEU:O	1:D:202:GLU:HG2	2.19	0.43
1:E:166:LEU:HD23	1:F:166:LEU:HD23	2.01	0.43
1:A:78:MET:HE1	1:B:145:LEU:CD1	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:174:LEU:HD22	1:F:178:ARG:HH21	1.84	0.42
1:C:90:ARG:HB2	1:C:114:ALA:HB1	2.00	0.42
1:E:68:GLU:HG2	1:E:102:GLN:HG2	2.02	0.42
1:A:60:TRP:HB3	1:A:96:TYR:OH	2.20	0.41
1:F:174:LEU:HB3	1:F:178:ARG:HH21	1.85	0.41
1:A:80:CYS:HA	1:A:83:ARG:HD2	2.02	0.40
1:D:108:GLY:HA2	1:D:124:LEU:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/175 (80%)	139 (99%)	1 (1%)	0	100	100
1	B	149/175 (85%)	147 (99%)	2 (1%)	0	100	100
1	C	143/175 (82%)	141 (99%)	2 (1%)	0	100	100
1	D	150/175 (86%)	149 (99%)	1 (1%)	0	100	100
1	E	149/175 (85%)	148 (99%)	1 (1%)	0	100	100
1	F	144/175 (82%)	141 (98%)	3 (2%)	0	100	100
All	All	875/1050 (83%)	865 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/154 (82%)	122 (97%)	4 (3%)	34	46
1	B	135/154 (88%)	131 (97%)	4 (3%)	36	48
1	C	129/154 (84%)	126 (98%)	3 (2%)	44	58
1	D	136/154 (88%)	136 (100%)	0	100	100
1	E	135/154 (88%)	131 (97%)	4 (3%)	36	48
1	F	130/154 (84%)	128 (98%)	2 (2%)	57	72
All	All	791/924 (86%)	774 (98%)	17 (2%)	45	61

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	THR
1	A	89	SER
1	A	133	THR
1	A	184	LEU
1	B	133	THR
1	B	177	LEU
1	B	202	GLU
1	B	205	LEU
1	C	89	SER
1	C	92	GLN
1	C	189	GLU
1	E	138	GLN
1	E	177	LEU
1	E	202	GLU
1	E	205	LEU
1	F	59	ILE
1	F	171	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	181	HIS
1	B	103	ASN
1	B	181	HIS
1	C	95	GLN
1	C	153	GLN
1	C	185	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	91	GLN
1	D	123	GLN
1	E	92	GLN
1	E	107	GLN
1	E	138	GLN
1	E	153	GLN
1	E	155	GLN
1	E	187	GLN
1	F	63	GLN
1	F	138	GLN
1	F	180	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	142/175 (81%)	0.65	4 (2%)	55 61	32, 50, 86, 94	0
1	B	151/175 (86%)	0.57	5 (3%)	49 56	35, 55, 75, 83	0
1	C	144/175 (82%)	0.66	6 (4%)	40 46	23, 51, 83, 100	1 (0%)
1	D	152/175 (86%)	0.75	9 (5%)	28 32	33, 57, 77, 96	0
1	E	151/175 (86%)	1.05	16 (10%)	11 13	46, 72, 95, 106	0
1	F	146/175 (83%)	1.42	33 (22%)	2 1	49, 84, 124, 135	0
All	All	886/1050 (84%)	0.85	73 (8%)	17 20	23, 61, 102, 135	1 (0%)

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	114	ALA	5.4
1	F	87	ALA	3.9
1	F	201	ILE	3.7
1	C	56	CYS	3.7
1	A	56	CYS	3.6
1	F	128	ILE	3.4
1	F	101	TRP	3.4
1	F	131	LEU	3.3
1	E	97	ASP	3.2
1	A	184	LEU	3.2
1	E	130	ALA	3.1
1	E	205	LEU	3.1
1	F	60	TRP	3.1
1	F	124	LEU	3.0
1	F	135	ILE	3.0
1	F	111	LEU	2.9
1	D	91	GLN	2.9
1	E	196	GLU	2.9
1	F	125	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	132	SER	2.9
1	E	119	TYR	2.9
1	F	139	VAL	2.9
1	F	158	GLU	2.9
1	A	119	TYR	2.8
1	F	62	LEU	2.8
1	F	110	LEU	2.8
1	F	96	TYR	2.8
1	E	114	ALA	2.8
1	C	131	LEU	2.7
1	F	187	GLN	2.7
1	E	166	LEU	2.7
1	F	56	CYS	2.7
1	D	207	THR	2.6
1	C	119	TYR	2.6
1	B	56	CYS	2.6
1	E	56	CYS	2.6
1	D	97	ASP	2.5
1	E	98	ASP	2.5
1	E	177	LEU	2.4
1	F	186	GLN	2.4
1	B	84	LEU	2.4
1	F	163	TYR	2.4
1	F	108	GLY	2.3
1	F	59	ILE	2.3
1	D	56	CYS	2.3
1	F	63	GLN	2.3
1	F	134	GLU	2.3
1	D	98	ASP	2.3
1	F	119	TYR	2.3
1	B	206	SER	2.3
1	C	184	LEU	2.2
1	E	118	PRO	2.2
1	F	136	PRO	2.2
1	C	199	THR	2.2
1	D	124	LEU	2.2
1	F	67	THR	2.2
1	E	60	TRP	2.2
1	F	118	PRO	2.2
1	B	177	LEU	2.1
1	F	109	ILE	2.1
1	D	84	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	80	CYS	2.1
1	B	205	LEU	2.1
1	F	130	ALA	2.1
1	D	184	LEU	2.1
1	F	105	PHE	2.1
1	D	206	SER	2.0
1	F	199	THR	2.0
1	E	59	ILE	2.0
1	A	174	LEU	2.0
1	E	62	LEU	2.0
1	E	154	LEU	2.0
1	E	127	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.