



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 01:16 AM UTC

PDB ID : 2X7E / pdb_00002x7e
Title : Crystal structure of human kinesin Eg5 in complex with (R)-fluorastrol
Authors : Kaan, H.Y.K.; Ulaganathan, V.; Rath, O.; Laggner, C.; Prokopcova, H.;
Dallinger, D.; Kappe, C.O.; Kozielski, F.
Deposited on : 2010-02-26
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	4% 69% 19% • 10%
1	B	368	4% 70% 17% • • 9%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5754 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KINESIN-LIKE PROTEIN KIF11.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	333	Total	C	N	O	S	0	7	0
			2656	1666	461	518	11			
1	B	335	Total	C	N	O	S	0	4	0
			2654	1663	458	523	10			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0

- Molecule 4 is (4R)-5-[(S)-(3,4-DIFLUOROPHENYL)(HYDROXY)METHYL]-4-(3-HYDROXYPHENYL)-1,6-DIMETHYL-3,4-DIHYDROPYRIMIDINE-2(1H)-THIONE (CCD ID: X7E) (formula: C₁₉H₁₈F₂N₂O₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	S	0	0
			26	19	2	2	2	1		
4	B	1	Total	C	F	N	O	S	0	0
			26	19	2	2	2	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	171	Total O 171 171	0	0
5	B	165	Total O 165 165	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: KINESIN-LIKE PROTEIN KIF11



• Molecule 1: KINESIN-LIKE PROTEIN KIF11



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.60Å 79.85Å 160.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 30.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	95.4 (30.00-2.40) 95.4 (30.00-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.90 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.196 , 0.273 0.196 , 0.270	Depositor DCC
R_{free} test set	1709 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.179	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5754	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.19 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0280e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: X7E, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/2717	1.06	4/3672 (0.1%)
1	B	0.80	0/2705	1.20	13/3658 (0.4%)
All	All	0.78	0/5422	1.13	17/7330 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	179	SER	N-CA-C	-16.32	88.70	113.02
1	B	178	VAL	N-CA-C	12.67	135.70	109.34
1	A	306	THR	CA-C-N	7.61	127.26	119.19
1	A	306	THR	C-N-CA	7.61	127.26	119.19
1	B	58	ALA	N-CA-C	7.37	124.92	113.72
1	B	59[A]	ASP	N-CA-C	-6.09	107.08	114.75
1	B	59[B]	ASP	N-CA-C	-6.09	107.08	114.75
1	B	221	ARG	N-CA-C	6.05	117.87	111.28
1	A	81	VAL	N-CA-C	-5.77	105.11	110.53
1	B	241	VAL	CB-CA-C	-5.60	102.49	110.83
1	B	18	ASN	N-CA-C	5.48	118.42	110.42
1	B	362	LYS	CA-C-N	5.34	125.27	119.76
1	B	362	LYS	C-N-CA	5.34	125.27	119.76
1	B	226	THR	CA-C-N	5.15	128.14	120.31
1	B	226	THR	C-N-CA	5.15	128.14	120.31
1	A	343	LEU	N-CA-C	5.09	117.23	111.02
1	B	178	VAL	CB-CA-C	-5.07	102.97	111.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2656	0	2691	66	0
1	B	2654	0	2676	65	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	26	0	17	3	0
4	B	26	0	18	4	0
5	A	171	0	0	9	0
5	B	165	0	0	18	0
All	All	5754	0	5426	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:PHE:HB3	1:A:245[B]:MET:CE	1.53	1.37
1:A:154:PHE:CB	1:A:245[B]:MET:HE3	1.62	1.30
1:B:54:THR:HG21	1:B:64:LYS:HG3	1.26	1.06
1:B:92[B]:GLU:OE2	1:B:95:MET:HE1	1.59	1.03
1:A:288:ILE:HG21	5:A:2132:HOH:O	1.61	1.00
1:B:178:VAL:O	1:B:178:VAL:HG13	1.58	0.99
1:A:288:ILE:CG2	5:A:2132:HOH:O	2.11	0.98
1:A:154:PHE:HB3	1:A:245[B]:MET:HE3	1.13	0.97
1:A:154:PHE:HB2	1:A:245[B]:MET:HE3	1.49	0.94
1:A:288:ILE:HD13	1:A:288:ILE:O	1.70	0.92
1:A:154:PHE:HB3	1:A:245[B]:MET:HE1	1.52	0.91
1:B:178:VAL:O	1:B:178:VAL:CG1	2.17	0.91
1:A:287:ASN:O	1:A:288:ILE:HG22	1.71	0.91
1:B:223:THR:HG22	5:B:2091:HOH:O	1.70	0.90
1:A:184:MET:HE3	1:A:318:ARG:CZ	2.03	0.88
1:B:92[B]:GLU:OE2	1:B:95:MET:CE	2.23	0.85
1:A:154:PHE:CB	1:A:245[B]:MET:CE	2.33	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:LYS:HE3	5:B:2080:HOH:O	1.77	0.83
1:A:128:GLU:HG2	5:A:2059:HOH:O	1.79	0.83
1:A:147:LEU:HD13	1:A:245[B]:MET:HE1	1.59	0.82
1:B:54:THR:CG2	1:B:64:LYS:HG3	2.10	0.81
1:B:189:ARG:HD2	5:B:2072:HOH:O	1.81	0.81
1:A:184:MET:HE3	1:A:318:ARG:NH1	1.96	0.81
1:A:162:GLU:HG3	1:A:171:LEU:HD23	1.62	0.80
1:A:152:THR:HG22	1:A:245[B]:MET:HE2	1.62	0.80
1:A:40:ILE:HD13	1:A:340:SER:HA	1.65	0.78
1:B:61:SER:OG	1:B:63:ARG:NH1	2.13	0.78
1:A:89:ILE:HG12	1:A:329[B]:ARG:HH11	1.46	0.78
1:A:89:ILE:CG1	1:A:329[B]:ARG:HH11	1.95	0.77
1:B:95:MET:HE2	5:B:2013:HOH:O	1.87	0.75
1:B:186:ASP:CG	1:B:312:ARG:HH22	1.94	0.75
1:A:287:ASN:O	1:A:288:ILE:CG2	2.34	0.74
1:A:288:ILE:O	1:A:288:ILE:CD1	2.36	0.74
1:B:258:ILE:O	1:B:366:ASN:ND2	2.21	0.74
1:B:60:LYS:O	1:B:61:SER:HB3	1.90	0.72
1:A:152:THR:CG2	1:A:245[B]:MET:HE2	2.18	0.72
1:A:89:ILE:CG1	1:A:329[B]:ARG:NH1	2.56	0.69
1:A:287:ASN:O	1:A:288:ILE:CB	2.41	0.67
1:A:115:MET:CE	1:A:263:LEU:HB3	2.24	0.67
1:B:175:SER:O	5:B:2065:HOH:O	2.12	0.67
1:A:89:ILE:HG13	1:A:329[B]:ARG:NH1	2.08	0.67
1:B:115:MET:CE	1:B:263:LEU:HB3	2.25	0.67
1:A:289:ASN:HD22	1:A:292:LEU:H	1.41	0.66
1:B:95:MET:SD	5:B:2027:HOH:O	2.54	0.66
1:B:56:GLY:O	1:B:57:LEU:HB2	1.98	0.64
1:B:92[A]:GLU:HG3	1:B:97:TYR:CD2	2.32	0.64
1:B:186:ASP:OD1	1:B:312:ARG:NH2	2.29	0.63
1:A:313:GLU:HG2	1:B:288:ILE:HG21	1.80	0.63
4:A:1365:X7E:HAQ	4:A:1365:X7E:HAK	1.81	0.63
1:B:184:MET:HE3	1:B:318:ARG:CZ	2.29	0.62
1:A:184:MET:CE	1:A:318:ARG:NH1	2.63	0.62
1:A:49:GLU:HG2	1:A:67:THR:HG22	1.82	0.61
1:B:289:ASN:HD22	1:B:292:LEU:H	1.47	0.61
4:A:1365:X7E:HAK	4:A:1365:X7E:CAQ	2.30	0.61
1:B:154:PHE:HA	1:B:244:HIS:O	2.00	0.61
1:A:166:GLU:O	1:A:315:LYS:HE2	2.01	0.60
1:B:60:LYS:O	1:B:61:SER:CB	2.49	0.60
1:B:174:PRO:HB3	1:B:216:LYS:HE2	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:GLU:CD	1:A:221:ARG:HH22	2.10	0.59
1:B:288:ILE:CG2	1:B:293:LEU:HD11	2.33	0.58
1:A:287:ASN:O	1:A:288:ILE:HB	2.04	0.58
1:B:184:MET:CE	1:B:318:ARG:HD3	2.35	0.56
1:B:162:GLU:HG3	1:B:171:LEU:HD23	1.88	0.55
1:A:288:ILE:O	1:A:288:ILE:HG23	2.05	0.55
1:B:216:LYS:HB2	5:B:2083:HOH:O	2.07	0.55
1:B:33:ARG:HG3	5:B:2009:HOH:O	2.07	0.54
1:A:289:ASN:ND2	1:A:292:LEU:H	2.05	0.54
1:B:197:LYS:HD3	5:B:2071:HOH:O	2.06	0.54
1:B:184:MET:HE1	1:B:318:ARG:HD3	1.90	0.53
1:A:162:GLU:HG3	1:A:171:LEU:CD2	2.36	0.53
1:A:40:ILE:CD1	1:A:340:SER:HA	2.38	0.53
1:B:116:GLU:OE2	1:B:221:ARG:NH1	2.37	0.53
1:A:17:LYS:N	5:A:2002:HOH:O	2.42	0.52
1:A:23:VAL:HG22	1:A:334:ALA:HB3	1.92	0.52
1:B:288:ILE:HA	5:B:2121:HOH:O	2.11	0.51
1:B:17:LYS:N	1:B:360:LEU:CD1	2.74	0.51
1:B:115:MET:HE1	1:B:263:LEU:HB3	1.92	0.51
4:B:1365:X7E:HAQ	4:B:1365:X7E:HAK	1.93	0.51
1:B:30:LEU:HD22	1:B:34:LYS:NZ	2.26	0.51
1:B:63:ARG:HD2	5:B:2017:HOH:O	2.11	0.49
1:B:116:GLU:HB3	4:B:1365:X7E:HAY	1.94	0.49
1:A:362:LYS:HD3	5:A:2166:HOH:O	2.12	0.49
1:B:192:ARG:HG2	5:B:2073:HOH:O	2.10	0.49
1:B:158:VAL:HA	1:B:240:SER:O	2.13	0.49
1:A:91:ASP:OD1	1:A:146:LYS:HE2	2.13	0.49
1:B:82:TYR:CD2	1:B:86:VAL:HB	2.48	0.49
1:B:17:LYS:N	1:B:360:LEU:HD13	2.27	0.49
4:B:1365:X7E:HAK	4:B:1365:X7E:CAQ	2.42	0.49
1:B:321:GLN:NE2	5:B:2136:HOH:O	2.46	0.49
1:A:116:GLU:CD	1:A:221:ARG:NH2	2.71	0.48
1:B:366:ASN:HB2	5:B:2112:HOH:O	2.13	0.48
1:B:192:ARG:O	1:B:192:ARG:HG3	2.14	0.48
1:A:147:LEU:HD13	1:A:245[B]:MET:CE	2.37	0.47
1:B:167:GLU:OE1	1:B:181:ARG:CZ	2.62	0.47
1:B:86:VAL:HG21	1:B:135:ILE:HG12	1.97	0.47
1:A:299:ILE:HG23	1:A:359:ILE:HD11	1.97	0.47
1:A:97:TYR:CE1	1:A:364:GLU:HB3	2.50	0.46
1:A:92[B]:GLU:OE2	1:A:97:TYR:CD2	2.68	0.46
1:A:344:GLU:HG3	5:A:2155:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:LEU:HD22	1:B:34:LYS:HZ3	1.81	0.46
1:B:305:ARG:NH1	5:B:2125:HOH:O	2.49	0.45
1:B:244:HIS:HE1	5:B:2106:HOH:O	2.00	0.45
1:A:47:ARG:HB3	1:A:49:GLU:HG3	1.99	0.45
1:A:86:VAL:HG21	1:A:135:ILE:HG12	1.97	0.45
1:B:182:LEU:HA	5:B:2070:HOH:O	2.16	0.45
1:A:299:ILE:O	1:A:303:VAL:HG13	2.17	0.44
1:A:237:SER:OG	1:A:265:ASP:HB3	2.17	0.44
1:A:115:MET:HE1	1:A:263:LEU:HB3	1.98	0.43
1:B:234:ARG:NH1	5:B:2101:HOH:O	2.49	0.43
1:B:289:ASN:ND2	1:B:292:LEU:H	2.14	0.43
1:B:214:LEU:HD22	4:B:1365:X7E:HAN	1.99	0.43
1:B:34:LYS:C	1:B:36:SER:H	2.27	0.43
1:B:299:ILE:HG23	1:B:359:ILE:HD11	2.00	0.43
1:A:152:THR:HG21	1:A:245[B]:MET:HE2	2.00	0.42
1:B:115:MET:HE2	1:B:263:LEU:HB3	2.01	0.42
1:A:92[B]:GLU:HG3	1:A:97:TYR:HB2	2.01	0.42
1:B:96:GLY:O	1:B:366:ASN:ND2	2.53	0.42
1:A:56:GLY:HA3	1:A:61:SER:HA	2.00	0.41
1:A:44:ASP:O	1:A:48:LYS:N	2.52	0.41
1:A:161:LEU:HD21	1:A:319:ILE:HD13	2.02	0.41
1:B:30:LEU:CD2	1:B:34:LYS:NZ	2.83	0.41
1:A:33:ARG:O	1:A:36:SER:N	2.39	0.41
1:A:355[B]:ARG:HG2	1:A:355[B]:ARG:HH11	1.85	0.41
1:B:184:MET:CE	1:B:318:ARG:NH1	2.83	0.41
1:B:184:MET:HE3	1:B:318:ARG:NH1	2.36	0.41
1:A:216:LYS:HE3	5:A:2096:HOH:O	2.21	0.41
4:A:1365:X7E:HAJ	5:A:2171:HOH:O	2.20	0.41
1:A:40:ILE:HD12	1:A:343:LEU:HD13	2.02	0.40
1:A:92[A]:GLU:HA	1:A:92[A]:GLU:OE2	2.21	0.40
1:A:158:VAL:HA	1:A:240:SER:O	2.22	0.40
1:A:360:LEU:HB3	5:A:2002:HOH:O	2.19	0.40
1:B:292:LEU:HD12	1:B:292:LEU:HA	1.84	0.40
1:B:337:SER:OG	1:B:342:ASN:ND2	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/368 (91%)	324 (96%)	10 (3%)	2 (1%)	21	32
1	B	335/368 (91%)	325 (97%)	7 (2%)	3 (1%)	14	22
All	All	671/736 (91%)	649 (97%)	17 (2%)	5 (1%)	16	28

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	288	ILE
1	B	57	LEU
1	B	178	VAL
1	B	61	SER
1	A	58	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/322 (94%)	279 (92%)	23 (8%)	12	21
1	B	301/322 (94%)	276 (92%)	25 (8%)	10	17
All	All	603/644 (94%)	555 (92%)	48 (8%)	11	19

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	63	ARG
1	A	67	THR
1	A	87	CYS
1	A	142	GLN
1	A	148	THR
1	A	176	SER
1	A	177	ASP
1	A	178	VAL
1	A	181	ARG
1	A	182	LEU
1	A	190	ASN
1	A	191	LYS
1	A	207	LYS
1	A	221	ARG
1	A	248	THR
1	A	253	GLU
1	A	288	ILE
1	A	289	ASN
1	A	303	VAL
1	A	306	THR
1	A	341	LEU
1	A	362	LYS
1	B	17	LYS
1	B	30	LEU
1	B	57	LEU
1	B	59[A]	ASP
1	B	59[B]	ASP
1	B	60	LYS
1	B	129	GLU
1	B	142	GLN
1	B	175	SER
1	B	178	VAL
1	B	180[A]	GLU
1	B	180[B]	GLU
1	B	190	ASN
1	B	202	ILE
1	B	204	VAL
1	B	208	ASP
1	B	212	GLN
1	B	216	LYS
1	B	223	THR
1	B	227	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	289	ASN
1	B	305	ARG
1	B	348	SER
1	B	355	ARG
1	B	360	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	165	ASN
1	A	262	ASN
1	A	289	ASN
1	A	321	GLN
1	B	165	ASN
1	B	244	HIS
1	B	271	ASN
1	B	289	ASN
1	B	290	GLN
1	B	308	HIS
1	B	321	GLN
1	B	342	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	X7E	A	1365	-	26,28,28	1.91	5 (19%)	33,41,41	2.87	10 (30%)
2	ADP	B	603	3	28,29,29	1.33	4 (14%)	43,45,45	1.91	10 (23%)
4	X7E	B	1365	-	26,28,28	1.67	4 (15%)	33,41,41	2.59	8 (24%)
2	ADP	A	600	3	28,29,29	1.48	4 (14%)	43,45,45	1.95	11 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	X7E	A	1365	-	-	5/11/32/32	0/3/3/3
2	ADP	B	603	3	-	0/16/32/32	0/3/3/3
4	X7E	B	1365	-	-	5/11/32/32	0/3/3/3
2	ADP	A	600	3	-	0/16/32/32	0/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1365	X7E	CAX-CAY	5.21	1.60	1.52
4	B	1365	X7E	CAR-NAO	5.11	1.37	1.33
2	A	600	ADP	C5-C4	4.78	1.47	1.39
4	A	1365	X7E	CAA-CAP	4.65	1.56	1.49
4	A	1365	X7E	CAR-NAO	4.62	1.37	1.33
4	B	1365	X7E	CAX-CAY	4.47	1.59	1.52
2	B	603	ADP	C5-C4	4.31	1.46	1.39
2	B	603	ADP	C5-C6	2.73	1.48	1.41
2	A	600	ADP	C5-C6	2.70	1.48	1.41
4	A	1365	X7E	CAY-NAO	-2.68	1.44	1.47
4	B	1365	X7E	CAA-CAP	2.64	1.53	1.49
2	A	600	ADP	C5-N7	-2.53	1.34	1.39
2	B	603	ADP	C5-N7	-2.35	1.34	1.39
2	B	603	ADP	C4-N9	-2.33	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1365	X7E	CAY-NAO	-2.31	1.44	1.47
2	A	600	ADP	C4-N9	-2.06	1.33	1.37
4	A	1365	X7E	CAB-NAZ	2.05	1.50	1.47

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1365	X7E	SAE-CAR-NAZ	-9.94	114.89	123.53
4	B	1365	X7E	SAE-CAR-NAZ	-7.63	116.89	123.53
4	A	1365	X7E	CAY-NAO-CAR	-7.34	113.74	125.28
4	B	1365	X7E	CAX-CAY-NAO	-7.08	102.73	110.83
2	A	600	ADP	N3-C4-N9	5.87	137.16	127.17
4	A	1365	X7E	CAX-CAY-NAO	-5.61	104.41	110.83
2	A	600	ADP	C5-C4-N3	-5.36	119.34	126.72
4	B	1365	X7E	CAY-NAO-CAR	-5.00	117.42	125.28
2	B	603	ADP	C5-C4-N3	-4.99	119.84	126.72
4	B	1365	X7E	CAT-CAM-CAX	4.58	124.04	120.09
2	B	603	ADP	O3'-C3'-C4'	-4.58	97.94	111.08
2	B	603	ADP	N3-C4-N9	4.40	134.65	127.17
4	A	1365	X7E	CAK-CAX-CAM	-4.37	113.67	118.74
2	B	603	ADP	N3-C2-N1	-3.94	122.62	128.58
2	A	600	ADP	C4-N9-C8	3.79	109.72	105.74
2	B	603	ADP	C2-N3-C4	3.68	120.81	111.83
4	B	1365	X7E	CAK-CAX-CAM	-3.63	114.53	118.74
2	A	600	ADP	N3-C2-N1	-3.28	123.62	128.58
4	A	1365	X7E	CAT-CAM-CAX	3.27	122.91	120.09
2	A	600	ADP	C2-N3-C4	3.18	119.61	111.83
4	A	1365	X7E	CAH-CAK-CAX	3.08	124.33	120.65
2	A	600	ADP	N6-C6-N1	3.06	125.20	118.38
2	B	603	ADP	O2B-PB-O3A	-2.96	94.70	104.64
4	A	1365	X7E	CAH-CAI-CAT	-2.88	115.39	119.29
4	B	1365	X7E	FAG-CAW-CAN	2.81	124.26	118.64
4	B	1365	X7E	FAF-CAV-CAL	2.79	125.14	118.65
2	B	603	ADP	C4-N9-C8	2.60	108.47	105.74
2	A	600	ADP	C1'-N9-C8	-2.52	121.51	127.09
2	A	600	ADP	O2B-PB-O3A	-2.52	96.20	104.64
4	A	1365	X7E	CAI-CAT-CAM	2.34	122.75	120.19
4	A	1365	X7E	CAU-CAQ-CAS	-2.33	107.28	113.02
2	A	600	ADP	C2-N1-C6	2.33	122.56	118.73
2	A	600	ADP	C5-C6-N6	-2.30	117.59	123.29
2	B	603	ADP	C2-N1-C6	2.22	122.38	118.73
4	B	1365	X7E	SAE-CAR-NAO	-2.21	118.35	121.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	603	ADP	C4-C5-N7	-2.20	108.07	110.58
2	A	600	ADP	C5-C4-N9	-2.16	103.45	105.81
4	A	1365	X7E	CAM-CAX-CAY	2.12	123.50	119.77
2	B	603	ADP	C6-C5-N7	2.12	136.17	132.09

There are no chirality outliers.

All (10) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	A	1365	X7E	OAC-CAQ-CAS-CAY
4	B	1365	X7E	OAC-CAQ-CAS-CAY
4	A	1365	X7E	CAS-CAQ-CAU-CAJ
4	B	1365	X7E	CAS-CAQ-CAU-CAJ
4	A	1365	X7E	CAS-CAQ-CAU-CAN
4	B	1365	X7E	CAS-CAQ-CAU-CAN
4	A	1365	X7E	CAU-CAQ-CAS-CAP
4	B	1365	X7E	CAU-CAQ-CAS-CAP
4	A	1365	X7E	OAC-CAQ-CAS-CAP
4	B	1365	X7E	OAC-CAQ-CAS-CAP

There are no ring outliers.


2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1365	X7E	3	0
4	B	1365	X7E	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand X7E B 1365



Ligand ADP A 600



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	333/368 (90%)	-0.16	13 (3%) 43 39	7, 20, 46, 58	7 (2%)
1	B	335/368 (91%)	-0.14	13 (3%) 43 39	6, 19, 48, 60	4 (1%)
All	All	668/736 (90%)	-0.15	26 (3%) 43 39	6, 20, 48, 60	11 (1%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	ALA	7.5
1	A	57	LEU	6.0
1	B	57	LEU	6.0
1	B	59[A]	ASP	5.5
1	B	178	VAL	4.5
1	A	288	ILE	4.2
1	B	287	ASN	4.1
1	A	58	ALA	4.1
1	A	233	SER	3.5
1	B	56	GLY	3.2
1	A	287	ASN	3.0
1	A	271	ASN	2.9
1	B	365	VAL	2.6
1	B	192	ARG	2.6
1	A	192	ARG	2.5
1	A	38	HIS	2.5
1	B	208	ASP	2.5
1	B	271	ASN	2.5
1	A	56	GLY	2.5
1	A	235	SER	2.3
1	A	153	GLU	2.3
1	A	190	ASN	2.2
1	B	188	PRO	2.2
1	B	34	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	191	LYS	2.0
1	A	23	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	X7E	A	1365	26/26	0.95	0.07	11,15,22,25	0
4	X7E	B	1365	26/26	0.96	0.06	8,13,20,25	0
3	MG	A	601	1/1	0.97	0.04	15,15,15,15	0
2	ADP	A	600	27/27	0.98	0.06	8,23,29,30	0
2	ADP	B	603	27/27	0.99	0.04	8,12,18,23	0
3	MG	B	604	1/1	0.99	0.02	12,12,12,12	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around X7E A 1365:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around X7E B 1365:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP A 600:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.