



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:47 PM UTC

PDB ID : 7X7D / pdb_00007x7d
Title : SARS-CoV-2 Delta RBD and Nb22
Authors : Wang, Y.; Ye, S.
Deposited on : 2022-03-09
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2995 (2.94-2.90)
Clashscore	190562	3213 (2.94-2.90)
Ramachandran outliers	187476	3128 (2.94-2.90)
Sidechain outliers	187428	3130 (2.94-2.90)
RSRZ outliers	180081	2995 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	26% 80% 20%
1	D	194	12% 82% 18%
1	E	194	26% 81% 19%
2	B	130	8% 80% 19%
2	C	130	6% 79% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	130	5% 79% 20%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	194	Total	C	N	O	S	0	0	0
			1541	987	260	286	8			
1	A	194	Total	C	N	O	S	0	0	0
			1541	987	260	286	8			
1	E	194	Total	C	N	O	S	0	0	0
			1541	987	260	286	8			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	452	ARG	LEU	variant	UNP P0DTC2
D	478	LYS	THR	variant	UNP P0DTC2
A	452	ARG	LEU	variant	UNP P0DTC2
A	478	LYS	THR	variant	UNP P0DTC2
E	452	ARG	LEU	variant	UNP P0DTC2
E	478	LYS	THR	variant	UNP P0DTC2


- Molecule 2 is a protein called Nb22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	130	Total	C	N	O	S	0	0	0
			972	603	175	189	5			
2	B	130	Total	C	N	O	S	0	0	0
			972	603	175	189	5			
2	F	130	Total	C	N	O	S	0	0	0
			972	603	175	189	5			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike protein S1




- Molecule 1: Spike protein S1




- Molecule 1: Spike protein S1





- Molecule 2: Nb22







● Molecule 2: Nb22



● Molecule 2: Nb22



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	151.82Å 108.56Å 115.31Å 90.00° 126.23° 90.00°	Depositor
Resolution (Å)	61.23 – 2.92 61.23 – 2.92	Depositor EDS
% Data completeness (in resolution range)	93.8 (61.23-2.92) 93.9 (61.23-2.92)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.01 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.20-4459	Depositor
R, R_{free}	0.205 , 0.256 0.205 , 0.253	Depositor DCC
R_{free} test set	1498 reflections (4.56%)	wwPDB-VP
Wilson B-factor (Å ²)	67.8	Xtriage
Anisotropy	0.615	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 86.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7539	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.36	0/1585	0.58	0/2155
1	D	0.39	0/1585	0.60	0/2155
1	E	0.34	0/1585	0.57	0/2155
2	B	0.45	0/991	0.69	0/1345
2	C	0.45	0/991	0.70	0/1345
2	F	0.46	0/991	0.69	0/1345
All	All	0.40	0/7728	0.63	0/10500

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1541	0	1465	28	0
1	D	1541	0	1461	26	0
1	E	1541	0	1465	22	0
2	B	972	0	942	18	0
2	C	972	0	944	21	0
2	F	972	0	944	22	0
All	All	7539	0	7221	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:112:LEU:HD12	2:C:115:GLU:HG2	1.63	0.81
1:D:336:CYS:HB2	1:D:363:ALA:HA	1.63	0.80
2:C:89:PRO:HA	2:C:128:VAL:HG23	1.66	0.77
2:F:112:LEU:HD12	2:F:115:GLU:HG2	1.71	0.72
1:E:393:THR:HG21	1:E:520:ALA:HB3	1.72	0.70
1:D:360:ASN:H	1:D:523:THR:HB	1.57	0.69
1:E:376:THR:HB	1:E:435:ALA:HB3	1.75	0.68
2:F:52:CYS:SG	2:F:112:LEU:HB2	2.34	0.68
1:D:444:LYS:NZ	2:C:3:GLN:HB3	2.09	0.67
1:E:362:VAL:HA	1:E:525:CYS:HB2	1.77	0.65
1:A:376:THR:HB	1:A:435:ALA:HB3	1.78	0.64
1:A:336:CYS:HB2	1:A:361:CYS:HB3	1.79	0.64
1:A:394:ASN:HB2	1:A:516:GLU:HB3	1.81	0.63
2:B:111:CYS:O	2:B:113:VAL:HG23	1.99	0.62
2:C:84:MET:HE2	2:C:87:LEU:HD21	1.81	0.62
1:D:381:GLY:HA3	1:D:430:THR:HG22	1.83	0.61
2:B:12:ASN:OD1	2:B:13:LEU:N	2.34	0.60
1:D:337:PRO:HB2	1:D:340:GLU:CD	2.27	0.60
2:C:2:PRO:HG3	1:A:481:ASN:HB3	1.84	0.59
1:D:444:LYS:HZ3	2:C:3:GLN:HB3	1.68	0.58
2:C:52:CYS:SG	2:C:112:LEU:HB2	2.45	0.56
2:F:114:ASN:O	2:F:114:ASN:ND2	2.32	0.56
2:F:111:CYS:C	2:F:113:VAL:H	2.11	0.56
1:E:467:ASP:OD1	1:E:469:SER:OG	2.24	0.55
2:C:40:ARG:HD3	2:C:50:VAL:HG11	1.87	0.55
1:E:444:LYS:NZ	2:F:3:GLN:HG2	2.22	0.55
2:B:40:ARG:HD3	2:B:50:VAL:HG21	1.89	0.54
1:D:492:LEU:O	1:D:493:GLN:NE2	2.39	0.54
1:A:381:GLY:HA3	1:A:430:THR:HG22	1.90	0.54
1:E:365:TYR:H	1:E:527:PRO:HG3	1.73	0.54
1:D:447:GLY:HA2	1:D:498:GLN:HG2	1.89	0.54
1:E:360:ASN:H	1:E:523:THR:HB	1.73	0.53
1:E:440:ASN:N	1:E:440:ASN:OD1	2.40	0.53
2:F:109:ARG:NH2	2:F:113:VAL:HG12	2.23	0.53
2:C:57:ASN:OD1	2:C:73:ARG:HD2	2.09	0.53
1:D:382:VAL:HG11	1:D:387:LEU:HD21	1.92	0.52
2:C:77:LYS:O	2:C:79:THR:HG23	2.10	0.52
1:A:489:TYR:OH	2:B:56:ILE:HG23	2.10	0.52
1:D:481:ASN:O	2:F:2:PRO:HD3	2.10	0.51
1:A:440:ASN:N	1:A:440:ASN:OD1	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:ASN:OD1	2:B:73:ARG:HD2	2.11	0.51
2:F:12:ASN:OD1	2:F:13:LEU:N	2.42	0.51
2:F:8:GLU:CD	2:F:123:GLY:H	2.19	0.51
1:A:444:LYS:NZ	2:B:3:GLN:HB3	2.27	0.50
1:D:350:VAL:HG22	1:D:422:ASN:HB3	1.94	0.50
2:C:88:GLU:O	2:C:128:VAL:HG21	2.11	0.50
1:E:444:LYS:HZ3	2:F:3:GLN:HG2	1.76	0.50
1:D:458:LYS:NZ	1:D:474:GLN:H	2.09	0.50
1:A:447:GLY:HA2	1:A:498:GLN:HG2	1.94	0.50
1:E:350:VAL:HG22	1:E:422:ASN:HB3	1.94	0.50
2:C:14:VAL:CG2	2:C:128:VAL:HG12	2.43	0.49
2:B:7:VAL:HG11	2:F:21:ARG:NH2	2.28	0.49
2:F:114:ASN:HD22	2:F:114:ASN:C	2.20	0.49
2:B:8:GLU:CD	2:B:123:GLY:H	2.21	0.49
2:F:64:SER:O	2:F:68:ARG:NH2	2.46	0.49
1:A:458:LYS:NZ	1:A:474:GLN:H	2.11	0.48
1:D:383:SER:HB3	1:D:386:LYS:HG3	1.95	0.48
1:A:341:VAL:HG11	1:A:397:ALA:HB1	1.95	0.48
2:B:52:CYS:SG	2:B:112:LEU:HB2	2.53	0.48
1:E:394:ASN:HB3	1:E:396:TYR:CE2	2.48	0.48
1:A:350:VAL:HG22	1:A:422:ASN:HB3	1.96	0.47
2:B:46:GLU:OE1	2:B:46:GLU:N	2.46	0.47
1:A:415:THR:HG22	1:A:416:GLY:N	2.30	0.47
2:C:30:THR:HG22	2:C:32:ALA:H	1.80	0.47
2:F:57:ASN:OD1	2:F:73:ARG:HD2	2.15	0.47
1:E:489:TYR:OH	2:F:56:ILE:HG23	2.14	0.47
1:D:361:CYS:O	1:D:524:VAL:HA	2.15	0.46
1:A:370:ASN:OD1	1:A:371:SER:N	2.48	0.46
1:A:442:ASP:O	1:A:448:ASN:ND2	2.36	0.46
2:F:77:LYS:O	2:F:79:THR:HG23	2.15	0.46
1:E:370:ASN:OD1	1:E:371:SER:N	2.49	0.46
2:B:54:ASP:O	2:B:73:ARG:NH1	2.42	0.46
1:A:444:LYS:HZ3	2:B:3:GLN:HB3	1.81	0.46
1:D:393:THR:O	1:D:523:THR:OG1	2.24	0.45
2:F:111:CYS:C	2:F:113:VAL:N	2.74	0.45
1:E:447:GLY:HA2	1:E:498:GLN:HG2	1.97	0.45
1:A:458:LYS:HZ3	1:A:474:GLN:H	1.64	0.45
1:D:419:ALA:O	1:D:424:LYS:HE2	2.17	0.44
1:D:444:LYS:HZ1	2:C:3:GLN:HB3	1.80	0.44
2:B:2:PRO:HD3	1:E:481:ASN:O	2.18	0.44
2:C:118:ASN:HB2	2:C:119:TYR:CD2	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:415:THR:HG22	1:A:416:GLY:H	1.82	0.44
1:D:376:THR:HB	1:D:435:ALA:HB3	1.99	0.44
1:D:440:ASN:N	1:D:440:ASN:OD1	2.51	0.44
2:C:111:CYS:C	2:C:113:VAL:H	2.25	0.44
1:A:415:THR:HG23	1:A:420:ASP:OD2	2.18	0.44
2:F:24:CYS:O	2:F:79:THR:HA	2.17	0.43
1:A:336:CYS:HB2	1:A:361:CYS:CB	2.46	0.43
2:B:30:THR:HG22	2:B:32:ALA:H	1.83	0.43
1:E:523:THR:OG1	1:E:524:VAL:HG23	2.18	0.43
1:A:366:SER:OG	1:A:388:ASN:ND2	2.49	0.43
1:A:392:PHE:CG	1:A:515:PHE:HB3	2.54	0.43
2:F:30:THR:HG22	2:F:32:ALA:H	1.83	0.43
2:C:8:GLU:CD	2:C:123:GLY:H	2.27	0.42
1:E:438:SER:HB3	1:E:509:ARG:HG3	2.02	0.42
2:F:53:ILE:HG23	2:F:73:ARG:HH12	1.84	0.42
1:D:419:ALA:O	1:D:424:LYS:HB2	2.20	0.42
1:A:363:ALA:O	1:A:527:PRO:HD3	2.19	0.42
1:D:336:CYS:HA	1:D:337:PRO:HD3	1.89	0.42
1:D:453:TYR:CZ	1:D:493:GLN:HB2	2.54	0.42
2:C:55:VAL:HA	2:C:73:ARG:HH12	1.85	0.42
1:A:390:LEU:HD12	1:A:390:LEU:HA	1.72	0.42
2:B:77:LYS:O	2:B:79:THR:HG23	2.20	0.42
1:E:382:VAL:HG11	1:E:387:LEU:HG	2.02	0.42
1:D:458:LYS:HZ1	1:D:474:GLN:H	1.69	0.41
1:A:337:PRO:O	1:A:340:GLU:HG2	2.19	0.41
2:B:98:ALA:HA	2:B:119:TYR:O	2.20	0.41
1:A:420:ASP:HA	1:A:424:LYS:HE2	2.03	0.41
2:C:2:PRO:HG3	1:A:481:ASN:CB	2.48	0.41
2:B:53:ILE:HD13	2:B:73:ARG:HG3	2.02	0.41
1:E:415:THR:HG22	1:E:416:GLY:N	2.35	0.41
1:D:415:THR:HG22	1:D:416:GLY:N	2.35	0.41
1:D:442:ASP:O	1:D:448:ASN:ND2	2.54	0.41
1:A:474:GLN:OE1	1:A:479:PRO:HA	2.20	0.41
1:E:415:THR:HG23	1:E:420:ASP:OD2	2.21	0.41
2:C:125:GLN:OE1	2:B:15:GLN:HG3	2.20	0.40
1:E:426:PRO:HD2	1:E:429:PHE:HB2	2.02	0.40
2:F:8:GLU:OE1	2:F:8:GLU:N	2.52	0.40
1:D:336:CYS:HB2	1:D:363:ALA:CA	2.43	0.40
2:C:112:LEU:HD12	2:C:115:GLU:CG	2.44	0.40
1:E:354:ASN:O	1:E:398:ASP:HA	2.21	0.40
2:F:37:GLY:HA2	2:F:52:CYS:HA	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	192/194 (99%)	180 (94%)	12 (6%)	0	100	100
1	D	192/194 (99%)	180 (94%)	12 (6%)	0	100	100
1	E	192/194 (99%)	182 (95%)	10 (5%)	0	100	100
2	B	128/130 (98%)	123 (96%)	5 (4%)	0	100	100
2	C	128/130 (98%)	119 (93%)	9 (7%)	0	100	100
2	F	128/130 (98%)	121 (94%)	7 (6%)	0	100	100
All	All	960/972 (99%)	905 (94%)	55 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/167 (100%)	166 (99%)	1 (1%)	78	92
1	D	167/167 (100%)	167 (100%)	0	100	100
1	E	167/167 (100%)	167 (100%)	0	100	100
2	B	104/104 (100%)	103 (99%)	1 (1%)	68	87
2	C	104/104 (100%)	104 (100%)	0	100	100
2	F	104/104 (100%)	102 (98%)	2 (2%)	50	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	813/813 (100%)	809 (100%)	4 (0%)	81	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	367	VAL
2	B	50	VAL
2	F	7	VAL
2	F	114	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	450	ASN
1	A	343	ASN
1	A	493	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	194/194 (100%)	1.26	50 (25%) 1 1	48, 78, 189, 249	0
1	D	194/194 (100%)	0.88	23 (11%) 9 7	48, 74, 134, 160	0
1	E	194/194 (100%)	1.38	51 (26%) 1 1	53, 86, 208, 243	0
2	B	130/130 (100%)	0.66	11 (8%) 16 14	47, 64, 96, 120	0
2	C	130/130 (100%)	0.67	8 (6%) 26 21	46, 63, 91, 125	0
2	F	130/130 (100%)	0.70	7 (5%) 31 24	48, 66, 98, 132	0
All	All	972/972 (100%)	0.97	150 (15%) 5 4	46, 72, 182, 249	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	113	VAL	9.0
2	F	113	VAL	7.5
2	B	113	VAL	7.1
2	B	114	ASN	6.4
2	F	114	ASN	6.3
1	E	365	TYR	5.9
1	E	384	PRO	5.1
2	C	114	ASN	5.1
1	A	365	TYR	4.9
1	E	369	TYR	4.8
1	A	527	PRO	4.7
1	A	522	ALA	4.6
1	A	367	VAL	4.5
1	E	367	VAL	4.5
2	F	2	PRO	4.4
1	E	387	LEU	4.4
1	E	526	GLY	4.3
1	A	517	LEU	4.3
1	E	518	LEU	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	112	LEU	4.2
1	E	390	LEU	4.2
1	A	387	LEU	4.1
2	B	112	LEU	4.1
2	F	112	LEU	4.1
1	E	337	PRO	4.0
1	E	343	ASN	4.0
1	A	359	SER	4.0
1	E	362	VAL	4.0
1	A	516	GLU	3.9
1	A	338	PHE	3.9
2	C	116	LEU	3.8
1	A	358	ILE	3.8
1	A	345	THR	3.8
1	D	364	ASP	3.8
1	A	521	PRO	3.7
1	A	392	PHE	3.7
1	D	387	LEU	3.7
2	B	2	PRO	3.7
1	A	368	LEU	3.6
1	A	518	LEU	3.6
1	A	336	CYS	3.6
1	E	368	LEU	3.6
1	A	341	VAL	3.6
1	E	521	PRO	3.6
2	B	63	ASP	3.5
1	E	517	LEU	3.5
1	A	523	THR	3.5
1	E	515	PHE	3.4
1	A	524	VAL	3.4
1	A	335	LEU	3.4
1	A	384	PRO	3.4
1	E	335	LEU	3.4
1	E	340	GLU	3.4
1	E	382	VAL	3.4
1	E	341	VAL	3.4
1	E	522	ALA	3.3
1	E	345	THR	3.3
1	A	346	ARG	3.3
1	A	362	VAL	3.2
1	D	385	THR	3.2
1	A	334	ASN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	515	PHE	3.2
1	E	346	ARG	3.2
1	E	519	HIS	3.1
1	D	525	CYS	3.1
1	E	381	GLY	3.1
1	D	480	CYS	3.1
1	E	516	GLU	3.1
2	C	2	PRO	3.1
1	E	374	PHE	3.0
1	E	354	ASN	3.0
1	A	526	GLY	3.0
1	A	363	ALA	3.0
1	D	367	VAL	3.0
1	D	514	SER	2.9
1	E	360	ASN	2.9
1	A	393	THR	2.9
1	A	364	ASP	2.9
2	F	63	ASP	2.8
1	D	340	GLU	2.8
1	E	520	ALA	2.8
1	E	336	CYS	2.7
1	A	385	THR	2.7
1	E	364	ASP	2.7
1	E	527	PRO	2.7
1	E	392	PHE	2.7
1	A	369	TYR	2.7
1	D	369	TYR	2.7
1	D	440	ASN	2.7
1	E	388	ASN	2.7
2	B	111	CYS	2.6
1	D	527	PRO	2.6
1	A	360	ASN	2.6
1	A	390	LEU	2.6
1	E	359	SER	2.6
1	E	385	THR	2.6
1	E	366	SER	2.5
1	E	523	THR	2.5
1	D	362	VAL	2.5
1	A	377	PHE	2.5
2	B	115	GLU	2.5
1	E	344	ALA	2.5
1	D	336	CYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	116	LEU	2.4
1	A	374	PHE	2.4
1	D	335	LEU	2.4
1	E	525	CYS	2.4
1	E	428	ASP	2.4
2	B	130	SER	2.4
1	A	520	ALA	2.4
1	A	480	CYS	2.4
1	D	363	ALA	2.4
1	D	384	PRO	2.4
1	A	525	CYS	2.4
1	A	391	CYS	2.3
1	E	432	CYS	2.3
1	D	359	SER	2.3
1	A	408	ARG	2.3
2	F	1	GLY	2.3
2	B	54	ASP	2.3
2	C	111	CYS	2.3
1	E	342	PHE	2.2
2	C	118	ASN	2.2
1	A	382	VAL	2.2
1	A	373	SER	2.2
1	E	505	TYR	2.2
1	A	371	SER	2.2
1	A	396	TYR	2.2
1	D	428	ASP	2.2
1	E	415	THR	2.2
1	E	440	ASN	2.1
1	E	458	LYS	2.1
1	D	368	LEU	2.1
1	E	363	ALA	2.1
1	D	516	GLU	2.1
1	A	388	ASN	2.1
1	A	450	ASN	2.1
1	E	334	ASN	2.1
2	B	118	ASN	2.1
1	D	365	TYR	2.1
1	D	358	ILE	2.1
1	D	391	CYS	2.1
2	F	116	LEU	2.1
1	A	432	CYS	2.1
1	A	478	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	343	ASN	2.1
1	E	394	ASN	2.1
2	C	107	ARG	2.0
1	A	519	HIS	2.0
1	E	338	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.