



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:37 PM UTC

PDB ID : 2X8F / pdb_00002x8f
Title : Native structure of Endo-1,5-alpha-L-arabinanases from Bacillus subtilis
Authors : de Sanctis, D.; Inacio, J.M.; Lindley, P.F.; de Sa-Nogueira, I.; Bento, I.
Deposited on : 2010-03-09
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	 84% 9% 6%
1	B	470	 82% 11% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	1476	-	-	X	-
4	GOL	B	1478	-	-	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 7804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENDO-ALPHA-1,5-L-ARABINANASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	443	Total	C	N	O	S	0	4	0
			3532	2244	596	680	12			
1	B	443	Total	C	N	O	S	0	11	0
			3585	2278	604	691	12			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Na	0	0
			2	2		
5	B	2	Total	Na	0	0
			2	2		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 7 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 8 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	281	Total 281	O 281	0	0
9	B	306	Total 306	O 306	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ENDO-ALPHA-1,5-L-ARABINANASE



• Molecule 1: ENDO-ALPHA-1,5-L-ARABINANASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.98Å 57.65Å 86.27Å 82.31° 87.97° 63.66°	Depositor
Resolution (Å)	19.62 – 1.90 19.62 – 1.90	Depositor EDS
% Data completeness (in resolution range)	85.7 (19.62-1.90) 85.2 (19.62-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.04 (at 1.90Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.141 , 0.180 0.144 , 0.182	Depositor DCC
R_{free} test set	3011 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	12.0	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 57.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.023 for h,h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7804	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, TRS, NA, GOL, MPD, PO4, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.13	15/3628 (0.4%)	0.90	6/4914 (0.1%)
1	B	0.95	9/3681 (0.2%)	0.93	11/4988 (0.2%)
All	All	1.04	24/7309 (0.3%)	0.91	17/9902 (0.2%)

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	306	GLU	C-N	-24.19	0.97	1.33
1	A	406	ASN	C-N	-22.94	1.03	1.34
1	A	403	ILE	C-N	-14.92	1.14	1.33
1	A	434	LYS	C-N	-14.37	1.14	1.33
1	A	307	ASN	C-N	-9.27	1.21	1.33
1	A	404	GLN	C-N	7.63	1.44	1.33
1	A	75	ASN	CG-OD1	6.17	1.35	1.23
1	A	272	ASN	CG-OD1	6.15	1.35	1.23
1	B	332	LEU	C-O	-6.13	1.16	1.24
1	B	399	GLN	CD-OE1	5.91	1.34	1.23
1	B	335	HIS	ND1-CE1	5.82	1.38	1.32
1	A	220	HIS	ND1-CE1	5.57	1.38	1.32
1	A	216	LEU	C-O	-5.52	1.17	1.23
1	A	407	LYS	C-N	-5.47	1.24	1.33
1	B	389	HIS	ND1-CE1	5.43	1.38	1.32
1	B	201	LYS	CB-CG	-5.37	1.36	1.52
1	A	252	TYR	C-O	-5.37	1.17	1.23
1	A	406	ASN	CG-OD1	5.36	1.33	1.23
1	A	166	HIS	ND1-CE1	5.34	1.37	1.32
1	A	246	LEU	C-O	-5.33	1.17	1.24
1	B	199	ASN	C-O	-5.31	1.17	1.24
1	B	166	HIS	CD2-NE2	-5.30	1.32	1.37
1	B	75	ASN	CG-OD1	5.04	1.33	1.23
1	B	166	HIS	ND1-CE1	5.03	1.37	1.32

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	307	ASN	O-C-N	-10.52	109.41	122.35
1	B	279	GLY	CA-C-N	9.87	134.89	120.87
1	B	279	GLY	C-N-CA	9.87	134.89	120.87
1	A	220	HIS	CB-CG-CD2	-6.67	122.53	131.20
1	B	335	HIS	CB-CG-CD2	-6.39	122.89	131.20
1	B	166	HIS	CB-CG-CD2	-6.25	123.07	131.20
1	B	389	HIS	CB-CG-CD2	-6.24	123.09	131.20
1	B	345	HIS	CB-CG-CD2	-6.18	123.16	131.20
1	A	166	HIS	CB-CG-CD2	-5.98	123.43	131.20
1	B	166	HIS	CB-CG-ND1	5.72	131.28	122.70
1	A	220	HIS	CB-CG-ND1	5.59	131.09	122.70
1	B	389	HIS	CB-CG-ND1	5.55	131.02	122.70
1	B	335	HIS	CB-CG-ND1	5.54	131.01	122.70
1	B	345	HIS	CB-CG-ND1	5.39	130.78	122.70
1	B	443	GLN	N-CA-C	5.22	115.03	108.45
1	A	166	HIS	CB-CG-ND1	5.11	130.37	122.70
1	A	443	GLN	N-CA-C	5.07	114.84	108.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3532	0	3381	25	0
1	B	3585	0	3437	47	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	30	0	40	5	0
4	B	30	0	38	16	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	8	0	14	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	8	0	12	0	0
8	B	8	0	13	2	0
9	A	281	0	0	5	0
9	B	306	0	0	4	0
All	All	7804	0	6935	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:2092:HOH:O	1:B:280:LYS:HE3	1.55	1.05
1:B:354:MET:H	4:B:1478:GOL:H11	1.20	0.99
1:B:354:MET:N	4:B:1478:GOL:H11	1.94	0.81
9:A:2092:HOH:O	1:B:280:LYS:CE	2.20	0.81
1:B:459:ASN:HB2	4:B:1477:GOL:H32	1.69	0.73
1:B:222[A]:ARG:HD3	1:B:287:ASP:OD1	1.92	0.69
1:B:353:PHE:HB3	4:B:1478:GOL:H31	1.75	0.68
1:A:277:VAL:HG22	1:A:293:TYR:CG	2.28	0.68
1:A:222[A]:ARG:HD3	1:A:287:ASP:OD1	1.94	0.67
1:A:132[B]:VAL:HG21	1:A:143:LYS:HD2	1.76	0.67
1:B:372:LEU:CD2	4:B:1478:GOL:H32	2.26	0.65
1:B:354:MET:H	4:B:1478:GOL:C1	2.02	0.65
1:B:459:ASN:HB2	4:B:1477:GOL:C3	2.27	0.65
1:B:229[B]:LEU:HD23	1:B:230:TYR:O	1.99	0.64
1:B:229[B]:LEU:HD23	1:B:229[B]:LEU:C	2.23	0.63
1:A:136:ILE:HG22	4:A:1476:GOL:H11	1.80	0.62
1:B:348:ARG:HE	4:B:1476:GOL:H32	1.66	0.61
1:A:135:ASN:HB3	4:A:1476:GOL:O1	2.01	0.60
1:B:430[B]:THR:HG22	1:B:435:LYS:HD2	1.83	0.59
1:A:132[B]:VAL:CG2	1:A:143:LYS:HD2	2.32	0.58
1:B:353:PHE:HA	4:B:1478:GOL:H11	1.83	0.58
1:B:311:THR:HB	4:B:1476:GOL:H12	1.84	0.58
1:B:372:LEU:HD21	4:B:1478:GOL:H32	1.87	0.57
1:A:374:GLU:HA	1:A:424:LYS:HG3	1.86	0.57
8:B:1481:MRD:O4	8:B:1481:MRD:CM	2.53	0.57
1:A:374:GLU:HA	1:A:424:LYS:CG	2.36	0.56
4:B:1476:GOL:H31	9:B:2291:HOH:O	2.05	0.55
1:B:214:LYS:HE3	9:B:2138:HOH:O	2.06	0.55
1:B:30[A]:ILE:C	1:B:30[A]:ILE:HD12	2.34	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229[B]:LEU:HD23	1:B:230:TYR:N	2.24	0.53
1:B:214:LYS:HE2	1:B:217:GLY:O	2.07	0.53
1:B:270:GLU:HG3	1:B:461:SER:HA	1.91	0.53
1:B:329:ARG:NH2	1:B:371[A]:THR:HG21	2.23	0.53
1:B:348:ARG:HH21	4:B:1476:GOL:H32	1.74	0.51
1:A:287:ASP:O	1:A:291:GLU:HG3	2.11	0.51
1:A:348:ARG:HH21	4:A:1478:GOL:H32	1.77	0.50
4:A:1478:GOL:H11	9:A:2269:HOH:O	2.09	0.50
8:B:1481:MRD:O4	8:B:1481:MRD:HMC1	2.12	0.49
1:B:448:ARG:NH2	1:B:452[A]:VAL:HG11	2.28	0.49
1:B:236:TYR:CZ	1:B:260:LYS:HE2	2.48	0.48
6:A:1480:MPD:H53	6:A:1480:MPD:HM1	1.94	0.48
1:B:229[B]:LEU:CD2	1:B:230:TYR:O	2.62	0.48
1:B:422:THR:HB	1:B:426:THR:HB	1.96	0.47
1:A:356:LYS:HG2	1:A:437:ASN:CG	2.40	0.47
1:B:28:LYS:N	9:B:2002:HOH:O	2.48	0.47
1:A:288:ARG:HG2	9:A:2180:HOH:O	2.15	0.47
1:A:136:ILE:CG2	4:A:1476:GOL:H11	2.46	0.46
1:A:384:TYR:CE2	1:A:469:LYS:HB2	2.51	0.46
1:A:408:ASN:O	1:A:409:HIS:HB2	2.15	0.46
1:A:291:GLU:N	1:A:292:PRO:CD	2.78	0.46
1:B:384:TYR:CZ	1:B:469:LYS:HD3	2.51	0.46
1:B:329:ARG:NH2	1:B:371[A]:THR:CG2	2.79	0.45
1:B:229[B]:LEU:HD23	1:B:230:TYR:C	2.42	0.45
1:B:222[A]:ARG:HD2	1:B:285:PHE:HB3	1.99	0.45
1:B:460[A]:THR:C	1:B:462:GLY:H	2.24	0.45
1:B:229[B]:LEU:C	1:B:229[B]:LEU:CD2	2.90	0.45
1:B:445:ASP:HB2	1:B:452[B]:VAL:HG21	1.99	0.44
1:B:435:LYS:HB3	1:B:435:LYS:HE3	1.67	0.44
1:A:37:HIS:CE1	6:A:1480:MPD:H53	2.53	0.43
1:B:353:PHE:HA	4:B:1478:GOL:C1	2.48	0.43
1:B:353:PHE:CA	4:B:1478:GOL:H11	2.47	0.43
1:A:222[A]:ARG:CD	1:A:287:ASP:OD1	2.65	0.42
1:A:189:TYR:HA	1:A:221:SER:O	2.18	0.42
1:B:391:LYS:HG2	1:B:463:GLU:HG2	2.01	0.42
1:A:398:LYS:HE2	9:A:2239:HOH:O	2.20	0.42
1:B:157:ASP:OD1	1:B:157:ASP:C	2.62	0.42
1:B:417:GLY:HA3	1:B:430[A]:THR:O	2.19	0.42
1:A:373:LYS:HE3	1:A:373:LYS:HB2	1.66	0.42
1:B:374:GLU:HA	1:B:424:LYS:HG2	2.01	0.42
1:A:157:ASP:OD1	1:A:157:ASP:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222[A]:ARG:HD2	1:A:285:PHE:HB3	2.02	0.41
1:B:107[B]:LEU:HG	1:B:113:TYR:CD1	2.56	0.41
1:A:422:THR:HB	1:A:426:THR:HB	2.01	0.41
1:B:214:LYS:CE	9:B:2138:HOH:O	2.66	0.41
1:B:348:ARG:NE	4:B:1476:GOL:H32	2.32	0.41
1:A:275:LEU:HD13	1:B:267:TYR:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/470 (95%)	436 (98%)	9 (2%)	0	100	100
1	B	452/470 (96%)	442 (98%)	9 (2%)	1 (0%)	43	36
All	All	897/940 (95%)	878 (98%)	18 (2%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	318	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/394 (95%)	372 (99%)	3 (1%)	73	75
1	B	382/394 (97%)	374 (98%)	8 (2%)	47	44
All	All	757/788 (96%)	746 (98%)	11 (2%)	63	56

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	216	LEU
1	A	252	TYR
1	A	378	LYS
1	B	30[A]	ILE
1	B	30[B]	ILE
1	B	216	LEU
1	B	252	TYR
1	B	373	LYS
1	B	452[A]	VAL
1	B	452[B]	VAL
1	B	469	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	61	ASN
1	B	65	GLN
1	B	168	ASN
1	B	272	ASN
1	B	404	GLN
1	B	406	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 6 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	B	1472	-	4,4,4	1.15	1 (25%)	6,6,6	1.22	1 (16%)
4	GOL	B	1479	-	5,5,5	0.30	0	5,5,5	0.89	0
6	MPD	A	1480	-	7,7,7	0.27	0	9,10,10	0.36	0
4	GOL	B	1477	-	5,5,5	0.30	0	5,5,5	0.47	0
7	TRS	B	1471	-	7,7,7	1.13	0	9,9,9	0.72	0
4	GOL	A	1476	-	5,5,5	0.47	0	5,5,5	0.75	0
4	GOL	A	1479	-	5,5,5	0.39	0	5,5,5	0.90	0
4	GOL	B	1478	-	5,5,5	0.44	0	5,5,5	0.48	0
4	GOL	A	1477	-	5,5,5	0.31	0	5,5,5	0.56	0
4	GOL	A	1473	-	5,5,5	0.45	0	5,5,5	1.30	0
4	GOL	B	1480	-	5,5,5	0.38	0	5,5,5	0.32	0
4	GOL	A	1478	-	5,5,5	0.47	0	5,5,5	0.57	0
8	MRD	B	1481	-	7,7,7	0.84	0	9,10,10	1.37	2 (22%)
4	GOL	B	1476	-	5,5,5	1.75	1 (20%)	5,5,5	1.29	0
2	PO4	A	1471	-	4,4,4	0.91	0	6,6,6	1.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	1479	-	-	2/4/4/4	-
6	MPD	A	1480	-	-	3/5/5/5	-
4	GOL	B	1477	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	TRS	B	1471	-	-	0/9/9/9	-
4	GOL	A	1476	-	-	2/4/4/4	-
4	GOL	A	1479	-	-	2/4/4/4	-
4	GOL	B	1478	-	-	2/4/4/4	-
4	GOL	A	1477	-	-	0/4/4/4	-
4	GOL	A	1473	-	-	4/4/4/4	-
4	GOL	B	1480	-	-	4/4/4/4	-
4	GOL	A	1478	-	-	2/4/4/4	-
8	MRD	B	1481	-	-	4/5/5/5	-
4	GOL	B	1476	-	-	3/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1476	GOL	O2-C2	-3.30	1.33	1.43
2	B	1472	PO4	P-O2	-2.08	1.48	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	1481	MRD	O2-C2-C3	-2.57	99.67	109.27
8	B	1481	MRD	CM-C2-C3	2.36	120.39	110.20
2	B	1472	PO4	O4-P-O2	2.03	114.23	107.91

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1473	GOL	O1-C1-C2-C3
4	A	1473	GOL	C1-C2-C3-O3
4	A	1476	GOL	C1-C2-C3-O3
4	B	1477	GOL	C1-C2-C3-O3
4	B	1479	GOL	O1-C1-C2-O2
4	B	1479	GOL	O1-C1-C2-C3
4	B	1480	GOL	O1-C1-C2-C3
8	B	1481	MRD	O2-C2-C3-C4
8	B	1481	MRD	CM-C2-C3-C4
4	B	1480	GOL	O1-C1-C2-O2
4	A	1478	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1479	GOL	O1-C1-C2-C3
4	B	1476	GOL	C1-C2-C3-O3
4	B	1478	GOL	C1-C2-C3-O3
4	B	1480	GOL	C1-C2-C3-O3
4	A	1476	GOL	O2-C2-C3-O3
4	B	1476	GOL	O2-C2-C3-O3
4	B	1478	GOL	O2-C2-C3-O3
4	A	1473	GOL	O2-C2-C3-O3
4	A	1473	GOL	O1-C1-C2-O2
4	A	1479	GOL	O1-C1-C2-O2
4	B	1477	GOL	O2-C2-C3-O3
4	B	1476	GOL	O1-C1-C2-O2
8	B	1481	MRD	C1-C2-C3-C4
6	A	1480	MPD	C2-C3-C4-C5
4	A	1478	GOL	O1-C1-C2-O2
4	B	1480	GOL	O2-C2-C3-O3
8	B	1481	MRD	C2-C3-C4-O4
6	A	1480	MPD	C1-C2-C3-C4
6	A	1480	MPD	CM-C2-C3-C4

There are no ring outliers.

7 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1480	MPD	2	0
4	B	1477	GOL	2	0
4	A	1476	GOL	3	0
4	B	1478	GOL	9	0
4	A	1478	GOL	2	0
8	B	1481	MRD	2	0
4	B	1476	GOL	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	4

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	403:ILE	C	404:GLN	N	1.14
1	A	434:LYS	C	435:LYS	N	1.14
1	A	406:ASN	C	407:LYS	N	1.03
1	A	306:GLU	C	307:ASN	N	0.97

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	443/470 (94%)	-0.50	1 (0%) 91 92	7, 18, 33, 53	4 (0%)
1	B	443/470 (94%)	-0.58	3 (0%) 84 86	7, 16, 30, 52	11 (2%)
All	All	886/940 (94%)	-0.54	4 (0%) 87 89	7, 17, 32, 53	15 (1%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	284	PHE	2.3
1	B	307	ASN	2.3
1	B	470	ALA	2.1
1	A	325	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	1477	6/6	0.81	0.13	48,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	B	1479	6/6	0.82	0.14	51,52,52,53	0
4	GOL	B	1478	6/6	0.83	0.21	32,38,40,46	0
4	GOL	A	1476	6/6	0.84	0.13	34,47,52,53	0
4	GOL	A	1473	6/6	0.84	0.12	41,43,49,53	0
4	GOL	A	1478	6/6	0.85	0.18	26,31,46,55	0
4	GOL	B	1476	6/6	0.86	0.17	24,30,34,35	0
8	MRD	B	1481	8/8	0.86	0.12	32,39,41,45	0
4	GOL	B	1477	6/6	0.87	0.14	38,44,46,49	0
6	MPD	A	1480	8/8	0.87	0.14	36,38,46,47	0
4	GOL	A	1479	6/6	0.87	0.13	31,39,43,45	0
4	GOL	B	1480	6/6	0.89	0.19	33,42,43,44	0
2	PO4	A	1471	5/5	0.95	0.09	25,31,34,43	0
2	PO4	B	1472	5/5	0.98	0.07	22,24,24,38	0
7	TRS	B	1471	8/8	0.98	0.04	11,12,16,16	0
5	NA	A	1475	1/1	0.98	0.05	21,21,21,21	0
5	NA	A	1474	1/1	0.99	0.03	21,21,21,21	0
5	NA	B	1474	1/1	0.99	0.04	17,17,17,17	0
5	NA	B	1475	1/1	0.99	0.03	19,19,19,19	0
3	CA	B	1473	1/1	1.00	0.01	11,11,11,11	0
3	CA	A	1472	1/1	1.00	0.01	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.