



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 09:46 AM UTC

PDB ID : 7X95 / pdb_00007x95
EMDB ID : EMD-33067
Title : The SARS-CoV-2 receptor binding domain bound with the Fab fragment of a human neutralizing antibody Ab709
Authors : Kamada, K.; Shirouzu, M.
Deposited on : 2022-03-15
Resolution : 3.90 Å(reported)
Based on initial model : 5CCK

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1278	 14% 85%
2	H	266	 8% 33% 13% 54%
3	L	239	 5% 40% 5% 55%
4	B	2	 100%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6547 atoms, of which 3201 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	197	Total	C	H	N	O	S	0	0
			3043	1001	1483	260	291	8		

There are 79 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	817	PRO	PHE	engineered mutation	UNP P0DTC2
A	892	PRO	ALA	engineered mutation	UNP P0DTC2
A	899	PRO	ALA	engineered mutation	UNP P0DTC2
A	942	PRO	ALA	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1209	ALA	-	expression tag	UNP P0DTC2
A	1210	ALA	-	expression tag	UNP P0DTC2
A	1211	ALA	-	expression tag	UNP P0DTC2
A	1212	GLY	-	expression tag	UNP P0DTC2
A	1213	SER	-	expression tag	UNP P0DTC2
A	1214	GLY	-	expression tag	UNP P0DTC2
A	1215	TYR	-	expression tag	UNP P0DTC2
A	1216	ILE	-	expression tag	UNP P0DTC2
A	1217	PRO	-	expression tag	UNP P0DTC2
A	1218	GLU	-	expression tag	UNP P0DTC2
A	1219	ALA	-	expression tag	UNP P0DTC2
A	1220	PRO	-	expression tag	UNP P0DTC2
A	1221	ARG	-	expression tag	UNP P0DTC2
A	1222	ASP	-	expression tag	UNP P0DTC2
A	1223	GLY	-	expression tag	UNP P0DTC2
A	1224	GLN	-	expression tag	UNP P0DTC2
A	1225	ALA	-	expression tag	UNP P0DTC2
A	1226	TYR	-	expression tag	UNP P0DTC2
A	1227	VAL	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1228	ARG	-	expression tag	UNP P0DTC2
A	1229	LYS	-	expression tag	UNP P0DTC2
A	1230	ASP	-	expression tag	UNP P0DTC2
A	1231	GLY	-	expression tag	UNP P0DTC2
A	1232	GLU	-	expression tag	UNP P0DTC2
A	1233	TRP	-	expression tag	UNP P0DTC2
A	1234	VAL	-	expression tag	UNP P0DTC2
A	1235	LEU	-	expression tag	UNP P0DTC2
A	1236	LEU	-	expression tag	UNP P0DTC2
A	1237	SER	-	expression tag	UNP P0DTC2
A	1238	THR	-	expression tag	UNP P0DTC2
A	1239	PHE	-	expression tag	UNP P0DTC2
A	1240	LEU	-	expression tag	UNP P0DTC2
A	1241	GLY	-	expression tag	UNP P0DTC2
A	1242	SER	-	expression tag	UNP P0DTC2
A	1243	SER	-	expression tag	UNP P0DTC2
A	1244	GLY	-	expression tag	UNP P0DTC2
A	1245	ARG	-	expression tag	UNP P0DTC2
A	1246	GLU	-	expression tag	UNP P0DTC2
A	1247	ASN	-	expression tag	UNP P0DTC2
A	1248	LEU	-	expression tag	UNP P0DTC2
A	1249	TYR	-	expression tag	UNP P0DTC2
A	1250	PHE	-	expression tag	UNP P0DTC2
A	1251	GLN	-	expression tag	UNP P0DTC2
A	1252	GLY	-	expression tag	UNP P0DTC2
A	1253	GLY	-	expression tag	UNP P0DTC2
A	1254	GLY	-	expression tag	UNP P0DTC2
A	1255	GLY	-	expression tag	UNP P0DTC2
A	1256	SER	-	expression tag	UNP P0DTC2
A	1257	GLY	-	expression tag	UNP P0DTC2
A	1258	LEU	-	expression tag	UNP P0DTC2
A	1259	ASN	-	expression tag	UNP P0DTC2
A	1260	ASP	-	expression tag	UNP P0DTC2
A	1261	ILE	-	expression tag	UNP P0DTC2
A	1262	PHE	-	expression tag	UNP P0DTC2
A	1263	GLU	-	expression tag	UNP P0DTC2
A	1264	ALA	-	expression tag	UNP P0DTC2
A	1265	GLN	-	expression tag	UNP P0DTC2
A	1266	LYS	-	expression tag	UNP P0DTC2
A	1267	ILE	-	expression tag	UNP P0DTC2
A	1268	GLU	-	expression tag	UNP P0DTC2
A	1269	TRP	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1270	HIS	-	expression tag	UNP P0DTC2
A	1271	GLU	-	expression tag	UNP P0DTC2
A	1272	GLY	-	expression tag	UNP P0DTC2
A	1273	HIS	-	expression tag	UNP P0DTC2
A	1274	HIS	-	expression tag	UNP P0DTC2
A	1275	HIS	-	expression tag	UNP P0DTC2
A	1276	HIS	-	expression tag	UNP P0DTC2
A	1277	HIS	-	expression tag	UNP P0DTC2
A	1278	HIS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Ab709 heavy chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	H	123	Total	C	H	N	O	S	0	0
			1887	613	931	159	179	5		

- Molecule 3 is a protein called Ab709 light chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	L	107	Total	C	H	N	O	S	0	0
			1564	507	762	136	157	2		



- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms						AltConf	Trace
4	B	2	Total	C	H	N	O		0	0
			53	16	25	2	10			

ILE	GLU	SER	ALA	THR	ASN
GLU	GLN	PHE	HIS	LYS	GLY
TRP	ALA	LYS	PHE	MET	ILE
HIS	ALA	GLU	PRO	GLY	PHE
GLU	ALA	GLU	ARG	GLU	GLY
GLY	GLY	LEU	GLU	CYS	ALA
HIS	SER	ASP	GLY	VAL	THR
HIS	GLY	LYS	VAL	LEU	GLN
HIS	TYR	PHE	PHE	GLY	SER
HIS	ILE	PHE	VAL	GLN	VAL
HIS	PRO	SER	SER	LYS	TYR
HIS	GLU	ASN	ASN	LYS	GLU
	ALA	HIS	GLY	ARG	ASN
	PRO	THR	THR	VAL	GLN
	ARG	SER	HIS	ASP	LYS
	ASP	PRO	TRP	PHE	LEU
	GLY	ASP	PHE	CYS	ARG
	GLN	VAL	VAL	GLY	ALA
	ALA	ASP	THR	LYS	ASN
	TYR	LEU	ARG	GLY	GLN
	VAL	GLY	ARG	TYR	PHE
	ARG	ILE	PHE	LYS	ASN
	LYS	ILE	THR	MET	SER
	ASP	SER	TYR	GLY	ALA
	GLY	GLY	GLU	SER	ILE
	GLU	ILE	PRO	PHE	GLY
	TRP	ASN	GLN	PRO	LYS
	VAL	ALA	ILE	GLN	ILE
	LEU	SER	ILE	SER	GLN
	LEU	VAL	THR	ALA	ASP
	SER	VAL	THR	PRO	ILE
	THR	ASN	ASP	HIS	SER
	PHE	ILE	ASN	GLY	LEU
	LEU	GLN	THR	VAL	THR
	GLY	LYS	PHE	VAL	THR
	SER	ILE	SER	PHE	PRO
	GLY	ARG	GLY	HIS	ALA
	ARG	ARC	ASN	VAL	LEU
	ASN	LEU	CYS	THR	GLY
	ASN	ASN	ASP	TYR	LYS
	LEU	GLU	VAL	VAL	LEU
	TYR	VAL	VAL	PRO	GLN
	PHE	ALA	ILE	ALA	ASP
	GLN	LYS	GLY	GLN	VAL
	GLY	ASN	ILE	GLU	VAL
	GLY	LEU	VAL	LYS	ILE
	GLY	ASN	VAL	ASN	GLN
	GLY	GLU	ASN	PHE	ALA
	GLY	GLU	THR	THR	ALA
	GLY	LEU	VAL	THR	GLN
	LEU	ILE	TYR	ALA	ALA
	ASN	ASP	ASP	PRO	ILE
	ASP	LEU	PRO	ALA	ASN
	ILE	GLN	LEU	ILE	THR
	PHE	GLU	GLU	LEU	THR
	GLU	LEU	PRO	HIS	ASN
	ALA	GLY	GLU	ASP	VAL
	GLN	LYS	LEU	GLY	LYS
	TYR	THR	THR	ALA	GLN

- Molecule 2: Ab709 heavy chain



- Molecule 3: Ab709 light chain



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	162949	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.027	Depositor
Minimum map value	-0.010	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0111	Depositor
Map size (Å)	130.982, 130.982, 130.982	wwPDB
Map dimensions	158, 158, 158	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82899994, 0.82899994, 0.82899994	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.11	0/1604	0.27	0/2183
2	H	0.10	0/980	0.25	0/1331
3	L	0.11	0/825	0.29	0/1124
All	All	0.11	0/3409	0.27	0/4638

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1560	1483	1483	15	0
2	H	956	931	931	23	0
3	L	802	762	762	8	0
4	B	28	25	25	2	0
All	All	3346	3201	3201	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:52:SER:OG	2:H:108:TYR:OH	1.98	0.81
3:L:95:SER:O	3:L:96:LEU:HD23	1.86	0.76
3:L:6:GLN:NE2	3:L:89:CYS:SG	2.63	0.72
4:B:1:NAG:HO6	4:B:2:NAG:HO6	1.37	0.71
1:A:457:ARG:NH1	1:A:467:ASP:OD2	2.28	0.66
2:H:62:ASP:OD1	2:H:63:SER:N	2.33	0.61
2:H:35:HIS:CD2	2:H:50:VAL:HG23	2.34	0.61
2:H:29:PHE:O	2:H:72:ARG:NH2	2.34	0.60
2:H:37:VAL:HG21	2:H:116:TRP:CH2	2.36	0.60
4:B:1:NAG:O6	4:B:2:NAG:O6	2.15	0.59
1:A:355:ARG:NH1	1:A:398:ASP:OD1	2.36	0.59
2:H:37:VAL:HG11	2:H:113:MET:SD	2.44	0.57
2:H:36:TRP:CD2	2:H:81:LEU:HD12	2.40	0.56
1:A:466:ARG:HD3	1:A:468:ILE:HD11	1.89	0.55
2:H:33:ALA:C	2:H:34:MET:HE2	2.33	0.54
1:A:470:THR:HG22	1:A:470:THR:O	2.08	0.53
2:H:35:HIS:HD2	2:H:50:VAL:HG23	1.72	0.53
2:H:36:TRP:CG	2:H:81:LEU:HD12	2.46	0.51
2:H:37:VAL:HG12	2:H:47:TRP:HA	1.91	0.51
2:H:34:MET:HE2	2:H:34:MET:HA	1.93	0.51
2:H:67:ARG:NH2	2:H:90:ASP:OD2	2.40	0.50
1:A:500:THR:O	1:A:500:THR:HG23	2.12	0.50
3:L:13:THR:HG22	3:L:14:PRO:HD2	1.93	0.50
1:A:402:ILE:HD11	1:A:510:VAL:HG11	1.94	0.48
3:L:80:ARG:HA	3:L:80:ARG:HE	1.78	0.48
2:H:110:ILE:HD11	3:L:51:ARG:NE	2.29	0.48
1:A:358:ILE:HB	1:A:395:VAL:HG13	1.95	0.47
1:A:468:ILE:HD12	1:A:468:ILE:H	1.79	0.47
1:A:430:THR:HG22	1:A:430:THR:O	2.15	0.47
2:H:74:ASN:O	2:H:77:ASN:ND2	2.49	0.45
2:H:3:GLN:C	2:H:4:LEU:HD22	2.42	0.45
1:A:518:LEU:HG	1:A:519:HIS:H	1.82	0.44
1:A:350:VAL:HG23	1:A:400:PHE:CD2	2.53	0.43
2:H:73:ASP:OD2	2:H:76:LYS:NZ	2.45	0.43
3:L:93:ASP:HB3	3:L:97:PHE:HB2	2.01	0.43
1:A:468:ILE:O	1:A:468:ILE:HG22	2.18	0.42
1:A:392:PHE:O	1:A:523:THR:N	2.53	0.42
2:H:5:VAL:HG12	2:H:6:GLU:N	2.34	0.42
1:A:466:ARG:CD	1:A:468:ILE:HD11	2.49	0.42
2:H:84:ASN:OD1	2:H:85:SER:N	2.52	0.42
2:H:91:THR:O	2:H:91:THR:HG23	2.20	0.42
2:H:6:GLU:OE2	2:H:96:CYS:N	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:ASP:OD1	1:A:428:ASP:O	2.38	0.41
2:H:114:ASP:O	2:H:115:VAL:C	2.62	0.41
3:L:13:THR:HG22	3:L:14:PRO:CD	2.50	0.41
2:H:81:LEU:CD2	2:H:83:MET:HG2	2.51	0.41
3:L:16:GLN:H	3:L:16:GLN:CD	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/1278 (15%)	180 (92%)	15 (8%)	0	100	100
2	H	121/266 (46%)	116 (96%)	5 (4%)	0	100	100
3	L	105/239 (44%)	98 (93%)	7 (7%)	0	100	100
All	All	421/1783 (24%)	394 (94%)	27 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/1108 (15%)	170 (100%)	0	100	100
2	H	102/227 (45%)	102 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	L	87/201 (43%)	87 (100%)	0	100	100
All	All	359/1536 (23%)	359 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	B	1	4,1	14,14,15	0.23	0	17,19,21	0.43	0
4	NAG	B	2	4	14,14,15	0.30	0	17,19,21	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	1	4,1	–	0/6/23/26	0/1/1/1
4	NAG	B	2	4	–	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	2	NAG	O5-C5-C6-O6
4	B	2	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1	NAG	2	0
4	B	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33067. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 79




Y Index: 79




Z Index: 79


6.2.2 Raw map



X Index: 79



Y Index: 79




Z Index: 79


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 66




Y Index: 98




Z Index: 85


6.3.2 Raw map



X Index: 67



Y Index: 99




Z Index: 85


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0111. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 22 nm^3 ; this corresponds to an approximate mass of 20 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.81	4.32	3.99
Unmasked-calculated*	4.09	4.67	4.18

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33067 and PDB model 7X95. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0111 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0111).

9.4 Atom inclusion [i](#)



At the recommended contour level, 60% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0111) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5890	0.3870
A	0.6080	0.4050
B	0.5360	0.3650
H	0.5750	0.3660
L	0.6330	0.3760

