



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:46 AM UTC

PDB ID : 7X98 / pdb_00007x98
Title : 5-Aminolevulinate synthase HemA from Rhodopseudomonas palustris
Authors : Zhang, T.T.; Liu, H.P.
Deposited on : 2022-03-15
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	3% 83% 14% ..
1	B	403	% 87% 11% ..
1	C	403	86% 13% .
1	D	403	% 88% 10% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-aminolevulinate synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	400	Total	C	N	O	P	S	0	1	0
			3043	1895	559	573	1	15			
1	B	399	Total	C	N	O	P	S	0	4	0
			3071	1913	566	576	1	15			
1	C	400	Total	C	N	O	P	S	0	1	0
			3073	1913	569	575	1	15			
1	D	399	Total	C	N	O	P	S	0	1	0
			3067	1909	565	577	1	15			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	191	Total	O	0	0
			191	191		
2	B	236	Total	O	0	0
			236	236		
2	C	227	Total	O	0	0
			227	227		
2	D	237	Total	O	0	0
			237	237		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5-aminolevulinate synthase




- Molecule 1: 5-aminolevulinate synthase




- Molecule 1: 5-aminolevulinate synthase



- Molecule 1: 5-aminolevulinate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	67.16Å 68.90Å 85.64Å 82.02° 85.26° 66.06°	Depositor
Resolution (Å)	34.61 – 2.05 34.61 – 2.05	Depositor EDS
% Data completeness (in resolution range)	94.1 (34.61-2.05) 94.3 (34.61-2.05)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.85 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.152 , 0.204 0.162 , 0.209	Depositor DCC
R_{free} test set	4148 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.446	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 27.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13145	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	0/3090	1.38	3/4197 (0.1%)
1	B	1.10	1/3129 (0.0%)	1.35	3/4250 (0.1%)
1	C	1.07	0/3122	1.35	1/4239 (0.0%)
1	D	1.09	0/3116	1.34	0/4231
All	All	1.09	1/12457 (0.0%)	1.36	7/16917 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	47	VAL	C-O	5.09	1.29	1.23

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	33	PHE	CA-C-O	-6.70	113.20	120.17
1	A	356	GLN	CB-CA-C	6.34	117.82	108.87
1	B	363	VAL	N-CA-CB	-6.04	102.76	111.21
1	B	252	VAL	CA-C-O	-5.48	116.99	120.66
1	A	58	MET	CA-C-N	5.30	126.81	120.13
1	A	58	MET	C-N-CA	5.30	126.81	120.13
1	C	158	PHE	CA-CB-CG	5.00	118.80	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3043	0	2935	48	0
1	B	3071	0	2980	33	0
1	C	3073	0	2979	34	0
1	D	3067	0	2970	30	0
2	A	191	0	0	5	0
2	B	236	0	0	7	0
2	C	227	0	0	4	0
2	D	237	0	0	5	0
All	All	13145	0	11864	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:212:LEU:HB2	1:C:238:LEU:HD22	1.59	0.82
1:C:129:MET:HE1	1:C:209:MET:HE1	1.62	0.81
1:C:129:MET:HE1	1:C:209:MET:CE	2.13	0.78
1:A:212:LEU:HB2	1:A:238:LEU:HD22	1.65	0.77
1:B:237:ARG:HD2	2:B:501:HOH:O	1.85	0.74
1:A:29:HIS:CE1	1:A:37:THR:HG22	2.23	0.73
1:B:145:ILE:HD11	2:B:546:HOH:O	1.91	0.69
1:B:89:ASN:H	1:B:92:HIS:HD2	1.41	0.69
1:B:322:HIS:HD2	2:B:645:HOH:O	1.76	0.69
1:D:89:ASN:H	1:D:92:HIS:CD2	2.14	0.66
1:D:135:LEU:HD13	1:D:170:LEU:CD2	2.26	0.66
1:D:135:LEU:HD13	1:D:170:LEU:HD21	1.77	0.66
1:B:212:LEU:HB2	1:B:238:LEU:HD22	1.77	0.65
1:A:144:MET:HE1	1:A:184:GLU:CG	2.28	0.63
1:C:89:ASN:H	1:C:92:HIS:HD2	1.46	0.63
1:D:212:LEU:HB2	1:D:238:LEU:HD22	1.80	0.63
1:A:89:ASN:H	1:A:92:HIS:HD2	1.47	0.62
1:B:89:ASN:H	1:B:92:HIS:CD2	2.18	0.62
1:A:29:HIS:CE1	1:A:37:THR:CG2	2.83	0.60
1:A:29:HIS:HE1	1:A:37:THR:CG2	2.15	0.59
1:A:221:TYR:OH	1:A:328:HIS:HD2	1.88	0.56
1:B:221:TYR:OH	1:B:328:HIS:HD2	1.89	0.56
1:C:89:ASN:H	1:C:92:HIS:CD2	2.23	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ASN:H	1:A:92:HIS:CD2	2.24	0.55
1:A:123:SER:O	1:A:127:SER:HB2	2.08	0.54
1:A:240:ILE:HD11	1:A:262:VAL:HG21	1.90	0.54
1:C:351:TYR:O	1:C:385:HIS:HE1	1.90	0.54
1:A:314:ARG:NH2	1:A:317:GLN:OE1	2.40	0.54
1:D:155:THR:HG21	2:D:719:HOH:O	2.08	0.54
1:C:129:MET:HE1	1:C:209:MET:HE2	1.90	0.53
1:B:332:VAL:CG2	1:B:372:ILE:HD12	2.39	0.53
1:B:174:ASP:CB	2:B:711:HOH:O	2.57	0.53
1:D:316:ASP:OD1	1:D:322:HIS:HE1	1.91	0.53
1:B:135:LEU:HD13	1:B:170:LEU:HD21	1.90	0.52
1:A:144:MET:HE1	1:A:184:GLU:HG3	1.90	0.52
1:A:193:ILE:HD12	1:A:326:PRO:HB2	1.90	0.52
1:A:126:ALA:CB	1:A:134:ILE:HD11	2.39	0.52
1:A:216:HIS:NE2	1:A:247:LLP:O3	2.40	0.52
1:C:221:TYR:OH	1:C:328:HIS:HD2	1.93	0.52
1:A:188:SER:HB2	1:A:189:MET:HE2	1.92	0.51
1:A:180:LEU:C	1:A:180:LEU:HD23	2.35	0.51
1:B:304:HIS:HE1	2:B:531:HOH:O	1.93	0.51
1:A:26:LEU:O	1:B:89:ASN:HA	2.11	0.51
1:B:34:PRO:HG2	1:B:48:THR:HG23	1.93	0.50
1:A:212:LEU:CB	1:A:238:LEU:HD22	2.37	0.50
1:B:92:HIS:HE1	1:B:279:PRO:O	1.95	0.50
1:C:188:SER:HB3	1:C:216:HIS:NE2	2.27	0.50
1:D:64:VAL:O	1:D:68:MET:HG3	2.12	0.50
1:B:153:SER:O	1:B:155:THR:HG23	2.12	0.49
1:D:2:ASN:HD22	1:D:2:ASN:C	2.20	0.49
1:B:328:HIS:H	1:B:328:HIS:CD2	2.30	0.48
1:C:360:TYR:CG	1:C:361:PRO:HA	2.48	0.48
1:A:395:THR:HG23	2:A:546:HOH:O	2.12	0.48
1:D:55:TYR:CZ	1:D:328:HIS:HE1	2.31	0.48
1:B:89:ASN:ND2	1:B:91:TYR:H	2.11	0.48
1:B:135:LEU:HD13	1:B:170:LEU:CD2	2.44	0.48
1:C:126:ALA:CB	1:C:134:ILE:HD11	2.43	0.48
1:C:135:LEU:HD13	1:C:170:LEU:HD21	1.95	0.48
1:D:89:ASN:H	1:D:92:HIS:HD2	1.57	0.48
1:B:160:HIS:NE2	1:B:192:ASP:OD2	2.38	0.48
1:C:354:TYR:OH	1:C:356:GLN:NE2	2.46	0.48
1:A:21:ARG:HD3	1:B:84[A]:ASN:OD1	2.13	0.47
1:D:322:HIS:HD2	2:D:627:HOH:O	1.96	0.47
1:C:126:ALA:HB1	1:C:134:ILE:HD11	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:38:HIS:HD2	2:D:716:HOH:O	1.97	0.47
1:D:126:ALA:CB	1:D:134:ILE:HD11	2.44	0.47
1:A:134:ILE:HG21	1:A:148:ILE:HG12	1.96	0.47
1:A:89:ASN:ND2	1:A:91:TYR:H	2.13	0.47
1:C:89:ASN:HA	1:D:26:LEU:O	2.14	0.47
1:C:277:THR:HG21	1:D:246:ALA:HB1	1.96	0.47
1:D:153:SER:O	1:D:155:THR:HG22	2.15	0.47
1:A:246:ALA:HB1	1:B:277:THR:HG21	1.95	0.46
1:C:323:MET:SD	1:C:333:MET:HE3	2.55	0.46
1:A:314:ARG:CD	1:A:384:GLU:OE2	2.64	0.46
1:B:79:ALA:CB	1:B:278[A]:SER:OG	2.63	0.46
1:A:55:TYR:CZ	1:A:328:HIS:HE1	2.33	0.46
1:C:388:GLN:NE2	2:C:509:HOH:O	2.48	0.46
1:A:180:LEU:HD12	1:A:209:MET:CE	2.46	0.46
1:C:172:ASP:OD1	1:C:172:ASP:C	2.58	0.46
1:D:180:LEU:C	1:D:180:LEU:HD23	2.41	0.46
1:D:304:HIS:HE1	2:D:557:HOH:O	1.98	0.46
1:C:55:TYR:CZ	1:C:328:HIS:HE1	2.33	0.45
1:A:316:ASP:OD1	1:A:322:HIS:CE1	2.69	0.45
1:C:129:MET:CE	1:C:209:MET:HE1	2.40	0.45
1:A:304:HIS:HE1	2:A:545:HOH:O	1.98	0.45
1:A:360:TYR:N	1:A:361:PRO:CD	2.80	0.45
1:B:29:HIS:HE1	1:B:37:THR:OG1	1.99	0.45
1:A:89:ASN:HA	1:B:26:LEU:O	2.16	0.45
1:D:135:LEU:HD22	1:D:166:LEU:HD12	1.98	0.45
1:C:123:SER:OG	1:C:150:HIS:HD2	2.00	0.45
1:C:215:VAL:HG13	1:C:244:THR:CG2	2.46	0.45
1:A:277:THR:HG21	1:B:246:ALA:HB1	1.99	0.45
1:A:314:ARG:HD3	1:A:384:GLU:OE2	2.17	0.44
1:B:332:VAL:HG23	1:B:372:ILE:HD12	1.99	0.44
1:A:346:GLU:OE1	1:A:396:ARG:NH2	2.49	0.44
1:D:395:THR:HG23	2:D:602:HOH:O	2.17	0.44
1:A:237:ARG:HD2	2:A:511:HOH:O	2.16	0.44
1:D:135:LEU:CD1	1:D:170:LEU:CD2	2.94	0.44
1:A:135:LEU:HD13	1:A:170:LEU:HD21	2.00	0.44
1:D:216:HIS:NE2	1:D:247:LLP:O3	2.51	0.44
1:A:96:GLU:O	1:A:108:ALA:HB3	2.18	0.44
1:B:231:ARG:NH2	2:B:513:HOH:O	2.50	0.44
1:B:29:HIS:CE1	1:B:37:THR:OG1	2.71	0.43
1:C:393:ILE:O	1:C:397:VAL:HB	2.19	0.43
1:A:92:HIS:HE1	1:A:279:PRO:O	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:ARG:O	1:B:350:ARG:HG3	2.18	0.42
1:C:4:GLU:OE2	1:D:259:SER:OG	2.34	0.42
1:D:383:ILE:O	1:D:387:VAL:HG23	2.19	0.42
1:A:328:HIS:H	1:A:328:HIS:CD2	2.36	0.42
1:C:215:VAL:HG13	1:C:244:THR:HG21	2.00	0.42
1:D:29:HIS:NE2	1:D:37:THR:OG1	2.43	0.42
1:B:332:VAL:HG21	1:B:372:ILE:HD12	2.01	0.42
1:D:47:VAL:HG11	1:D:348:ILE:HD11	2.01	0.42
1:D:141:HIS:CD2	1:D:143:SER:H	2.38	0.42
1:C:242:GLU:HG2	1:C:255:TYR:O	2.20	0.41
1:A:29:HIS:HE1	1:A:37:THR:HG22	1.76	0.41
1:C:391:SER:O	1:C:395:THR:HG23	2.19	0.41
1:C:129:MET:HE3	1:C:132:CYS:SG	2.60	0.41
1:D:109:LEU:HD11	1:D:273:PHE:CE1	2.55	0.41
1:D:391:SER:O	1:D:395:THR:HG23	2.19	0.41
1:C:355:VAL:HG11	1:C:370:LEU:HB3	2.01	0.41
1:A:317:GLN:O	1:A:317:GLN:HG3	2.21	0.41
1:B:240:ILE:HD11	1:B:262:VAL:HG21	2.02	0.41
1:A:50:TRP:CE2	1:A:386:LEU:HD22	2.55	0.41
1:A:141:HIS:H	1:A:144:MET:HE3	1.86	0.41
1:A:236:HIS:HD2	2:A:667:HOH:O	2.03	0.41
1:B:216:HIS:NE2	1:B:247:LLP:O3	2.51	0.41
1:A:350:ARG:HD2	1:A:351:TYR:CZ	2.56	0.41
1:B:236:HIS:HD2	2:B:708:HOH:O	2.03	0.40
1:C:304:HIS:HD2	2:C:601:HOH:O	2.05	0.40
1:C:316:ASP:OD1	1:C:322:HIS:HE1	2.04	0.40
2:C:705:HOH:O	1:D:141:HIS:HE1	2.04	0.40
1:A:189:MET:HG2	2:A:673:HOH:O	2.21	0.40
1:C:236:HIS:HD2	2:C:688:HOH:O	2.03	0.40
1:A:316:ASP:OD1	1:A:322:HIS:HE1	2.05	0.40
1:C:34:PRO:HG3	1:C:378:HIS:CD2	2.56	0.40
1:A:358:ILE:O	1:A:368:GLU:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/403 (99%)	381 (96%)	15 (4%)	2 (0%)	24	16
1	B	400/403 (99%)	394 (98%)	5 (1%)	1 (0%)	36	30
1	C	398/403 (99%)	391 (98%)	6 (2%)	1 (0%)	36	30
1	D	397/403 (98%)	389 (98%)	7 (2%)	1 (0%)	36	30
All	All	1593/1612 (99%)	1555 (98%)	33 (2%)	5 (0%)	36	30

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	361	PRO
1	B	251	VAL
1	D	251	VAL
1	A	251	VAL
1	C	251	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	309/316 (98%)	300 (97%)	9 (3%)	37	33
1	B	317/316 (100%)	306 (96%)	11 (4%)	32	27
1	C	315/316 (100%)	310 (98%)	5 (2%)	55	56
1	D	316/316 (100%)	308 (98%)	8 (2%)	42	39
All	All	1257/1264 (99%)	1224 (97%)	33 (3%)	42	37

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	37	THR
1	A	127	SER
1	A	188	SER
1	A	239	THR
1	A	307	ARG
1	A	342	GLN
1	A	356	GLN
1	A	367	THR
1	B	2	ASN
1	B	4	GLU
1	B	107[A]	SER
1	B	107[B]	SER
1	B	135	LEU
1	B	231	ARG
1	B	298[A]	SER
1	B	298[B]	SER
1	B	307	ARG
1	B	341	LYS
1	B	363	VAL
1	C	128	ARG
1	C	298	SER
1	C	307	ARG
1	C	350	ARG
1	C	397	VAL
1	D	9	ARG
1	D	127	SER
1	D	135	LEU
1	D	155	THR
1	D	231	ARG
1	D	307	ARG
1	D	350	ARG
1	D	363	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	29	HIS
1	A	89	ASN
1	A	92	HIS
1	A	236	HIS
1	A	304	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	HIS
1	A	328	HIS
1	B	10	GLN
1	B	15	HIS
1	B	29	HIS
1	B	92	HIS
1	B	176	HIS
1	B	236	HIS
1	B	304	HIS
1	B	322	HIS
1	B	328	HIS
1	C	29	HIS
1	C	89	ASN
1	C	92	HIS
1	C	97	GLN
1	C	150	HIS
1	C	236	HIS
1	C	304	HIS
1	C	322	HIS
1	C	328	HIS
1	C	356	GLN
1	C	385	HIS
1	C	388	GLN
1	D	2	ASN
1	D	15	HIS
1	D	38	HIS
1	D	84	ASN
1	D	92	HIS
1	D	141	HIS
1	D	236	HIS
1	D	304	HIS
1	D	322	HIS
1	D	328	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	C	247	1	23,24,25	0.81	1 (4%)	25,32,34	1.14	3 (12%)
1	LLP	A	247	1	23,24,25	1.00	1 (4%)	25,32,34	1.07	1 (4%)
1	LLP	B	247	1	23,24,25	0.85	2 (8%)	25,32,34	1.04	2 (8%)
1	LLP	D	247	1	23,24,25	0.83	1 (4%)	25,32,34	1.26	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	C	247	1	-	7/16/17/19	0/1/1/1
1	LLP	A	247	1	-	7/16/17/19	0/1/1/1
1	LLP	B	247	1	-	7/16/17/19	0/1/1/1
1	LLP	D	247	1	-	6/16/17/19	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	247	LLP	C4'-NZ	2.62	1.35	1.27
1	B	247	LLP	C4'-NZ	2.38	1.35	1.27
1	D	247	LLP	C4'-NZ	2.37	1.35	1.27
1	C	247	LLP	C4'-NZ	2.28	1.34	1.27
1	B	247	LLP	O-C	2.22	1.28	1.20

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	247	LLP	C5-C4-C4'	3.53	126.92	121.47
1	D	247	LLP	C3-C4-C4'	-2.66	115.60	120.40
1	A	247	LLP	OP4-C5'-C5	2.63	114.29	109.36
1	B	247	LLP	C5-C4-C4'	2.50	125.33	121.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	247	LLP	OP2-P-OP4	-2.44	100.30	106.67
1	C	247	LLP	OP4-C5'-C5	2.26	113.59	109.36
1	C	247	LLP	C5-C4-C4'	2.07	124.67	121.47
1	B	247	LLP	CD-CG-CB	2.03	121.26	113.62

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	247	LLP	C4-C4'-NZ-CE
1	A	247	LLP	O-C-CA-CB
1	B	247	LLP	C4-C4'-NZ-CE
1	B	247	LLP	O-C-CA-CB
1	C	247	LLP	C4-C4'-NZ-CE
1	C	247	LLP	O-C-CA-CB
1	D	247	LLP	C4-C4'-NZ-CE
1	D	247	LLP	O-C-CA-CB
1	B	247	LLP	C5'-OP4-P-OP1
1	C	247	LLP	C5'-OP4-P-OP1
1	D	247	LLP	C5'-OP4-P-OP1
1	C	247	LLP	C5-C4-C4'-NZ
1	A	247	LLP	C3-C4-C4'-NZ
1	C	247	LLP	C3-C4-C4'-NZ
1	A	247	LLP	C5-C4-C4'-NZ
1	C	247	LLP	CD-CE-NZ-C4'
1	A	247	LLP	CG-CD-CE-NZ
1	A	247	LLP	CD-CE-NZ-C4'
1	B	247	LLP	C5-C4-C4'-NZ
1	D	247	LLP	CD-CE-NZ-C4'
1	B	247	LLP	C3-C4-C4'-NZ
1	D	247	LLP	C3-C4-C4'-NZ
1	A	247	LLP	CE-CD-CG-CB
1	B	247	LLP	CD-CE-NZ-C4'
1	D	247	LLP	C5-C4-C4'-NZ
1	B	247	LLP	C5'-OP4-P-OP2
1	C	247	LLP	C5'-OP4-P-OP2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	247	LLP	1	0
1	B	247	LLP	1	0
1	D	247	LLP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	399/403 (99%)	-0.15	13 (3%) 49 49	15, 25, 51, 89	1 (0%)
1	B	398/403 (98%)	-0.34	3 (0%) 82 84	13, 24, 44, 76	4 (1%)
1	C	399/403 (99%)	-0.34	2 (0%) 87 89	16, 25, 41, 63	1 (0%)
1	D	398/403 (98%)	-0.33	4 (1%) 79 81	14, 24, 39, 53	1 (0%)
All	All	1594/1612 (98%)	-0.29	22 (1%) 73 75	13, 24, 44, 89	7 (0%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	398	GLY	5.2
1	D	399	LEU	3.6
1	A	361	PRO	3.6
1	A	362	THR	3.2
1	A	44	ALA	3.1
1	D	397	VAL	3.1
1	A	360	TYR	3.1
1	A	400	ALA	3.0
1	A	359	ASN	2.7
1	A	367	THR	2.7
1	A	172	ASP	2.5
1	B	45	GLY	2.4
1	A	358	ILE	2.3
1	A	363	VAL	2.3
1	A	364	PRO	2.3
1	A	43	GLY	2.3
1	D	16	ARG	2.2
1	C	174	ASP	2.1
1	B	43	GLY	2.1
1	B	44	ALA	2.1
1	A	337	ALA	2.0
1	C	43	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	LLP	A	247	24/25	0.96	0.07	18,23,26,27	0
1	LLP	C	247	24/25	0.96	0.07	18,22,27,31	0
1	LLP	B	247	24/25	0.97	0.06	17,22,27,28	0
1	LLP	D	247	24/25	0.97	0.06	19,23,27,28	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.