



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 10:48 AM UTC

PDB ID : 7X9C / pdb_00007x9c
EMDB ID : EMD-33071
Title : Cryo-EM structure of neuropeptide Y Y4 receptor in complex with PP and Gi
Authors : Tang, T.; Han, S.; Zhao, Q.; Wu, B.
Deposited on : 2022-03-15
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	R	380	
2	A	354	
3	B	351	
4	C	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	P	36	33% 72% 28%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuropeptide Y receptor type 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	302	Total	C	N	O	S	0	0
			2358	1552	391	392	23		

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	343	GLU	-	expression tag	UNP P50391
R	344	PHE	-	expression tag	UNP P50391
R	345	LEU	-	expression tag	UNP P50391
R	346	GLU	-	expression tag	UNP P50391
R	347	VAL	-	expression tag	UNP P50391
R	348	LEU	-	expression tag	UNP P50391
R	349	PHE	-	expression tag	UNP P50391
R	350	GLN	-	expression tag	UNP P50391
R	351	GLY	-	expression tag	UNP P50391
R	352	PRO	-	expression tag	UNP P50391
R	353	TRP	-	expression tag	UNP P50391
R	354	SER	-	expression tag	UNP P50391
R	355	HIS	-	expression tag	UNP P50391
R	356	PRO	-	expression tag	UNP P50391
R	357	GLN	-	expression tag	UNP P50391
R	358	PHE	-	expression tag	UNP P50391
R	359	GLU	-	expression tag	UNP P50391
R	360	LYS	-	expression tag	UNP P50391
R	361	GLY	-	expression tag	UNP P50391
R	362	GLY	-	expression tag	UNP P50391
R	363	GLY	-	expression tag	UNP P50391
R	364	SER	-	expression tag	UNP P50391
R	365	GLY	-	expression tag	UNP P50391
R	366	GLY	-	expression tag	UNP P50391
R	367	GLY	-	expression tag	UNP P50391
R	368	SER	-	expression tag	UNP P50391
R	369	GLY	-	expression tag	UNP P50391
R	370	GLY	-	expression tag	UNP P50391

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	371	SER	-	expression tag	UNP P50391
R	372	ALA	-	expression tag	UNP P50391
R	373	TRP	-	expression tag	UNP P50391
R	374	SER	-	expression tag	UNP P50391
R	375	HIS	-	expression tag	UNP P50391
R	376	PRO	-	expression tag	UNP P50391
R	377	GLN	-	expression tag	UNP P50391
R	378	PHE	-	expression tag	UNP P50391
R	379	GLU	-	expression tag	UNP P50391
R	380	LYS	-	expression tag	UNP P50391

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	217	Total	C	N	O	S	0	0
			1691	1082	286	310	13		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	CYS	SER	engineered mutation	UNP P63096
A	202	THR	GLY	engineered mutation	UNP P63096
A	203	ALA	GLY	engineered mutation	UNP P63096
A	245	ALA	GLU	engineered mutation	UNP P63096
A	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	336	Total	C	N	O	S	0	0
			2503	1555	446	481	21		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-10	MET	-	expression tag	UNP P62873
B	-9	HIS	-	expression tag	UNP P62873
B	-8	HIS	-	expression tag	UNP P62873
B	-7	HIS	-	expression tag	UNP P62873
B	-6	HIS	-	expression tag	UNP P62873
B	-5	HIS	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	HIS	-	expression tag	UNP P62873
B	-3	GLY	-	expression tag	UNP P62873
B	-2	SER	-	expression tag	UNP P62873
B	-1	LEU	-	expression tag	UNP P62873
B	0	LEU	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873


- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	54	Total	C	N	O	S	0	0
			383	245	65	70	3		


- Molecule 5 is a protein called Pancreatic hormone.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	P	36	Total	C	N	O	S	0	0
			284	181	52	49	2		


• Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1



• Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



• Molecule 5: Pancreatic hormone



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1047385	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.219	Depositor
Minimum map value	-0.129	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0188	Depositor
Map size ($\text{\AA}$)	267.52, 267.52, 267.52	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.045, 1.045, 1.045	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TYC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	R	0.18	1/2415 (0.0%)	0.33	0/3297
2	A	0.08	0/1720	0.24	0/2316
3	B	0.09	0/2550	0.30	0/3467
4	C	0.09	0/389	0.22	0/531
5	P	0.21	0/278	0.41	0/380
All	All	0.13	1/7352 (0.0%)	0.30	0/9991

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	R	190	LYS	CA-C	5.04	1.58	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	2358	0	2381	46	0
2	A	1691	0	1650	19	0
3	B	2503	0	2369	55	0
4	C	383	0	370	2	0
5	P	284	0	277	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7219	0	7047	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:115:GLY:HA3	3:B:146:LEU:HD22	1.67	0.76
3:B:79:LEU:HB3	3:B:93:ILE:HB	1.69	0.73
3:B:58:ILE:HD13	3:B:74:SER:HB3	1.72	0.71
1:R:102:THR:HG21	1:R:305:LEU:HD21	1.75	0.69
3:B:49:ARG:HB2	3:B:338:ILE:HB	1.78	0.65
1:R:318:ASN:O	1:R:322:TYR:HB2	1.98	0.63
1:R:76:THR:HG21	2:A:351:CYS:HA	1.80	0.62
2:A:251:ASP:HB2	2:A:310:LEU:HD23	1.81	0.62
3:B:93:ILE:HG12	3:B:133:VAL:HG11	1.81	0.61
1:R:55:GLY:O	1:R:59:ASN:ND2	2.34	0.60
1:R:48:TYR:OH	1:R:305:LEU:O	2.21	0.59
1:R:205:TRP:HE3	1:R:211:ARG:HG2	1.66	0.59
3:B:128:THR:OG1	3:B:132:ASN:O	2.21	0.58
1:R:75:VAL:HG13	1:R:156:ALA:HB2	1.84	0.58
3:B:220:GLN:NE2	3:B:255:LEU:O	2.35	0.58
2:A:348:LEU:HB3	2:A:354:PHE:HB2	1.86	0.57
3:B:121:CYS:HB3	3:B:139:LEU:HD12	1.85	0.57
3:B:187:VAL:HA	3:B:203:ALA:HA	1.87	0.56
1:R:109:PHE:HB3	1:R:113:LEU:HD22	1.87	0.56
1:R:314:SER:HA	1:R:317:VAL:HG22	1.87	0.56
3:B:29:THR:HG22	3:B:31:SER:H	1.71	0.55
3:B:279:SER:HA	3:B:320:VAL:HG11	1.88	0.55
3:B:71:VAL:HG21	3:B:112:VAL:HG21	1.88	0.55
3:B:289:TYR:OH	3:B:297:TRP:NE1	2.40	0.54
1:R:207:LEU:O	1:R:211:ARG:N	2.41	0.54
3:B:233:CYS:SG	3:B:234:PHE:N	2.80	0.54
3:B:310:GLY:O	3:B:337:LYS:NZ	2.38	0.54
4:C:59:ASN:ND2	4:C:61:PHE:O	2.41	0.54
3:B:240:ALA:HA	3:B:254:ASP:HA	1.89	0.53
3:B:22:ARG:NH2	3:B:221:THR:O	2.42	0.53
3:B:228:ASP:OD1	3:B:228:ASP:N	2.42	0.53
2:A:185:VAL:HB	2:A:200:ASP:HB2	1.91	0.52
3:B:51:LEU:HB2	3:B:336:LEU:HB3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:51:LEU:O	3:B:335:PHE:HA	2.09	0.51
3:B:149:CYS:O	3:B:150:ARG:NH1	2.43	0.51
1:R:143:ILE:HG21	1:R:237:ILE:HG23	1.91	0.51
1:R:99:ALA:O	1:R:103:ILE:HG12	2.10	0.51
3:B:184:THR:OG1	3:B:205:ASP:OD2	2.27	0.51
2:A:184:ILE:HD11	2:A:199:PHE:HB3	1.92	0.50
1:R:148:GLY:O	2:A:32:ARG:NH2	2.44	0.50
2:A:16:SER:HB2	3:B:89:LYS:H	1.77	0.50
3:B:165:THR:HA	3:B:180:PHE:O	2.12	0.50
1:R:172:LEU:N	1:R:173:PRO:HD2	2.27	0.50
1:R:41:MET:SD	1:R:42:VAL:N	2.85	0.50
1:R:333:ILE:O	1:R:336:LEU:HB2	2.12	0.49
3:B:22:ARG:NH1	3:B:258:ASP:O	2.46	0.49
2:A:39:LEU:HD13	2:A:253:ILE:HG21	1.94	0.49
2:A:311:ASN:O	2:A:314:LYS:NZ	2.44	0.49
1:R:129:ILE:HD12	1:R:222:GLN:HG2	1.94	0.48
3:B:230:ASN:ND2	3:B:246:ASP:OD1	2.40	0.48
5:P:16:GLN:O	5:P:19:GLN:HG3	2.12	0.48
1:R:65:VAL:HA	1:R:68:ARG:HG2	1.96	0.48
3:B:119:ASN:ND2	3:B:143:THR:O	2.46	0.48
1:R:95:GLN:HB2	1:R:96:PRO:HD3	1.95	0.47
1:R:269:VAL:HA	1:R:272:VAL:HG12	1.97	0.47
2:A:190:THR:HG22	2:A:195:HIS:HD2	1.79	0.47
3:B:70:LEU:HD22	3:B:84:SER:HB2	1.96	0.47
1:R:285:ASN:OD1	5:P:33:ARG:NH2	2.48	0.47
3:B:300:LEU:HD21	4:C:38:MET:HG2	1.97	0.46
1:R:301:ASN:O	1:R:305:LEU:HD23	2.15	0.46
3:B:160:SER:HB2	3:B:190:LEU:HD23	1.97	0.46
3:B:274:THR:HG21	3:B:315:VAL:O	2.15	0.46
1:R:98:THR:O	1:R:102:THR:HG22	2.16	0.46
1:R:266:VAL:HA	1:R:269:VAL:HG12	1.98	0.46
3:B:120:ILE:HA	3:B:139:LEU:O	2.16	0.46
5:P:7:TYR:HB2	5:P:20:TYR:CZ	2.51	0.46
2:A:36:LEU:HD13	2:A:222:ILE:HD11	1.98	0.45
3:B:267:ASP:N	3:B:267:ASP:OD1	2.49	0.45
2:A:233:VAL:HB	2:A:242:ARG:HG3	1.99	0.45
3:B:148:CYS:HB2	3:B:189:SER:HA	1.99	0.45
1:R:301:ASN:HD21	5:P:29:ASN:HB3	1.81	0.45
1:R:103:ILE:HG13	1:R:104:MET:HG3	1.98	0.45
1:R:118:ALA:HA	1:R:121:GLN:HG2	1.99	0.45
5:P:7:TYR:HB2	5:P:20:TYR:OH	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:181:GLU:HG2	1:R:201:CYS:HB3	1.99	0.44
3:B:51:LEU:HD22	3:B:336:LEU:HD22	1.98	0.44
1:R:62:LEU:HD23	1:R:84:ALA:HB2	1.99	0.44
1:R:119:PHE:HB2	1:R:175:LEU:HB2	1.98	0.44
1:R:262:GLN:HA	1:R:265:VAL:HG12	1.99	0.44
2:A:290:TYR:OH	2:A:298:GLU:OE1	2.30	0.44
3:B:227:SER:OG	3:B:228:ASP:N	2.49	0.44
3:B:328:ALA:HB1	3:B:336:LEU:HD21	1.99	0.44
1:R:234:TYR:HD2	1:R:271:VAL:HB	1.82	0.44
3:B:311:HIS:CE1	3:B:337:LYS:HG2	2.52	0.43
5:P:13:THR:O	5:P:16:GLN:N	2.51	0.43
1:R:79:LEU:HB3	1:R:135:VAL:HG22	2.00	0.43
1:R:106:TYR:HA	1:R:198:LYS:HZ1	1.83	0.43
5:P:29:ASN:HA	5:P:32:THR:HG22	1.99	0.43
1:R:80:ILE:HD12	1:R:322:TYR:HB3	2.00	0.43
2:A:210:LYS:O	2:A:213:HIS:NE2	2.52	0.43
3:B:234:PHE:HE2	3:B:238:GLY:HA2	1.83	0.43
2:A:251:ASP:OD1	2:A:255:ASN:ND2	2.52	0.43
3:B:118:ASP:OD1	3:B:118:ASP:N	2.46	0.43
3:B:152:LEU:HB2	3:B:156:GLN:HG3	2.01	0.43
3:B:210:LEU:HD22	3:B:255:LEU:HD22	2.00	0.43
1:R:270:MET:HG2	1:R:321:ILE:HD12	2.00	0.42
3:B:253:PHE:CD1	3:B:260:GLU:HA	2.55	0.42
1:R:259:HIS:O	1:R:263:VAL:HG23	2.19	0.42
1:R:66:THR:HG21	1:R:81:ALA:HB2	2.01	0.42
1:R:268:VAL:HA	1:R:271:VAL:HG12	2.01	0.42
3:B:186:ASP:HB3	3:B:204:CYS:SG	2.60	0.42
2:A:338:ALA:O	2:A:342:VAL:HG23	2.19	0.42
3:B:121:CYS:HB2	3:B:146:LEU:HD21	2.00	0.42
3:B:289:TYR:HE1	3:B:295:ASN:HB2	1.85	0.42
1:R:184:PHE:HB3	1:R:188:HIS:HE1	1.84	0.42
1:R:95:GLN:HE21	1:R:312:MET:HB3	1.84	0.41
1:R:187:ASN:O	1:R:188:HIS:ND1	2.53	0.41
3:B:100:VAL:HG21	3:B:114:CYS:HB2	2.02	0.41
2:A:186:GLU:OE2	2:A:188:HIS:NE2	2.43	0.41
3:B:69:LEU:HD23	3:B:83:ASP:HA	2.01	0.41
3:B:61:MET:HE1	3:B:319:GLY:N	2.36	0.41
1:R:289:ASP:OD2	5:P:35:ARG:NH2	2.54	0.41
3:B:27:ASP:OD1	3:B:27:ASP:N	2.54	0.41
3:B:61:MET:HB3	3:B:61:MET:HE3	1.77	0.41
1:R:225:LEU:HB3	1:R:226:PRO:HD3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:66:ASP:OD1	3:B:66:ASP:N	2.54	0.40
1:R:194:PHE:HB2	1:R:198:LYS:HB2	2.03	0.40
1:R:215:THR:OG1	5:P:35:ARG:NH1	2.54	0.40
3:B:38:ASP:OD1	3:B:38:ASP:N	2.55	0.40
3:B:141:GLY:HA3	3:B:169:TRP:HH2	1.85	0.40
2:A:241:ASN:OD1	2:A:242:ARG:N	2.55	0.40
2:A:329:THR:O	2:A:329:THR:HG22	2.21	0.40
3:B:186:ASP:O	3:B:204:CYS:N	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	R	298/380 (78%)	286 (96%)	12 (4%)	0	100	100
2	A	211/354 (60%)	207 (98%)	4 (2%)	0	100	100
3	B	334/351 (95%)	325 (97%)	9 (3%)	0	100	100
4	C	52/71 (73%)	51 (98%)	1 (2%)	0	100	100
5	P	34/36 (94%)	30 (88%)	4 (12%)	0	100	100
All	All	929/1192 (78%)	899 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	R	257/336 (76%)	257 (100%)	0	100	100
2	A	177/306 (58%)	177 (100%)	0	100	100
3	B	258/293 (88%)	258 (100%)	0	100	100
4	C	35/58 (60%)	35 (100%)	0	100	100
5	P	26/29 (90%)	26 (100%)	0	100	100
All	All	753/1022 (74%)	753 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	R	264	ASN
2	A	22	ASN
2	A	322	HIS
3	B	237	ASN
3	B	239	ASN
4	C	59	ASN
5	P	29	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	TYC	P	36	5	13,13,13	1.75	2 (15%)	17,17,17	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TYC	P	36	5	-	2/8/8/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	P	36	TYC	C-NXT	5.30	1.45	1.32
5	P	36	TYC	O-C	-2.83	1.18	1.23

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	P	36	TYC	O-C-CA-CB
5	P	36	TYC	NXT-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33071. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 94



Y Index: 160




Z Index: 129


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0188. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 53 nm³; this corresponds to an approximate mass of 48 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.333 $\text{\AA}^{-1}$


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33071 and PDB model 7X9C. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0188 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0188).

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0188) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7290	0.4430
A	0.7830	0.4780
B	0.7830	0.4740
C	0.5920	0.3940
P	0.5400	0.3650
R	0.6770	0.4030

