



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:47 AM UTC

PDB ID : 2XAD / pdb_00002xad
Title : Crystal structure of deacetylase-teicoplanin complex in biosynthesis pathway of teicoplanin
Authors : Chan, H.C.; Huang, Y.T.; Lyu, S.Y.; Huang, C.J.; Li, Y.S.; Liu, Y.C.; Chou, C.C.; Tsai, M.D.; Li, T.L.
Deposited on : 2010-03-31
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	 78% 15% • 5%
1	B	273	 82% 11% • 5%
1	C	273	 68% 23% • • 5%
1	D	273	 79% 14% • 6%
2	E	7	 71% 29%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	7	 43%57%
2	G	7	 57%43%
2	H	7	 57%43%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	F	709	X	-	-	-
6	T55	H	711	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-ACYL GLM PEUDO-TEICOPLANIN DEACETYLASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	Se	0	0	0
			2018	1263	366	385	1	3			
1	B	258	Total	C	N	O	S	Se	0	0	1
			2006	1255	365	382	1	3			
1	C	258	Total	C	N	O	S	Se	0	0	1
			2008	1257	365	382	1	3			
1	D	257	Total	C	N	O	S	Se	0	0	0
			2006	1255	364	383	1	3			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	164	ASN	HIS	engineered mutation	UNP Q6ZZJ1
B	164	ASN	HIS	engineered mutation	UNP Q6ZZJ1
C	164	ASN	HIS	engineered mutation	UNP Q6ZZJ1
D	164	ASN	HIS	engineered mutation	UNP Q6ZZJ1

- Molecule 2 is a protein called TEICOPLANIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	7	Total	C	Cl	N	O	0	0	0
			84	58	2	7	17			
2	F	7	Total	C	Cl	N	O	0	0	0
			85	58	2	7	18			
2	G	7	Total	C	Cl	N	O	0	0	0
			85	58	2	7	18			
2	H	7	Total	C	Cl	N	O	0	0	0
			85	58	2	7	18			

- Molecule 3 is beta-D-mannopyranose (CCD ID: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	C	O	0	0
			11	6	5		
3	F	1	Total	C	O	0	0
			11	6	5		
3	G	1	Total	C	O	0	0
			11	6	5		
3	H	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 2-amino-2-deoxy-beta-D-glucopyranose (CCD ID: GCS) (formula: $C_6H_{13}NO_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	E	1	Total	C	N	O	0	0
			11	6	1	4		
5	F	1	Total	C	N	O	0	0
			11	6	1	4		
5	G	1	Total	C	N	O	0	0
			11	6	1	4		
5	H	1	Total	C	N	O	0	0
			11	6	1	4		

- Molecule 6 is 8-METHYLNONANOIC ACID (CCD ID: T55) (formula: $C_{10}H_{20}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	E	1	Total	C	O	0	0
			11	10	1		
6	F	1	Total	C	O	0	0
			11	10	1		
6	G	1	Total	C	O	0	0
			11	10	1		
6	H	1	Total	C	O	0	0
			11	10	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	204	Total	O	0	0
			204	204		
7	B	200	Total	O	0	0
			200	200		
7	C	158	Total	O	0	0
			158	158		
7	D	221	Total	O	0	0
			221	221		
7	E	4	Total	O	0	0
			4	4		
7	F	13	Total	O	0	0
			13	13		
7	G	4	Total	O	0	0
			4	4		
7	H	10	Total	O	0	0
			10	10		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: N-ACYL GLM PEUDO-TEICOPLANIN DEACETYLASE

Chain A: 




• Molecule 1: N-ACYL GLM PEUDO-TEICOPLANIN DEACETYLASE

Chain B: 




• Molecule 1: N-ACYL GLM PEUDO-TEICOPLANIN DEACETYLASE

Chain C: 



• Molecule 1: N-ACYL GLM PEUDO-TEICOPLANIN DEACETYLASE

Chain D: 



- Molecule 2: TEICOPLANIN

Chain E: 71% 29%



- Molecule 2: TEICOPLANIN

Chain F: 43% 57%



- Molecule 2: TEICOPLANIN

Chain G: 57% 43%



- Molecule 2: TEICOPLANIN

Chain H: 57% 43%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	58.77Å 70.71Å 76.31Å 113.89° 108.29° 98.20°	Depositor
Resolution (Å)	20.00 – 1.70 20.00 – 1.70	Depositor EDS
% Data completeness (in resolution range)	95.8 (20.00-1.70) 93.7 (20.00-1.70)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.37 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.201 , 0.237 0.200 , 0.236	Depositor DCC
R_{free} test set	5379 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	18.4	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.125 for -h,-k,h+k+l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9379	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 59.45 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.7616e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, OMY, GHP, T55, BMA, GCS, 3FG, 3MY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.49	9/2064 (0.4%)	1.34	5/2805 (0.2%)
1	B	1.42	9/2052 (0.4%)	1.28	8/2789 (0.3%)
1	C	1.48	17/2054 (0.8%)	1.34	7/2792 (0.3%)
1	D	1.41	10/2052 (0.5%)	1.27	1/2788 (0.0%)
All	All	1.45	45/8222 (0.5%)	1.31	21/11174 (0.2%)

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	148	ASP	CA-CB	8.90	1.58	1.52
1	A	233	MSE	SE-CE	-8.63	1.69	1.95
1	C	272	ASP	C-N	-7.98	1.22	1.33
1	B	272	ASP	C-N	-7.64	1.22	1.33
1	A	101	ARG	CD-NE	-7.34	1.35	1.46
1	B	186	GLU	CA-C	7.29	1.62	1.52
1	C	89	ALA	N-CA	7.20	1.55	1.45
1	D	121	VAL	CA-CB	-7.06	1.45	1.54
1	B	95	PHE	C-O	-6.73	1.15	1.23
1	C	229	TYR	CA-C	-6.58	1.46	1.53
1	C	226	VAL	CA-CB	6.56	1.61	1.54
1	B	98	SER	N-CA	6.55	1.54	1.46
1	C	39	LEU	C-O	-6.48	1.16	1.23
1	B	141	ARG	N-CA	6.45	1.54	1.46
1	C	133	VAL	CA-CB	-6.43	1.46	1.54
1	C	233	MSE	CA-C	6.42	1.57	1.52
1	A	186	GLU	CA-C	6.41	1.61	1.52
1	C	137	ALA	CA-CB	-6.11	1.43	1.53
1	B	98	SER	C-O	-6.08	1.16	1.24
1	C	78	GLU	N-CA	5.96	1.53	1.46
1	C	97	ASP	CA-C	5.96	1.60	1.52
1	A	156	ALA	CA-CB	5.71	1.63	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	42	THR	C-O	5.69	1.30	1.24
1	C	135	GLU	N-CA	-5.68	1.39	1.46
1	D	40	VAL	CA-CB	-5.64	1.47	1.53
1	D	111	ALA	CA-C	-5.62	1.46	1.52
1	C	21	VAL	CA-CB	-5.62	1.47	1.54
1	D	141	ARG	N-CA	5.60	1.53	1.46
1	B	28	LEU	C-O	-5.59	1.17	1.24
1	C	80	ILE	N-CA	-5.54	1.39	1.46
1	A	152	VAL	CA-CB	-5.54	1.47	1.54
1	C	59	MSE	SE-CE	-5.52	1.78	1.95
1	C	37	ASN	C-O	-5.51	1.17	1.24
1	C	80	ILE	C-O	-5.50	1.17	1.24
1	A	172	LEU	C-O	5.49	1.30	1.24
1	B	268	VAL	CA-C	-5.45	1.46	1.52
1	D	46	GLY	N-CA	5.44	1.51	1.45
1	D	159	GLY	N-CA	5.34	1.52	1.45
1	C	18	ASP	N-CA	5.24	1.52	1.46
1	D	142	SER	N-CA	5.18	1.52	1.46
1	D	154	THR	N-CA	5.17	1.54	1.46
1	A	40	VAL	CA-CB	-5.12	1.47	1.53
1	B	187	ASP	C-O	5.09	1.30	1.24
1	A	181	PRO	N-CA	-5.05	1.41	1.47
1	A	23	SER	C-O	5.05	1.30	1.24

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	ARG	NE-CZ-NH2	-16.29	104.54	119.20
1	A	101	ARG	NE-CZ-NH1	10.87	132.37	121.50
1	A	101	ARG	CD-NE-CZ	10.35	138.88	124.40
1	B	117	GLN	N-CA-C	-7.48	98.95	110.10
1	C	79	ASP	N-CA-C	7.35	119.30	111.28
1	B	272	ASP	O-C-N	-7.17	111.53	123.00
1	C	40	VAL	N-CA-C	-7.01	97.00	107.37
1	B	19	ASP	N-CA-C	6.97	118.53	111.07
1	B	258	GLY	N-CA-C	6.56	121.14	111.76
1	C	144	ILE	N-CA-C	-6.24	104.26	110.62
1	D	37	ASN	N-CA-C	-6.19	98.64	108.73
1	C	195	SER	N-CA-C	6.16	121.48	111.37
1	C	77	LYS	N-CA-C	-6.06	104.79	111.82
1	A	94	ARG	NE-CZ-NH2	5.81	124.43	119.20
1	A	101	ARG	CG-CD-NE	-5.63	99.61	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	30	GLN	N-CA-C	5.58	117.82	111.02
1	B	213	SER	N-CA-C	-5.55	98.15	108.02
1	B	218	MSE	CG-SE-CE	-5.31	87.23	98.92
1	C	78	GLU	N-CA-C	-5.06	105.77	111.28
1	B	111	ALA	CA-C-N	5.05	128.02	120.95
1	B	111	ALA	C-N-CA	5.05	128.02	120.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2018	0	1935	31	1
1	B	2006	0	1921	19	0
1	C	2008	0	1925	66	1
1	D	2006	0	1921	30	0
2	E	84	0	34	2	0
2	F	85	0	35	4	0
2	G	85	0	35	3	0
2	H	85	0	34	5	0
3	E	11	0	10	0	0
3	F	11	0	10	1	0
3	G	11	0	10	0	0
3	H	11	0	10	4	0
4	E	14	0	13	2	0
4	F	14	0	11	0	0
4	G	14	0	13	1	0
4	H	14	0	13	0	0
5	E	11	0	9	0	0
5	F	11	0	9	0	0
5	G	11	0	9	0	0
5	H	11	0	9	0	0
6	E	11	0	19	4	0
6	F	11	0	19	4	0
6	G	11	0	19	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	11	0	19	12	0
7	A	204	0	0	4	0
7	B	200	0	0	0	0
7	C	158	0	0	2	0
7	D	221	0	0	4	0
7	E	4	0	0	0	0
7	F	13	0	0	2	0
7	G	4	0	0	0	0
7	H	10	0	0	0	0
All	All	9379	0	8042	155	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:29:ALA:CB	1:C:218:MSE:HE2	1.57	1.34
1:C:29:ALA:HB1	1:C:218:MSE:CE	1.66	1.26
1:D:233:MSE:HE2	7:D:2200:HOH:O	1.45	1.17
1:D:233:MSE:HE3	6:H:711:T55:CAF	1.76	1.15
1:C:243:LEU:HD22	6:G:711:T55:HAF1	1.32	1.11
1:A:233:MSE:HE3	6:E:711:T55:HAF3	1.12	1.08
1:A:233:MSE:HE3	6:E:711:T55:CAF	1.82	1.07
1:C:29:ALA:HB3	1:C:218:MSE:HE2	1.37	1.05
1:D:233:MSE:HE3	6:H:711:T55:HAF2	1.06	1.02
1:C:87:ARG:O	1:C:87:ARG:HD3	1.61	1.01
1:C:29:ALA:CB	1:C:218:MSE:CE	2.31	1.00
1:C:246:ARG:HH11	1:C:246:ARG:HG2	1.30	0.96
1:A:68:ASP:OD1	7:A:2048:HOH:O	1.86	0.93
1:C:58:ARG:CD	1:C:112:HIS:ND1	2.33	0.91
1:D:22:LEU:HD21	6:H:711:T55:HAE	1.52	0.91
1:D:233:MSE:CE	6:H:711:T55:HAF2	2.00	0.89
2:F:702:3MY:O	7:F:2006:HOH:O	1.88	0.89
1:A:233:MSE:CE	6:E:711:T55:HAF3	2.01	0.89
1:D:226:VAL:HG13	6:H:711:T55:HAF3	1.56	0.87
1:C:29:ALA:HB1	1:C:218:MSE:HE1	1.56	0.87
1:C:243:LEU:HG	1:C:246:ARG:HD2	1.57	0.86
2:H:707:3FG:HZ	3:H:708:BMA:H2	1.56	0.84
1:C:214:VAL:HG13	1:C:218:MSE:HB3	1.62	0.82
1:D:192:VAL:HG11	1:D:246:ARG:HD2	1.59	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:ARG:HD2	1:C:112:HIS:ND1	1.95	0.81
1:C:87:ARG:HD3	1:C:87:ARG:C	2.04	0.80
1:C:29:ALA:HB1	1:C:218:MSE:HE2	1.26	0.78
1:C:62:ILE:HD11	1:C:118:LYS:HD2	1.66	0.77
1:C:58:ARG:NE	1:C:112:HIS:ND1	2.33	0.77
1:C:161:HIS:HD2	1:C:163:ASP:H	1.33	0.76
1:C:214:VAL:CG1	1:C:218:MSE:HB3	2.15	0.76
1:C:87:ARG:O	1:C:87:ARG:CD	2.34	0.75
1:A:161:HIS:HD2	1:A:163:ASP:H	1.35	0.74
1:C:58:ARG:NE	1:C:112:HIS:CE1	2.56	0.73
1:D:233:MSE:CE	6:H:711:T55:CAF	2.60	0.72
1:D:192:VAL:HG11	1:D:246:ARG:CD	2.19	0.72
1:C:58:ARG:NE	1:C:112:HIS:CG	2.58	0.71
1:D:161:HIS:HD2	1:D:163:ASP:H	1.38	0.71
1:B:59:MSE:SE	1:B:118:LYS:HG3	2.40	0.71
1:A:69:ASP:OD2	7:A:2049:HOH:O	2.09	0.70
1:B:118:LYS:HE3	2:F:705:GHP:O	1.91	0.70
1:C:246:ARG:HH11	1:C:246:ARG:CG	2.03	0.70
1:C:85:HIS:HE1	7:C:2038:HOH:O	1.73	0.70
1:C:87:ARG:O	1:C:87:ARG:NH1	2.25	0.69
1:B:22:LEU:HD21	6:F:711:T55:HAE	1.74	0.69
1:C:218:MSE:HE1	1:C:221:GLN:OE1	1.96	0.66
1:C:58:ARG:HE	1:C:112:HIS:CG	2.14	0.65
1:D:226:VAL:CG1	6:H:711:T55:HAF3	2.25	0.65
1:B:233:MSE:SE	6:F:711:T55:CAF	2.95	0.64
1:B:249:GLU:O	1:B:252:ARG:HG3	1.97	0.64
1:A:73:LEU:O	1:A:73:LEU:HD23	1.98	0.64
1:C:58:ARG:CZ	1:C:112:HIS:CE1	2.82	0.64
1:C:218:MSE:HE3	1:C:218:MSE:HA	1.80	0.62
1:C:62:ILE:CD1	1:C:118:LYS:HD2	2.27	0.62
1:A:117:GLN:O	1:A:118:LYS:HB2	1.99	0.62
1:B:249:GLU:O	1:B:252:ARG:CG	2.47	0.61
1:C:58:ARG:CD	1:C:112:HIS:CE1	2.83	0.61
1:C:58:ARG:CZ	1:C:58:ARG:HB3	2.29	0.60
1:C:243:LEU:HG	1:C:246:ARG:CD	2.30	0.60
1:B:249:GLU:HA	1:B:252:ARG:HG2	1.84	0.60
3:F:708:BMA:H4	7:F:2011:HOH:O	2.01	0.60
1:D:22:LEU:HD21	6:H:711:T55:CAE	2.29	0.58
1:D:243:LEU:HD13	7:D:2203:HOH:O	2.03	0.58
1:D:270:SER:HB2	1:D:273:SER:HB3	1.86	0.58
1:B:103:LEU:HD11	1:B:109:LEU:HA	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:ASN:HD22	1:A:164:ASN:N	2.05	0.55
1:C:94:ARG:NH2	7:C:2046:HOH:O	2.23	0.55
1:B:233:MSE:SE	6:F:711:T55:HAF2	2.57	0.54
1:C:59:MSE:SE	1:C:119:LEU:HD23	2.58	0.54
1:C:29:ALA:HB3	1:C:218:MSE:CE	2.21	0.54
1:A:233:MSE:CE	6:E:711:T55:CAF	2.72	0.54
1:D:194:LYS:HE3	7:D:2146:HOH:O	2.08	0.53
1:D:58:ARG:HD3	1:D:112:HIS:NE2	2.23	0.53
1:C:161:HIS:CD2	1:C:163:ASP:H	2.21	0.52
1:C:152:VAL:HG23	1:C:180:VAL:HG11	1.91	0.52
2:G:701:GHP:C2	2:G:703:3FG:HG1	2.40	0.52
1:A:186:GLU:HG2	1:A:191:ALA:CB	2.41	0.51
1:B:66:ALA:HB3	1:B:69:ASP:HB2	1.91	0.51
1:C:65:LEU:HD21	1:C:74:TYR:CD2	2.45	0.51
1:D:252:ARG:NH2	7:D:2206:HOH:O	2.44	0.51
1:A:246:ARG:HH12	4:E:709:NAG:H82	1.76	0.51
1:B:258:GLY:H	1:D:230:SER:HB3	1.77	0.51
2:H:707:3FG:CZ	3:H:708:BMA:C2	2.88	0.50
1:D:22:LEU:CD2	6:H:711:T55:HAE	2.34	0.50
1:D:233:MSE:HE3	6:H:711:T55:HAF1	1.83	0.50
1:C:210:ASP:O	1:C:263:THR:HA	2.13	0.49
1:D:62:ILE:CD1	1:D:118:LYS:HD3	2.42	0.49
1:C:110:THR:HB	1:C:119:LEU:HD12	1.94	0.49
1:D:18:ASP:HA	1:D:229:TYR:CZ	2.48	0.49
1:D:192:VAL:CG1	1:D:246:ARG:HD2	2.37	0.49
1:A:186:GLU:HG2	1:A:191:ALA:HB2	1.94	0.49
1:C:58:ARG:CZ	1:C:58:ARG:CB	2.90	0.49
1:A:118:LYS:HE3	2:E:705:GHP:O	2.13	0.49
2:F:705:GHP:C2	2:F:707:3FG:N	2.76	0.49
1:A:243:LEU:HB2	7:A:2183:HOH:O	2.13	0.48
1:C:63:TRP:HB3	1:C:231:SER:HB2	1.95	0.48
1:B:113:VAL:HG21	1:B:117:GLN:HG2	1.96	0.48
1:B:212:SER:O	1:B:261:GLY:HA3	2.14	0.48
1:C:161:HIS:HD2	1:C:163:ASP:N	2.08	0.48
1:D:192:VAL:HG21	1:D:246:ARG:HD2	1.95	0.47
1:C:76:ARG:HG2	1:C:92:HIS:ND1	2.29	0.47
1:A:73:LEU:HD23	1:A:73:LEU:C	2.40	0.47
1:C:186:GLU:HG2	1:C:191:ALA:HB2	1.97	0.47
1:C:58:ARG:HB2	1:C:58:ARG:HH11	1.80	0.47
1:D:233:MSE:CE	6:H:711:T55:HAF1	2.42	0.47
2:E:707:3FG:OXT	4:E:709:NAG:H81	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:VAL:HG11	1:A:246:ARG:CG	2.45	0.46
1:C:65:LEU:HD21	1:C:74:TYR:CG	2.50	0.46
1:A:192:VAL:HG11	1:A:246:ARG:HG2	1.97	0.46
1:B:249:GLU:O	1:B:252:ARG:HG2	2.15	0.46
1:C:87:ARG:O	1:C:87:ARG:CZ	2.63	0.46
1:C:218:MSE:CE	1:C:218:MSE:HA	2.42	0.46
2:H:703:3FG:OD2	3:H:708:BMA:H5	2.16	0.46
2:H:707:3FG:HZ	3:H:708:BMA:C2	2.34	0.46
1:C:58:ARG:CB	1:C:58:ARG:NH1	2.79	0.45
1:D:73:LEU:HG	1:D:77:LYS:NZ	2.31	0.45
1:A:39:LEU:HD11	1:A:91:ARG:HB2	1.99	0.45
1:A:49:GLN:HG3	1:C:176:HIS:O	2.16	0.45
1:C:211:VAL:HG11	1:C:254:ASN:HB3	1.98	0.45
1:A:249:GLU:OE2	1:A:252:ARG:NH1	2.47	0.45
1:B:103:LEU:CD1	1:B:109:LEU:HA	2.46	0.45
1:C:214:VAL:HG13	1:C:218:MSE:CB	2.42	0.45
1:C:58:ARG:HB2	1:C:58:ARG:NH1	2.31	0.44
1:C:55:ALA:O	1:C:58:ARG:HG2	2.17	0.44
1:C:184:LEU:HG	1:C:267:VAL:CG2	2.48	0.44
1:A:256:PRO:O	1:A:257:HIS:CG	2.71	0.44
1:A:33:GLN:NE2	7:A:2017:HOH:O	2.51	0.44
1:B:103:LEU:CD1	1:B:103:LEU:N	2.81	0.44
1:A:73:LEU:CD2	1:A:77:LYS:HE2	2.47	0.43
1:C:116:ARG:O	2:G:705:GHP:H6	2.18	0.43
1:C:14:SER:HB2	1:C:20:ALA:HB2	2.00	0.43
1:A:211:VAL:HG11	1:A:255:ALA:HB2	2.00	0.43
1:C:31:ALA:O	1:C:36:ALA:HB3	2.18	0.43
1:C:80:ILE:HG12	1:C:90:HIS:CE1	2.54	0.43
1:C:152:VAL:O	1:C:182:VAL:HA	2.19	0.43
6:G:711:T55:HAH1	6:G:711:T55:HAK1	1.81	0.43
1:D:232:GLN:HB2	6:H:711:T55:HAD2	2.01	0.42
1:A:50:PRO:HA	1:A:51:PRO:C	2.43	0.42
1:C:156:ALA:HA	1:C:184:LEU:HD13	2.02	0.42
1:C:186:GLU:HG2	1:C:191:ALA:CB	2.50	0.42
1:B:22:LEU:HD11	6:F:711:T55:HAD3	2.01	0.42
1:C:53:SER:O	1:C:57:GLN:HG3	2.20	0.42
1:A:103:LEU:HA	1:A:103:LEU:HD23	1.84	0.42
1:B:119:LEU:O	2:F:703:3FG:HA	2.19	0.42
1:A:102:LYS:HE2	1:A:108:TRP:CH2	2.55	0.41
1:C:233:MSE:HG2	6:G:711:T55:HAD2	2.03	0.41
1:A:73:LEU:HD22	1:A:77:LYS:HE2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:17:LEU:O	1:C:18:ASP:CB	2.68	0.41
1:A:249:GLU:O	1:A:253:GLN:HB3	2.21	0.41
1:D:120:ALA:HA	2:H:702:3MY:O	2.21	0.41
2:G:706:OMY:N	4:G:709:NAG:O5	2.54	0.40
1:D:62:ILE:HD13	1:D:118:LYS:HD3	2.02	0.40
1:A:243:LEU:HB3	1:A:244:PHE:H	1.63	0.40
1:B:249:GLU:CA	1:B:252:ARG:HG2	2.49	0.40
1:D:26:ALA:HB1	1:D:214:VAL:HG11	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:SER:O	1:C:58:ARG:NH2[1_544]	2.15	0.05

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/273 (93%)	247 (97%)	6 (2%)	2 (1%)	16	5
1	B	254/273 (93%)	249 (98%)	3 (1%)	2 (1%)	16	5
1	C	254/273 (93%)	241 (95%)	12 (5%)	1 (0%)	30	16
1	D	253/273 (93%)	246 (97%)	5 (2%)	2 (1%)	16	5
All	All	1016/1092 (93%)	983 (97%)	26 (3%)	7 (1%)	18	7

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	18	ASP
1	B	18	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	257	HIS
1	C	18	ASP
1	D	18	ASP
1	D	257	HIS
1	A	118	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/218 (96%)	204 (97%)	6 (3%)	37	20
1	B	208/218 (95%)	201 (97%)	7 (3%)	32	16
1	C	209/218 (96%)	197 (94%)	12 (6%)	18	6
1	D	209/218 (96%)	204 (98%)	5 (2%)	43	26
All	All	836/872 (96%)	806 (96%)	30 (4%)	31	14

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	54	PRO
1	A	65	LEU
1	A	113	VAL
1	A	164	ASN
1	A	195	SER
1	B	112	HIS
1	B	114	GLU
1	B	118	LYS
1	B	119	LEU
1	B	123	ASP
1	B	217	GLU
1	B	253	GLN
1	C	8	THR
1	C	69	ASP
1	C	87	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	113	VAL
1	C	118	LYS
1	C	119	LEU
1	C	218	MSE
1	C	233	MSE
1	C	243	LEU
1	C	246	ARG
1	C	253	GLN
1	C	257	HIS
1	D	54	PRO
1	D	58	ARG
1	D	208	SER
1	D	218	MSE
1	D	233	MSE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	37	ASN
1	A	49	GLN
1	A	117	GLN
1	A	161	HIS
1	A	164	ASN
1	A	176	HIS
1	A	179	ASN
1	B	57	GLN
1	B	117	GLN
1	B	176	HIS
1	B	257	HIS
1	C	37	ASN
1	C	49	GLN
1	C	122	ASN
1	C	161	HIS
1	C	176	HIS
1	C	202	GLN
1	D	161	HIS
1	D	202	GLN
1	D	221	GLN
1	D	253	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

28 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OMY	G	706	2,4	12,14,15	1.35	2 (16%)	17,19,21	3.60	4 (23%)
2	3FG	E	707	2,3	12,13,13	2.76	4 (33%)	14,18,18	1.82	2 (14%)
2	GHP	H	704	5,2	10,11,12	1.78	3 (30%)	11,14,16	1.25	1 (9%)
2	OMY	H	706	2,4	12,14,15	2.20	6 (50%)	17,19,21	3.39	6 (35%)
2	3MY	H	702	2	12,13,14	1.38	1 (8%)	12,17,19	2.65	4 (33%)
2	GHP	G	705	2	10,11,12	2.77	4 (40%)	11,14,16	2.11	4 (36%)
2	GHP	F	705	2	10,11,12	1.82	3 (30%)	11,14,16	1.99	5 (45%)
2	GHP	E	704	5,2	10,11,12	2.66	4 (40%)	11,14,16	1.42	2 (18%)
2	GHP	H	705	2	10,11,12	1.84	2 (20%)	11,14,16	2.37	3 (27%)
2	OMY	E	706	2,4	12,14,15	1.92	3 (25%)	17,19,21	3.74	4 (23%)
2	GHP	F	701	2	10,11,12	1.09	0	11,14,16	1.83	2 (18%)
2	3FG	G	707	2,3	12,13,13	2.71	4 (33%)	14,18,18	2.46	6 (42%)
2	3FG	F	703	2	11,12,13	1.74	2 (18%)	11,16,18	0.98	1 (9%)
2	GHP	E	705	2	10,11,12	1.86	4 (40%)	11,14,16	2.21	3 (27%)
2	GHP	G	701	2	10,11,12	1.49	1 (10%)	11,14,16	1.43	2 (18%)
2	3MY	F	702	2	12,13,14	1.24	2 (16%)	12,17,19	2.83	4 (33%)
2	3FG	H	703	2	11,12,13	1.33	1 (9%)	11,16,18	0.64	0
2	3FG	G	703	2	11,12,13	0.80	0	11,16,18	0.81	0
2	3MY	G	702	2	12,13,14	0.92	0	12,17,19	2.77	7 (58%)
2	3FG	E	703	2	10,11,13	1.36	1 (10%)	10,14,18	1.83	4 (40%)
2	3FG	F	707	2,3	12,13,13	2.83	3 (25%)	14,18,18	2.20	6 (42%)
2	3MY	E	702	2	12,13,14	1.50	4 (33%)	12,17,19	3.37	7 (58%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GHP	E	701	2	10,11,12	1.44	1 (10%)	11,14,16	1.07	1 (9%)
2	GHP	F	704	5,2	10,11,12	2.95	4 (40%)	11,14,16	2.43	4 (36%)
2	3FG	H	707	2,3	12,13,13	2.43	3 (25%)	14,18,18	2.40	5 (35%)
2	OMY	F	706	2,4	12,14,15	1.52	2 (16%)	17,19,21	3.59	2 (11%)
2	GHP	H	701	2	10,11,12	1.59	2 (20%)	11,14,16	1.85	3 (27%)
2	GHP	G	704	5,2	10,11,12	2.85	3 (30%)	11,14,16	1.83	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OMY	G	706	2,4	-	1/9/10/12	0/1/1/1
2	3FG	E	707	2,3	-	4/8/8/8	0/1/1/1
2	GHP	H	704	5,2	-	0/4/6/8	0/1/1/1
2	OMY	H	706	2,4	-	1/9/10/12	0/1/1/1
2	3MY	H	702	2	-	3/5/6/8	0/1/1/1
2	GHP	G	705	2	-	0/4/6/8	0/1/1/1
2	GHP	F	705	2	-	0/4/6/8	0/1/1/1
2	GHP	E	704	5,2	-	1/4/6/8	0/1/1/1
2	GHP	H	705	2	-	0/4/6/8	0/1/1/1
2	OMY	E	706	2,4	-	1/9/10/12	0/1/1/1
2	GHP	F	701	2	-	0/4/6/8	0/1/1/1
2	3FG	G	707	2,3	-	2/8/8/8	0/1/1/1
2	3FG	F	703	2	-	0/4/6/8	0/1/1/1
2	GHP	E	705	2	-	0/4/6/8	0/1/1/1
2	GHP	G	701	2	-	0/4/6/8	0/1/1/1
2	3MY	F	702	2	-	0/5/6/8	0/1/1/1
2	3FG	H	703	2	-	0/4/6/8	0/1/1/1
2	3FG	G	703	2	-	0/4/6/8	0/1/1/1
2	3MY	G	702	2	-	2/5/6/8	0/1/1/1
2	3FG	E	703	2	-	0/4/6/8	0/1/1/1
2	3FG	F	707	2,3	-	4/8/8/8	0/1/1/1
2	3MY	E	702	2	-	0/5/6/8	0/1/1/1
2	GHP	E	701	2	-	2/4/6/8	0/1/1/1
2	GHP	F	704	5,2	-	0/4/6/8	0/1/1/1
2	3FG	H	707	2,3	-	2/8/8/8	0/1/1/1
2	OMY	F	706	2,4	-	1/9/10/12	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GHP	H	701	2	-	2/4/6/8	0/1/1/1
2	GHP	G	704	5,2	-	0/4/6/8	0/1/1/1

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	707	3FG	O-C	8.24	1.46	1.22
2	F	704	GHP	C1-CA	7.64	1.60	1.52
2	F	707	3FG	O-C	7.49	1.44	1.22
2	G	707	3FG	O-C	7.33	1.43	1.22
2	G	704	GHP	C1-CA	7.29	1.59	1.52
2	G	705	GHP	C1-CA	7.00	1.59	1.52
2	H	707	3FG	O-C	6.82	1.42	1.22
2	E	704	GHP	C1-CA	6.26	1.58	1.52
2	F	707	3FG	OXT-C	4.86	1.46	1.30
2	E	706	OMY	CG-CB	4.50	1.58	1.51
2	F	703	3FG	CA-C	4.37	1.58	1.51
2	G	707	3FG	OXT-C	4.21	1.44	1.30
2	H	705	GHP	CA-C	4.06	1.57	1.51
2	H	706	OMY	CG-CB	3.91	1.57	1.51
2	G	704	GHP	CA-C	3.77	1.57	1.51
2	F	704	GHP	CA-C	3.77	1.57	1.51
2	E	704	GHP	C6-C5	3.74	1.44	1.38
2	E	705	GHP	C1-CA	3.65	1.56	1.52
2	H	704	GHP	CA-C	3.63	1.57	1.51
2	H	703	3FG	CB-CA	3.53	1.56	1.52
2	H	701	GHP	CA-C	3.44	1.56	1.51
2	G	705	GHP	C3-C2	3.36	1.44	1.38
2	F	706	OMY	CG-CB	3.32	1.56	1.51
2	F	705	GHP	CA-C	3.31	1.56	1.51
2	E	701	GHP	CA-C	3.28	1.56	1.51
2	H	706	OMY	OCZ-CZ	3.26	1.42	1.36
2	H	707	3FG	OXT-C	3.17	1.40	1.30
2	H	706	OMY	CZ-CE1	-3.13	1.36	1.39
2	F	707	3FG	CB-CA	3.13	1.56	1.52
2	E	707	3FG	OXT-C	3.04	1.40	1.30
2	E	706	OMY	OCZ-CZ	2.90	1.42	1.36
2	E	704	GHP	C6-C1	2.87	1.43	1.39
2	E	705	GHP	C6-C5	2.84	1.43	1.38
2	H	704	GHP	C1-CA	2.83	1.55	1.52
2	G	706	OMY	CG-CB	2.77	1.55	1.51
2	E	706	OMY	CD2-CE2	2.77	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	705	GHP	C1-CA	2.76	1.55	1.52
2	E	703	3FG	CA-C	2.73	1.55	1.51
2	H	706	OMY	CD2-CE2	2.69	1.43	1.38
2	H	706	OMY	CD2-CG	2.68	1.43	1.39
2	F	704	GHP	C6-C5	2.62	1.43	1.38
2	E	702	3MY	OBD-CZ	2.57	1.41	1.36
2	H	704	GHP	C6-C1	2.56	1.43	1.39
2	H	706	OMY	CD1-CG	-2.56	1.35	1.39
2	H	702	3MY	CE1-CZ	2.56	1.44	1.39
2	H	705	GHP	C1-CA	2.51	1.55	1.52
2	F	705	GHP	C3-C2	2.44	1.42	1.38
2	E	704	GHP	C3-C2	2.37	1.42	1.38
2	G	707	3FG	CG1-CD1	2.34	1.42	1.39
2	E	705	GHP	C5-C4	2.32	1.43	1.39
2	F	704	GHP	C6-C1	2.31	1.42	1.39
2	G	701	GHP	C1-CA	2.31	1.54	1.52
2	G	705	GHP	CA-C	2.30	1.54	1.51
2	G	706	OMY	ODE-CB	2.29	1.47	1.42
2	E	702	3MY	CZ-CE2	2.22	1.41	1.39
2	F	702	3MY	CB-CG	2.20	1.56	1.51
2	H	707	3FG	OD2-CD2	2.20	1.41	1.37
2	G	704	GHP	C5-C4	2.16	1.43	1.39
2	H	701	GHP	C6-C1	2.14	1.42	1.39
2	E	707	3FG	CG1-CD1	2.08	1.42	1.39
2	E	702	3MY	O-C	2.07	1.27	1.20
2	E	707	3FG	CB-CA	2.07	1.54	1.52
2	G	705	GHP	C6-C5	2.07	1.42	1.38
2	E	702	3MY	CD1-CG	2.06	1.43	1.38
2	F	706	OMY	CD2-CE2	2.06	1.42	1.38
2	F	703	3FG	CB-CA	2.03	1.54	1.52
2	E	705	GHP	C6-C1	2.02	1.42	1.39
2	F	702	3MY	CD1-CE1	2.01	1.42	1.38
2	G	707	3FG	CB-CA	2.01	1.54	1.52

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	706	OMY	CG-CB-CA	-13.81	93.45	111.58
2	F	706	OMY	CG-CB-CA	-12.35	95.36	111.58
2	G	706	OMY	CG-CB-CA	-12.13	95.65	111.58
2	H	706	OMY	CG-CB-CA	-9.50	99.11	111.58
2	F	706	OMY	CD1-CE1-CZ	7.12	125.08	120.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	702	3MY	CD1-CE1-CZ	-6.60	113.90	120.50
2	H	702	3MY	CD2-CE2-CZ	6.58	124.76	120.92
2	G	706	OMY	ODE-CB-CA	6.58	121.93	107.49
2	E	702	3MY	CE1-CZ-CE2	6.10	124.22	118.49
2	H	706	OMY	CE2-CD2-CG	-5.65	115.54	121.18
2	E	707	3FG	OXT-C-O	-5.41	111.80	124.08
2	E	702	3MY	CE2-CD2-CG	-5.31	117.02	120.46
2	G	707	3FG	CD1-CG1-CB	-5.14	115.66	120.09
2	G	705	GHP	C2-C3-C4	-5.13	114.46	119.88
2	F	704	GHP	C6-C5-C4	-5.09	114.49	119.88
2	H	705	GHP	C5-C6-C1	-5.06	116.13	121.18
2	E	702	3MY	CD1-CG-CD2	5.00	125.45	118.55
2	H	706	OMY	ODE-CB-CG	-4.99	100.37	111.20
2	H	707	3FG	CB-CA-C	4.98	120.86	110.10
2	G	702	3MY	CE1-CZ-CE2	4.97	123.16	118.49
2	E	705	GHP	C2-C1-CA	-4.86	113.08	120.64
2	F	707	3FG	CB-CA-C	4.83	120.53	110.10
2	H	702	3MY	CE2-CD2-CG	-4.79	117.36	120.46
2	F	702	3MY	CE1-CZ-CE2	4.74	122.95	118.49
2	H	706	OMY	CD2-CG-CD1	4.39	123.83	118.74
2	F	701	GHP	C1-CA-C	-4.32	99.96	112.09
2	G	702	3MY	CE2-CD2-CG	-4.32	117.67	120.46
2	H	707	3FG	OD1-CD1-CG1	-4.27	108.69	119.85
2	E	706	OMY	CD1-CE1-CZ	4.24	123.40	120.92
2	G	707	3FG	OXT-C-O	-4.19	114.57	124.08
2	G	707	3FG	CB-CA-C	4.10	118.96	110.10
2	F	704	GHP	C3-C2-C1	-4.03	117.16	121.18
2	E	702	3MY	CD2-CE2-CZ	-3.94	118.62	120.92
2	H	707	3FG	OD1-CD1-CZ	3.93	130.13	119.85
2	E	705	GHP	C6-C1-CA	3.83	126.59	120.64
2	F	702	3MY	CE2-CD2-CG	-3.73	118.05	120.46
2	F	705	GHP	C5-C6-C1	-3.70	117.49	121.18
2	G	702	3MY	CD2-CE2-CZ	-3.68	118.78	120.92
2	H	701	GHP	C6-C5-C4	-3.62	116.05	119.88
2	G	702	3MY	CD1-CG-CD2	3.58	123.48	118.55
2	H	705	GHP	C6-C5-C4	3.56	123.65	119.88
2	G	706	OMY	CD1-CE1-CZ	3.47	122.95	120.92
2	G	704	GHP	C5-C6-C1	3.44	124.62	121.18
2	F	707	3FG	OXT-C-O	-3.32	116.55	124.08
2	H	705	GHP	C2-C3-C4	-3.30	116.38	119.88
2	F	707	3FG	CG1-CB-CA	-3.24	114.82	119.79
2	E	703	3FG	CG2-CB-CG1	3.23	122.48	118.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	704	GHP	C2-C3-C4	3.10	123.16	119.88
2	H	706	OMY	CD1-CG-CB	-3.06	114.40	119.55
2	H	704	GHP	C1-CA-C	-3.05	103.54	112.09
2	H	701	GHP	C1-CA-C	-3.04	103.56	112.09
2	E	702	3MY	CE1-CD1-CG	-3.01	117.04	121.00
2	H	707	3FG	OXT-C-O	-2.94	117.41	124.08
2	E	702	3MY	CD1-CE1-CZ	-2.94	117.56	120.50
2	G	704	GHP	C6-C5-C4	-2.93	116.78	119.88
2	H	702	3MY	CD1-CE1-CZ	-2.91	117.59	120.50
2	G	705	GHP	C3-C2-C1	2.86	124.04	121.18
2	F	707	3FG	CG2-CB-CA	2.75	124.02	119.79
2	E	703	3FG	CD2-CG2-CB	-2.72	117.39	120.65
2	F	705	GHP	C6-C1-C2	2.72	121.67	118.30
2	H	701	GHP	C3-C2-C1	-2.69	118.50	121.18
2	E	705	GHP	C5-C6-C1	-2.66	118.53	121.18
2	E	703	3FG	CZ-CD1-CG1	-2.63	117.30	120.19
2	E	706	OMY	CD2-CG-CB	2.61	124.65	120.71
2	F	707	3FG	CD2-CG2-CB	-2.60	117.84	120.09
2	G	702	3MY	CE1-CD1-CG	-2.52	117.68	121.00
2	F	705	GHP	C2-C3-C4	-2.51	117.22	119.88
2	H	706	OMY	CE2-CZ-CE1	2.50	120.84	118.49
2	E	701	GHP	C1-CA-C	-2.49	105.10	112.09
2	E	704	GHP	C1-CA-C	-2.49	105.10	112.09
2	G	707	3FG	CG2-CB-CG1	2.49	121.48	118.09
2	G	707	3FG	CD2-CG2-CB	2.46	122.21	120.09
2	F	704	GHP	C5-C6-C1	2.45	123.62	121.18
2	G	702	3MY	CD2-CE2-CL	2.41	122.39	118.45
2	G	704	GHP	C1-CA-C	-2.40	105.35	112.09
2	G	701	GHP	C6-C1-C2	2.37	121.24	118.30
2	G	702	3MY	CB-CG-CD1	-2.36	116.52	120.90
2	G	705	GHP	C5-C6-C1	-2.35	118.84	121.18
2	G	701	GHP	C5-C6-C1	-2.34	118.85	121.18
2	G	706	OMY	CD2-CG-CD1	2.33	121.44	118.74
2	F	705	GHP	C6-C1-CA	-2.30	117.06	120.64
2	H	702	3MY	CZ-CE2-CL	-2.30	115.35	119.43
2	F	701	GHP	C3-C2-C1	-2.30	118.89	121.18
2	E	703	3FG	CD2-CZ-CD1	2.29	122.38	119.29
2	E	706	OMY	CD1-CE1-CL	-2.25	114.76	118.45
2	G	704	GHP	C2-C3-C4	2.24	122.24	119.88
2	E	704	GHP	O4-C4-C5	-2.21	113.86	120.00
2	H	707	3FG	CG2-CB-CA	2.20	123.17	119.79
2	E	707	3FG	CG1-CB-CA	2.16	123.11	119.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	705	GHP	C6-C5-C4	2.14	122.15	119.88
2	G	707	3FG	CG2-CD2-CZ	-2.12	117.56	120.47
2	F	707	3FG	CG2-CB-CG1	2.12	120.98	118.09
2	G	705	GHP	C5-C4-C3	2.06	123.04	119.77
2	F	703	3FG	CD2-CG2-CB	2.05	121.85	120.09
2	E	702	3MY	CB-CG-CD2	-2.04	116.92	120.43
2	F	702	3MY	CB-CG-CD1	-2.00	117.17	120.90

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	706	OMY	O-C-CA-CB
2	E	707	3FG	O-C-CA-N
2	E	707	3FG	OXT-C-CA-CB
2	F	707	3FG	O-C-CA-CB
2	F	707	3FG	C-CA-CB-CG2
2	E	701	GHP	C2-C1-CA-C
2	H	701	GHP	C2-C1-CA-C
2	F	707	3FG	O-C-CA-N
2	H	702	3MY	CA-CB-CG-CD2
2	G	702	3MY	C-CA-CB-CG
2	H	702	3MY	C-CA-CB-CG
2	E	707	3FG	C-CA-CB-CG2
2	H	707	3FG	C-CA-CB-CG1
2	G	702	3MY	CA-CB-CG-CD2
2	G	707	3FG	O-C-CA-CB
2	H	702	3MY	CA-CB-CG-CD1
2	F	707	3FG	C-CA-CB-CG1
2	E	701	GHP	C6-C1-CA-C
2	H	701	GHP	C6-C1-CA-C
2	E	704	GHP	C2-C1-CA-C
2	E	707	3FG	C-CA-CB-CG1
2	H	707	3FG	C-CA-CB-CG2
2	F	706	OMY	O-C-CA-CB
2	G	706	OMY	O-C-CA-CB
2	H	706	OMY	O-C-CA-CB
2	G	707	3FG	O-C-CA-N

There are no ring outliers.

13 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	706	OMY	1	0
2	E	707	3FG	1	0
2	H	702	3MY	1	0
2	G	705	GHP	1	0
2	F	705	GHP	2	0
2	F	703	3FG	1	0
2	E	705	GHP	1	0
2	G	701	GHP	1	0
2	F	702	3MY	1	0
2	H	703	3FG	1	0
2	G	703	3FG	1	0
2	F	707	3FG	1	0
2	H	707	3FG	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BMA	F	708	2	11,11,12	1.54	3 (27%)	15,15,17	1.10	1 (6%)
3	BMA	H	708	2	11,11,12	1.76	3 (27%)	15,15,17	3.64	8 (53%)
3	BMA	E	708	2	11,11,12	1.67	3 (27%)	15,15,17	1.73	3 (20%)
4	NAG	H	709	2	14,14,15	1.54	3 (21%)	17,19,21	2.19	7 (41%)
6	T55	H	711	5	9,10,11	0.68	0	9,10,12	0.44	0
5	GCS	G	710	2,6	11,11,12	1.52	3 (27%)	13,15,17	1.47	2 (15%)
5	GCS	H	710	2,6	11,11,12	1.56	3 (27%)	13,15,17	1.86	4 (30%)
6	T55	G	711	5	9,10,11	0.59	0	9,10,12	1.06	0
5	GCS	E	710	2,6	11,11,12	1.42	2 (18%)	13,15,17	2.22	6 (46%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	T55	E	711	5	9,10,11	0.65	0	9,10,12	1.61	2 (22%)
6	T55	F	711	5	9,10,11	0.40	0	9,10,12	0.76	0
5	GCS	F	710	2,6	11,11,12	1.85	1 (9%)	13,15,17	1.96	5 (38%)
3	BMA	G	708	2	11,11,12	2.19	4 (36%)	15,15,17	2.21	5 (33%)
4	NAG	F	709	2	14,14,15	3.24	6 (42%)	17,19,21	4.44	8 (47%)
4	NAG	G	709	2	14,14,15	2.61	3 (21%)	17,19,21	2.48	3 (17%)
4	NAG	E	709	2	14,14,15	1.64	3 (21%)	17,19,21	1.40	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsions and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	F	708	2	-	2/2/19/22	0/1/1/1
3	BMA	H	708	2	-	1/2/19/22	0/1/1/1
3	BMA	E	708	2	-	0/2/19/22	0/1/1/1
4	NAG	H	709	2	-	2/6/23/26	0/1/1/1
6	T55	H	711	5	-	1/8/8/9	-
5	GCS	G	710	2,6	-	0/2/19/22	0/1/1/1
5	GCS	H	710	2,6	-	0/2/19/22	0/1/1/1
6	T55	G	711	5	-	3/8/8/9	-
5	GCS	E	710	2,6	-	0/2/19/22	0/1/1/1
6	T55	E	711	5	-	6/8/8/9	-
6	T55	F	711	5	-	3/8/8/9	-
5	GCS	F	710	2,6	-	0/2/19/22	0/1/1/1
3	BMA	G	708	2	-	2/2/19/22	0/1/1/1
4	NAG	F	709	2	1/1/5/7	3/6/23/26	0/1/1/1
4	NAG	G	709	2	-	2/6/23/26	0/1/1/1
4	NAG	E	709	2	-	4/6/23/26	0/1/1/1

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	709	NAG	O5-C1	9.66	1.59	1.43
4	G	709	NAG	O5-C1	8.27	1.57	1.43
5	F	710	GCS	O5-C5	4.71	1.52	1.43
4	E	709	NAG	C1-C2	4.46	1.58	1.52
3	G	708	BMA	C4-C5	4.09	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	708	BMA	O5-C1	3.84	1.50	1.43
4	F	709	NAG	C4-C3	-3.59	1.43	1.52
3	G	708	BMA	O5-C5	3.56	1.50	1.43
3	G	708	BMA	C6-C5	3.50	1.63	1.51
4	F	709	NAG	C3-C2	3.49	1.59	1.52
4	G	709	NAG	O5-C5	3.45	1.50	1.43
4	H	709	NAG	C2-N2	3.44	1.52	1.46
3	E	708	BMA	O5-C5	2.91	1.49	1.43
3	F	708	BMA	O5-C1	2.91	1.48	1.43
4	F	709	NAG	C1-C2	2.87	1.56	1.52
5	E	710	GCS	O5-C5	2.81	1.48	1.43
5	H	710	GCS	C3-C2	-2.79	1.48	1.53
5	G	710	GCS	O5-C5	2.79	1.48	1.43
5	H	710	GCS	C1-C2	2.60	1.55	1.52
5	G	710	GCS	O5-C1	-2.58	1.39	1.43
3	H	708	BMA	C1-C2	-2.52	1.46	1.52
3	E	708	BMA	O5-C1	2.47	1.47	1.43
5	E	710	GCS	O5-C1	-2.39	1.39	1.43
3	H	708	BMA	C2-C3	2.39	1.56	1.52
4	F	709	NAG	O3-C3	2.35	1.48	1.43
3	E	708	BMA	C4-C5	2.33	1.58	1.53
4	G	709	NAG	C6-C5	2.32	1.59	1.51
3	F	708	BMA	C1-C2	2.22	1.57	1.52
4	F	709	NAG	C6-C5	2.20	1.59	1.51
4	E	709	NAG	C2-N2	2.16	1.49	1.46
4	E	709	NAG	C3-C2	2.16	1.57	1.52
3	G	708	BMA	C4-C3	2.14	1.57	1.52
5	G	710	GCS	O6-C6	2.13	1.51	1.42
4	H	709	NAG	O5-C5	2.09	1.47	1.43
5	H	710	GCS	O4-C4	2.07	1.48	1.43
4	H	709	NAG	C1-C2	2.05	1.55	1.52
3	F	708	BMA	C4-C5	2.01	1.57	1.53

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	708	BMA	C1-C2-C3	-10.03	95.03	109.64
4	F	709	NAG	C2-N2-C7	9.28	135.34	122.90
4	F	709	NAG	C3-C4-C5	9.24	126.99	110.23
4	G	709	NAG	C1-O5-C5	7.85	122.70	112.19
4	F	709	NAG	C1-O5-C5	7.52	122.27	112.19
4	F	709	NAG	O3-C3-C2	6.21	122.30	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	708	BMA	O2-C2-C3	5.74	122.05	110.15
4	F	709	NAG	O3-C3-C4	5.60	123.58	110.38
4	G	709	NAG	O5-C5-C6	5.06	117.50	107.66
4	H	709	NAG	C6-C5-C4	-4.70	101.47	113.02
3	E	708	BMA	C1-O5-C5	4.67	118.44	112.19
5	F	710	GCS	C6-C5-C4	4.32	123.63	113.02
3	G	708	BMA	C1-C2-C3	-4.27	103.43	109.64
6	E	711	T55	CAI-CAH-CAG	-3.86	99.06	113.62
3	H	708	BMA	C3-C4-C5	-3.57	103.76	110.23
3	H	708	BMA	O2-C2-C1	-3.57	101.05	109.22
3	G	708	BMA	C1-O5-C5	3.43	116.79	112.19
5	E	710	GCS	O3-C3-C2	-3.33	103.67	109.90
5	E	710	GCS	C4-C3-C2	-3.28	105.82	111.37
3	H	708	BMA	O3-C3-C4	3.23	117.99	110.38
4	F	709	NAG	C8-C7-N2	3.22	121.45	116.12
5	G	710	GCS	C1-C2-N2	-3.21	105.87	111.38
4	F	709	NAG	O5-C1-C2	3.19	116.22	111.29
5	E	710	GCS	O4-C4-C3	-3.10	103.08	110.38
4	E	709	NAG	O5-C5-C4	-3.08	103.34	110.83
5	H	710	GCS	C4-C3-C2	-3.07	106.19	111.37
3	H	708	BMA	O3-C3-C2	2.90	115.97	110.05
4	H	709	NAG	O7-C7-C8	-2.90	116.90	122.05
3	G	708	BMA	O5-C1-C2	-2.89	103.88	110.79
3	G	708	BMA	C3-C4-C5	2.88	115.45	110.23
4	H	709	NAG	C3-C4-C5	2.88	115.45	110.23
4	E	709	NAG	O5-C5-C6	-2.87	102.08	107.66
5	H	710	GCS	C1-O5-C5	-2.83	108.40	112.19
4	H	709	NAG	C4-C3-C2	2.81	115.14	111.02
5	H	710	GCS	O3-C3-C2	-2.81	104.65	109.90
3	E	708	BMA	O5-C5-C4	2.77	117.57	110.83
3	F	708	BMA	C1-O5-C5	2.75	115.87	112.19
3	G	708	BMA	C6-C5-C4	2.74	119.75	113.02
5	E	710	GCS	O5-C5-C4	-2.73	104.19	110.83
5	F	710	GCS	O4-C4-C5	-2.65	102.80	109.32
4	H	709	NAG	C1-C2-N2	2.59	114.51	110.43
4	H	709	NAG	O5-C5-C6	2.59	112.69	107.66
4	G	709	NAG	C6-C5-C4	-2.48	106.92	113.02
4	H	709	NAG	O5-C1-C2	2.41	115.01	111.29
5	H	710	GCS	C6-C5-C4	2.40	118.91	113.02
5	F	710	GCS	O3-C3-C4	-2.34	104.87	110.38
4	F	709	NAG	O5-C5-C4	2.28	116.37	110.83
6	E	711	T55	CAK-CAJ-CAI	-2.25	102.97	114.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	710	GCS	O5-C5-C6	-2.21	103.36	107.66
5	E	710	GCS	C1-C2-N2	-2.21	107.60	111.38
5	E	710	GCS	C6-C5-C4	2.19	118.40	113.02
3	E	708	BMA	C2-C3-C4	-2.14	107.10	110.86
3	H	708	BMA	O5-C5-C6	-2.12	103.55	107.66
4	E	709	NAG	O7-C7-N2	2.10	125.70	121.98
3	H	708	BMA	O6-C6-C5	-2.09	104.20	111.33
5	F	710	GCS	O3-C3-C2	-2.08	106.01	109.90
5	G	710	GCS	C6-C5-C4	2.02	117.97	113.02
4	E	709	NAG	O7-C7-C8	-2.01	118.47	122.05

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	F	709	NAG	C3

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	711	T55	O-C-CAL-CAK
3	F	708	BMA	C4-C5-C6-O6
3	F	708	BMA	O5-C5-C6-O6
3	G	708	BMA	O5-C5-C6-O6
4	E	709	NAG	O5-C5-C6-O6
3	G	708	BMA	C4-C5-C6-O6
4	E	709	NAG	C8-C7-N2-C2
4	E	709	NAG	O7-C7-N2-C2
4	F	709	NAG	C8-C7-N2-C2
4	F	709	NAG	O7-C7-N2-C2
4	G	709	NAG	C8-C7-N2-C2
4	G	709	NAG	O7-C7-N2-C2
4	H	709	NAG	C8-C7-N2-C2
4	H	709	NAG	O7-C7-N2-C2
6	E	711	T55	CAE-CAG-CAH-CAI
3	H	708	BMA	O5-C5-C6-O6
6	G	711	T55	CAI-CAJ-CAK-CAL
6	F	711	T55	CAI-CAJ-CAK-CAL
6	E	711	T55	CAG-CAH-CAI-CAJ
6	E	711	T55	CAI-CAJ-CAK-CAL
4	F	709	NAG	O5-C5-C6-O6
6	E	711	T55	CAD-CAE-CAG-CAH
4	E	709	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	H	711	T55	CAI-CAJ-CAK-CAL
6	G	711	T55	CAJ-CAK-CAL-C
6	F	711	T55	CAH-CAI-CAJ-CAK
6	E	711	T55	CAF-CAE-CAG-CAH
6	E	711	T55	CAH-CAI-CAJ-CAK
6	G	711	T55	CAE-CAG-CAH-CAI

There are no ring outliers.

8 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	708	BMA	1	0
3	H	708	BMA	4	0
6	H	711	T55	12	0
6	G	711	T55	3	0
6	E	711	T55	4	0
6	F	711	T55	4	0
4	G	709	NAG	1	0
4	E	709	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/273 (93%)	-1.16	0 100 100	8, 18, 45, 61	0
1	B	255/273 (93%)	-1.14	0 100 100	9, 19, 45, 60	0
1	C	255/273 (93%)	-0.96	0 100 100	10, 26, 47, 63	0
1	D	254/273 (93%)	-1.14	0 100 100	8, 19, 37, 62	0
2	E	0/7	-	-	-	-
2	F	0/7	-	-	-	-
2	G	0/7	-	-	-	-
2	H	0/7	-	-	-	-
All	All	1020/1120 (91%)	-1.10	0 100 100	8, 20, 45, 63	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GHP	G	701	11/12	0.94	0.10	37,50,56,56	0
2	OMY	G	706	14/15	0.96	0.06	23,28,41,43	0
2	GHP	E	701	11/12	0.96	0.05	32,33,37,40	0
2	OMY	E	706	14/15	0.96	0.06	18,29,39,43	0
2	OMY	F	706	14/15	0.97	0.05	21,28,35,38	0
2	3FG	E	703	11/13	0.97	0.05	26,30,39,41	0
2	3FG	G	707	13/13	0.97	0.05	28,32,39,43	0
2	GHP	F	701	11/12	0.98	0.04	27,31,36,40	0
2	3FG	G	703	12/13	0.98	0.04	27,39,48,50	0
2	GHP	E	705	11/12	0.98	0.04	30,34,42,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GHP	F	705	11/12	0.98	0.04	22,30,34,34	0
2	GHP	G	705	11/12	0.98	0.03	25,31,34,36	0
2	3FG	E	707	13/13	0.98	0.04	38,41,44,49	0
2	3FG	F	707	13/13	0.98	0.04	30,33,38,42	0
2	OMY	H	706	14/15	0.98	0.04	14,20,26,42	0
2	3FG	H	707	13/13	0.98	0.04	20,24,31,32	0
2	GHP	F	704	11/12	0.99	0.03	16,18,22,24	0
2	GHP	G	704	11/12	0.99	0.03	16,21,26,28	0
2	GHP	H	704	11/12	0.99	0.03	10,15,18,20	0
2	3MY	E	702	13/14	0.99	0.03	13,19,29,30	0
2	GHP	H	701	11/12	0.99	0.03	18,20,23,24	0
2	3MY	G	702	13/14	0.99	0.03	12,21,34,36	0
2	GHP	H	705	11/12	0.99	0.03	19,23,26,27	0
2	3FG	F	703	12/13	0.99	0.04	19,31,36,38	0
2	3MY	F	702	13/14	0.99	0.03	11,16,27,30	0
2	3FG	H	703	12/13	0.99	0.03	15,21,27,30	0
2	GHP	E	704	11/12	0.99	0.02	11,18,27,27	0
2	3MY	H	702	13/14	1.00	0.02	8,12,18,18	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	BMA	F	708	11/12	0.96	0.07	51,56,59,63	0
4	NAG	G	709	14/15	0.96	0.08	54,60,64,65	0
4	NAG	H	709	14/15	0.96	0.07	39,51,56,56	0
3	BMA	H	708	11/12	0.97	0.07	36,46,53,53	0
4	NAG	E	709	14/15	0.97	0.07	56,64,67,67	0
3	BMA	E	708	11/12	0.97	0.07	57,62,64,66	0
3	BMA	G	708	11/12	0.97	0.06	43,47,50,50	0
6	T55	F	711	11/12	0.98	0.05	19,34,38,39	0
6	T55	G	711	11/12	0.98	0.04	19,31,43,46	0
5	GCS	F	710	11/12	0.99	0.02	9,14,17,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GCS	G	710	11/12	0.99	0.02	10,14,17,17	0
5	GCS	H	710	11/12	0.99	0.02	4,9,11,12	0
6	T55	E	711	11/12	0.99	0.04	15,31,40,42	0
4	NAG	F	709	14/15	0.99	0.07	4,47,55,58	0
5	GCS	E	710	11/12	0.99	0.02	8,10,12,12	0
6	T55	H	711	11/12	0.99	0.05	12,31,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.