



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:42 AM UTC

PDB ID : 2XAS / pdb_00002xas
Title : Crystal structure of LSD1-CoREST in complex with a tranlycypromine derivative (MC2580, 14e)
Authors : Binda, C.; Valente, S.; Romanenghi, M.; Pilotto, S.; Cirilli, R.; Karytinis, A.; Ciossani, G.; Botrugno, O.A.; Forneris, F.; Tardugno, M.; Edmondson, D.E.; Minucci, S.; Mattevi, A.; Mai, A.
Deposited on : 2010-03-31
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	852	2% 47% 26% • 22%
2	B	482	% 13% 12% • 72%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6378 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called LYSINE-SPECIFIC HISTONE DEMETHYLASE 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	666	Total	C	N	O	S	0	0	0
			5217	3324	906	967	20			

- Molecule 2 is a protein called REST COREPRESSOR 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	133	Total	C	N	O	S	0	0	0
			1076	676	194	203	3			

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			32	26	2	4		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: LYSINE-SPECIFIC HISTONE DEMETHYLASE 1



- Molecule 2: REST COREPRESSOR 1



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	118.32Å 179.69Å 235.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.40 – 3.20 71.40 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (71.40-3.20) 99.8 (71.40-3.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.5.0090	Depositor
R, R_{free}	0.200 , 0.220 0.198 , 0.215	Depositor DCC
R_{free} test set	803 reflections (1.93%)	wwPDB-VP
Wilson B-factor (Å ²)	82.0	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 66.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6378	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, M80

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/5331	1.08	10/7232 (0.1%)
2	B	0.72	0/1091	0.98	0/1471
All	All	0.84	0/6422	1.06	10/8703 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	770	GLY	N-CA-C	-7.37	105.24	114.16
1	A	275	THR	N-CA-C	6.73	118.31	110.97
1	A	281	VAL	CB-CA-C	-6.17	101.50	110.63
1	A	201	SER	N-CA-C	-6.06	105.65	113.16
1	A	611	SER	N-CA-C	-5.73	106.12	113.23
1	A	798	PHE	N-CA-C	5.65	118.11	108.90
1	A	474	ILE	N-CA-C	5.45	117.90	111.09
1	A	515	PRO	CA-C-N	-5.17	113.38	119.84
1	A	515	PRO	C-N-CA	-5.17	113.38	119.84
1	A	273	LEU	N-CA-C	5.02	120.90	109.81

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	274	PRO	Peptide
1	A	792	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5217	0	5252	159	0
2	B	1076	0	1091	49	0
3	A	53	0	31	6	0
4	A	32	0	25	8	0
All	All	6378	0	6399	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:GLU:HA	1:A:453:GLU:OE1	1.54	1.07
1:A:384:ARG:HB3	2:B:314:MET:HE1	1.44	0.99
1:A:755:PRO:HA	1:A:758:ARG:NH1	1.91	0.86
1:A:456:LYS:HA	2:B:370:TYR:CE1	2.11	0.84
1:A:510:GLU:HG3	1:A:511:LEU:HD23	1.60	0.83
1:A:807:TYR:N	1:A:808:PRO:HD3	2.00	0.76
1:A:794:PRO:HD2	1:A:828:GLN:NE2	2.01	0.75
1:A:801:GLU:CG	1:A:809:ALA:HA	2.16	0.75
1:A:456:LYS:HA	2:B:370:TYR:HE1	1.50	0.74
1:A:353:LEU:HB3	1:A:565:LEU:HD23	1.69	0.73
1:A:671:TRP:O	1:A:673:PRO:HD3	1.88	0.73
1:A:188:MET:HE3	1:A:210:PHE:CE2	2.23	0.73
1:A:484:HIS:CD2	2:B:372:LEU:HD13	2.24	0.71
1:A:548:SER:O	1:A:552:TRP:HB3	1.92	0.70
3:A:900:FAD:C4X	4:A:901:M80:H3B1	2.21	0.69
1:A:199:ILE:HD11	1:A:248:LEU:HD11	1.74	0.69
1:A:563:SER:O	1:A:565:LEU:HD12	1.91	0.69
4:A:901:M80:HB3	4:A:901:M80:O4B	1.93	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:MET:HE2	2:B:363:LEU:HD13	1.74	0.68
1:A:418:LEU:HD11	2:B:324:VAL:HG21	1.77	0.67
1:A:353:LEU:HB3	1:A:565:LEU:CD2	2.26	0.66
1:A:231:PHE:HE1	1:A:249:VAL:HG12	1.62	0.64
1:A:447:LYS:HD3	1:A:497:LEU:HD21	1.80	0.64
1:A:418:LEU:CD1	2:B:324:VAL:HG21	2.27	0.64
1:A:801:GLU:HG2	1:A:809:ALA:HA	1.80	0.64
1:A:366:ASN:OD1	1:A:367:GLY:N	2.31	0.64
1:A:693:LEU:HD12	1:A:694:PHE:N	2.13	0.63
1:A:801:GLU:HG3	1:A:809:ALA:HA	1.81	0.63
1:A:458:LEU:HD12	1:A:487:LEU:HD12	1.80	0.63
1:A:693:LEU:HD12	1:A:694:PHE:H	1.63	0.62
1:A:807:TYR:N	1:A:808:PRO:CD	2.63	0.61
3:A:900:FAD:C10	4:A:901:M80:H3B1	2.29	0.61
1:A:451:LEU:HD23	1:A:494:TYR:HB2	1.81	0.60
1:A:478:PHE:O	1:A:482:SER:HB3	2.01	0.60
1:A:238:LEU:HB3	1:A:243:ASN:HB3	1.82	0.60
1:A:441:LEU:HD23	2:B:356:ASN:HD22	1.65	0.60
3:A:900:FAD:C4	4:A:901:M80:HB6	2.32	0.60
2:B:370:TYR:N	2:B:370:TYR:HD2	2.00	0.60
2:B:418:LYS:O	2:B:421:PHE:HB2	2.02	0.59
1:A:473:ASP:OD1	1:A:473:ASP:C	2.46	0.59
1:A:566:THR:HG21	1:A:697:LEU:HD22	1.85	0.58
2:B:362:LYS:C	2:B:364:ASP:H	2.12	0.58
2:B:370:TYR:N	2:B:370:TYR:CD2	2.71	0.58
1:A:448:MET:HB3	2:B:363:LEU:HD11	1.85	0.57
1:A:627:LEU:O	1:A:631:LYS:HG3	2.03	0.57
1:A:715:MET:HE3	1:A:723:ILE:HG12	1.86	0.57
1:A:606:ASN:HD22	1:A:609:SER:H	1.50	0.57
1:A:282:ILE:HG21	1:A:602:VAL:HG21	1.86	0.56
1:A:188:MET:HG2	1:A:210:PHE:HE2	1.70	0.56
2:B:417:VAL:O	2:B:420:PHE:HB3	2.06	0.55
1:A:188:MET:SD	1:A:200:ILE:HG13	2.46	0.55
1:A:366:ASN:OD1	1:A:368:GLN:N	2.40	0.55
1:A:231:PHE:CE1	1:A:249:VAL:HG12	2.40	0.54
1:A:448:MET:HG3	1:A:497:LEU:HD23	1.89	0.54
1:A:647:LYS:HE3	1:A:780:ILE:HD11	1.88	0.54
1:A:356:ILE:HG22	1:A:356:ILE:O	2.07	0.54
1:A:340:ASN:OD1	1:A:342:MET:N	2.40	0.54
2:B:369:PRO:C	2:B:370:TYR:HD2	2.15	0.54
1:A:385:LEU:O	1:A:388:ALA:HB3	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:LYS:HA	2:B:370:TYR:CD1	2.43	0.53
1:A:456:LYS:HE3	2:B:370:TYR:OH	2.09	0.53
1:A:374:LYS:O	1:A:375:ASP:C	2.49	0.53
1:A:463:LYS:O	1:A:467:GLU:HG2	2.08	0.53
2:B:421:PHE:HE2	2:B:434:LEU:HD11	1.72	0.53
1:A:311:ASP:OD1	1:A:311:ASP:N	2.37	0.53
1:A:789:ALA:HB1	1:A:790:PRO:HD2	1.90	0.53
1:A:458:LEU:CD1	1:A:487:LEU:HD12	2.39	0.52
1:A:455:ILE:HD11	1:A:490:LEU:O	2.10	0.52
1:A:537:GLU:OE2	1:A:544:LEU:HG	2.10	0.52
3:A:900:FAD:C4X	4:A:901:M80:C3B	2.88	0.51
1:A:650:ALA:O	1:A:654:MET:HG3	2.09	0.51
1:A:456:LYS:CA	2:B:370:TYR:HE1	2.22	0.51
1:A:771:ASN:HA	1:A:805:ARG:NH1	2.26	0.51
1:A:566:THR:HG21	1:A:697:LEU:CD2	2.41	0.51
2:B:425:ARG:HA	2:B:430:ILE:HG13	1.94	0.50
1:A:755:PRO:HA	1:A:758:ARG:HH12	1.71	0.50
1:A:645:GLU:HG3	1:A:646:TRP:N	2.27	0.50
2:B:308:ARG:HH11	2:B:308:ARG:HA	1.77	0.50
1:A:209:VAL:O	1:A:213:ILE:HG13	2.12	0.49
1:A:486:ASP:OD1	2:B:398:TYR:OH	2.28	0.48
2:B:358:ALA:O	2:B:361:GLU:HB2	2.13	0.48
1:A:494:TYR:CD2	1:A:494:TYR:O	2.65	0.48
1:A:374:LYS:O	1:A:377:MET:N	2.47	0.48
1:A:695:TRP:HE1	1:A:706:LEU:HD22	1.77	0.48
1:A:670:PHE:C	1:A:670:PHE:CD1	2.92	0.48
1:A:188:MET:HG2	1:A:210:PHE:CE2	2.49	0.48
1:A:384:ARG:HB3	2:B:314:MET:CE	2.29	0.48
2:B:426:ARG:HB2	2:B:427:ARG:HG3	1.94	0.48
1:A:506:GLU:C	1:A:508:LEU:H	2.22	0.48
1:A:553:ASP:O	1:A:556:ASP:HB2	2.14	0.48
1:A:633:GLN:OE1	1:A:634:PRO:HA	2.14	0.48
2:B:314:MET:HB2	2:B:314:MET:HE2	1.76	0.47
1:A:356:ILE:HD11	1:A:566:THR:CG2	2.44	0.47
1:A:374:LYS:HE2	1:A:524:ARG:HH12	1.80	0.47
1:A:666:PHE:O	1:A:701:PRO:HG2	2.14	0.47
1:A:685:THR:O	1:A:688:ARG:HG2	2.14	0.47
1:A:335:THR:HG21	4:A:901:M80:HB4	1.80	0.47
1:A:728:LEU:O	1:A:729:ALA:C	2.57	0.47
1:A:592:GLN:HB3	1:A:603:ILE:HD12	1.97	0.47
1:A:363:TYR:CD2	1:A:734:ILE:HG12	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:710:GLU:HA	1:A:710:GLU:OE1	2.15	0.47
2:B:329:THR:C	2:B:331:ALA:N	2.69	0.47
1:A:465:ALA:CB	1:A:479:LEU:HD23	2.45	0.46
2:B:337:GLN:HA	2:B:337:GLN:HE21	1.80	0.46
1:A:195:CYS:HB2	1:A:196:PHE:CD1	2.51	0.46
1:A:319:THR:HB	1:A:572:SER:HB3	1.96	0.46
1:A:340:ASN:HB2	1:A:560:PHE:CD2	2.51	0.46
1:A:601:GLU:HA	1:A:616:TYR:O	2.15	0.46
2:B:327:ASN:ND2	2:B:330:ALA:HB2	2.31	0.46
2:B:394:ALA:O	2:B:398:TYR:N	2.46	0.46
1:A:351:MET:HE3	1:A:574:VAL:HG21	1.96	0.46
1:A:592:GLN:HG3	1:A:638:GLN:HB3	1.98	0.46
2:B:415:VAL:O	2:B:416:GLN:C	2.58	0.46
1:A:346:SER:HA	1:A:351:MET:SD	2.56	0.46
1:A:534:ALA:HA	1:A:537:GLU:HG3	1.98	0.45
1:A:379:GLU:O	1:A:382:PHE:HB3	2.17	0.45
1:A:392:LEU:HD11	1:A:415:VAL:CG2	2.47	0.45
1:A:435:VAL:HG23	1:A:436:LYS:H	1.81	0.45
2:B:361:GLU:O	2:B:364:ASP:HB2	2.16	0.45
2:B:406:SER:OG	2:B:412:LYS:O	2.30	0.45
1:A:446:ASN:OD1	2:B:359:LEU:HD11	2.17	0.44
1:A:720:ASP:O	1:A:724:VAL:HG23	2.17	0.44
1:A:352:GLU:HB2	1:A:568:ARG:HB3	1.98	0.44
2:B:385:THR:HA	2:B:388:GLN:HG3	1.98	0.44
1:A:419:GLN:HE22	2:B:315:PHE:H	1.65	0.44
1:A:613:THR:HG22	1:A:614:PHE:N	2.31	0.44
2:B:421:PHE:O	2:B:425:ARG:HB2	2.16	0.44
1:A:427:GLN:O	1:A:431:TRP:HD1	2.01	0.44
1:A:185:HIS:CE1	1:A:186:ASP:HB3	2.53	0.44
1:A:174:VAL:HG12	1:A:219:GLN:OE1	2.17	0.44
1:A:175:GLU:HG2	1:A:185:HIS:ND1	2.33	0.44
2:B:362:LYS:O	2:B:364:ASP:N	2.50	0.44
1:A:794:PRO:CD	1:A:828:GLN:NE2	2.75	0.43
1:A:214:ARG:HD2	1:A:215:ASN:OD1	2.18	0.43
1:A:412:LEU:HD13	1:A:533:PHE:CE1	2.53	0.43
1:A:563:SER:O	1:A:565:LEU:CD1	2.65	0.43
1:A:707:VAL:O	1:A:712:ALA:HB2	2.18	0.43
1:A:818:GLY:O	1:A:819:LEU:C	2.61	0.43
2:B:333:THR:HG22	2:B:334:VAL:N	2.33	0.43
1:A:465:ALA:HB1	1:A:479:LEU:HD23	2.00	0.43
1:A:587:ASN:HB3	1:A:607:THR:OG1	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:603:ILE:HG12	1:A:615:ILE:HD13	2.00	0.43
2:B:415:VAL:O	2:B:418:LYS:N	2.51	0.43
1:A:196:PHE:N	1:A:197:PRO:CD	2.81	0.43
1:A:212:PHE:C	1:A:212:PHE:CD2	2.96	0.43
1:A:435:VAL:O	1:A:436:LYS:C	2.60	0.43
1:A:448:MET:HE2	2:B:363:LEU:CD1	2.44	0.43
1:A:331:ALA:HA	3:A:900:FAD:C4X	2.48	0.43
1:A:427:GLN:NE2	1:A:518:ASP:HA	2.34	0.43
1:A:707:VAL:HG12	1:A:712:ALA:HA	2.00	0.43
1:A:761:TYR:CE2	4:A:901:M80:H3B2	2.53	0.43
1:A:205:GLN:O	1:A:209:VAL:HG23	2.18	0.43
1:A:295:ARG:NH2	1:A:580:GLU:O	2.52	0.43
1:A:801:GLU:HG2	1:A:809:ALA:CA	2.47	0.43
1:A:654:MET:HB3	1:A:654:MET:HE2	1.61	0.43
1:A:252:VAL:O	1:A:253:HIS:C	2.62	0.42
1:A:541:ALA:HB2	1:A:761:TYR:CZ	2.54	0.42
1:A:761:TYR:CZ	4:A:901:M80:H3B2	2.53	0.42
1:A:270:ILE:O	1:A:272:PRO:HD3	2.19	0.42
1:A:640:VAL:O	1:A:640:VAL:HG12	2.19	0.42
1:A:677:LEU:HB2	1:A:693:LEU:HD11	2.01	0.42
1:A:761:TYR:CD1	1:A:809:ALA:HB1	2.54	0.42
1:A:640:VAL:HA	1:A:641:PRO:HA	1.89	0.42
1:A:535:ASN:HD22	1:A:535:ASN:HA	1.66	0.42
1:A:670:PHE:HD1	1:A:670:PHE:O	2.02	0.42
2:B:377:GLN:OE1	2:B:411:ASN:HB3	2.18	0.42
1:A:289:SER:HB3	1:A:814:ALA:HB1	2.01	0.42
1:A:297:LEU:HA	1:A:297:LEU:HD23	1.75	0.42
1:A:351:MET:HE3	1:A:574:VAL:CG2	2.50	0.42
1:A:494:TYR:CD2	1:A:494:TYR:C	2.98	0.42
1:A:543:PRO:C	1:A:545:SER:N	2.77	0.42
2:B:342:LEU:O	2:B:345:VAL:N	2.53	0.42
1:A:721:ASP:O	1:A:722:VAL:C	2.63	0.41
1:A:320:PHE:CD1	1:A:747:VAL:HG21	2.56	0.41
1:A:404:LYS:H	1:A:404:LYS:HG2	1.68	0.41
1:A:729:ALA:O	1:A:730:ILE:C	2.63	0.41
1:A:331:ALA:HA	3:A:900:FAD:N5	2.35	0.41
1:A:374:LYS:NZ	1:A:525:ASP:OD1	2.50	0.41
1:A:340:ASN:OD1	1:A:340:ASN:C	2.64	0.41
1:A:362:LEU:C	1:A:363:TYR:CD1	2.98	0.41
2:B:342:LEU:O	2:B:343:VAL:C	2.63	0.41
2:B:424:TYR:O	2:B:425:ARG:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:HIS:O	1:A:552:TRP:C	2.64	0.41
2:B:405:ILE:O	2:B:409:ILE:HG13	2.21	0.41
1:A:244:SER:OG	1:A:245:ASP:N	2.54	0.41
1:A:428:ILE:HG22	1:A:429:GLU:N	2.35	0.41
1:A:485:ARG:HD2	2:B:404:ALA:HA	2.02	0.41
1:A:506:GLU:C	1:A:508:LEU:N	2.79	0.41
1:A:786:ILE:HD12	1:A:786:ILE:H	1.86	0.41
2:B:380:ASN:O	2:B:416:GLN:NE2	2.51	0.41
2:B:428:PHE:O	2:B:429:ASN:C	2.64	0.41
1:A:451:LEU:HD12	1:A:451:LEU:HA	1.90	0.41
1:A:594:ARG:HA	1:A:640:VAL:O	2.21	0.40
1:A:263:ASN:C	1:A:267:TYR:CE1	2.99	0.40
1:A:815:LEU:C	1:A:815:LEU:CD1	2.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	664/852 (78%)	572 (86%)	75 (11%)	17 (3%)	4	26
2	B	131/482 (27%)	104 (79%)	20 (15%)	7 (5%)	1	12
All	All	795/1334 (60%)	676 (85%)	95 (12%)	24 (3%)	3	23

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	729	ALA
1	A	793	ILE
1	A	468	VAL
1	A	486	ASP
1	A	737	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	785	SER
1	A	801	GLU
2	B	341	GLU
2	B	363	LEU
1	A	274	PRO
1	A	369	ALA
1	A	425	ASP
1	A	507	LYS
2	B	326	ALA
2	B	331	ALA
2	B	373	PRO
2	B	439	ALA
1	A	733	GLY
1	A	499	GLU
2	B	429	ASN
1	A	287	GLY
1	A	508	LEU
1	A	428	ILE
1	A	313	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	566/699 (81%)	486 (86%)	80 (14%)	3	17
2	B	117/395 (30%)	92 (79%)	25 (21%)	1	6
All	All	683/1094 (62%)	578 (85%)	105 (15%)	2	14

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	183	LEU
1	A	206	THR
1	A	209	VAL
1	A	226	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	237	GLN
1	A	247	VAL
1	A	255	TYR
1	A	271	LYS
1	A	274	PRO
1	A	276	LYS
1	A	277	LYS
1	A	281	VAL
1	A	282	ILE
1	A	296	GLN
1	A	299	SER
1	A	332	MET
1	A	351	MET
1	A	359	LYS
1	A	373	GLU
1	A	378	VAL
1	A	380	GLN
1	A	392	LEU
1	A	400	VAL
1	A	402	ASN
1	A	404	LYS
1	A	418	LEU
1	A	422	HIS
1	A	429	GLU
1	A	432	LYS
1	A	433	LYS
1	A	437	THR
1	A	438	GLN
1	A	449	VAL
1	A	453	GLU
1	A	457	GLU
1	A	458	LEU
1	A	463	LYS
1	A	467	GLU
1	A	469	LYS
1	A	474	ILE
1	A	479	LEU
1	A	482	SER
1	A	487	LEU
1	A	492	LYS
1	A	508	LEU
1	A	512	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	514	ASN
1	A	521	LEU
1	A	524	ARG
1	A	526	ARG
1	A	535	ASN
1	A	537	GLU
1	A	556	ASP
1	A	563	SER
1	A	602	VAL
1	A	612	GLN
1	A	624	THR
1	A	626	PRO
1	A	632	GLN
1	A	633	GLN
1	A	638	GLN
1	A	640	VAL
1	A	645	GLU
1	A	652	GLN
1	A	668	ARG
1	A	669	VAL
1	A	675	VAL
1	A	684	THR
1	A	699	LYS
1	A	706	LEU
1	A	727	CYS
1	A	737	SER
1	A	744	LYS
1	A	778	GLN
1	A	781	THR
1	A	785	SER
1	A	786	ILE
1	A	793	ILE
1	A	815	LEU
1	A	825	ILE
2	B	308	ARG
2	B	312	LYS
2	B	324	VAL
2	B	332	THR
2	B	333	THR
2	B	336	ARG
2	B	337	GLN
2	B	342	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	344	SER
2	B	345	VAL
2	B	349	ILE
2	B	351	ASN
2	B	361	GLU
2	B	362	LYS
2	B	370	TYR
2	B	371	ARG
2	B	375	VAL
2	B	376	ILE
2	B	379	CYS
2	B	382	ARG
2	B	385	THR
2	B	414	VAL
2	B	422	VAL
2	B	423	ASN
2	B	432	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	191	GLN
1	A	237	GLN
1	A	259	HIS
1	A	394	HIS
1	A	403	ASN
1	A	419	GLN
1	A	422	HIS
1	A	427	GLN
1	A	430	HIS
1	A	438	GLN
1	A	461	GLN
1	A	606	ASN
1	A	791	GLN
1	A	828	GLN
2	B	318	GLN
2	B	337	GLN
2	B	348	GLN
2	B	388	GLN
2	B	419	ASN
2	B	435	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FAD	A	900	4	58,58,58	2.33	11 (18%)	85,89,89	1.88	20 (23%)
4	M80	A	901	3	33,34,35	1.51	1 (3%)	43,43,45	1.71	10 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	900	4	-	3/34/50/50	0/6/6/6
4	M80	A	901	3	-	11/25/25/26	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	900	FAD	C2A-N1A	8.27	1.48	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	M80	OY2-CY	7.50	1.50	1.35
3	A	900	FAD	C2A-N3A	7.02	1.46	1.33
3	A	900	FAD	O4-C4	6.89	1.36	1.23
3	A	900	FAD	O2-C2	6.15	1.36	1.24
3	A	900	FAD	C4X-N5	4.45	1.40	1.30
3	A	900	FAD	P-O3P	4.03	1.63	1.59
3	A	900	FAD	PA-O3P	3.75	1.63	1.59
3	A	900	FAD	C8A-N7A	2.93	1.37	1.31
3	A	900	FAD	C10-N10	2.58	1.42	1.37
3	A	900	FAD	C5'-C4'	2.31	1.54	1.51
3	A	900	FAD	C4-N3	-2.10	1.34	1.38

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	FAD	N3A-C2A-N1A	-9.69	113.91	128.58
4	A	901	M80	OY2-CY-NW	5.72	122.69	110.45
4	A	901	M80	CZ-OY2-CY	4.48	126.01	115.93
4	A	901	M80	OY1-CY-NW	-3.97	118.35	124.86
3	A	900	FAD	C2A-N3A-C4A	3.83	121.18	111.83
3	A	900	FAD	C9A-N10-C10	-3.58	115.30	120.75
3	A	900	FAD	C5A-C4A-N3A	-3.57	121.80	126.72
3	A	900	FAD	N9A-C8A-N7A	-3.25	109.32	113.94
3	A	900	FAD	C4X-C10-N1	-3.23	116.67	124.59
3	A	900	FAD	O4-C4-C4X	-2.89	118.89	126.53
3	A	900	FAD	C4A-N9A-C8A	2.86	108.74	105.74
3	A	900	FAD	C4A-C5A-N7A	-2.85	107.32	110.58
4	A	901	M80	OY2-CY-OY1	-2.77	118.95	124.26
3	A	900	FAD	C2A-N1A-C6A	2.60	123.00	118.73
3	A	900	FAD	C4-N3-C2	-2.57	121.08	125.64
3	A	900	FAD	C5X-C9A-N10	2.51	120.24	117.97
3	A	900	FAD	C4X-C4-N3	2.49	119.59	113.25
4	A	901	M80	C2B-C3B-CB1	-2.48	107.20	113.21
4	A	901	M80	OY2-CZ-CZ1	2.48	115.41	109.40
4	A	901	M80	CW2-CW1-CW	2.41	119.78	113.36
4	A	901	M80	CW-NW-CY	2.30	126.66	120.93
3	A	900	FAD	C5A-N7A-C8A	2.29	107.05	103.45
3	A	900	FAD	C4A-N9A-C1B	-2.29	121.28	126.63
4	A	901	M80	CB4-NB4-C4B	-2.26	122.22	127.37
3	A	900	FAD	N10-C10-N1	2.21	125.02	118.51
4	A	901	M80	CW1-CW-C4B	-2.15	104.81	110.30
3	A	900	FAD	O2A-PA-O1A	2.08	122.14	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	FAD	O5'-C5'-C4'	2.06	114.86	109.36
3	A	900	FAD	N3A-C4A-N9A	2.04	130.63	127.17
3	A	900	FAD	O4'-C4'-C5'	2.01	114.42	109.99

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	901	M80	CW1-CW-NW-CY
3	A	900	FAD	PA-O3P-P-O5'
3	A	900	FAD	C2'-C1'-N10-C10
4	A	901	M80	OY2-CY-NW-CW
4	A	901	M80	NW-CY-OY2-CZ
4	A	901	M80	OY1-CY-NW-CW
4	A	901	M80	OY1-CY-OY2-CZ
4	A	901	M80	NW-CW-CW1-CW2
4	A	901	M80	O4B-C4B-CW-CW1
4	A	901	M80	C1B-C2B-C3B-CB1
4	A	901	M80	C2B-C3B-CB1-CB6
4	A	901	M80	NB4-C4B-CW-CW1
4	A	901	M80	C2B-C3B-CB1-CB2
3	A	900	FAD	P-O3P-PA-O2A


There are no ring outliers.

2 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	900	FAD	6	0
4	A	901	M80	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand FAD A 900



Ligand M80 A 901



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	666/852 (78%)	-0.13	17 (2%) 57 37	38, 70, 100, 113	0
2	B	133/482 (27%)	0.49	7 (5%) 32 20	68, 100, 114, 122	0
All	All	799/1334 (59%)	-0.03	24 (3%) 52 33	38, 74, 108, 122	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	836	LEU	5.2
1	A	403	ASN	5.0
2	B	376	ILE	4.3
1	A	171	PRO	4.0
2	B	375	VAL	3.1
1	A	833	MET	3.0
2	B	308	ARG	2.8
2	B	340	MET	2.8
1	A	275	THR	2.8
1	A	205	GLN	2.6
2	B	337	GLN	2.6
1	A	506	GLU	2.6
1	A	244	SER	2.6
1	A	271	LYS	2.6
1	A	380	GLN	2.4
2	B	374	GLU	2.3
2	B	440	GLU	2.3
1	A	835	THR	2.3
1	A	518	ASP	2.3
1	A	377	MET	2.3
1	A	272	PRO	2.2
1	A	239	GLU	2.1
1	A	274	PRO	2.1
1	A	467	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	M80	A	901	32/33	0.93	0.19	66,101,105,108	0
3	FAD	A	900	53/53	0.98	0.06	37,45,63,64	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around M80 A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 900:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.