



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 08:43 AM UTC

PDB ID : 7XDI / pdb_00007xdi
EMDB ID : EMD-33148
Title : Tail structure of bacteriophage SSV19
Authors : Liu, H.R.; Chen, W.Y.
Deposited on : 2022-03-27
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	
1	B	84	
1	C	84	
2	D	131	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	210	 70% 16% • 12%
4	F	1236	 26% 11% 63%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7667 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	69	Total	C	N	O	S	0	0
			516	351	76	88	1		
1	B	69	Total	C	N	O	S	0	0
			516	351	76	88	1		
1	C	69	Total	C	N	O	S	0	0
			516	351	76	88	1		

- Molecule 2 is a protein called C131.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	124	Total	C	N	O	S	0	0
			996	687	147	159	3		

- Molecule 3 is a protein called B210.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	185	Total	C	N	O	S	0	0
			1443	965	219	253	6		

- Molecule 4 is a protein called VP4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	456	Total	C	N	O	S	0	0
			3680	2406	580	682	12		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: VP1




- Molecule 1: VP1




- Molecule 1: VP1



- Molecule 2: C131




- Molecule 3: B210





• Molecule 4: VP4



S999	R1000	Q1003	R1004	V1017	A1018	R1019	S1028	E1029	T1030	Q1031	P1032	W1033	G1034	D1035	V1036	L1050	D1051	L1052	L1057	N1061	Y1062	L1073	L1077	Q1081	Q1082	S1083	I1088	F1089	F1096	N1097	V1100	Y1107	E1108	A1109	Q1112	I1113	M1114	Q1115	I1116	L1120	I1127	I1130					
P1131	M1135	M1142	ILE	THR	THR	THR	THR	THR	SER	PRO	LEU	SER	ASN	ALA	ILE	SER	GLY	LEU	GLY	ILE	L1162	L1163	T1164	E1167	I1175	Y1176	F1177	V1178	I1179	I1180	N1189	K1190	T1191	I1192	S1197	I1198	V1199	L1207	A1208	L1209	F1223	F1227	I1230	R1233	GLU	GLU	GLU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	49361	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	208.416	Depositor
Minimum map value	-148.384	Depositor
Average map value	0.048	Depositor
Map value standard deviation	5.514	Depositor
Recommended contour level	15	Depositor
Map size ($\text{\AA}$)	508.0, 508.0, 508.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.27, 1.27, 1.27	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.17	0/525	0.40	0/722
1	B	0.16	0/525	0.42	0/722
1	C	0.14	0/525	0.31	0/722
2	D	0.16	0/1029	0.37	0/1419
3	E	0.15	0/1490	0.40	0/2045
4	F	0.14	0/3785	0.36	0/5183
All	All	0.15	0/7879	0.37	0/10813

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	516	0	574	24	0
1	B	516	0	574	16	0
1	C	516	0	574	10	0
2	D	996	0	1037	22	0
3	E	1443	0	1432	27	0
4	F	3680	0	3558	90	0
All	All	7667	0	7749	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:48:LEU:HB3	3:E:49:PRO:HD2	1.70	0.72
3:E:25:ILE:HD11	3:E:106:THR:HG22	1.72	0.72
4:F:1198:ILE:HD11	4:F:1223:PHE:HA	1.73	0.71
4:F:904:ASP:HB2	4:F:980:LEU:HD22	1.71	0.71
4:F:902:PHE:HB2	4:F:905:ILE:HD12	1.72	0.70
4:F:38:VAL:HG21	4:F:78:ILE:HD13	1.74	0.69
4:F:913:MET:HE3	4:F:913:MET:HA	1.77	0.67
2:D:19:LEU:HB3	3:E:190:LEU:HD12	1.78	0.66
4:F:1000:ARG:HH21	4:F:1004:ARG:HH22	1.40	0.66
4:F:1089:PHE:HB2	4:F:1114:MET:HG3	1.79	0.65
1:A:43:LEU:HD21	1:B:34:PRO:HG3	1.79	0.64
1:A:55:ASN:O	1:A:59:LEU:HD22	1.98	0.64
4:F:1189:ASN:OD1	4:F:1191:THR:N	2.31	0.63
3:E:101:VAL:O	3:E:102:ASN:HB2	1.97	0.63
3:E:99:VAL:HG12	3:E:101:VAL:H	1.64	0.63
4:F:618:LEU:HD13	4:F:657:ILE:HD11	1.79	0.63
3:E:35:PRO:HG2	3:E:88:VAL:HG11	1.81	0.63
4:F:101:VAL:HG23	4:F:102:ASN:H	1.65	0.62
4:F:1057:LEU:HB3	4:F:1061:ASN:HB2	1.80	0.62
3:E:92:GLN:HB3	3:E:114:ILE:HD11	1.81	0.61
2:D:94:LEU:HD23	3:E:85:ARG:HH22	1.65	0.61
4:F:1096:PHE:HB3	4:F:1131:PRO:HA	1.82	0.61
2:D:44:ALA:HB2	2:D:64:PHE:HD2	1.64	0.61
4:F:82:TRP:CD1	4:F:89:VAL:HG11	2.36	0.61
4:F:1108:GLU:HG2	4:F:1142:ASN:HA	1.81	0.60
4:F:625:TRP:CD1	4:F:647:PHE:HE1	2.19	0.60
2:D:98:VAL:HG23	2:D:102:GLY:HA2	1.83	0.59
1:A:75:ALA:HB2	4:F:1178:VAL:HG13	1.84	0.59
2:D:85:PHE:CE1	2:D:117:ILE:HD11	2.38	0.59
2:D:2:GLY:N	2:D:119:GLU:OE2	2.37	0.58
3:E:149:LEU:HD22	4:F:1199:VAL:HG11	1.86	0.58
4:F:929:ALA:HB1	4:F:988:ILE:HD11	1.86	0.58
4:F:1189:ASN:OD1	4:F:1190:LYS:N	2.37	0.57
4:F:1109:ALA:HA	4:F:1114:MET:HA	1.86	0.57
4:F:1135:ASN:ND2	4:F:1135:ASN:O	2.38	0.57
4:F:908:MET:SD	4:F:980:LEU:HD23	2.45	0.57
4:F:644:LEU:O	4:F:648:ILE:HG13	2.06	0.56
3:E:60:PHE:HB3	3:E:68:LEU:HB3	1.88	0.56
4:F:1000:ARG:HA	4:F:1003:GLN:HG3	1.87	0.56
2:D:4:LYS:HE3	3:E:206:GLY:HA3	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:VAL:HG12	1:B:37:THR:HG21	1.89	0.55
4:F:1112:GLN:O	4:F:1113:ILE:HD13	2.07	0.55
4:F:658:THR:HG22	4:F:660:ASN:H	1.71	0.55
4:F:107:LYS:HA	4:F:596:ASN:HD22	1.72	0.55
1:C:63:PRO:O	1:C:67:ILE:HG22	2.08	0.54
3:E:145:ALA:HB1	4:F:1199:VAL:HG22	1.88	0.54
1:A:59:LEU:HA	1:A:62:VAL:HG23	1.88	0.54
4:F:975:THR:HG22	4:F:1004:ARG:HD2	1.90	0.54
4:F:1032:PRO:O	4:F:1036:VAL:HG23	2.08	0.54
4:F:44:GLN:HE22	4:F:60:PRO:HB3	1.72	0.53
4:F:922:ASN:HB3	4:F:925:TYR:CD2	2.43	0.53
4:F:598:TYR:O	4:F:601:GLU:HB3	2.09	0.53
4:F:664:SER:HA	4:F:667:TYR:CE2	2.43	0.53
4:F:1050:LEU:HD23	4:F:1073:LEU:HD13	1.89	0.53
4:F:45:LEU:HD12	4:F:57:HIS:CE1	2.43	0.52
4:F:622:GLN:OE1	4:F:663:TYR:OH	2.28	0.52
4:F:606:LEU:HB3	4:F:621:ALA:HB2	1.91	0.52
1:A:65:PHE:HB3	1:B:71:VAL:HG21	1.91	0.52
2:D:44:ALA:HB2	2:D:64:PHE:CD2	2.45	0.52
3:E:192:ILE:HD12	4:F:1227:PHE:CZ	2.45	0.52
1:C:16:VAL:HA	1:C:19:LEU:HD12	1.91	0.52
4:F:1082:GLN:CD	4:F:1083:SER:H	2.18	0.52
3:E:36:PRO:HG2	3:E:39:SER:HB3	1.92	0.51
4:F:1096:PHE:CB	4:F:1131:PRO:HA	2.41	0.51
1:A:22:LEU:HD13	1:A:74:PRO:HB3	1.92	0.51
3:E:120:THR:HA	3:E:134:SER:HB3	1.92	0.51
1:B:18:LEU:O	1:B:22:LEU:HD12	2.11	0.51
1:A:51:VAL:HG21	1:A:59:LEU:HD23	1.93	0.50
3:E:101:VAL:O	3:E:101:VAL:HG12	2.12	0.49
1:B:78:ALA:HA	1:B:81:MET:HG2	1.95	0.49
3:E:197:GLY:O	3:E:200:ILE:HG22	2.13	0.49
2:D:99:PRO:HD2	3:E:184:TYR:HB3	1.94	0.49
1:C:51:VAL:HG13	1:C:56:ALA:HB2	1.94	0.48
4:F:107:LYS:HG3	4:F:592:VAL:HG23	1.95	0.48
4:F:1004:ARG:HB3	4:F:1019:ARG:HB2	1.96	0.48
1:C:40:VAL:HG23	1:C:59:LEU:HD12	1.95	0.48
4:F:62:VAL:HG12	4:F:64:ASN:H	1.78	0.48
4:F:1107:TYR:HB2	4:F:1116:ILE:HG22	1.95	0.48
4:F:1175:ILE:O	4:F:1179:ILE:HG22	2.14	0.47
1:A:64:LEU:O	1:A:68:LEU:HG	2.14	0.47
4:F:1017:VAL:HG23	4:F:1030:THR:HG21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:628:TYR:OH	4:F:639:THR:OG1	2.25	0.47
4:F:904:ASP:O	4:F:908:MET:HG2	2.15	0.47
2:D:58:GLU:OE2	2:D:58:GLU:HA	2.15	0.47
4:F:1097:ASN:OD1	4:F:1130:ILE:HB	2.15	0.47
3:E:33:VAL:HG23	4:F:84:SER:HB3	1.97	0.47
4:F:76:GLU:HG2	4:F:1036:VAL:HG21	1.97	0.47
1:A:22:LEU:HD21	1:A:77:LEU:HD13	1.97	0.46
4:F:99:SER:HB2	4:F:106:ILE:HD11	1.97	0.46
1:B:78:ALA:HA	1:B:81:MET:HE2	1.98	0.46
2:D:47:THR:HB	2:D:56:ASN:HB3	1.97	0.46
2:D:106:LEU:HD23	3:E:71:VAL:HA	1.97	0.46
1:A:58:LEU:O	1:A:62:VAL:HG23	2.16	0.46
1:A:77:LEU:HD11	1:B:82:TYR:HB3	1.98	0.46
2:D:4:LYS:HE2	3:E:202:THR:HG22	1.98	0.46
1:A:75:ALA:CB	4:F:1178:VAL:HG13	2.44	0.46
3:E:139:VAL:HA	3:E:142:VAL:HG12	1.97	0.46
2:D:22:SER:O	2:D:22:SER:OG	2.31	0.46
2:D:68:ASP:HA	2:D:71:ILE:HG22	1.98	0.46
2:D:117:ILE:HD12	2:D:117:ILE:HA	1.74	0.46
4:F:1077:LEU:HD22	4:F:1120:LEU:HD23	1.98	0.46
2:D:61:TRP:CE3	2:D:62:PRO:HD3	2.50	0.45
4:F:1207:LEU:HB2	4:F:1209:LEU:HD13	1.97	0.45
1:B:22:LEU:HD23	1:B:74:PRO:HA	1.98	0.45
4:F:1100:VAL:HG22	4:F:1127:ILE:HG12	1.99	0.45
4:F:45:LEU:HD21	4:F:1028:SER:HB3	1.98	0.45
1:C:33:LEU:HG	1:C:34:PRO:HD3	1.98	0.44
4:F:999:SER:OG	4:F:1062:TYR:HA	2.17	0.44
2:D:88:PHE:CD1	2:D:92:LEU:HD23	2.52	0.44
3:E:149:LEU:HD12	3:E:149:LEU:HA	1.81	0.44
4:F:609:LEU:HD23	4:F:609:LEU:HA	1.85	0.44
4:F:1088:ILE:HG23	4:F:1113:ILE:HG23	2.00	0.44
4:F:38:VAL:HG13	4:F:74:PHE:HE1	1.82	0.44
4:F:599:GLU:O	4:F:603:ILE:HG12	2.18	0.44
1:C:37:THR:HA	1:C:40:VAL:HG12	2.00	0.44
2:D:92:LEU:HA	2:D:95:LEU:HB2	2.00	0.44
1:A:80:LYS:HD2	1:A:80:LYS:HA	1.74	0.44
4:F:1180:ILE:HD11	4:F:1197:SER:HB2	2.00	0.44
1:B:43:LEU:HD12	1:B:50:ALA:HB2	1.99	0.44
1:A:43:LEU:HD23	1:A:43:LEU:HA	1.80	0.43
2:D:114:PHE:HA	2:D:117:ILE:HG22	1.99	0.43
4:F:628:TYR:HB3	4:F:647:PHE:CE2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:998:ILE:HD12	4:F:998:ILE:HA	1.85	0.43
4:F:1230:ILE:O	4:F:1233:ARG:HG2	2.19	0.43
1:A:69:ILE:HA	1:A:72:ILE:HG22	2.00	0.43
1:C:30:ILE:HA	1:C:33:LEU:HD23	2.01	0.43
4:F:922:ASN:HB3	4:F:925:TYR:HD2	1.84	0.43
4:F:928:ASP:O	4:F:932:VAL:HG23	2.19	0.43
4:F:1089:PHE:HB2	4:F:1114:MET:CG	2.46	0.43
4:F:1081:GLN:C	4:F:1082:GLN:HG3	2.43	0.43
4:F:58:GLU:HB2	4:F:67:TRP:CD1	2.54	0.43
4:F:75:LEU:HD22	4:F:609:LEU:HD11	2.00	0.42
1:B:58:LEU:HB3	1:C:67:ILE:HD13	2.01	0.42
1:A:68:LEU:O	1:A:72:ILE:HG22	2.18	0.42
4:F:922:ASN:HB3	4:F:925:TYR:CE2	2.54	0.42
4:F:48:LYS:NZ	4:F:52:GLY:HA2	2.35	0.42
4:F:73:LYS:HE2	4:F:1033:TRP:HE1	1.83	0.42
2:D:92:LEU:HD12	2:D:106:LEU:CD1	2.49	0.42
1:B:27:LEU:HD13	1:B:27:LEU:HA	1.94	0.42
1:A:64:LEU:HD13	4:F:1167:GLU:OE1	2.19	0.42
1:B:81:MET:HE3	1:B:82:TYR:CD2	2.54	0.42
3:E:35:PRO:HD2	3:E:112:PRO:HA	2.02	0.42
4:F:1189:ASN:ND2	4:F:1192:ILE:HG12	2.35	0.42
4:F:1052:LEU:HB2	4:F:1089:PHE:CE2	2.55	0.41
4:F:34:VAL:HA	4:F:1035:ASP:OD2	2.19	0.41
4:F:88:TYR:O	4:F:92:THR:HG22	2.20	0.41
1:C:27:LEU:HA	1:C:30:ILE:HG22	2.02	0.41
3:E:187:TYR:HA	3:E:190:LEU:HB2	2.02	0.41
1:B:73:VAL:HA	1:B:76:VAL:HG12	2.01	0.41
4:F:916:LEU:O	4:F:920:THR:HG22	2.20	0.41
1:A:51:VAL:HG11	1:A:59:LEU:HD21	2.02	0.41
4:F:652:ILE:HD13	4:F:652:ILE:HA	1.84	0.41
1:A:52:THR:HG22	1:A:53:GLY:H	1.86	0.41
1:A:68:LEU:HA	1:A:71:VAL:HG22	2.03	0.41
4:F:1164:THR:HG22	4:F:1167:GLU:HG2	2.02	0.41
1:B:19:LEU:CD2	1:B:81:MET:HE1	2.51	0.41
2:D:32:ALA:O	2:D:72:TRP:NE1	2.50	0.41
3:E:107:MET:HE2	3:E:107:MET:HB3	1.84	0.41
4:F:54:TYR:O	4:F:91:SER:OG	2.36	0.41
4:F:632:LEU:HD21	4:F:639:THR:HB	2.03	0.41
4:F:917:TYR:CD2	4:F:926:LEU:HD21	2.56	0.41
4:F:1176:TYR:HH	4:F:1197:SER:HG	1.58	0.41
1:B:32:LEU:HD11	1:C:27:LEU:HD21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:PRO:O	1:A:67:ILE:HG13	2.21	0.40
1:A:33:LEU:N	1:A:34:PRO:HD2	2.37	0.40
3:E:108:PHE:HE2	3:E:110:ILE:HD11	1.86	0.40
4:F:910:GLY:HA3	4:F:984:PHE:CE1	2.56	0.40
1:A:20:ILE:HD13	1:A:20:ILE:HA	1.87	0.40
1:B:58:LEU:O	1:B:62:VAL:HG23	2.22	0.40
4:F:69:ASP:OD1	4:F:598:TYR:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/84 (80%)	65 (97%)	2 (3%)	0	100	100
1	B	67/84 (80%)	65 (97%)	1 (2%)	1 (2%)	8	36
1	C	67/84 (80%)	63 (94%)	4 (6%)	0	100	100
2	D	122/131 (93%)	118 (97%)	4 (3%)	0	100	100
3	E	183/210 (87%)	168 (92%)	11 (6%)	4 (2%)	5	30
4	F	446/1236 (36%)	422 (95%)	23 (5%)	1 (0%)	43	73
All	All	952/1829 (52%)	901 (95%)	45 (5%)	6 (1%)	23	54

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	49	PRO
3	E	102	ASN
4	F	636	ASN
1	B	51	VAL
3	E	64	ASN
3	E	101	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	60/73 (82%)	60 (100%)	0	100	100
1	B	60/73 (82%)	60 (100%)	0	100	100
1	C	60/73 (82%)	60 (100%)	0	100	100
2	D	110/115 (96%)	109 (99%)	1 (1%)	70	74
3	E	155/176 (88%)	155 (100%)	0	100	100
4	F	394/1063 (37%)	391 (99%)	3 (1%)	73	76
All	All	839/1573 (53%)	835 (100%)	4 (0%)	78	81

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	33	ASN
4	F	599	GLU
4	F	1113	ILE
4	F	1199	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	E	55	GLN
4	F	596	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33148. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 191




Y Index: 211




Z Index: 217


6.3.2 Raw map



X Index: 191



Y Index: 188




Z Index: 222


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 15.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1612 nm³; this corresponds to an approximate mass of 1456 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.72	4.85	3.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33148 and PDB model 7XDI. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 15.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8490	0.4490
A	0.7380	0.4030
B	0.7260	0.3670
C	0.7480	0.3700
D	0.8930	0.4730
E	0.8760	0.4830
F	0.8750	0.4570

1.0

0.0

<0.0