



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:50 PM UTC

PDB ID : 4XEQ / pdb_00004xeq
Title : CRYSTAL STRUCTURE OF A TRAP PERIPLASMIC SOLUTE BINDING PROTEIN FROM DESULFOVIBRIO VULGARIS (Deval_0042, TARGET EFI-510114) BOUND TO COPURIFIED (R)-PANTOIC ACID
Authors : Vetting, M.W.; Al Obaidi, N.F.; Toro, R.; Morisco, L.L.; Benach, J.; Wasserman, S.R.; Attonito, J.D.; Scott Glenn, A.; Chamala, S.; Chowdhury, S.; Lafleur, J.; Love, J.; Seidel, R.D.; Whalen, K.L.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)
Deposited on : 2014-12-24
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	 81% 11% 8%
1	B	328	 79% 13% 7%
1	C	328	 80% 12% 8%

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	328	80% 12% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 19785 atoms, of which 9494 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRAP dicarboxylate transporter, DctP subunit.

Mol	Chain	Residues	Atoms								ZeroOcc	AltConf	Trace
1	A	303	Total	C	H	N	O	S	Se		0	0	0
			4762	1502	2376	432	442	2	8				
1	B	304	Total	C	H	N	O	S	Se		0	0	0
			4772	1505	2381	433	443	2	8				
1	C	302	Total	C	H	N	O	S	Se		0	0	0
			4737	1496	2360	430	441	2	8				
1	D	302	Total	C	H	N	O	S	Se		0	2	0
			4764	1502	2377	432	443	2	8				

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	MSE	-	initiating methionine	UNP E3ILJ0
A	15	HIS	-	expression tag	UNP E3ILJ0
A	16	HIS	-	expression tag	UNP E3ILJ0
A	17	HIS	-	expression tag	UNP E3ILJ0
A	18	HIS	-	expression tag	UNP E3ILJ0
A	19	HIS	-	expression tag	UNP E3ILJ0
A	20	HIS	-	expression tag	UNP E3ILJ0
A	21	SER	-	expression tag	UNP E3ILJ0
A	22	SER	-	expression tag	UNP E3ILJ0
A	23	GLY	-	expression tag	UNP E3ILJ0
A	24	VAL	-	expression tag	UNP E3ILJ0
A	25	ASP	-	expression tag	UNP E3ILJ0
A	26	LEU	-	expression tag	UNP E3ILJ0
A	27	GLY	-	expression tag	UNP E3ILJ0
A	28	THR	-	expression tag	UNP E3ILJ0
A	29	GLU	-	expression tag	UNP E3ILJ0
A	30	ASN	-	expression tag	UNP E3ILJ0
A	31	LEU	-	expression tag	UNP E3ILJ0
A	32	TYR	-	expression tag	UNP E3ILJ0
A	33	PHE	-	expression tag	UNP E3ILJ0
A	34	GLN	-	expression tag	UNP E3ILJ0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	35	SER	-	expression tag	UNP E3ILJ0
A	36	MSE	-	expression tag	UNP E3ILJ0
B	14	MSE	-	initiating methionine	UNP E3ILJ0
B	15	HIS	-	expression tag	UNP E3ILJ0
B	16	HIS	-	expression tag	UNP E3ILJ0
B	17	HIS	-	expression tag	UNP E3ILJ0
B	18	HIS	-	expression tag	UNP E3ILJ0
B	19	HIS	-	expression tag	UNP E3ILJ0
B	20	HIS	-	expression tag	UNP E3ILJ0
B	21	SER	-	expression tag	UNP E3ILJ0
B	22	SER	-	expression tag	UNP E3ILJ0
B	23	GLY	-	expression tag	UNP E3ILJ0
B	24	VAL	-	expression tag	UNP E3ILJ0
B	25	ASP	-	expression tag	UNP E3ILJ0
B	26	LEU	-	expression tag	UNP E3ILJ0
B	27	GLY	-	expression tag	UNP E3ILJ0
B	28	THR	-	expression tag	UNP E3ILJ0
B	29	GLU	-	expression tag	UNP E3ILJ0
B	30	ASN	-	expression tag	UNP E3ILJ0
B	31	LEU	-	expression tag	UNP E3ILJ0
B	32	TYR	-	expression tag	UNP E3ILJ0
B	33	PHE	-	expression tag	UNP E3ILJ0
B	34	GLN	-	expression tag	UNP E3ILJ0
B	35	SER	-	expression tag	UNP E3ILJ0
B	36	MSE	-	expression tag	UNP E3ILJ0
C	14	MSE	-	initiating methionine	UNP E3ILJ0
C	15	HIS	-	expression tag	UNP E3ILJ0
C	16	HIS	-	expression tag	UNP E3ILJ0
C	17	HIS	-	expression tag	UNP E3ILJ0
C	18	HIS	-	expression tag	UNP E3ILJ0
C	19	HIS	-	expression tag	UNP E3ILJ0
C	20	HIS	-	expression tag	UNP E3ILJ0
C	21	SER	-	expression tag	UNP E3ILJ0
C	22	SER	-	expression tag	UNP E3ILJ0
C	23	GLY	-	expression tag	UNP E3ILJ0
C	24	VAL	-	expression tag	UNP E3ILJ0
C	25	ASP	-	expression tag	UNP E3ILJ0
C	26	LEU	-	expression tag	UNP E3ILJ0
C	27	GLY	-	expression tag	UNP E3ILJ0
C	28	THR	-	expression tag	UNP E3ILJ0
C	29	GLU	-	expression tag	UNP E3ILJ0
C	30	ASN	-	expression tag	UNP E3ILJ0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	31	LEU	-	expression tag	UNP E3ILJ0
C	32	TYR	-	expression tag	UNP E3ILJ0
C	33	PHE	-	expression tag	UNP E3ILJ0
C	34	GLN	-	expression tag	UNP E3ILJ0
C	35	SER	-	expression tag	UNP E3ILJ0
C	36	MSE	-	expression tag	UNP E3ILJ0
D	14	MSE	-	initiating methionine	UNP E3ILJ0
D	15	HIS	-	expression tag	UNP E3ILJ0
D	16	HIS	-	expression tag	UNP E3ILJ0
D	17	HIS	-	expression tag	UNP E3ILJ0
D	18	HIS	-	expression tag	UNP E3ILJ0
D	19	HIS	-	expression tag	UNP E3ILJ0
D	20	HIS	-	expression tag	UNP E3ILJ0
D	21	SER	-	expression tag	UNP E3ILJ0
D	22	SER	-	expression tag	UNP E3ILJ0
D	23	GLY	-	expression tag	UNP E3ILJ0
D	24	VAL	-	expression tag	UNP E3ILJ0
D	25	ASP	-	expression tag	UNP E3ILJ0
D	26	LEU	-	expression tag	UNP E3ILJ0
D	27	GLY	-	expression tag	UNP E3ILJ0
D	28	THR	-	expression tag	UNP E3ILJ0
D	29	GLU	-	expression tag	UNP E3ILJ0
D	30	ASN	-	expression tag	UNP E3ILJ0
D	31	LEU	-	expression tag	UNP E3ILJ0
D	32	TYR	-	expression tag	UNP E3ILJ0
D	33	PHE	-	expression tag	UNP E3ILJ0
D	34	GLN	-	expression tag	UNP E3ILJ0
D	35	SER	-	expression tag	UNP E3ILJ0
D	36	MSE	-	expression tag	UNP E3ILJ0

- Molecule 2 is PANTOATE (CCD ID: PAF) (formula: C₆H₁₁O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	6	4		
2	B	1	Total	C	O	0	0
			10	6	4		
2	C	1	Total	C	O	0	0
			10	6	4		
2	D	1	Total	C	O	0	0
			10	6	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	225	Total	O	0	0
			225	225		
3	B	192	Total	O	0	0
			192	192		
3	C	156	Total	O	0	0
			156	156		
3	D	137	Total	O	0	0
			137	137		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TRAP dicarboxylate transporter, DctP subunit




- Molecule 1: TRAP dicarboxylate transporter, DctP subunit



- Molecule 1: TRAP dicarboxylate transporter, DctP subunit



- Molecule 1: TRAP dicarboxylate transporter, DctP subunit





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.75Å 73.60Å 100.21Å 90.00° 90.05° 90.00°	Depositor
Resolution (Å)	25.25 – 1.70 25.25 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (25.25-1.70) 98.2 (25.25-1.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.62 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, R_{free}	0.157 , 0.185 0.156 , 0.181	Depositor DCC
R_{free} test set	6655 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtriage
Anisotropy	0.629	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 26.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.386 for h,-k,-l	Xtriage
Reported twinning fraction	0.400 for h,-k,-l	Depositor
Outliers	1 of 131825 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	19785	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.2594e-03.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PAF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	0/2428	0.93	0/3286
1	B	0.82	0/2433	0.92	0/3293
1	C	0.78	0/2419	0.90	1/3275 (0.0%)
1	D	0.75	0/2436	0.91	1/3297 (0.0%)
All	All	0.79	0/9716	0.92	2/13151 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	157	ASN	N-CA-C	-5.13	104.73	111.96
1	C	301	ILE	CB-CA-C	-5.06	106.44	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2386	2376	2367	25	2
1	B	2391	2381	2372	33	1
1	C	2377	2360	2351	25	1
1	D	2387	2377	2360	27	0
2	A	10	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	11	0	0
2	C	10	0	11	0	0
2	D	10	0	11	0	0
3	A	225	0	0	15	2
3	B	192	0	0	8	2
3	C	156	0	0	6	1
3	D	137	0	0	6	1
All	All	10291	9494	9494	110	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:ARG:NH2	1:A:302:GLU:OE1	1.78	1.15
1:A:339:ARG:NH1	3:A:693:HOH:O	2.02	0.93
1:A:284:GLN:OE1	3:A:699:HOH:O	1.93	0.86
1:C:314:GLN:OE1	3:C:626:HOH:O	1.99	0.81
1:B:95:ALA:O	3:B:595:HOH:O	2.00	0.80
1:C:212:GLN:OE1	3:C:501:HOH:O	2.03	0.76
1:A:174:ASP:OD1	3:A:501:HOH:O	2.06	0.72
1:A:181:ARG:HB2	1:A:215:LEU:HD13	1.75	0.69
1:B:286:ASP:OD1	3:B:558:HOH:O	2.12	0.68
1:C:292:GLN:OE1	3:C:577:HOH:O	2.12	0.67
1:A:113:MSE:O	3:A:665:HOH:O	2.13	0.66
1:A:184:GLU:OE2	3:A:502:HOH:O	2.13	0.64
1:D:172:PRO:HG2	1:D:312:ARG:HG3	1.83	0.61
1:A:262:ASN:ND2	3:A:661:HOH:O	2.30	0.60
1:A:211:GLN:HB2	1:A:233:VAL:HG11	1.84	0.60
1:A:37:ALA:N	3:A:707:HOH:O	2.34	0.60
1:B:311:GLN:O	1:B:314:GLN:HG2	2.01	0.60
1:D:189:ARG:NH1	1:D:201:PRO:HD3	2.17	0.60
1:D:181:ARG:HB2	1:D:215:LEU:HD13	1.83	0.59
1:C:214:THR:O	1:C:215:LEU:HD23	2.03	0.58
1:D:305:ASP:OD2	1:D:308:THR:OG1	2.16	0.57
1:A:171:THR:HG22	1:A:305:ASP:HB3	1.87	0.56
1:B:77:HIS:O	1:B:80:SER:OG	2.19	0.56
1:C:42:LEU:HD23	1:C:42:LEU:C	2.31	0.56
1:D:67:SER:O	1:D:68:ASP:HB2	2.05	0.56
1:C:107:ASP:OD1	3:C:561:HOH:O	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:339:ARG:NE	3:D:581:HOH:O	2.40	0.55
1:B:325:LYS:O	1:B:329:LYS:HG3	2.06	0.54
1:B:172:PRO:HD2	1:B:308:THR:CG2	2.37	0.54
1:D:331:LEU:HD11	1:D:335:MSE:HE3	1.89	0.54
1:B:325:LYS:HG2	1:B:329:LYS:HD2	1.90	0.53
1:D:156:GLU:OE1	1:D:244:TYR:OH	2.18	0.53
1:B:305:ASP:OD2	1:B:308:THR:OG1	2.20	0.53
1:B:235:LYS:HG3	3:B:686:HOH:O	2.08	0.52
1:B:117:ASP:OD1	3:B:654:HOH:O	2.19	0.52
1:D:186:GLN:NE2	1:D:321:LEU:HB2	2.25	0.52
1:C:181:ARG:C	1:C:181:ARG:HD3	2.35	0.52
1:D:171:THR:HB	1:D:172:PRO:HD2	1.92	0.52
1:D:339:ARG:HG3	3:D:581:HOH:O	2.09	0.51
1:D:322:PHE:CE1	1:D:331:LEU:HD22	2.44	0.51
1:A:171:THR:HG22	1:A:305:ASP:CB	2.40	0.51
1:C:204:TRP:O	3:C:580:HOH:O	2.20	0.50
1:D:299:GLN:OE1	3:D:501:HOH:O	2.19	0.50
1:B:180:ILE:O	1:B:199:PRO:HA	2.12	0.50
1:A:80:SER:HB2	3:A:638:HOH:O	2.14	0.48
1:A:262:ASN:CG	3:A:661:HOH:O	2.56	0.48
1:A:50:SER:HB2	1:A:223:TRP:CZ3	2.48	0.48
1:B:314:GLN:CG	1:B:315:PRO:HD3	2.44	0.47
1:C:57:GLU:HG3	3:C:511:HOH:O	2.13	0.47
1:D:84:GLU:OE1	1:D:102:THR:OG1	2.26	0.47
1:D:306:ILE:O	1:D:307:ALA:C	2.55	0.47
1:A:185:SER:HA	3:A:579:HOH:O	2.13	0.47
1:B:172:PRO:HG2	1:B:308:THR:HG22	1.97	0.47
1:C:305:ASP:OD2	1:C:308:THR:OG1	2.24	0.47
1:B:331:LEU:O	1:B:335:MSE:HG3	2.14	0.47
1:C:171:THR:HG22	1:C:305:ASP:HB3	1.96	0.47
1:A:80:SER:CB	3:A:638:HOH:O	2.62	0.46
1:B:62:LEU:O	1:B:66:ARG:HG3	2.14	0.46
1:D:171:THR:HG22	1:D:305:ASP:HB3	1.97	0.46
1:A:287:ALA:HB3	3:A:624:HOH:O	2.16	0.46
3:A:683:HOH:O	1:C:146:THR:HG22	2.15	0.46
1:B:58:ARG:NH1	1:B:61:GLN:OE1	2.47	0.46
1:B:314:GLN:HG3	1:B:315:PRO:HD3	1.97	0.46
1:B:62:LEU:O	1:B:65:GLU:HB2	2.16	0.46
1:D:181:ARG:HD3	1:D:181:ARG:C	2.40	0.46
1:C:112:GLU:OE2	1:C:143:ARG:HD2	2.16	0.45
1:A:193:ARG:HG3	1:A:199:PRO:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:250:LEU:HD12	1:D:250:LEU:C	2.42	0.45
1:A:180:ILE:O	1:A:199:PRO:HA	2.16	0.45
1:C:112:GLU:OE2	1:C:143:ARG:CD	2.65	0.45
1:B:181:ARG:HD3	1:B:181:ARG:C	2.42	0.45
1:D:298:MSE:HG2	3:D:595:HOH:O	2.17	0.45
1:C:334:LEU:O	1:C:338:THR:HG23	2.17	0.45
1:B:172:PRO:O	1:B:175:VAL:HG22	2.17	0.44
1:C:50:SER:HB2	1:C:223:TRP:CH2	2.52	0.44
1:B:171:THR:HG22	1:B:305:ASP:HB3	1.99	0.44
1:B:292:GLN:OE1	3:B:501:HOH:O	2.21	0.44
1:C:50:SER:HB2	1:C:223:TRP:CZ3	2.52	0.44
1:C:171:THR:HG22	1:C:305:ASP:CB	2.48	0.44
1:D:324:HIS:CE1	1:D:326:GLY:H	2.35	0.44
1:D:207:TYR:OH	1:D:232:GLU:OE1	2.33	0.44
1:B:304:PRO:O	1:B:306:ILE:N	2.51	0.44
1:A:325:LYS:HE2	3:A:519:HOH:O	2.18	0.43
1:B:172:PRO:HG2	1:B:312:ARG:HG3	1.99	0.43
1:D:42:LEU:HD23	1:D:43:ALA:N	2.33	0.43
1:C:118:PHE:CG	1:C:119:PRO:HD2	2.54	0.43
1:C:159:PHE:O	1:C:221:PRO:HA	2.18	0.43
1:D:339:ARG:CG	3:D:581:HOH:O	2.66	0.43
1:B:335:MSE:HE1	3:B:535:HOH:O	2.17	0.43
1:C:114:ALA:HB1	1:C:187:VAL:HB	2.00	0.43
1:A:335:MSE:HB3	1:A:339:ARG:HH12	1.83	0.43
1:D:124:ASP:HB2	3:D:570:HOH:O	2.19	0.43
1:B:165:SER:OG	3:B:557:HOH:O	2.14	0.43
1:C:294:ARG:NH2	1:C:302:GLU:OE1	2.48	0.43
1:B:75:LEU:HD12	1:B:75:LEU:C	2.44	0.43
1:B:75:LEU:HD12	1:B:76:HIS:N	2.34	0.42
1:B:263:ASP:O	1:B:267:LEU:HD13	2.19	0.42
1:C:300:VAL:HG12	1:C:302:GLU:HG3	2.01	0.42
1:B:102:THR:HG21	1:B:183:MSE:SE	2.70	0.41
1:D:211:GLN:O	1:D:211:GLN:HG2	2.19	0.41
1:C:170:MSE:HB2	1:C:174:ASP:OD2	2.20	0.41
1:D:172:PRO:O	1:D:175:VAL:HG22	2.21	0.41
1:C:180:ILE:O	1:C:199:PRO:HA	2.21	0.41
1:A:190:GLU:HG3	1:A:316:LEU:CD1	2.51	0.41
1:B:317:SER:O	3:B:582:HOH:O	2.22	0.40
1:B:50:SER:HB2	1:B:223:TRP:CH2	2.56	0.40
1:A:235:LYS:HE2	3:A:528:HOH:O	2.19	0.40
1:B:172:PRO:O	1:B:173:ASP:C	2.63	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ARG:C	1:A:181:ARG:HD3	2.47	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:519:HOH:O	3:B:501:HOH:O[2_856]	1.85	0.35
3:B:534:HOH:O	3:D:525:HOH:O[2_747]	2.15	0.05
3:A:512:HOH:O	3:C:503:HOH:O[1_554]	2.16	0.04
1:A:333:ASP:OD1	1:B:229:ARG:HH12[2_856]	1.59	0.01
1:A:176:ARG:HH22	1:C:68:ASP:OD1[2_856]	1.60	0.00

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	301/328 (92%)	295 (98%)	6 (2%)	0	100	100
1	B	302/328 (92%)	297 (98%)	4 (1%)	1 (0%)	36	22
1	C	300/328 (92%)	292 (97%)	8 (3%)	0	100	100
1	D	302/328 (92%)	299 (99%)	3 (1%)	0	100	100
All	All	1205/1312 (92%)	1183 (98%)	21 (2%)	1 (0%)	48	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	65	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/264 (96%)	246 (98%)	6 (2%)	43	26
1	B	252/264 (96%)	247 (98%)	5 (2%)	48	32
1	C	251/264 (95%)	246 (98%)	5 (2%)	48	32
1	D	254/264 (96%)	251 (99%)	3 (1%)	63	51
All	All	1009/1056 (96%)	990 (98%)	19 (2%)	50	34

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	THR
1	A	175	VAL
1	A	212	GLN
1	A	229	ARG
1	A	286	ASP
1	A	314	GLN
1	B	143	ARG
1	B	156	GLU
1	B	173	ASP
1	B	276	LEU
1	B	327	VAL
1	C	45	VAL
1	C	143	ARG
1	C	175	VAL
1	C	229	ARG
1	C	298	MSE
1	D	102	THR
1	D	302	GLU
1	D	329	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	292	GLN
1	B	284	GLN
1	C	186	GLN
1	C	212	GLN
1	D	72	ASN
1	D	186	GLN
1	D	272	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PAF	A	401	-	8,9,9	0.84	0	12,13,13	1.09	0
2	PAF	D	401	-	8,9,9	1.16	0	12,13,13	1.01	1 (8%)
2	PAF	B	401	-	8,9,9	0.98	0	12,13,13	0.86	0
2	PAF	C	401	-	8,9,9	1.47	2 (25%)	12,13,13	1.11	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PAF	A	401	-	-	0/13/13/13	-
2	PAF	D	401	-	-	0/13/13/13	-
2	PAF	B	401	-	-	0/13/13/13	-
2	PAF	C	401	-	-	0/13/13/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	PAF	O1-C1	-2.26	1.23	1.30
2	C	401	PAF	C6-C3	-2.16	1.52	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	PAF	C3-C2-C1	-2.32	110.38	113.97
2	C	401	PAF	C4-C3-C2	2.10	112.35	108.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/328 (89%)	-1.27	0 100 100	12, 18, 26, 31	0
1	B	296/328 (90%)	-1.25	0 100 100	12, 19, 27, 35	0
1	C	294/328 (89%)	-1.23	0 100 100	13, 20, 29, 36	0
1	D	294/328 (89%)	-1.16	0 100 100	9, 23, 31, 41	1 (0%)
All	All	1179/1312 (89%)	-1.23	0 100 100	9, 20, 29, 41	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PAF	B	401	10/10	0.99	0.03	10,12,13,13	0
2	PAF	C	401	10/10	0.99	0.03	10,12,13,13	0
2	PAF	A	401	10/10	1.00	0.03	9,11,12,13	0
2	PAF	D	401	10/10	1.00	0.03	15,16,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.