



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:03 PM UTC

PDB ID : 5XEI / pdb_00005xei
Title : Crystal structure of the Smc head domain with a coiled coil and joint derived from *Pyrococcus yayanosii*
Authors : Lee, H.; Noh, H.; Oh, B.-H.
Deposited on : 2017-04-05
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	540	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4099 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chromosome partition protein Smc.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	517	Total	C	N	O	S	0	0	0
			4086	2590	707	776	13			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	903	SER	-	linker	UNP F8AFS8
A	904	GLY	-	linker	UNP F8AFS8
A	905	GLY	-	linker	UNP F8AFS8
A	906	SER	-	linker	UNP F8AFS8
A	1178	VAL	-	expression tag	UNP F8AFS8
A	1179	ASP	-	expression tag	UNP F8AFS8
A	1180	ALA	-	expression tag	UNP F8AFS8
A	1181	GLY	-	expression tag	UNP F8AFS8
A	1182	SER	-	expression tag	UNP F8AFS8
A	1183	SER	-	expression tag	UNP F8AFS8
A	1184	SER	-	expression tag	UNP F8AFS8
A	1185	ARG	-	expression tag	UNP F8AFS8
A	1186	PRO	-	expression tag	UNP F8AFS8
A	1187	GLY	-	expression tag	UNP F8AFS8
A	1188	LEU	-	expression tag	UNP F8AFS8


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	13	Total	O	0	0
			13	13		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Chromosome partition protein Smc



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	120.32Å 50.84Å 122.06Å 90.00° 118.09° 90.00°	Depositor
Resolution (Å)	39.62 – 2.60 39.62 – 2.60	Depositor EDS
% Data completeness (in resolution range)	92.6 (39.62-2.60) 92.6 (39.62-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.207 , 0.278 0.209 , 0.280	Depositor DCC
R_{free} test set	1903 reflections (10.08%)	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.189	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4099	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	1/4135 (0.0%)	0.70	5/5537 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	925	ARG	NE-CZ	-5.20	1.27	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1151	ARG	NE-CZ-NH1	-6.92	114.58	121.50
1	A	1146	ARG	CG-CD-NE	6.09	125.40	112.00
1	A	1145	MET	CA-C-N	5.51	130.54	122.77
1	A	1145	MET	C-N-CA	5.51	130.54	122.77
1	A	1151	ARG	CB-CG-CD	-5.12	99.51	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4086	0	4206	171	1
2	A	13	0	0	0	0
All	All	4099	0	4206	171	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1146:ARG:HD3	1:A:1151:ARG:CZ	1.35	1.52
1:A:1146:ARG:O	1:A:1151:ARG:NH2	1.81	1.12
1:A:1146:ARG:CD	1:A:1151:ARG:CZ	2.30	1.08
1:A:1151:ARG:HD2	1:A:1151:ARG:N	1.70	1.03
1:A:1146:ARG:HD3	1:A:1151:ARG:NE	1.74	1.03
1:A:1146:ARG:H	1:A:1151:ARG:NH2	1.59	1.01
1:A:1146:ARG:HD3	1:A:1151:ARG:NH2	1.74	1.00
1:A:218:LEU:CD1	1:A:968:MET:HE1	1.92	0.99
1:A:1146:ARG:C	1:A:1151:ARG:HH22	1.71	0.98
1:A:1146:ARG:N	1:A:1151:ARG:HH12	1.66	0.94
1:A:218:LEU:HD13	1:A:968:MET:HE1	1.50	0.94
1:A:1146:ARG:CA	1:A:1151:ARG:HH22	1.82	0.91
1:A:1146:ARG:N	1:A:1151:ARG:HH22	1.67	0.90
1:A:1146:ARG:H	1:A:1151:ARG:CZ	1.86	0.89
1:A:1146:ARG:H	1:A:1151:ARG:HH22	1.17	0.88
1:A:224:LEU:HA	1:A:956:MET:HE3	1.56	0.86
1:A:1098:GLU:HG2	1:A:1099:ILE:H	1.41	0.85
1:A:161:GLN:OE1	1:A:161:GLN:N	2.09	0.84
1:A:923:GLU:OE2	1:A:926:ARG:NH1	2.14	0.81
1:A:1146:ARG:N	1:A:1151:ARG:NH1	2.32	0.78
1:A:236:ILE:HG23	1:A:921:LEU:HD21	1.63	0.77
1:A:1145:MET:HG3	1:A:1149:VAL:O	1.85	0.76
1:A:160:ARG:NH1	1:A:164:ASP:OD2	2.19	0.75
1:A:1146:ARG:H	1:A:1151:ARG:NH1	1.85	0.75
1:A:40:SER:HB2	1:A:59:ARG:HH12	1.53	0.73
1:A:1098:GLU:HG2	1:A:1099:ILE:N	2.03	0.72
1:A:136:SER:HA	1:A:141:ASN:OD1	1.89	0.72
1:A:218:LEU:HD11	1:A:968:MET:HE1	1.71	0.72
1:A:1146:ARG:HH11	1:A:1151:ARG:HH21	1.38	0.70
1:A:1146:ARG:CD	1:A:1151:ARG:NH2	2.52	0.70
1:A:245:GLU:HA	1:A:248:ARG:HB3	1.73	0.70
1:A:152:ILE:HG13	1:A:1074:LYS:HG3	1.72	0.70
1:A:1143:VAL:HG22	1:A:1152:VAL:HG12	1.74	0.69
1:A:174:ALA:O	1:A:177:GLU:HG3	1.95	0.66
1:A:1066:ILE:HD12	1:A:1067:GLU:N	2.12	0.65
1:A:148:ILE:O	1:A:152:ILE:HG12	1.97	0.65
1:A:128:ASP:OD2	1:A:129:LEU:N	2.30	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:LYS:NZ	1:A:205:ASP:OD1	2.30	0.64
1:A:145:GLN:HG2	1:A:1098:GLU:OE1	1.97	0.64
1:A:1146:ARG:CD	1:A:1151:ARG:NE	2.54	0.64
1:A:18:ARG:NH2	1:A:74:GLU:OE1	2.31	0.63
1:A:223:ARG:HH21	1:A:226:ARG:HB2	1.64	0.63
1:A:1146:ARG:NH1	1:A:1149:VAL:HB	2.14	0.63
1:A:247:GLU:HG2	1:A:914:SER:HB2	1.81	0.62
1:A:947:GLU:OE1	1:A:950:ARG:NE	2.32	0.61
1:A:1098:GLU:CG	1:A:1099:ILE:H	2.03	0.60
1:A:1146:ARG:O	1:A:1146:ARG:HG2	2.00	0.59
1:A:212:ASN:O	1:A:216:ARG:HG3	2.02	0.59
1:A:223:ARG:HA	1:A:223:ARG:HE	1.67	0.59
1:A:208:GLU:CG	1:A:974:PHE:HE2	2.15	0.58
1:A:1162:LYS:O	1:A:1166:GLU:OE1	2.21	0.58
1:A:1079:LEU:HD21	1:A:1099:ILE:HD12	1.86	0.58
1:A:1146:ARG:CG	1:A:1151:ARG:NH2	2.67	0.57
1:A:1146:ARG:CA	1:A:1151:ARG:NH2	2.61	0.57
1:A:223:ARG:NH2	1:A:226:ARG:HD2	2.19	0.57
1:A:40:SER:CB	1:A:59:ARG:HH12	2.17	0.56
1:A:223:ARG:HH21	1:A:226:ARG:HD2	1.70	0.56
1:A:922:GLU:HA	1:A:925:ARG:CZ	2.36	0.56
1:A:32:VAL:HG11	1:A:1134:MET:HG3	1.88	0.55
1:A:943:SER:OG	1:A:944:LEU:N	2.36	0.55
1:A:176:LYS:HB2	1:A:1005:ILE:HG21	1.88	0.55
1:A:1078:ALA:O	1:A:1082:ILE:HG13	2.06	0.55
1:A:91:ARG:NH2	1:A:98:ASP:OD1	2.35	0.55
1:A:917:LEU:O	1:A:921:LEU:HB2	2.07	0.55
1:A:1146:ARG:NH1	1:A:1151:ARG:HE	2.04	0.54
1:A:1086:GLN:HB2	1:A:1094:TYR:OH	2.08	0.54
1:A:1145:MET:C	1:A:1151:ARG:HH12	2.16	0.54
1:A:239:LEU:HB3	1:A:921:LEU:HD23	1.89	0.53
1:A:239:LEU:HD13	1:A:921:LEU:HD23	1.90	0.53
1:A:1097:ASP:HA	1:A:1127:ILE:HB	1.91	0.52
1:A:933:ALA:HA	1:A:936:ILE:HG22	1.92	0.52
1:A:160:ARG:HH11	1:A:160:ARG:HG2	1.73	0.52
1:A:225:GLU:OE2	1:A:228:ARG:HD2	2.10	0.52
1:A:909:THR:O	1:A:913:LYS:NZ	2.40	0.52
1:A:232:LEU:HA	1:A:235:GLU:HB2	1.91	0.52
1:A:236:ILE:HD11	1:A:924:LYS:O	2.10	0.52
1:A:243:ILE:HD11	1:A:917:LEU:C	2.35	0.52
1:A:1131:ASP:HA	1:A:1134:MET:HE3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:LYS:HB2	1:A:981:TYR:CE1	2.46	0.51
1:A:208:GLU:HG3	1:A:974:PHE:HE2	1.75	0.51
1:A:1086:GLN:NE2	1:A:1118:SER:HB3	2.26	0.51
1:A:1097:ASP:O	1:A:1099:ILE:HG23	2.10	0.51
1:A:189:ASN:OD1	1:A:192:ARG:NH2	2.44	0.51
1:A:942:VAL:HG12	1:A:943:SER:N	2.26	0.51
1:A:942:VAL:HG12	1:A:943:SER:H	1.76	0.50
1:A:1142:GLY:O	1:A:1152:VAL:HA	2.10	0.50
1:A:220:LEU:HD22	1:A:956:MET:HG3	1.93	0.50
1:A:1027:LEU:HD13	1:A:1083:PHE:HB3	1.94	0.50
1:A:1066:ILE:HD12	1:A:1067:GLU:H	1.76	0.50
1:A:54:SER:HB3	1:A:57:ALA:HB3	1.93	0.50
1:A:1014:MET:HE3	1:A:1018:GLU:OE1	2.11	0.50
1:A:1150:SER:C	1:A:1151:ARG:HD2	2.33	0.50
1:A:54:SER:CB	1:A:57:ALA:HB3	2.42	0.49
1:A:236:ILE:O	1:A:240:GLU:N	2.43	0.49
1:A:1066:ILE:O	1:A:1069:MET:HG2	2.12	0.49
1:A:928:LEU:H	1:A:928:LEU:HD12	1.77	0.49
1:A:1146:ARG:HH12	1:A:1149:VAL:HB	1.77	0.49
1:A:8:GLU:HA	1:A:20:VAL:O	2.13	0.49
1:A:208:GLU:HG2	1:A:974:PHE:HE2	1.77	0.49
1:A:939:VAL:C	1:A:941:GLU:H	2.20	0.49
1:A:1146:ARG:CZ	1:A:1151:ARG:HE	2.25	0.49
1:A:1146:ARG:HH11	1:A:1151:ARG:NH2	2.08	0.48
1:A:1017:LEU:HD22	1:A:1017:LEU:O	2.14	0.48
1:A:1101:ALA:C	1:A:1102:HIS:HD1	2.22	0.48
1:A:43:GLY:HA2	1:A:1095:LEU:HD21	1.96	0.47
1:A:1158:GLU:OE1	1:A:1162:LYS:NZ	2.46	0.47
1:A:986:SER:O	1:A:990:LYS:HG2	2.13	0.47
1:A:201:LYS:HB2	1:A:981:TYR:HE1	1.80	0.47
1:A:245:GLU:O	1:A:249:LYS:HG3	2.15	0.47
1:A:152:ILE:HG13	1:A:1074:LYS:CG	2.41	0.47
1:A:247:GLU:HG2	1:A:914:SER:CB	2.44	0.46
1:A:1161:MET:O	1:A:1165:GLU:HG2	2.15	0.46
1:A:152:ILE:HG13	1:A:1074:LYS:HD2	1.97	0.46
1:A:1003:ASN:O	1:A:1007:LYS:HG2	2.16	0.46
1:A:236:ILE:HG23	1:A:921:LEU:CD2	2.40	0.45
1:A:152:ILE:HG23	1:A:1066:ILE:O	2.16	0.45
1:A:223:ARG:HE	1:A:226:ARG:HH11	1.64	0.45
1:A:935:LEU:O	1:A:939:VAL:HG12	2.16	0.45
1:A:947:GLU:OE1	1:A:947:GLU:HA	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:ARG:NH1	1:A:160:ARG:HG2	2.31	0.45
1:A:1021:ALA:HA	1:A:1039:LEU:HD12	1.97	0.45
1:A:1146:ARG:N	1:A:1151:ARG:NH2	2.32	0.45
1:A:157:LEU:O	1:A:161:GLN:NE2	2.50	0.45
1:A:1104:ASP:O	1:A:1108:VAL:HG13	2.17	0.45
1:A:193:VAL:O	1:A:197:ILE:HG13	2.17	0.45
1:A:109:ASP:OD1	1:A:111:ARG:HG2	2.17	0.44
1:A:223:ARG:HH21	1:A:226:ARG:CB	2.29	0.44
1:A:161:GLN:H	1:A:161:GLN:CD	2.14	0.44
1:A:88:ASN:ND2	1:A:93:PHE:HB2	2.33	0.44
1:A:1057:LYS:HB2	1:A:1063:VAL:HG22	2.00	0.44
1:A:1146:ARG:HD3	1:A:1151:ARG:NH1	2.13	0.44
1:A:233:LEU:HD13	1:A:940:LYS:HD2	1.99	0.44
1:A:1066:ILE:HD12	1:A:1067:GLU:CD	2.43	0.44
1:A:918:ARG:O	1:A:922:GLU:HG2	2.18	0.43
1:A:1111:VAL:O	1:A:1115:ILE:HG13	2.18	0.43
1:A:135:ILE:HD13	1:A:1092:PRO:HG2	1.99	0.43
1:A:243:ILE:HG23	1:A:247:GLU:CD	2.43	0.43
1:A:921:LEU:HD22	1:A:921:LEU:HA	1.64	0.43
1:A:945:ASP:OD1	1:A:948:VAL:HG13	2.19	0.43
1:A:152:ILE:HG13	1:A:1074:LYS:CD	2.49	0.43
1:A:1066:ILE:HA	1:A:1069:MET:CG	2.48	0.43
1:A:1066:ILE:HA	1:A:1069:MET:HG2	2.01	0.43
1:A:205:ASP:HA	1:A:208:GLU:OE1	2.20	0.42
1:A:246:GLY:HA2	1:A:249:LYS:HE3	2.01	0.42
1:A:68:PHE:CE2	1:A:70:GLY:HA2	2.54	0.42
1:A:945:ASP:O	1:A:948:VAL:HG22	2.19	0.42
1:A:998:ILE:O	1:A:1002:ILE:HG13	2.19	0.42
1:A:1143:VAL:HA	1:A:1151:ARG:O	2.19	0.42
1:A:187:GLU:H	1:A:187:GLU:HG2	1.70	0.42
1:A:933:ALA:O	1:A:936:ILE:HG22	2.20	0.42
1:A:14:SER:O	1:A:1150:SER:N	2.49	0.42
1:A:5:GLU:OE2	1:A:99:GLU:HG3	2.20	0.42
1:A:249:LYS:O	1:A:253:ILE:HD12	2.19	0.42
1:A:1098:GLU:O	1:A:1099:ILE:HG12	2.19	0.42
1:A:62:ARG:HE	1:A:62:ARG:HB3	1.48	0.41
1:A:1146:ARG:O	1:A:1146:ARG:CG	2.67	0.41
1:A:926:ARG:HA	1:A:929:LYS:HG3	2.01	0.41
1:A:128:ASP:OD2	1:A:128:ASP:C	2.64	0.41
1:A:81:GLU:OE2	1:A:105:ARG:NH1	2.43	0.41
1:A:120:ARG:HD2	1:A:120:ARG:HA	1.78	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:GLU:HG2	1:A:974:PHE:CE2	2.56	0.41
1:A:923:GLU:O	1:A:927:GLU:HB2	2.21	0.41
1:A:909:THR:HB	1:A:913:LYS:NZ	2.36	0.41
1:A:1098:GLU:C	1:A:1100:ASP:H	2.29	0.40
1:A:241:SER:HA	1:A:244:ASP:OD2	2.21	0.40
1:A:1037:ALA:C	1:A:1038:ARG:HG2	2.46	0.40
1:A:1066:ILE:CD1	1:A:1067:GLU:OE1	2.70	0.40
1:A:101:VAL:O	1:A:116:LEU:HA	2.21	0.40
1:A:206:LYS:HD3	1:A:206:LYS:HA	1.91	0.40
1:A:955:ASP:O	1:A:958:ALA:N	2.54	0.40
1:A:1146:ARG:CZ	1:A:1151:ARG:NE	2.85	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ASP:OD2	1:A:1018:GLU:OE2[1_545]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	513/540 (95%)	474 (92%)	35 (7%)	4 (1%)	16 34

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1099	ILE
1	A	55	ALA
1	A	942	VAL
1	A	962	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	431/455 (95%)	426 (99%)	5 (1%)	63 83

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	SER
1	A	131	SER
1	A	914	SER
1	A	1017	LEU
1	A	1086	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	ASN
1	A	212	ASN
1	A	1003	ASN
1	A	1086	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	517/540 (95%)	0.34	36 (6%) 22 18	35, 59, 113, 143	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	910	ILE	4.5
1	A	253	ILE	4.3
1	A	239	LEU	4.3
1	A	912	VAL	4.1
1	A	939	VAL	3.8
1	A	243	ILE	3.7
1	A	246	GLY	3.5
1	A	57	ALA	3.4
1	A	1	MET	3.1
1	A	251	ALA	3.0
1	A	911	LYS	3.0
1	A	919	ILE	3.0
1	A	921	LEU	2.8
1	A	944	LEU	2.8
1	A	61	THR	2.7
1	A	55	ALA	2.6
1	A	242	MET	2.6
1	A	946	LEU	2.6
1	A	54	SER	2.5
1	A	241	SER	2.5
1	A	1167	ALA	2.5
1	A	236	ILE	2.5
1	A	922	GLU	2.4
1	A	917	LEU	2.4
1	A	942	VAL	2.3
1	A	915	ALA	2.2
1	A	1168	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	920	GLN	2.2
1	A	247	GLU	2.1
1	A	940	LYS	2.1
1	A	161	GLN	2.1
1	A	989	GLU	2.1
1	A	928	LEU	2.1
1	A	909	THR	2.0
1	A	136	SER	2.0
1	A	233	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.