



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:48 PM UTC

PDB ID : 5XEY / pdb_00005xey
Title : Discovery and structural analysis of a phloretin hydrolase from the opportunistic pathogen *Mycobacterium abscessus*
Authors : He, Y.X.; Han, J.T.; Jia, W.J.; Zhang, Z.
Deposited on : 2017-04-06
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1112 (1.82-1.82)
Clashscore	190562	1148 (1.82-1.82)
Ramachandran outliers	187476	1140 (1.82-1.82)
Sidechain outliers	187428	1140 (1.82-1.82)
RSRZ outliers	180081	1112 (1.82-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	2% 92% 7%
1	B	279	3% 89% 8%
1	C	279	15% 78% 13% 7%
1	D	279	9% 78% 11% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	83X	B	301	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9340 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called phloretin hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	S	0	0	0
			2239	1430	386	416	7			
1	B	273	Total	C	N	O	S	0	0	0
			2212	1415	381	409	7			
1	C	259	Total	C	N	O	S	0	0	0
			2097	1345	363	382	7			
1	D	250	Total	C	N	O	S	0	0	0
			2038	1304	350	377	7			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	11	VAL	-	expression tag	UNP B1MK49
B	11	VAL	-	expression tag	UNP B1MK49
C	11	VAL	-	expression tag	UNP B1MK49
D	11	VAL	-	expression tag	UNP B1MK49

- Molecule 2 is 1-[2,4,6-tris(oxidanyl)phenyl]ethanone (CCD ID: 83X) (formula: C₈H₈O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			12	8	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	203	Total	O	0	0
			203	203		
3	B	180	Total	O	0	0
			180	180		
3	C	168	Total	O	0	0
			168	168		
3	D	191	Total	O	0	0
			191	191		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: phloretin hydrolase




- Molecule 1: phloretin hydrolase




- Molecule 1: phloretin hydrolase



- Molecule 1: phloretin hydrolase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.19Å 65.09Å 136.86Å 90.00° 105.74° 90.00°	Depositor
Resolution (Å)	36.40 – 1.82 36.40 – 1.82	Depositor EDS
% Data completeness (in resolution range)	98.3 (36.40-1.82) 98.2 (36.40-1.82)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 1.82Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.208 , 0.256 0.211 , 0.258	Depositor DCC
R_{free} test set	5629 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	19.2	Xtriage
Anisotropy	0.028	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 37.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9340	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 83X

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2317	0.76	0/3169
1	B	0.48	0/2289	0.75	0/3126
1	C	0.44	0/2171	0.75	0/2966
1	D	0.47	0/2107	0.77	1/2873 (0.0%)
All	All	0.47	0/8884	0.76	1/12134 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	147	PRO	N-CA-CB	8.00	110.47	103.27

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2239	0	2084	14	0
1	B	2212	0	2052	20	0
1	C	2097	0	1958	32	0
1	D	2038	0	1882	27	0
2	B	12	0	0	0	0
3	A	203	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	180	0	0	5	0
3	C	168	0	0	8	1
3	D	191	0	0	7	1
All	All	9340	0	7976	88	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:136:ILE:HD13	1:C:162:ILE:HG13	1.41	0.99
1:C:168:GLN:OE1	3:C:301:HOH:O	1.96	0.83
1:D:150:THR:HG22	1:D:153:GLN:H	1.50	0.77
1:B:237:ARG:NH1	3:B:402:HOH:O	2.20	0.73
1:D:102:ARG:NH1	3:D:303:HOH:O	2.18	0.71
1:B:23:ARG:NH1	3:B:403:HOH:O	2.24	0.70
1:A:23:ARG:NH2	1:B:260:GLU:OE2	2.25	0.70
1:D:205:MET:HG2	1:D:212:LEU:HD21	1.74	0.69
1:B:144:GLU:OE1	3:B:401:HOH:O	2.10	0.69
1:D:23:ARG:NH1	3:D:304:HOH:O	2.19	0.68
1:C:30:GLU:OE2	1:C:33:ARG:NH1	2.22	0.68
1:C:74:ARG:NH1	1:C:77:GLU:OE2	2.26	0.67
1:B:35:LYS:NZ	1:B:121:GLU:OE2	2.27	0.65
1:A:237:ARG:HH11	1:A:237:ARG:HG2	1.62	0.64
1:B:25:VAL:HG13	1:B:26:ARG:HD3	1.79	0.64
1:D:144:GLU:OE2	3:D:302:HOH:O	2.15	0.64
1:C:205:MET:HE3	1:C:212:LEU:HB2	1.80	0.63
1:C:183:TRP:O	3:C:302:HOH:O	2.16	0.63
1:C:182:ARG:HG2	1:C:182:ARG:HH11	1.64	0.62
1:A:69:SER:H	1:A:241:ARG:HH21	1.49	0.61
1:C:136:ILE:HD11	1:C:160:HIS:HB3	1.82	0.60
1:C:121:GLU:HB2	1:C:124:ARG:HG3	1.84	0.59
1:D:92:ASP:CG	1:D:93:GLY:H	2.12	0.57
1:D:77:GLU:O	1:D:220:ARG:NH2	2.37	0.57
1:C:74:ARG:NE	3:C:308:HOH:O	2.38	0.56
1:A:23:ARG:HH22	1:B:260:GLU:CD	2.14	0.55
1:D:148:ASN:O	1:D:150:THR:N	2.40	0.54
1:D:202:SER:HB3	1:D:211:ARG:HH21	1.72	0.54
1:C:197:ALA:HB3	1:C:219:ALA:HB3	1.89	0.54
1:C:14:ILE:HG22	1:C:16:TYR:H	1.72	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:205:MET:HA	1:C:205:MET:HE2	1.91	0.53
1:D:168:GLN:NE2	3:D:310:HOH:O	2.41	0.53
1:A:211:ARG:NH1	1:A:236:ASP:OD1	2.43	0.52
1:C:112:ARG:HD3	3:C:304:HOH:O	2.08	0.52
1:D:215:MET:HE2	1:D:232:TYR:HE2	1.74	0.51
1:D:112:ARG:HD2	1:D:152:GLU:HG3	1.92	0.51
1:D:215:MET:HE2	1:D:232:TYR:CE2	2.45	0.51
1:D:197:ALA:HB3	1:D:219:ALA:HB3	1.93	0.51
1:B:33:ARG:NH2	3:B:407:HOH:O	2.44	0.50
1:D:90:LEU:HD11	1:D:96:TYR:HB2	1.93	0.50
1:A:11:VAL:N	3:A:304:HOH:O	2.45	0.50
1:C:136:ILE:HD12	1:C:137:TRP:H	1.76	0.49
1:B:237:ARG:HG2	1:B:244:PRO:HG3	1.95	0.49
1:A:77:GLU:O	1:A:220:ARG:NH2	2.46	0.48
1:A:31:ARG:HG2	1:A:123:GLU:HG3	1.96	0.48
1:D:168:GLN:NE2	3:D:312:HOH:O	2.47	0.47
1:D:171:LEU:HD22	1:D:205:MET:HE1	1.96	0.47
1:A:260:GLU:CD	1:B:19:VAL:HG11	2.39	0.47
1:A:100:LEU:HD13	1:A:229:ARG:HG2	1.96	0.47
1:C:107:THR:HG23	1:C:110:MET:HE3	1.97	0.47
1:D:96:TYR:OH	3:D:301:HOH:O	2.14	0.47
1:D:202:SER:CB	1:D:211:ARG:HH21	2.29	0.46
1:C:217:HIS:HB3	1:C:228:LEU:HD11	1.97	0.46
1:D:210:MET:HE3	1:D:210:MET:HB2	1.74	0.45
1:A:19:VAL:HG11	1:B:260:GLU:CD	2.42	0.45
1:A:121:GLU:HB2	1:A:124:ARG:HG3	1.99	0.45
1:B:286:GLN:HG3	3:B:522:HOH:O	2.17	0.45
1:C:182:ARG:HG2	1:C:182:ARG:NH1	2.29	0.45
1:C:205:MET:HE1	1:C:212:LEU:HD22	1.98	0.45
1:D:92:ASP:CG	1:D:93:GLY:N	2.75	0.44
1:D:91:PRO:O	1:D:92:ASP:HB3	2.18	0.44
1:D:20:ASP:OD1	1:D:23:ARG:NH1	2.45	0.44
1:C:136:ILE:HD12	1:C:137:TRP:N	2.31	0.44
1:B:112:ARG:HD2	1:B:152:GLU:HG3	2.00	0.44
1:B:76:LEU:HD11	1:B:190:PHE:HE1	1.83	0.44
1:A:62:GLU:H	1:A:62:GLU:CD	2.26	0.43
1:C:42:ASN:HB2	3:C:440:HOH:O	2.17	0.43
1:D:261:ARG:NH1	3:D:305:HOH:O	2.19	0.43
1:B:142:GLU:CD	1:B:142:GLU:H	2.26	0.43
1:A:52:PHE:CZ	1:B:15:THR:HG22	2.53	0.43
1:B:116:TRP:HE3	1:B:120:PHE:HE2	1.67	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:LEU:HD13	1:B:229:ARG:HG2	2.00	0.43
1:C:76:LEU:HD11	1:C:190:PHE:HE1	1.84	0.43
1:D:48:PRO:HB2	1:D:50:GLU:HG2	2.01	0.42
1:C:123:GLU:O	1:C:126:SER:HB3	2.20	0.42
1:D:205:MET:HG2	1:D:212:LEU:HD11	2.00	0.42
1:C:39:HIS:ND1	3:C:305:HOH:O	2.30	0.42
1:D:110:MET:HG2	1:D:285:TYR:CG	2.55	0.42
1:C:31:ARG:HE	1:C:31:ARG:HB3	1.57	0.41
1:C:116:TRP:HE3	1:C:120:PHE:HE2	1.67	0.41
1:C:281:LEU:HB3	1:C:282:PRO:HD3	2.02	0.41
1:C:76:LEU:HD11	1:C:190:PHE:CE1	2.56	0.41
1:C:137:TRP:HH2	3:C:418:HOH:O	2.03	0.41
1:C:222:THR:HG22	1:C:226:PHE:HA	2.03	0.41
1:C:74:ARG:NH1	3:C:307:HOH:O	2.36	0.41
1:C:129:HIS:CE1	1:C:131:TRP:HB2	2.56	0.41
3:A:339:HOH:O	1:B:12:HIS:HB3	2.21	0.40
1:B:100:LEU:HD11	1:B:227:GLU:HB2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:453:HOH:O	3:D:469:HOH:O[2_646]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/279 (99%)	270 (98%)	5 (2%)	0	100	100
1	B	269/279 (96%)	266 (99%)	3 (1%)	0	100	100
1	C	255/279 (91%)	249 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	242/279 (87%)	237 (98%)	5 (2%)	0	100	100
All	All	1041/1116 (93%)	1022 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/233 (100%)	232 (100%)	0	100	100
1	B	228/233 (98%)	227 (100%)	1 (0%)	84	81
1	C	216/233 (93%)	210 (97%)	6 (3%)	38	21
1	D	210/233 (90%)	208 (99%)	2 (1%)	68	60
All	All	886/932 (95%)	877 (99%)	9 (1%)	68	60

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	142	GLU
1	C	30	GLU
1	C	31	ARG
1	C	33	ARG
1	C	39	HIS
1	C	47	VAL
1	C	162	ILE
1	D	150	THR
1	D	168	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	275	ASN
1	D	266	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	286	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	83X	B	301	-	12,12,12	4.42	9 (75%)	17,17,17	1.12	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	83X	B	301	-	-	4/4/4/4	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	83X	C5-C6	9.55	1.52	1.38
2	B	301	83X	C3-C4	8.07	1.51	1.39
2	B	301	83X	C1-C2	6.15	1.51	1.41
2	B	301	83X	C3-C2	-2.86	1.34	1.38
2	B	301	83X	O1-C2	2.66	1.41	1.36
2	B	301	83X	C1-C6	-2.63	1.37	1.41
2	B	301	83X	C5-C4	-2.37	1.35	1.39
2	B	301	83X	O2-C6	2.23	1.40	1.36
2	B	301	83X	O3-C4	2.00	1.41	1.37

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	83X	O4-C7-C1	2.64	124.41	119.99

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	83X	C6-C1-C7-O4
2	B	301	83X	C2-C1-C7-O4
2	B	301	83X	C2-C1-C7-C8
2	B	301	83X	C6-C1-C7-C8

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/279 (99%)	-0.07	5 (1%) 67 73	11, 17, 30, 42	0
1	B	273/279 (97%)	0.10	9 (3%) 49 56	10, 19, 33, 48	0
1	C	259/279 (92%)	1.00	42 (16%) 4 5	12, 25, 37, 48	0
1	D	250/279 (89%)	0.48	26 (10%) 11 13	9, 21, 38, 51	0
All	All	1059/1116 (94%)	0.36	82 (7%) 19 21	9, 20, 36, 51	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	93	GLY	4.5
1	D	212	LEU	4.3
1	C	115	PHE	4.1
1	C	116	TRP	3.8
1	D	150	THR	3.8
1	C	34	HIS	3.8
1	D	259	GLY	3.7
1	A	237	ARG	3.7
1	D	92	ASP	3.6
1	D	148	ASN	3.4
1	C	137	TRP	3.4
1	B	33	ARG	3.3
1	C	139	THR	3.3
1	D	91	PRO	3.3
1	C	254	VAL	3.3
1	B	153	GLN	3.3
1	C	136	ILE	3.3
1	C	158	SER	3.3
1	B	139	THR	3.1
1	D	82	GLU	3.1
1	C	11	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	94	ALA	3.0
1	C	26	ARG	3.0
1	C	39	HIS	3.0
1	C	33	ARG	2.9
1	D	147	PRO	2.9
1	B	144	GLU	2.8
1	B	141	PRO	2.8
1	D	50	GLU	2.7
1	D	157	GLY	2.7
1	C	113	TRP	2.7
1	C	198	HIS	2.7
1	B	151	ASP	2.7
1	C	191	ALA	2.7
1	C	199	ALA	2.7
1	C	256	GLY	2.6
1	D	205	MET	2.6
1	D	184	GLY	2.6
1	D	62	GLU	2.5
1	C	38	ALA	2.5
1	C	222	THR	2.5
1	D	59	LEU	2.5
1	C	23	ARG	2.5
1	B	116	TRP	2.5
1	C	285	TYR	2.4
1	C	255	PRO	2.4
1	C	119	SER	2.4
1	B	143	THR	2.4
1	D	234	ILE	2.4
1	C	195	ILE	2.3
1	C	221	ILE	2.3
1	C	37	TYR	2.3
1	C	248	ILE	2.3
1	C	126	SER	2.3
1	C	277	LEU	2.3
1	C	36	PRO	2.3
1	C	225	GLY	2.3
1	C	114	TRP	2.2
1	D	71	GLU	2.2
1	A	92	ASP	2.2
1	D	182	ARG	2.2
1	C	177	PHE	2.2
1	D	142	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	198	HIS	2.2
1	C	47	VAL	2.2
1	D	211	ARG	2.2
1	C	120	PHE	2.1
1	C	117	TRP	2.1
1	A	34	HIS	2.1
1	B	120	PHE	2.1
1	D	169	ASP	2.1
1	D	179	ASP	2.1
1	C	192	ALA	2.1
1	A	241	ARG	2.1
1	C	112	ARG	2.1
1	C	280	PHE	2.0
1	D	141	PRO	2.0
1	C	29	ALA	2.0
1	D	70	THR	2.0
1	C	130	PRO	2.0
1	C	180	PRO	2.0
1	A	33	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	83X	B	301	12/12	0.52	0.24	26,32,38,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.